REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
FERTILIZER AND PESTICIDE AUTHORITY
LIST OF REGISTERED AGRICULTURAL PESTICIDES

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	BISPYRIBAC SODIUM	ZYTOX 10 SC	100 g/L	SC	HERBICIDE	2	001-276-3588	23-Oct-24	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC -LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHRIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	ZUKOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	488-229-2735	29-Apr-24	-	Rice	Golden apple snail	35 gm or 1 sachet(per 16 L of water)	-	-	-
SHARPHIL, INC.	AZOXYSTROBIN	ZOXY 250 SC	250 g/L	SC	FUNGICIDE	4	402-309-2947	23-Jan-20	SYSTEMIC	Banana	Black sigatoka & freckle desease	-	-	No harvest interval is necessary	-
AGSPEC PHILIPPINES CORPORATION	ZOXAMIDE	ZOXIUM 240 SC	240 g/L	SC	FUNGICIDE	4	508-494-4578	17-Dec-27		Banana	Black sigatoka	0.5-1.0 Liter product/ha applied at 80-200L/ha spray volume using ground	0.2mg/Kg	0 day	After spray deposits have dried.
AGWAY CHEMICALS CORPORATION	ZOXAMIDE	ZOXIUM 240 SC	240 g/L	SC	FUNGICIDE	4	075-494-4663	14-Feb-25	-	Banana	Black sigatoka	0.5-1.0 L prod/ha		0 day	After spray deposits have dried.
VANN HAWK AGRO CHEMICALS, INC.	METHYL EUGENOL	ZORGEN	99 g/L	L	OTHERS	3	295-358-4919	25-Sep-25	-	Mango	Oriental fruitfly	3-5 mL/baiting station	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1-4.5 Tbsp/16L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm aphids	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm aphids	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, tuber moth, leafminer	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.5 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
ENVIREAU PACIFIC INC,	NATAMYCIN	ZIVION P	10 g/L	SL	FUNGICIDE	4	503-496-4634	24-Jan-28	-	Pineapple	Butt molds	10mL product/L of water (Apply the solution in all part of the fruits.)	-	-	-
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	One day after application
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	One day after application
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	3-5 Tbsp/16 L water	-	-	One day after application
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6½-13.0Tbsp/16 L water	-	-	One day after application
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	One day after application
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	ZIPPY 800 WP	800 g/Kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	One day after application
AGRI-BIO PHILIPPINES, INC.	HYDROGEN PEROXIDE+PARACETIC ACID	ZIP VIROX	250 g/kg+65 g/kg		OTHERS	2	703-566-5657	31-Dec-27	-	-	Disinfection of surfaces in livestock installation, material incubators and hatcheries in poultry farms	-	-	-	-
BAYER CROPSCIENCE, INC.	ZINC PHOSPHIDE	ZINC PHOSPHIDE 80 DP	800 g/Kg	DP	RODENTICIDE	2	284-173-0390	28-Oct-20	-	-	Field rats,mice and other harmful rodents	2-3 grams/100 gms. Bait	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL COMPANY, INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL COMPANY, INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Green peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL COMPANY, INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	As soon as the spray dries
BERRIS AGRICULTURAL COMPANY, INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	As soon as the spray dries
EZERTECH CORPORATION	CARBENDAZIM	ZIMIO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-
EZERTECH CORPORATION	CARBENDAZIM	ZIMIO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Cucurbits	Downy mildew	2-2Tbsp/16 L water	-	-	-
EZERTECH CORPORATION	CARBENDAZIM	ZIMIO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	3-2Tbsp/16 L water	-	-	-
EZERTECH CORPORATION	CARBENDAZIM	ZIMIO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water	-	-	-
EZERTECH CORPORATION	CARBENDAZIM	ZIMIO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/Kg	SC	FUNGICIDE	4	075-267-4225-A (376)	06-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/Kg	SC	FUNGICIDE	4	075-267-4225-A (376)	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/Kg	SC	FUNGICIDE	4	075-267-4225-A (376)	06-Apr-27	SYSTEMIC	Green Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/Kg	SC	FUNGICIDE	4	075-267-4225-A (376)	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/Kg	SC	FUNGICIDE	4	075-267-4225-A (376)	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	7 Days	Re-entry is allowed as soon as spray dries up.
ALBAUGH PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	10-Nov-25	NON-SELECTIVE/POST EMERGENT	Cavendish Banana	Weeds	120 mL/ 16L water; 101.25-150 ml/ 16L water	-	-	-
ALBAUGH PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	10-Nov-25	NON-SELECTIVE/POST EMERGENT	Rubber	Weeds	161-25 mL/ 16l water; 202.5 mL/ 16L water; 101.25 mL/ 16L water	-	-	-
ALBAUGH PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	10-Nov-25	NON-SELECTIVE/POST EMERGENT	Oil palm	Weeds	120 mL/ 16L water; 101.25 mL/ 16L water	-	-	-

ALBAUGH PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	10-Nov-25	NON-SELECTIVE/POST EMERGENT	Non-crop agricultural areas	Weeds	120-161.5 mL/ 16L water	-	-	-
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPYRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	099-441-3228-A	09-Dec-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octavalvis & S. zeylanica) Sedges (C. Difformis & C. Iria)	0.5 L pord/ha (min), 1L prod/ha (max)	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPYRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	099-441-3228-A	09-Dec-25	POST-EMERGENCE	Rice (Transplanted)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octavalvis & S. zeylanica) Sedges (C. Difformis & C. Iria)	0.5 L pord/ha (min), 1L prod/ha (max)	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PROPYRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	472-441-3212	20-Sep-25	-	Rice (Direct-Seeded)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octavalvis & S. zeylanica) Sedges (C. Difformis & C. Iria)	0.5 L pord/ha (min), 1L prod/ha (max)	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PROPYRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	472-441-3212	20-Sep-25	-	Rice (Transplanted)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octavalvis & S. zeylanica) Sedges (C. Difformis & C. Iria)	0.5 L pord/ha (min), 1L prod/ha (max)	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	BUTACHLOR+PROPANIL	ZETANIL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	575-238-5843	3-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	8-12 Tbsp/16 L water	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	BUTACHLOR+PROPANIL	ZETANIL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	575-238-5843	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, broadleaves and sedges	8-12 Tbsp/16 L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	30-60 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Cowpea	Aphids, cutworm, grasshopper	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Pineapple	Mealybug	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	25-35 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	White potato	Aphids, leaffolder, cutworm	30-60 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Citrus	Mites, aphids, stink bug	60-80 ml/16 L water	-	14 days	-
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-27	CONTACT	Banana	Thrips, mealybug, leaffolder (STEM and MAT spray application of mealy bugs)	25-35 ml/16 L water	-	14 days	-
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Beans	Leaffolder; flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-

GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-		
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-		
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TRIDEMORPH	ZENITH 86 OL	860 g/L	OL	FUNGICIDE	2	615-097-4735	01-Apr-25	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 0.5 L/Ha Oil	-	-	Until the spray deposit has dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	ZENCOCIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	575-229-3736	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	METALDEHYDE	ZECTRIC 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDEHYDE	ZECTRIC 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDEHYDE	ZECTRIC 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDEHYDE	ZECTRIC 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDEHYDE	ZECTRIC 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3656	23-Feb-19		Banana	Black Sigatoka	4.5 Li/Ha or 12 Tbsp/16Li		-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3656	23-Feb-19		Potato	Late blight	5-6 ½ Tbsp/16Li		-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3656	23-Feb-19		Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li		-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Potato	Early and late blight	5-7 Tbsp/16 L water			As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/16 L water			As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZEBRA 80 WP	800 g/Kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries

ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZEBAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Ornamentals	Aphids, Cutworms, mealybugs, scale insects, spider mites	3.0-6.0 Tbsp/16L Water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0 Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp/16L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Pineapple	Mealybug	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Pepper	Aphids, Cutworms, fruitworms	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Garlic	Cutworms	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Onion	Cutworms	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Tobacco	Aphids, katyidid	3.0-6.0 Tbsp/16L Water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp/16L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp/16L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Sorghum	Web worm	3.0 Tbsp/ 16 L water	-	One day after final spraying	One (1) day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Ornamentals	Blackspot, black rot, powdery	-	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foilage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L			Re- entry to treated areas may be done as soon as spray solutions has dried on the foilage

ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Celery	Early and late blight	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Cucurbits	Powdery mildew, downy mildew, cescospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Crucifers	Powdery m	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Potato	Early and late blight, vine rot	4.5-5.5 Tbsp? 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Banana	Black sigatoka	4.5-6.0 Tbsp/ 16L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Cowpea	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Eggplant	Fruit borer	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Rice	Stemborer, whorl maggots, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Soybeans	Beanfly. Grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Sugarcane	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Cocoa	Pod borer	10-20 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Corn	Borer, aphids, seedling maggot	10-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Cotton	Bollworm	10-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Mango	Hoppers	90-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	10 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Onion	Cutworms, thrips	10 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	10-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	10-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Tomato	Fruitworm, cutworm, aphids	10-15 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Watermelon	Squash beetle, melon worm	10 mL prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-013-6218	24-Sep-24	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/ 16L	-	-	Entry to fields and crops treated with **ZB 2,4-D AMINE 400 SL** can be done one day after spraying
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-013-6218	24-Sep-24	-	Corn	Annual broadleaves and sedges	5-6.5 tbsp/ 16L	-	-	Entry to fields and crops treated with **ZB 2,4-D AMINE 400 SL** can be done one day after spraying
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-013-6218	24-Sep-24	-	Sugarcane	Annual broadleaves and sedges	13-25 tbsp/ 16L	-	-	Entry to fields and crops treated with **ZB 2,4-D AMINE 400 SL** can be done one day after spraying
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Mango	Hoppers	20-25 mL/ 100 L water	-	20 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Banana	Flower thrips, aphids, mealy bugs	0.5 mL Prod/ L water	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Watermelon	Thrips, aphids	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Citrus	Rindborer, mealybug, scale insects	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Cabbage	DBM, Flea beetle	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Sugarcane	Termites	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Asparagus	Thrips	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Okra	Leafhopper	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Pineapple	Mealybug	Dip planting materials (seed) in ZATHRON solution before planting at	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, laeworm, tuber moth, leafminer	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Mango	Leafhopper	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
VETMATE FARMA CORPORATION	CARTAP HYDROCHLORIDE	ZARTOX 50 SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	9-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after sprfaying
ZAGRO CORPORATION	POTASSIUM PEROXYMONOSULFATE	ZARCON	500g/kg		OTHERS	2	043-601-5959	31-Dec-27	-	-	Cleaning and disinfection in poultry hatcheries, animal farm building and equipment	-	-	-	-
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			

118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
BASF PHILIPPINES, INC.	AMECTROTRADIN+DIMETHOMORPH	ZAMPRO DM	300+225 g/L	SC	FUNGICIDE	4	005-425-2948	06-Jan-27	SYSTEMIC	Potato	Late Blight	1000-1200mL/HA	-	14 Days	As soon as spray has dried up
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	432-174-3030	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Mungbeans	Bean podborer, aphid, beanfly, armyworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Soybeans	Bean podborer, aphid, beanfly, armyworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BPMC+CHLORPYRIFOS	ZAMBO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	011-174-3030	27-Dec-24	-	Beans	Bean podborer, aphid, beanfly, armyworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100 L water			
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water			
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water			
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water			
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water			
ZAGRO CORPORATION	AZOXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water			
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/Kg	D	RODENTICIDE	2	043-173-1470	30-Sep-27	-	Rice	Filed rats	-	-	-	-
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/Kg	D	RODENTICIDE	2	043-173-1470	30-Sep-27	-	Corn	Filed rats	-	-	-	-
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/Kg	D	RODENTICIDE	2	043-173-1470	30-Sep-27	-	Sugarcane	Filed rats	-	-	-	-
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	3-5 Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3-5 Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Cabbage/Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	043-065-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried
ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	043-065-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried

ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	043-065-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Rice	Sedges and broadleaf weeds	3.5-6.5 Tbsp/16 L water	-		One day after spraying
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Corn	Sedges and broadleaf weeds	5.0-6.5 Tbsp/16 L water	-		One day after spraying
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges and broadleaf weeds	13.0-25.0 Tbsp/16 L water	-		One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5Tbsp/16 L water	0.1 ppm		One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges and broadleaf weeds	13-25 Tbsp/16 L water			One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Corn	Sedges and broadleaf weeds	5-6.5 Tbsp/16 L water			One day after spraying
ZAGRO CORPORATION	BISPYRIBAC SODIUM	ZAGRIBAC 100 SC	100 g/L	SC	HERBICIDE	2	043-276-5271	04-Nov-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded Upland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	-
ZAGRO CORPORATION	OXYFLUORFEN	ZAGOAL 24 EC	240 g/L	EC	HERBICIDE	4	043-123-4854	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Onion	Broadleaves, sedges & grasses	2-4, 4-8 Tbsp/16L water	-	-	Immediately after spray deposits have dried
ZAGRO CORPORATION	BROMACIL	ZACOCIL 80 WP	800 g/Kg	WP	HERBICIDE	4	043-169-3407	18-May-24	NON-SELECTIVE	Pineapple	Annual & Perennial weeds	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-		Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Soybean and other beans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cowpea	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/Kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB+COPPER OXYCHLORIDE	Z-10 XTRA 51 WP	340g/kg+170g/kg	WP	FUNGICIDE	4	233-512-4834	13-Jul-27	-	Potato	Late blight and Early blight	2 Kg/ha; spray 8-9 times at 7 days interval starting pre-bloom	-	7 days	-
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB+COPPER OXYCHLORIDE	Z-10 XTRA 51 WP	340g/kg+170g/kg	WP	FUNGICIDE	4	233-512-4834	08-Aug-21	-	Mango	Anthracnose	2 Kg/ha; spray 8-9 times at 7 days 10 days interval starting pre-bloom	-	10 days	-
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB+COPPER OXYCHLORIDE	Z-10 XTRA 51 WP	340g/kg+170g/kg	WP	FUNGICIDE	4	233-512-4834	13-Jul-27	-	Tomato	Late blight and Early blight	2 Kg/ha; spray 8-9 times at 7 days 10 days interval starting pre-bloom	-	7 days	-
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB+COPPER OXYCHLORIDE	Z-10 XTRA 51 WP	340g/kg+170g/kg	WP	FUNGICIDE	4	233-512-4834	13-Jul-27	-	Cutflower	Alternaria leaf blight	0.2-0.25 kg prod. / 16L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Banana	Black Sigatoka	200g/100 L water			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Mango	Anthracnose	200-300g/100 L water			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Papaya	Fruit rot	-			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Pineapple	Fruit rot	-			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Bell pepper	Anthracnose	2-3 Kg product/ha; at volume rate of 300-400 L/ha; apply 8 times starting			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Tomato	Late blight	2-3 Kg product/ha; at volume rate of 300-400 L/ha; apply 8 times starting			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Potato	Late blight				
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Carrot	Leaf blight	2-3 Kg product/ha; at volume rate of 300-400 L/ha; apply 8 times starting			
BERRIS AGRICULTURAL COMPANY, INC.	ZINEB	Z-10 430 OD	430 g/L	OD	FUNGICIDE	4	233-461-4397	08-Jun-25	-	Banana	Black sigatoka	2.5 Liters per hectare, spray 6 times a 7 days interval	-	Crops treated with **Z-10 430 OD** can be harvested 0 days after spraying	Entry to fields and crops treated with Z-10 430 OD can be done as soon as spray deposits dry
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
RZJR AGRI TRADING	GLYPHOSATE IPA	Z+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	GLYPHOSATE IPA	YUUMIE SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves		-		
YUUMIE TRADE OPC	2,4-D IBE	YUUMIE 2,4-D ESTER	491 g/L		HERBICIDE	2	691-049-5830 (590)	7-Sep-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Ester can be done one day after spraying
YUUMIE TRADE OPC	2,4-D IBE	YUUMIE 2,4-D ESTER	491 g/L	-	HERBICIDE	2	691-049-5830 (590)	7-Sep-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Ester can be done one day after spraying
YUUMIE TRADE OPC	2,4-D IBE	YUUMIE 2,4-D ESTER	491 g/L	-	HERBICIDE	2	691-049-5830 (590)	7-Sep-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Ester can be done one day after spraying
YUUMIE TRADE OPC	2,4-D AMINE	YUUMIE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (590)	7-Sep-25	-	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Amine can be done one day after spraying
YUUMIE TRADE OPC	2,4-D AMINE	YUUMIE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (590)	7-Sep-25	-	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Amine can be done one day after spraying
YUUMIE TRADE OPC	2,4-D AMINE	YUUMIE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (590)	7-Sep-25	-	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray with 2 days before harvest	Entry to fields crops treated with 2,4-D Amine can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	YURO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	274-229-1906	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			Do not enter the treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	NICLOSAMIDE	YURO 250 EC	250 g/L	EC	MOLLUSCICIDE	4	274-229-1717	25-Sep-21	CONTACT	Rice	Golden Apple Snail	7-10; 10-14 Tbsp/16L Water	-	-	At least 48 hours after application.
VETMATE FARMA CORPORATION	BUTACHLOR+PROPANIL	YOKAN 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	658-238-6142	7-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	9-14 tbsp/ 16L water	-	-	-

VETMATE FARMA CORPORATION	BUTACHLOR+PROPANIL	YOKAN 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	658-238-6142	7-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges & broadleaves	9-14 tbsp/ 16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage,re-entry into treated areas may be done.
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CYHALOTHRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	BISPYRIBAC SODIUM	YIELDMASTER SC 100	100 g/L	SC	HERBICIDE	4	495-276-3391	07-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Banana	Blossom thrips	0.5/ L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Tobacco	Budworms,Thrips, aphids	5-15 mL Product per 16L water	-	-	-
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Corn	Fall armyworm	8-10 mL pdt. Per ha, 200-250mL pdt. Per tank load at spray volume of 500 L	0.02 mg/kg	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Cabbage	Diamondback moth	4-8 mL product/16L water, 100-200 mL product/ha	-	7 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Rice	Stemborer and leaf folder	15 mL prod. / 16 L water, 150 mL prod. / ha	0.01 mg/ Kg	33-34	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Pepper	Fruitworm	150-200 mL prod./ ga	0.40 ^{e} mg/kg	3 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Sugarcane	Cane borer	75-150 grams AI / hectare 15-30 mL pro./ 16 L	0.01 mg/kg	-	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Eggplant	Fruit and shoot borer	150-200 mL prod./ ha	0.4 mg/kg Tetraniliprole	3 days	-
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Corn (Drone application)	Fall armyworm (Unmanned Aerial System [UAS] application)	200-250 mL prod./ ha	0.02 mg/kg Tetraniliprole	14 days	
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Corn	Armyworm, corn borer, corn seedling maggot, corn earworm	150-200 mL pro / hectare 400 L/ hectare	0.02 mg/kg		
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Mango	Tip borer, cecid fly, capsid bug	750-1000 mL prod/ hectare 2000 L / hectare	0.01 mg/kg		
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	YEOVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Tomato	Leafminer	150-200 mL prod./ ha	0.02 mg/kg		
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CROP PROTECTION AGRIVENTURES INC.	PRETILACHLOR	YATAKI 30 EC	300 g/L	EC	HERBICIDE	4	616-063-5473	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha; 50-75 mL prod./ 16L water; 160-192 L/ha	0.01 ppm 0.01 ppm	28 days	When spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Onion	Anthracnose	300-500 mL prod./ ha; 20-35 mL prod./ 16L water; 200-500 L/ha	0.01 ppm 0.01 ppm	12 days	When spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Potato	Late blight	400-500 mL prod./ ha; 20-25 mL prod./ 16L water; 300-500 L/ha	0.05 ppm 0.1 ppm	14 days	When spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Rice	Rice blast sheath blight	250-500 mL prod./ ha; 20-50 mL prod./ 16L water; 160-200 L/ha	0.6 ppm 0.4 ppm	30 days	When spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod./ ha; 150-200 mL prod./ 200L water; 2,040-3,3,472 L/ ha	0.2 ppm 0.07 ppm	14 days	When spray deposits have dried
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPERIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLOCRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
THAIPHIL ADVANCE AGRITECH CORP.	BUPROFEZIN	XYBORG 25 SC	250 g/L	SC	INSECTICIDE	4	657-224-4936	14-Feb-20	SYSTEMIC	Mango	Leafhopper	60-80 mL/200 L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as solution dries up.
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Mango	Hoppers	0.90-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Onion	Thrips, cutworm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Corn	Corn borer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Cotton	Bollworm	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16l water	-	Do not spray 3 days before harvest	-
MANNA AGROLOGY AGRI VENTURES OPC	LAMBDA-CYHALOTHRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	-
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 480 PGR	480 g/L	L	OTHERS	4	043-061-0598	15-Dec-27	-	Pineapple	As plant growth regulation for the flower induction and ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 480 PGR	480 g/L	L	OTHERS	4	043-061-0598	15-Dec-27	-	Mango	As plant growth regulation for the flower induction and ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 240 PGR	240 g/L	L	OTHERS	4	043-061-0598	31-Dec-18							
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 10 LS	100 g/L	L	OTHERS	4	043-061-0600	31-Dec-18							
ENVIREAU PACIFIC INC,	CANOLA OIL	XTENDPLANT OIL ADJUVANT	900 g/L	-	OTHERS	4	503-446-3292	15-Feb-22	-	Cavendish Banana	Black Sigatoka and freckle	200ml/ha		-	As soon as the mist dried up
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of X-TARA 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		7 days	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		3 days	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as X-TARA 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Banana	Thrips, aphids, scarring beetle and leafroller	20-30mL/16 liters water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Sugarcane	White Grub	80-100mL/16 liters water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Pineapple	Ants & Mealybugs	1-4 Liers/ha. Using boom spray	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 20 EC	200 g/L	EC	INSECTICIDE	2	043-101-0457	20-Apr-19	-	Rice	Armyworm, caseworm, cutworm, stemborer, leafhopper, and planthopper	3.5 Tbsp/16 Liters water	-	Interval between last application and harvest is 14 days.	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 20 EC	200 g/L	EC	INSECTICIDE	2	043-101-0457	20-Apr-19	-	Corn	Borer, earworm, seedling maggot & armyworm	3.5 Tbsp/16 Liters water	-	Interval between last application and harvest is 14 days.	One day after application.
GREENTHUMB AGRISOLUTIONS,INC.	NICLOSAMIDE ETHANOLAMINE SALT	XPEL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	584-229-4334	26-Apr-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOTROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	31-Oct-25	-	Cavendish Banana	Black Sigatoka	0.8 L product/hectare	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOTROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	16-Feb-24	-	Pineapple	Chocolate spots, stem end rot, leaf spots, *Phytophthora* fruit rot, *Fusarium* fruit rot, fruit spots	2 mL to 4mL / L of water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOTROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	31-Oct-25	-	Pineapple	Heart rot and root rot caused by *Phytophthora* spp. And white leaf spot caused by chalara (*Thielaviopsis*) paradoxa	2-8 mL product per L at volume rate of 2 338 L per heactare	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOTROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	16-Feb-25	-	Papaya	Chocolate spots, stem end rot, leaf spots, Phytophthora fruit rot, Fusarium fruit rot, fruit spots	1 mL to mL prod./ L water	-	-	As soon as solution has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Cabbage	Diamondback moth armyworm and armyworm	20g (2 tbs.)/16 L water			Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Mustard	Diamondback moth armyworm and armyworm	20g (2 tbs.)/16 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Cauliflower	Diamondback moth armyworm and armyworm	20g (2 tbs.)/16 L water			Do not enter treated areas without protective clothing until sprays have dried

SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Broccoli	Diamondback moth armyworm and armyworm	20g (2 tbs.p.)/16 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Pechay	Diamondback moth armyworm and armyworm	20g (2 tbs.p.)/16 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Cavendish Banana	Slug caterpillars	1.25g/L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. AIZAWAI	XENTARI WDG	30 g/Kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-26	-	Corn	Fall armyworm, earworm and corn borer	0.5-1.5 kg prod./ ha. ; 30-40 g prod./ 16L water ; 332-620 L/ ha. Spray	-	-	Do not enter treated areas without protective clothing until sprays have dried
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VETMATE FARMA CORPORATION	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYMETROZINE	WORTHIDE 50 WG	500 g/Kg	WG	INSECTICIDE	4	539-307-5005	07-Jan-26	-	Mango	Leafhopper	80 g/200 L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried
DCDM MARKETING INCORPORATED	BUPROFEZIN	WONDERFUL 25 SC	250 g/L	SC	INSECTICIDE	3	467-224-5115	27-Nov-22	-	Mango	Leafhopper	60-80 mL/200L water	-		Re-entry to treated fields is allowed as soon as spray dries up
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILS., INC.	MANCOZEB	WONDER 80 WP	800 g/Kg	WP	FUNGICIDE	4	668-053-5499	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGRI VENTURES, INC.	BPMC+CHLORPYRIFOS	WOLVERINE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	636-174-4689	06-Mar-22	-	Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Rice	Whorl maggot,stemborer,green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Onion	Thrips,cutworm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Potato	Thrips, cutworm ,leafhopper, aphids,leafworm ,tuber moth,leafminer	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Mango	leafhopper	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm,aphids	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm,aphids	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Pechay	Looper,cutworm,aphids	1.5-3.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXFERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	WIPE OUT 160 g/L	160 g/L	SL	HERBICIDE	4	096-151-2023	04-Jan-22	POST-EMERGENT	non-crop areas	common grassy fields	24-48 Tbsp/16L sprayer	-	-	-
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGRI-VENTURES, INC.	CYPERMETHRIN	WINNEST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	WILDFIRE 160 SL	160 g/L	SL	HERBICIDE	4	546-151-3499	14-Aug-18	POST-EMERGENT	non-crop areas	common grassy fields				
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer		-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer		-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/Kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer		-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Mango	Hopper, Tip borer, twig borer	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armywor, podborer, semilooper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armywor, podborer, semilooper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL COMPANY, INC.	DELTAMETHRIN	WHIZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	24 hours after each spray
VERDANT LUSTERCORE CORPORATION	BUTACHLOR	WHIPLASH 600 EC	600 g/L	EC	HERBICIDE	4	546-150-3372	30-Jan-18	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm		
VERDANT LUSTERCORE CORPORATION	BUTACHLOR	WHIPLASH 600 EC	600 g/L	EC	HERBICIDE	4	546-150-3372	30-Jan-18	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm		
JARDINE DISTRIBUTION, INC.	D-LIMONENE	WETCIT	60 g/L	SL	OTHERS	4	367-514-4841	23-Jul-27	-	Banana	Black sigatoka (as adjuvant in combination with FPA-registered fungicide)	0.5 L product per hectare (in combination with fungicide. MA	-	-	-
JARDINE DISTRIBUTION, INC.	D-LIMONENE	WETCIT	60 g/L	SL	OTHERS	4	367-514-4841	13-May-25	-	Pechay	Diamondback moth, cutworm, aphids (as adjuvant for insecticide)	100-200 mL prod./ ha at spray volume of 160L/ ha	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Cabbage (Crucifers)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-27	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275-A	05-Mar-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water				
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275-A	05-Mar-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-		-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275-A	05-Mar-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-		-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275-A	05-Mar-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-		-
WELLCHEM CORPORATION	ATRAZINE	WEISSER ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	236-065-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
WELLCHEM CORPORATION	ATRAZINE	WEISSER ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	236-065-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
WELLCHEM CORPORATION	ATRAZINE	WEISSER ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	236-065-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
VENTUROSA AGRI TRADING	GLYPHOSATE IPA	WEEDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	10-Nov-25	-	non-crop & minimum tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2-4 Liters/Ha	-	-		-
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEDTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest		Entry to fields and crops treated with WEEDTROL EC can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEDTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest		Entry to fields and crops treated with WEEDTROL EC can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEDTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest		Entry to fields and crops treated with WEEDTROL EC can be done one day after spraying
FARMON AGRI-COMMUNITY CORPORATION	BISPYRIBAC SODIUM	WEEDTRIM+ 100 SC	104.6 g/L	SC	HERBICIDE	4	621-276-4543	17-Oct-21	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-		Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-		-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water				
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-		-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-		-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-		-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-		-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
S&P ENTERPRISES INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	BUTACHLOR+2,4-D IBE	WEEDRO 60 EC	360+240 g/L	EC	HERBICIDE	3	264-152-2433	30-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
UNITED AGRO TRADE CORPORATION	BUTACHLOR+2,4-D IBE	WEEDRO 60 EC	360+240 g/L	EC	HERBICIDE	3	264-152-2433	30-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-		One day after application
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-		One day after application
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-		One day after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+2,4-D IBE	WEEDGUARD PLUS 60 EC	360+240 g/L	EC	HERBICIDE	4	099-152-3774-A	17-Nov-26	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+2,4-D IBE	WEEDGUARD PLUS 60 EC	360+240 g/L	EC	HERBICIDE	4	099-152-3774-A	17-Nov-26	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-		-
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEEDEX 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Citrus	Blanket application against broadleaves and annual grasses	13.0-19.0 Tbsp/16 L water				24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEEDEX 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Coffee	Direct spray against annual and perennial grasses	13.0-19.0 Tbsp/16 L water				24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEEDEX 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Cotton	Blanket application against broadleaves and annual grasses	8.0 Tbsp/16 L water				24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEEDEX 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Sugarcane	Blanket application against broadleaves and annual grasses	6.5-13.0 Tbsp L water				24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEEDEX 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Pineapple	Blanket application against broadleaves and annual grasses	13.0 Tbsp/16 L water				24 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					

TRANS WORLD TRADING CO., INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	WEEDCON 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	038-504-5358	23-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ ha. (75mL/ 16L spray load; 10 spray load per ha.)	-	-		As soon as spray dries up.
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
PRIMESTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4586	04-Jan-28	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-				-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–		–
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–		–
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053-A	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-		Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053-A	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	160ml/16 L water,135ml/16 L water	-	-		Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053-A	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds	160-215ml/16 L water	-	-		Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053-A	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-		Workers can re-enter the field after spray deposits have dried.
UNAHCO, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	WEED BOMBER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	662-504-6087	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-		Re-entry to treated field is allowed as soon as spray deposits dry up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-065-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-065-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-065-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-		Do not enter fields within (5) days after application
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges, and broadleaf weeds	1.2-1.8 kg prod./ ha	-	-		-
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges, and broadleaf weeds	1.8-3.6 kg prod./ ha	-	-		-
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Non-crop agricultural areas	Grasses, sedges, and broadleaf weeds	2.7-5.4 kg prod./ ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-		-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN 480 SL	480 g/L	SL	HERBICIDE	4	097-151-0705-A	01-Sep-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		-
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Asparagus	Stem and leaf blight	1.00 L/ha	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	No pre-harvest interval necessary from last spray until harvest		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Carrot	Alternaria cercospora, helminthosporium	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Celery	Early and late blight	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Crucifers	Powdery mildew	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Cucurbits	Powdey mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp	-	7-14 days		Do not enter treatment areas until spray deposit have dried

SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Potato	Early and late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STIK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-27	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GRUPO ALLIED AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	-
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Rice	Leafhopper, planthopper, stemborer, armyworm, caseworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Corn	Seedling maggot, corn earworm, corn borer, armyworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application

AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Cucumber	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Melon	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Watermelon	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Garlic	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Mungbeans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Soybeans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Beans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPROUT PHILS., INC.	BPMC+CHLORPYRIFOS	WARRIOR 31.5	210+105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-27	-	Lanzones	Berry borer,bark borer	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	551-204-4008	16-May-27	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4010	28-Mar-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
BIOSOLUTIONS INTERNATIONAL CORP.	NICLOSAMIDE ETHANOLAMINE SALT	WAPAK 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	585-229-5689	20-Jul-23	-	Rice	Golden Apple Snail (Kuhol)	1 sachet 35 gms/Tankload 16L	-	-	Re-enter fields at least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	-

SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-	
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Potato	Early and late blight	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Celery	Late blight	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Cotton	Damping off	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Lettuce	Downy mildew	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Pepper	Anthracnose	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Chili	Anthracnose	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Papaya	Fruit rot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water				
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water				
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031-B	12-Jan-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-		As soon as spray dries
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Potato	Early and late blight	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Celery	Late blight	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cotton	Damping off	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		lettuce	Downy mildew	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water				Do not enter treated field until spray has completely dried.

SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Pepper	Anthracnose	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Chili	Anthracnose	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Papaya	Fruit rot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/Kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water			Do not enter treated field until spray has completely dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Tomato	Early and late blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Potato	Early and Late Blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Cabbage	Downy mildew, Alternaria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Cauliflower	Downy mildew, Alternaria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Broccoli	Downy mildew, Alternaria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Celery	Late Blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Cucumber	Downy Mildew, Anthracnose,Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Squash	Downy Mildew, Anthracnose,Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Cotton	Damping off	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Lettuce	Downy Mildew	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Beans	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Peas	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Mungo	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Pepper	Anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Eggplant	Blight, Anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Banana	Sigatoka, Black leaf streak	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Grapes	Downy Mildew, Black rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Mango	Anthracnose, and scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Papaya	Fruit rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Melon	Downy mildew, Anthracnose, Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Watermelon	Downy mildew, Anthracnose, Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Corn (sweet and popcorn)	Helminthosphorium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Peanut	Cercospora leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Soybeans	Leaf rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	432-053-3237	10-May-25	-	Ornamentals	Black spot, Blight, Anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Potato	Early and late blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Cabbage	Downy mildew, alternaria leafspot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Cauliflower	Downy mildew, alternaria leafspot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Broccoli	Downy mildew, alternaria leafspot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Celery	Late blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Cucumber	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Squash	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Cotton	Damping off	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Lettuce	Downy mildew	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Beans	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Peas	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Mungbeans	Anthracnose, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Pepper	Anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Chili	Anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Eggplant	Blight, anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Banana	Sigatoka, black leaf streak	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Grapes	Downy mildew, black rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Mango	Anthracnose and Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Papaya	Fruit rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.

SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Melon	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Corn (sweet and popcorn)	Helminthosporium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Peanut	Cercospora leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Soybeans	Leaf rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Ornamentals	Black spot, blight, anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit spray has completely dried.
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
PALMTRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
DU PONT FAR EAST, INC.	OXAMYL	VYDATE L	240 g/L	SC	INSECTICIDE	1	014-172-0363	04-Apr-23	SYSTEMIC	Banana	Nematodes	10 mL/mat			
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	VULTURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Banana	Blossom thrips	0.5 tbsp/ L	-	-	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Cabbage	Diamondback moth	1L prod./ ha	0.01 mg/kg	7 Days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 tbsp./ 16L	0.01 mg/kg	3 days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Mango	Cecid fly	250 -500 mL/200 L	0.04 mg/kg	-	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Onion	Leafminer and thrips	2.0-3.0 Tbsp/16 L of water	0.01 mg/kg	3 days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Ornamentals	Mites	1.0-1.5 Tbsp/16L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Papaya	Mites	0.5 - 1.0 Tbsp/16 L	0.01 mg/kg	14 days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Pineapple	Mites	1-4 L prod/ha	0.01 mg/kg	-	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Potato	Leafminer and thrips	2.0-3.0 Tbsp/16 L of water	0.01 mg/kg	14 days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	0.01 mg/kg	3 days	-
TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Tomato	Leafminer, thrips and aphids	2.0-3.0 Tbsp/16 L of water	0.01 mg/kg	3 days	-

TEXICON AGRI VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Watermelon	Leafminer, thrips, and melonworm	2.0-3.0 Tbsp/16 L of water	0.01 mg/kg	3 days	
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-		Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEK 80 WP	400+400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
VIZCAYA PLANTATION, INC.	CHLOROTHALONIL	VPI DACONIL 720SC	720 g/L	SC	FUNGICIDE	4	763-118-6125 (088)	25-Apr-26	-	Banana	Black sigatoka	1.00-Kg a.i./ ha 1.38-L prod./ ha	-	0 day	Do not enter treatment areas until spray deposit have dried
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	POTASSIUM MONOPERSULPHATE+SODIUM CHLORIDE	V-OX			OTHERS	2	714-582-5711	31-Dec-27	-	-	Disinfection of equipment, plastic trays, and cages and final disinfection	-	-	-	-
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	351-021-4023	17-Dec-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water		-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BPMC+CHLORPYRIFOS	VORDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	0.20 ppm	14 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	2.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	3.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries

TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	0.50 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	2.00 ppm	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	0.60 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	529-053-3125	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Mango	Anthracnose, scab	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/16 L sprayer	-	5 days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/16 L sprayer	-	5 days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/16 L sprayer	-	5 days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Potato	Early and late blight	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Onion	Purple blotch, dowy mildew, botrytis leaf spot	3-6 tbsp/16 L sprayer	-	7 Days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Garlic	Purple blotch, dowy mildew, botrytis leaf spot	3-6 tbsp/16 L sprayer	-	7 Days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Banana	Sigatoka, black leaf streak	2-3 kg/ha	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 tbsp/16 L sprayer	-	4 days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Papaya	Fruit rot	3-6 tbsp/16 L sprayer	-	7 Days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/16 L sprayer	-	7 Days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/16 L sprayer	-	7 Days	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Tobacco	Blue mold, anthracnose	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Citrus	Rusetting, greasy spot, black spot	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Corn (Sweet and Popcorn)	Helminsthosporium leaf spot	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Peanut	Cercospora leaf spot	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/Kg	WG	FUNGICIDE	4	562-053-3057	28-Mar-26	-	Ornamentals	Black spot, blight anthracnose	3-6 tbsp/16 L sprayer	-	0 day	As soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 62 OD	620 g/L	OD	FUNGICIDE	4	562-053-3053	28-Mar-26	-	Banana	Black sigatoka	1.7-2.5 Liters/ha	-	No pre-harvest interval necessary from last spray until harvest	
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 455 L	455 g/L	L	FUNGICIDE	4	562-053-3056	26-Jun-27	-	Banana	Black Sigatoka	5 L/Ha	-	No pre-harvest interval required	Soon as spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	VONDOZEB 42 SC	420 g/L	SC	FUNGICIDE	4	535-053-3210	28-Mar-26	-	Banana	Black Sigatoka	4.5 Liters/Ha		No pre-harvest interval neccesary from last spray to harvest	Re-entry to fields is allowed as soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 42 SC	420 g/L	SC	FUNGICIDE	4	562-053-3055	28-Mar-26	-	Banana	Black Sigatoka	4.5 Liters/Ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to fields is allowed as soon as spray has dried
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/Kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	15-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cowpea	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried

ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 85 WP	850 g/Kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BASF PHILIPPINES, INC.	FENPROPIMORPH	VOLLEY 88 OL	880 g/L	OL	FUNGICIDE	2	005-511-4820	30-Jul-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L product/ha at 5-7 days interval	-	0 day	As soon as spray droplets dries
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	-	Do not apply 7 days before harvest	One day after application
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
VANN HAWK AGRO CHEMICALS, INC.	FIPRONIL	VOLJACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Banana	Flower thrips	-	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VOLIAM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	14-Aug-26	-	Eggplant	Fruit borer,shoot borer, cutworm, leafhopper, whiteflies, aphids,flea beetle,28-spotted beetle	2.5-5.0ml prod/16L water	0.2ppm	3 days	Do not enter treated area for 24 hours unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VOLIAM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	14-Aug-26	-	Cabbage	Diamond-back moth,cutworm, aphids	2.5-4.0ml prod/16L water	0.2ppm	7 days	Do not enter treated area for 24 hours unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VOLIAM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	14-Aug-26	-	Stringbeans	Podborer,cutworm, leafhopper,aphids,whiteflies	2.5-5.0ml prod/16L water	0.5ppm	3 days	Do not enter treated area for 24 hours unless protective clothing is worn
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Onion	Basal/ bulb rot	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1 tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
ONEGRAIN MARKETING CORPORATION	AZOXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Mungbeans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-27	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Mango	Hoppers	0.75-1.5 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Tomato	Fruitworm,cutworm,aphids	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Onion	Thrips, cutworm	1.0 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Cotton	Bollworm	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Cocoa	Pob borer	1.0-2.0 Tbsp/16l water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CYHALOTHRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	2,4-D AMINE	VLMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/ 16L water	-	-	Entry to field and crops treated with **VLMAD 2,4-D AMINE** can be done one day after spraying
VLMAD OPC	2,4-D AMINE	VLMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Corn	Annual broadleaves and sedges	5.0-6.5 tbsp/ 16L water	-	-	Entry to field and crops treated with **VLMAD 2,4-D AMINE** can be done one day after spraying
VLMAD OPC	2,4-D AMINE	VLMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13.25 tbsp/ 16L water	-	-	Entry to field and crops treated with **VLMAD 2,4-D AMINE** can be done one day after spraying
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	473-118-2666	17-Sep-25		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	473-118-2667	17-Sep-25		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Coffee	Brown eye spot, rust, anthracnose, pink disease	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Cacao	Pod rot, brown bark rot, black pod	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Mango	Anthracnose, sooty mold	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Citrus	Black spot, anthracnose, scab, rust, fruit rot	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Banana	Sigatoka	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Pepper	Anthracnose, mildews, blight, fruit rot	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Potato	Early blight, late blight	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Watermelon	Anthracnose, mildews, alternaria, fruit rot	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Celery	Mildews, early blight, late blight	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Crucifers	Mildews, cercospora alternaria	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Carrot	Alternaria, cercospora	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21		Melon	Mildew, cercospora, alternaria, anthracnose	6.5-10.0 Tbsp/16L		Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the tretaed field may be entered only with the use of an appropriate personal protective equipment (PPE) or
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITA BLUE 800 WP	800 g/Kg	WP	FUNGICIDE	4	556-053-3461	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Mango	Hopper, Tip borer, twig borer	7.5-10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Tobacco	Budworm, armyworm, cutworm	7.5-10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, pod borer, semi-looper, bean lycaenid	7.5-10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, pod borer, semi-looper, bean lycaenid	7.5-10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Tomato	Fruitworm (heliothis)	1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Corn	Corn borer, corn earworm, seedling maggots	10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Cotton	Leafhopper (jassids), bollworm , weevil	7.5-10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	10-15 Tbsp/ 16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Cacao	Podborer, aphids	10 Tbsp/16L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGRI VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	07-Nov-25	-	Okra	Leafhopper	Dillution: 0.5-1.5 ^{1}tbsp prod./ 16L Spray volume: 200L / ha	-	24 hours after last spray	24 hours after last spray
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-		
PALMTRE CORPORATION	DIFENOCONAZOLE	VISOR 250 EC	250 g/L	EC	FUNGICIDE	4	504-272-3730	02-Jun-19	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-		
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	NICLOSAMIDE	VISOKILL 25 EC	250g/L	EC	MOLLUSCICIDE	4	376-229-4165	18-Dec-20	_	Rice	Apple snail	7-10 Tbsp/16 L water	_	_	At least 48 hours after application
ALTRADE INCORPORATED	NICLOSAMIDE ETHANOLAMINE SALT	VISOCOL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	079-229-1950	30-Aug-20	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-		
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METALDEHYDE	VISO-BAIT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	376-075-2072-A	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METALDEHYDE	VISO-BAIT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	376-075-2072-A	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METALDEHYDE	VISO-BAIT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	376-075-2072-A	31-Dec-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METALDEHYDE	VISO-BAIT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	376-075-2072-A	31-Dec-26	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METALDEHYDE	VISO-BAIT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	376-075-2072-A	31-Dec-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VETREMIDICA CORPORATION	DIDECYLDIMETHYLAMMONIUM CHLORIDE+FORMALDEHYDE+GLUTARALDEHYDE+GLYOXAL+ISOPROPANOL	VIRUMAX	100.0g+31.5g+40.0 g+32.0g+50.0g		OTHERS	2	700-560-5576	31-Dec-27	-	-	Disinfection of surfaces, equipment and water systems	-	-	-	-
ENVIRO CROPVET PRODUCTS INC.	DIDECYLDIMETHYL AMMONIUM CHLORIDE	VIRUKILL 120 SL	120 g/L	SL	OTHERS	3	282-428-5631	31-Dec-27	-	-	Disinfection of surfaces, equipment, and animal quartes and flushing water system in animal facilities	-	-	-	-
WELLCHEM CORPORATION	POTASSIUM PEROXYMONOSULPHATE+SODIUM DODECYL BENZENE SULPONATE+SODIUM CHLORIDE	VIRUGARD	504g/kg+150g/kg+ 15g/kg		OTHERS	3	236-579-5699	31-Dec-24	-	-	Disinfection of vehicle, equipment, animal housing and water sanitation in aimal facilities	-	-	-	-
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VIRTAKO 40 WG	200+200 g/Kg	WG	INSECTICIDE	4	011-416-2681	01-Oct-25	CONTACT	Rice	Green leafhopper, rice stemborer, whorl maggots, leaffolder, brown planthopper, rice blackbugs & rice bugs	50-100 prod/ha (5-10g/16Lwater)	-	26 days	Treated areas should not be entered before spray deposits on the leaf surface have dried, unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VIRTAKO 40 WG	200+200 g/Kg	WG	INSECTICIDE	4	011-416-2681	01-Oct-25	CONTACT	Tobacco	Tobacco budworm	75-100 prod/ha	-	-	Treated areas should not be entered before spray deposits on the leaf surface have dried, unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	CHLORANTRANILIPROLE+THIAMETHOXAM	VIRTAKO 40 WG	200+200 g/Kg	WG	INSECTICIDE	4	011-416-2681	01-Oct-25	CONTACT	Corn	Fall armyworm (knapsack spray)	0.15-0.20 kg prod. / ha 100 mL prod / 16-L knapsack	-	-	Treated areas should not be entered before spray deposits on the leaf surface have dried, unless protective clothing is worn
AGRI-BIO PHILIPPINES, INC.	SODIUM DODECYLBENZENESULFONATE+POTASSIUM PEROXYMONOSULPHATE+SULFAMIC ACID	VIROX	535 g/kg+10 g/kg+8 g/kg+447		OTHERS	2	703-563-5633	31-Dec-27	-	-	Disinfection of surfaces in livestock areas	-	-	-	-
ECOLAB PHILIPPINES, INC.	BENZYL C12 ALKYLDIMETHYLCHLORIDE+DIDECYLDIMETHYLLAMMONIUM CHLORIDE+GLUTARALDEHYDE	VIROCID	170.6 g/kg+78.0 g/kg+107.1 g/kg		OTHERS	2	740-571-5907	1-Dec-23	-	-	Surface disinfection in animal facilities (livestock housing, abbatoirs, animal transport equipment, and warehouse for	-	-	-	-
ELANCO PHILIPPINES, INC.	PENTAPOTASSIUM BIS (PEROXYMONOSULFATE) BIS (SULFATE)	VIRKON S	-		OTHERS	-	678-433-5572	1-Mar-25	-	-	Disinfection of surfaces, equipment and water delivery system in animal facilities	Routine disinfection for all surface, equipment, foot and wheel dips 1:100	-	-	-
ELANCO PHILIPPINES, INC.	BIPHENYL-2-ol+CHLOROCRESOL	VIRKON LSP	-	-	OTHERS	-	678-558-5571	1-Mar-25	-	-	Disinfection of surfaces and equipment in farm animal housing	General Pre-Cleaned Surface disinfection 25-50 mL /10L of water	-	-	-
ELANCO PHILIPPINES, INC.	PENTAPOTASSIUM BIS (PEROXYMONOSULFATE) BIS (SULFATE)	VIRKON AQUATIC	-		OTHERS	-	678-433-5573	1-Mar-25	-	-	Disinfection of surfaces and water system in fish culture operations	For equipment and footdips 1:100 (1%) w/v	-	-	-
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN	VIRGO 2.5 EC	25g/L	EC	INSECTICIDE	2	641-204-4843	09-Mar-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
P&J AGRICULTURAL TRADING INC.	ACID+POTASSIUM MONOPERSULFATE+ETHYLENEDIAMINETETRAACETATE+SODIUM	VIREX	170g/kg+500g/kg+180g/kg+50g/kg		OTHERS	2	736-608-5948	23-Dec-27	-	-	Disinfection in farm animal facilities and equipment	-	-	-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/ 16L			
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L			
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Sorghum	Cornborer,earworm	-		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	4-4 TBsp/ 16L			
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1.0-1.5 Tbsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	10-4 TBsp/ 16L		-	-
EZERTECH CORPORATION	METHOMYL	VIPER 40 SP	400 g/kg	SP	INSECTICIDE	2	648-164-5337	04-Feb-27	CONTACT	Tomato	Tomato fruitworm, aphids	1.5-2.0 TBsp		-	-
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6-Jul-24	-	Corn	Corn borer, earworm	1.0-4.5 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	NICLOSAMIDE ETHANOLAMINE SALT	VINELUCIDE 70 WP	700 gm/kg	WP	MOLLUSCICIDE	4	753-229-6030	20-Jul-26	CONTACT	Rice	Golden apple snail	1 sachet 35 gms/Tankload 16L	-	-	At least 48 hours after application.
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Potato	Early and late blight				As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Celery	Late blight			14 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Cucumber	Downy mildew, anthracnose, scab			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Squash	Downy mildew, anthracnose, scab			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Cotton	Damping off				As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	lettuce	Downy mildew			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Beans	Anthracnose, Downy Mildew, Rust			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Peas	Anthracnose, Downy Mildew, Rust			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Mungo	Anthracnose, Downy Mildew, Rust			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Pepper	Anthracnose			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Chili	Anthracnose			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Eggplant	Blight, Anthracnose			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Banana	Sigatoka, black leaf streak			-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Grapes	Downy mildew, black rot			60 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Mango	Anthracnose and Scab			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Papaya	Fruit rot			-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Melon	Downy mildew, anthracnose, scab			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Watermelon	Downy mildew, anthracnose, scab			5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot			7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Rice	Blast, Sheath blight, *Cercospora* leaf spot , *Helminthosporium* leaf spot			-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Peanut	*Cercospora* leaf spot			14 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Soybeans	Leaf rust			-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	753-053-6033	2-Jul-25	-	Ornamentals	Black spot, blight, anthracnose			-	As soon as spray dries
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Rice	Whorl maggot, green leafhoppe, brown planthopper, armyworm, rice bug	0.36-0.75prod/ha	Phenthoate-0.05 ppm	7 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Corn	Corn borer, corn earworm, seedling maggot	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Sorghum	Webworm	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Tobacco	Budworm, cutworm	0.36-0.75prod/ha	-	10 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Crucifers	Diamond backed-moth, cabbage worm, aphids	0.36-0.75prod/ha	-	7 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROPSCIENCE, INC.	PHENTHOATE+BPMC	VINDEX PLUS	250+100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Citrus	Scale insect, mealy bugs, aphid, white flies	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
GENTRADEPHIL INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	VIKTA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	660-504-6190	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L prod./ ha. Using a spray volume of 160 to 192 L water/ ha. (10-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
TAIPAN BRAND FARM INC.	FLUOXASTROBIN+TEBUCONAZOLE	VIGOLD T	200.2 g/L+277.4 g/L	SC	FUNGICIDE	4	529-488-4552	29-Oct-24	SYSTEMIC	Rice	Sheath blight and neck/node blast	250-350 (mL/ha)	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with VIGOLD T may be done 1 day after spraying
UNAHCO, INC.	BISPYRIBAC SODIUM	VIGILANTE 100 SC	105.5 g/L	SC	HERBICIDE	4	662-276-4999	08-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Direct seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		1 day	Do not enter treatment areas until spray deposit have dried

AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Coffee	Berry borer	4-6 tbsp/16 L water		1 day	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 day	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Citrus	Rind borer	4-6 tbsp/16 L water		5 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	13-Aug-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CYHALOFOP-BUTYL	VIBES 10 EC	100 g/L	EC	HERBICIDE	4	478-257-5184	15-Apr-25	-	Rice (Direct-Seeded)	Grasses	7-9 tbs p./tank load; 12 of tank load/ha (16L capacity)	-	-	
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	083-101-2312	04-Sep-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	083-101-2312	04-Sep-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	083-101-2312	04-Sep-17		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	083-101-2312	04-Sep-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
SYNGENTA PHILIPPINES INC.	TRIFLUMEZOPYRIM	VESTORIA 20 WG	20 g/kg	WG	INSECTICIDE	4	011-462-6458	21-Jul-25	-	Rice (Direct-seeded)	Brown planthopper and green leafhopper	125 g FP/ha	-	-	-
SYNGENTA PHILIPPINES INC.	TRIFLUMEZOPYRIM	VESTORIA 20 WG	20 g/kg	WG	INSECTICIDE	4	011-462-6458	21-Jul-25	-	Rice (Transplanted)	Brown planthopper and green leafhopper	170 g FP/ha	-	-	-
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of VESTARA 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as VESTARA 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	GLUFOSINATE AMMONIUM	VESTAQUAT 15 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial weeds	13.5; 21.5; 27 Tbs p/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ONEGRAIN MARKETING CORPORATION	GLUFOSINATE AMMONIUM	VESTAQUAT 15 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial weeds	13.5; 16 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ONEGRAIN MARKETING CORPORATION	GLUFOSINATE AMMONIUM	VESTAQUAT 15 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual and perennial weeds	16-21.5 Tbsp/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ONEGRAIN MARKETING CORPORATION	GLUFOSINATE AMMONIUM	VESTAQUAT 15 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial weeds	16; 13.5-20 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer		-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	VESTAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	723-229-5808	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-27	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	CYHALOFOP-BUTYL	VESTAGRAZ 10 EC	100 g/L	EC	HERBICIDE	4	723-257-5811	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbs.p./tank load; 12 of tank load/ha	-	-	
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.

ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Mango	Blosson Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water			As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLUE 80 WP	800g/kg	WP	FUNGICIDE	4	723-053-6074	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses,sedges & broadleaf weeds	-	0.2 mg/kg	-	-
KEMISTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses,sedges & broadleaf weeds	-	-	-	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	VESSEL ULTRA	250+25 g/L	EC	INSECTICIDE	2	075-239-5235	12-Oct-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	25 days	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	VESSEL ULTRA	250+25 g/L	EC	INSECTICIDE	2	075-239-5235	12-Oct-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	50 days	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-27	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	Eight (8) weeks after spraying	As soon as spray dried or after bud injection for banana
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-27	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	Eight (8) weeks after spraying	As soon as spray dried or after bud injection for banana
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-27	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	Eight (8) weeks after spraying	As soon as spray dried or after bud injection for banana
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying

ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERSUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Cabbage	Downy mildew, *Alternaria* leafspot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Cauliflower	Downy mildew, *Alternaria* leafspot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Broccoli	Downy mildew, *Alternaria* leafspot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Garlic	purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Onion	purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Eggplant	Blight, anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Rice	Blast, Sheath blight, *cercospora* leaf spot, *helminthosporium* leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	688-053-5648	28-Dec-27	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASIA GOLD TRADING CORPORATION	BISPYRIBAC SODIUM	VERO 10 SC	100 g/L	SC	HERBICIDE	4	266-276-3386	20-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		As soon as spray deposits have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	VERMAX 8.5 EC	25+60g/L	EC	HERBICIDE	3	376-453-4754	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/16L water	-	-	As soon as the spray mist dries up
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4456	27-Jul-27	-	Tomato	Cutworm whiteflies & Leafminer	700mL product/ha at dosage rate of 3.5mL/500mL of water, applied only	0.5mg/Kg		-
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4456	27-Jul-27	-	Bittergourd	Aphids & melon worm	960-1120mL product/ha at dosage rate of 6-7mL product dissolved in 1L	0.3mg/Kg	-	-
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4456	27-Jul-27	-	Onion	Cutworm	1125mL product/ha at dosage rate of 1.125mL product dissolved in 2L of	-	-	-
JYNNSONS PHILIPPINES, INC.	BISPYRIBAC SODIUM	VERDICT 10 SC	100 g/L	SC	HERBICIDE	2	551-276-4576	23-Nov-21	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	2.5-3.0 Tbsp/16 L water	0.1 ppm		Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
SUMOCHEM CORPORATION	PIRIMIPHOS METHYL	VERDE PIRIMIPHOS 25 EC	250 g/L	EC	INSECTICIDE	4	483-137-3251	10-Feb-27	-	-	Stored product pests(beetles,weevils and borers)	-	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	SABADILLA ALKALOIDS	VERATRAN D	-	-	INSECTICIDE	-	472-535-5255	20-Oct-21	-	Cavendish Banana	Flower Thrips	2.0-3.2 Grams prod./L water at rate of 80-100 mL per bud	-	-	-
BAYER CROPSCIENCE, INC.	FLUOPYRAM	VERANGO PRIME SC 500	500 g/L	SC	FUNGICIDE	4	284-432-1753	22-Feb-27	-	Banana	Nematode,Black Sigatoka, freckle disease	600-1000ml prod/ha 200 ml prod / ha	0.8ppm	0 day	Treated areas may be re-entered immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Bittergourd	Root-knot nematode	0.65-1.25 L prod./ ha	0.5 mg/kg	7 Days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Cabbage	Root-knot nematode	0.65-1.25 L prod./ ha	1.0 mg/kg	65 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Eggplant	Root-knot nematode	0.65-1.25 L prod./ ha	0.5 mg/kg	7 Days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Potato	Root-knot nematode	0.65-1.25 L prod./ ha	0.15 mg/kg	66 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application

BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Tomato	Root-knot nematode	0.65-1.25 L prod./ ha	3.0 mg/kg	7 Days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Watermelon	Root-knot nematode	0.65-1.25 L prod./ ha	0.02 mg/kg	39 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Onion	Onion bulb nematodes	0.650-1.250 L prod./ ha	0.07 mg/kg	14 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Banana	Burrowing nematodes and spiral nematodes	0.750-1.250 L prod./ ha	0.8 mg/kg	14 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	FLOUPYRAM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	30-Nov-25	SYSTEMIC	Pineapple	Root-knot nematode	0.650-1.250 L prod./ ha	0.01 mg/kg	281 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
ASIA GOLD TRADING CORPORATION	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	VERA	250+450 mL/L	-	OTHERS	4	266-348-3387	20-Mar-24	SELECTIVE (POST-EMERGENT)	-	As surfactant on Vero 10 SC(AI: Bispyribac Sodium)	20-30ml/16 L water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Banana	Blossom thrips	0.5/ L water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Cabbage	Diamond back moth	1000 mL prod/ha			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Pineapple	Mites	1000-4000mL prod/ha			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Papaya	Mites	0.5-1.0 Tbsp/16 L of water			
PALMTRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water			
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Sorghum	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle, leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL+TETRACONAZOLE	VENTUS 31.25 SC	250+62.5g/L	SC	FUNGICIDE	3	097-408-4350	23-May-27	SYSTEMIC/CONTACT	Mango	Anthracnose and scab	1.28-1.60 Tbsp/16 L	_	5 days before harvest	As soon as the spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Mango	Blossom Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Cabbage & other crucifers	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Stringbeans	Beanfly, leaffolder, aphids, podborer	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGRI VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-27	CONTACT	Beans	Beanflies, Aphids	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/Kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Potato	Early blight, late blight, vine rot				
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Tomato	Early blight, late blight, vine rot				
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Beans	Rust, anthracnose				
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot				

BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Crucifers	Powdery mildew					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Celery	Early blight, late blight					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Onion	Purple blotch, bulb rot, neck rot					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Grapes	Downy mildew, powdery mildew, fruit rot					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Mango	Anthracnose, diplodia rot					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Ornamentals	Black spot, powdery mildew, black rot					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Asparagus	Stem and leaf blight					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-27	-	Banana	Black sigatoka					
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Corn	Hemminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
BERRIS AGRICULTURAL COMPANY, INC.	CHLOROTHALONIL	VENGEANCE 500 SC	500 g/L	SC	FUNGICIDE	4	233-118-1822	27-Feb-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
GREAT HARVEST AGRICHEMICALS CORPORATION	HEAT-KILLED *BURKHOLDERIA SPP.* STRAIN A396	VENERAR	-	-	OTHERS	4	541-541-5355	03-Mar-22		Banana	Flower thrips	10 mL prod. / L	-	-	-	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	07-May-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	Do not spray 7 Days before harvest	Entry to field and crops teated with VENDETTA 5 EC is allowed as soon as spray deposits dry.	
SYNGENTA PHILIPPINES INC.	HEXAZINONE+DIURON	VELPAR K4	132 g/Kg+468 g/Kg	-	HERBICIDE	4	011-435-4020	04-Jan-27	-	Sugarcane	Grasses, sedges and broadleaves	400 Li/ha	-	118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried	
SYNGENTA PHILIPPINES INC.	HEXAZINONE+DIURON	VELPAR K4	132 g/Kg+468 g/Kg	-	HERBICIDE	4	011-435-4020	04-Jan-27	-	Pineapple	Grasses (E. indica, D. setigera, P. conjugatum) and broadleaves (C. nutidosperma, A. gangetica, E. sonchifolia, H. corymbosa, C.	3742 L/ha	-	-	Do not enter treated fields within 12 hours after spraying or until the spray has dried	
INTERSORORA INC.	PYRIMETHANIL	VELIA 600 SC	600 g/L	SC	FUNGICIDE	4	664-345-5789	28-Jul-25	-	Cavendish Banana	Black sigatoka	500ml/Ha	-	0 Day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.	
VAST AGRO SOLUTIONS, INC.	CHLORPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-	
VAST AGRO SOLUTIONS, INC.	CHLORPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-	
VAST AGRO SOLUTIONS, INC.	CHLORPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-	
VAST AGRO SOLUTIONS, INC.	CHLORPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-4 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Beans	Powdery mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Mungbeans	Cercospora leaf spot	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Grape	Powdery mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Oranges	Scab	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Papaya	Powdey mildew	1-2 tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 tbsp/16L water	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 Days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or	
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	

VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	385-037-2028-A	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718-A	17-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	385-049-2096-C	21-Feb-27	SELECTIVE (POST-EMERGENT)	Rice	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	385-049-2096-C	21-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	385-049-2096-C	21-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500 g/Kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
STERIX INCORPORATED	PHOSPHINE	VAPORPH3OS	2 g/Kg	-	FUMIGANT	1	434-399-2916	27-Oct-26	-	Stored grain	Corn and rice weevil , red flour beetle and lesser grain borer	-	-	-	-
LINDE PHILIPPINES (SOUTH), INC.	ETHYL FORMATE	VAPORMATE	166.7 g/L	-	FUMIGANT	1	486-417-2719	15-Jun-27	-	Pineapple	Mealybugs and mites	420 g product/m3 at 2 hours duration	-	-	Do not allow entry into treated area whrere the concentration of ethyl formate is above 100 ppm and CO2 is above 5000 ppm
LINDE PHILIPPINES (SOUTH), INC.	ETHYL FORMATE	VAPORMATE	166.7 g/L	-	FUMIGANT	1	486-417-2719	15-Jun-27	-	Banana	Mealybugs and scale insects via cold fogging aerosol formulation during post-harvest treatment	20g ai/m3 or 0.12 kg prod/m3	3.0 ppm	-	Do not allow entry into treated area whrere the concentration of ethyl formate is above 100 ppm and CO2 is above 5000 ppm
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries

AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Tomato	Early and late blight				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Banana	Sigatoka				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Potato	Early and Late Blight				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cabbage	Downy mildew, Alternaria leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cauliflower	Downy mildew, Alternaria leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Broccoli	Downy mildew, Alternaria leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Celery	Late Blight				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cucumber	Downy Mildew, Anthracnose,Scab				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Squash	Downy Mildew, Anthracnose,Scab				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cotton	Damping off				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Lettuce	Downy Mildew				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Beans	Anthracnose, Downy Mildew, Rust				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Peas	Anthracnose, Downy Mildew, Rust				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Mungo	Anthracnose, Downy Mildew, Rust				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Pepper	Anthracnose				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Eggplant	Blight, Anthracnose				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Banana	Sigatoka, Black leaf streak				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Grapes	Downy Mildew, Black rot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Mango	Anthracnose, and scab				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Papaya	Fruit rot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Corn (sweet and popcorn)	Helminthosphorium leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.02ppm		As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Peanut	Cercospora leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Soybeans	Leaf rust				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 75 WDG/DF	750 g/Kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Ornamentals	Black spot, Blight, Anthracnose				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 600 OS	600 g/L	OS	FUNGICIDE	4	473-053-2665	17-Sep-25	-	Banana	Black sigatoka	4-5 kilos/ hectare	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	MANCOZEB	VANZEB 412F	412 g/L	F	FUNGICIDE	4	473-053-2664	17-Sep-25	-	Banana	Black Sigatoka	2-4 L/ hectare	-	Do not spray within 7 days before harvest	Do not enter the spray area within 2 days sfter spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	VANTACOR 600 SC	600 g/L	SC	INSECTICIDE	4	598-393-5796	25-Jul-26	-	Sugarcane	Sugarcane borer	0.125-0.167 L/ha	-	240-300 days	-
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	VANTACOR 600 SC	600 g/L	SC	INSECTICIDE	4	598-393-5796	30-Nov-24	-	Pineapple	White grubs	0.125-0.250 L prod./ ha	-	150 days	-
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-		
JOEPABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQUISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-		
JOCANIMA CORPORATION	IODINE	VANODINE	21.86 g/L	SL	OTHERS	3	241-449-3375	04-Feb-24	-	Cavendish Banana as tool disinfectant,foot and wheel	Moko disease caused by Ralstonia Solanacearum Race 2 and Panama disease caused by Fusarium oxysporum	10-20mL/L water			
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Carrot	Alternaria, cercospora, helminthosporium	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Melon	Powdery mildew, Downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried

VANN HAWK AGRO CHEMICALS, INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	VANNCHOR ULTRA 85 EC	60 g/L 25 g/L	EC	HERBICIDE	3	295-453-5024	27-Jan-26	-	Rice (Direct-seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/16 L water	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	1/0/00	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/Kg	WP	HERBICIDE	4	295-065-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/Kg	WP	HERBICIDE	4	295-065-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/Kg	WP	HERBICIDE	4	295-065-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-049-2876	01-Oct-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done ond day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-049-2876	01-Oct-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done ond day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-049-2876	01-Oct-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done ond day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
SYNGENTA PHILIPPINES INC.	CYCLOBUTRIFLURAM	VANIVA 450 SC	40 g/L	SC	FUNGICIDE	4	532-620-6138	25-May-25	-	Banana	Fusarium wilt *(Fusarium oxysporum* f. sp. Cubense TR4)	2L solution/ plant; 14 mL prod/ 100L water; 6.3 grams active ingredient/	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR	VANISH 60 EC	600 g/L	EC	HERBICIDE	4	603-150-4316	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbso+7Tbsp	0.1 ppm	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR	VANISH 60 EC	600 g/L	EC	HERBICIDE	4	603-150-4316	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS).7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-	-
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Bittergourd	Aphids, cutworm, fruitfly, leafhoppers, thrips	100-400 mL/ ha ; 4-13 mL/ 16 L water	-	7 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Corn	Aphids, asiatic corn borer, cutworm, earworm, leafhopper	250-400ml product/ha; 10.0-16.0 mL product/16L	-	3 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borers	-	-	3 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Potato	Aphids, thrips, whiteflies	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Stringbeans	Aphids, green leafhoppers, mites	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated field for at least 1 day after application
THE LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALUDANT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-27	-	Rice	Stemborer	100-200 mL/ ha. ; 10-30 mL/ 16 L water	-	14 Days	Do not enter treated field for at least 1 day after application
VETMATE FARMA CORPORATION	OXYFLUORFEN	VALTAP 24 EC	240 g/L	EC	HERBICIDE	4	658-123-6430	4-Aug-26	SELECTIVE (PRE/POST-EMERGENCE)	Onion	Broadleaves, sedges and grasses	2-4 tbsp/ 16L water	-	-	-
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	METHOMYL	VALOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of Gladiator will be 436 days before harvests	Do not ebter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not ebter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	_	28 days	Do not ebter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	7 days	Do not ebter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	3 days	Do not ebter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALIENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI as it will be applied as bud injection	Do not ebter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried

RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, shealt blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water			Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 75 WP	750 g/Kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALIANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-27		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	215ml/16 L water, 270ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215ml/16 L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	459-070-2532	09-Oct-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	BROMACIL	URAGAN 80 WP	800 g/Kg	WP	HERBICIDE	4	461-169-2576	13-Jun-27	NON-SELECTIVE	Pineapple	Annual & Perennial grasses	4.5kg/ha, 14 Tbsp/16 L water		Do not apply within 7 to 14 days from last spray till harvest	Entry to treated fields may be done as soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water			24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water	-		24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/ 16L Water	-		24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/ 16L Water	-		24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/ 16L water			24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	562-021-5490	10-Jan-23		non-crop	Annual and Perennial broadleaves and grasses	-	-		24 hours, After application
CYMEJB CORPORATION	BUTACHLOR+PROPANIL	UPGRADE	350+350 g/L	EC	HERBICIDE	3	537-238-4019	22-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
CYMEJB CORPORATION	BUTACHLOR+PROPANIL	UPGRADE	350+350 g/L	EC	HERBICIDE	3	537-238-4019	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
KEMISTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	564-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses,itch grass, goosegrass, sour paspalum, crabgrasses, bermuda grass, & crowfoot grass & casssava for the control of				
AGRO TECHNOPRODUCTS INC.	BUTACHLOR+PROPANIL	UNLEASH 70 EC	350+350 g/L	EC	HERBICIDE	3	370-238-3569	05-Oct-21	-	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
AGRO TECHNOPRODUCTS INC.	BUTACHLOR+PROPANIL	UNLEASH 70 EC	350+350 g/L	EC	HERBICIDE	3	370-238-3569	05-Oct-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha			2 days
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-		Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	264-035-1331	03-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	264-065-1332-A	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	264-065-1332-A	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	264-065-1332-A	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-049-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-049-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			

UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-049-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water				
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm			
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water				
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water				
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
2HJL DEVELOPMENT CORPORATION	LAMBDA-CYHALOTHRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	29-Jul-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry	
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/Kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/Kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/Kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/Kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
UPL PHILIPPINES, INC.	MANCOZEB+METALAXYL	UNILAX 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	562-035-5601	22-Dec-25	SYSTEMIC	Potato	Early and late blight	8-10 tbsp.(80-100g) per 16 L water	-	14 days	Re-entry to treated areas is allowed as soon as spray dried up.	
UPL PHILIPPINES, INC.	MANCOZEB+METALAXYL	UNILAX 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	562-035-5601	22-Dec-25	SYSTEMIC	Tomato	Early and late blight	8-10 tbsp.(80-100g) per 16 L water	-	3 days	Re-entry to treated areas is allowed as soon as spray dried up.	
UPL PHILIPPINES, INC.	MANCOZEB+METALAXYL	UNILAX 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	562-035-5601	22-Dec-25	SYSTEMIC	Pineapple	Heart rot	10-14 Kgs./Ha	-	21 days	Re-entry to treated areas is allowed as soon as spray dried up.	
UPL PHILIPPINES, INC.	MANCOZEB+METALAXYL	UNILAX 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	562-035-5601	22-Dec-25	SYSTEMIC	Asparagus	Spear rot	2 Kgs./ Ha	-	-	Re-entry to treated areas is allowed as soon as spray dried up.	
UPL PHILIPPINES, INC.	MANCOZEB+METALAXYL	UNILAX 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	562-035-5601	22-Dec-25	SYSTEMIC	Orchids	Black rot	2.5 Tbsp (25g)/16L water	-	-	Re-entry to treated areas is allowed as soon as spray dried up.	
EZERTECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	U-NICLO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	648-229-5145-A	18-Nov-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm or 1 sachet(per 16 L of water)	-	-	Do not enter the field within 2 Days after spraying	
UNAHCO, INC.	2,4-D IBE	UNAGRO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-049-5897	21-Feb-27	-	Rice	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with UNAHGRO 2,4-D ESTER can be done 1 day after spraying	
UNAHCO, INC.	2,4-D IBE	UNAGRO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-049-5897	21-Feb-27	-	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with UNAHGRO 2,4-D ESTER can be done 1 day after spraying	
UNAHCO, INC.	2,4-D IBE	UNAGRO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-049-5897	21-Feb-27	-	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with UNAHGRO 2,4-D ESTER can be done 1 day after spraying	
PHILIPPINE FARMFIX SOLUTIONS INC.	PYMETROZINE	UMBRA 50 WG	500 g/Kg	WG	INSECTICIDE	4	535-307-4206	12-Dec-26	-	Mango	leafhopper	1 Sachet/200L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposit have completely dried	
S&P ENTERPRISES INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up	
S&P ENTERPRISES INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up	
S&P ENTERPRISES INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up	
S&P ENTERPRISES INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Sugarcane	Pineapple disease	5-10Tbsp/200 L	-	-	Re-entry is allowed as soon as the spray deposits dry up	
S&P ENTERPRISES INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-10ml/L	-	7 days	Re-entry is allowed as soon as the spray deposits dry up	
ZAGRO CORPORATION	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	ULTRAXIDE	150g/L+100g/L	-	OTHERS	2	043-508-5902	31-Dec-27	-		Cleaning and disinfection of poultry hatcheries, farm building premises and equipment	-	-	-		
TRIPLE DIAMONDS AGRICULTURE	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	ULTRASOL 10 SC	250/450/300ml/L water	-	OTHERS	4	605-348-4235	11-Jan-21	SELECTIVE (POST-EMERGENT)	-	As surfactant on Dozer 10 SC	-	-	-	-	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Banana	Thrips, scaring beetle	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-27	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2238-A	11-Sep-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.	
AGRI BIZ CO. OF GS, INC.	BUTACHLOR	ULTRA-BUTAPLUS 60 EC	600 g/L	EC	HERBICIDE	4	S80-150-6474	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	-	-	-	
AGRI BIZ CO. OF GS, INC.	BUTACHLOR	ULTRA-BUTAPLUS 60 EC	600 g/L	EC	HERBICIDE	4	S80-150-6474	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	-	-	-	
AGRI BIZ CO. OF GS, INC.	BUTACHLOR+PROPANIL	ULTRABONDS 70 EC	350+350 g/L	EC	HERBICIDE	3	S80-238-4857	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up	
AGRI BIZ CO. OF GS, INC.	BUTACHLOR+PROPANIL	ULTRABONDS 70 EC	350+350 g/L	EC	HERBICIDE	3	S80-238-4857	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Annual grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up	
POLARA CHEMICAL CORPORATION	RHODAMINE B	ULTRA PINK DYE	-	-	OTHERS	-	654-605-5901	24-Oct-25	-	Banana	Marker for use plantation	-	-	-	-	
POLARA CHEMICAL CORPORATION	RHODAMINE B	ULTRA PINK DYE	-	-	OTHERS	-	654-605-5901	24-Oct-25	-	Pineapple	Marker for use plantation	-	-	-	-	
S&P ENTERPRISES INC.	ALCOHOL C13 iso,-ETHOXYLATED	ULTRA BOOST	900g/L	-	OTHERS	4	566-460-4068	13-Aug-24	POST-EMERGENT	-	As Surfactant for RICE MAX 100 SC	25-30ml/16 L of water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Mango	Hoppers	0.90-1.5 tbsp/ 16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Onion	Thrips,cutworm	1.0 tbsp/16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp/16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	-	-	
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16L water	-	-	-	

ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Cotton	Bollworm	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16l water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Cabbage/wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Potato	Thrips, aphids, cutworm, tuber moth, leafhoppers	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer	3.0-5.0 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/Kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2.0 tbsp/ 16L water	-	-	-
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Cotton	Nematodes, grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Eggplant	Fruit borer	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Field legumes	Grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.4-66.8 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Tobacco	Nematodes, budworm	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	White potato	Nematodes, grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-27	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
MIGHTY AGRICULTURAL TRADING CORPORATION	POTASSIUM SALTS OF FATTY ACID	ULTRA 22			INSECTICIDE	4	733-476-5881	19-Mar-25	-	Cavendish banana	Mealy bugs, scale insects and aphids through stem and mat spray	-	-	0 day	After spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGCHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-28	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Beans	Beanflies, Aphids	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXFERT VENTURES, INC.	LAMBDA-CYHALOTHRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	20-30 mL/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+PROPANIL	TWISTER 70 EC	350+350 g/L	EC	HERBICIDE	3	001-238-0929	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+PROPANIL	TWISTER 70 EC	350+350 g/L	EC	HERBICIDE	3	001-238-0929	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Mango	Anthracnose	40-80 g prod /100 L water	-	30 days	As soon as spray deposits dries up.

RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/16 L water	-	35 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Bittergourd	Cercospora leaf spot, anthracnose, powdery mildew	6-8 g/16 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Eggplant	Cercospora leaf spot, early blight	6-8 g/16 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	-	5 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Corn	Corn rust, Helminthosporium leaf spot	4-8 g/16L water	-	5 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	-	5 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Cabbage	Leaf spot	100-200 gms product/ha	-	3 days	As soon as spray deposits dries up.
TWIN BAMBOO CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	TWINSIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	526-229-3090	27-Dec-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	48 Hours after apraying
ONEGRAIN MARKETING CORPORATION	PRETILACHLOR+BUTACHLOR	TWINKLOR 55 EC	150g/L+400g/L	EC	HERBICIDE	4	723-591-5845	15-Jul-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses sedges, and broadleaves	10 Tbsp/ 16L	-	-	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	TWINAZOLE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	001-325-6316	19-Oct-26	SYSTEMIC	Rice	Sheath blight	250-350 mL prod./ ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	TWINAZOLE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	001-325-6316	19-Oct-26	SYSTEMIC	Corn	Ear rot, leaf blight, rust, banded leaf, and sheath blight	250-500 mL prod./ ha; 10-20 mL prod./ 16L water	0.5ppm 0.01 ppm	-	-
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Cabbage	Diamondback moth, cutworm, cabbage worm	3.75 mL prod./ha; 600 L/ha	-	-	AS soon as spray solution has dried-up
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Eggplant	Shoot borer, fruit borer, cutworm	2.5 mL prod./ha; 800 L/ha	-	-	AS soon as spray solution has dried-up
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Tomato	Cutworm, fruitworm	8.0 mL prod./ha; 500 L/ha	-	-	AS soon as spray solution has dried-up
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Bittergourd	Leaffolder, cutworm	5.0 mL prod./ha; 500 L/ha	-	-	AS soon as spray solution has dried-up
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Rice	Leaffolder, stemborer	15.0 mL prod./ha; 160 L/ha	-	-	AS soon as spray solution has dried-up
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-
AVC CHEMICAL CORPORATION	FLAZASULFURON	TURFEDO 25WG	250 g/Kg	WG	HERBICIDE	4	060-524-5010	10-Jan-26	SELECTIVE AND SYSTEMIC POST-	Turf (Post-emergent)	Annual and perennial grasses, broadleaves and sedges	(150-300) grams product per hectare at spray volume of 200 liters per	-	-	Enter the field as soon as the spray dries up
ENVIRO CROPVET PRODUCTS INC.	BUTACHLOR+PROPANIL	TURBOMAX 700 EC	350+350 g/L	EC	HERBICIDE	3	282-238-2083	16-May-22	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ENVIRO CROPVET PRODUCTS INC.	BUTACHLOR+PROPANIL	TURBOMAX 700 EC	350+350 g/L	EC	HERBICIDE	3	282-238-2083	16-May-22	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
JOCANIMA CORPORATION	PROPICONAZOLE	TURBOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	241-178-1900	04-Sep-23	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	-	Do not enter fields until spray has completely dried
JOCANIMA CORPORATION	PROPICONAZOLE	TURBOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	241-178-1900	04-Sep-23	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	Do not enter fields until spray has completely dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2659	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nemotodes, white grubs, crickets & root flies	20-40 kg/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2659	17-Sep-25	-	Banana	Nemotodes, corn weevil and scarring weevil	25-30 kg/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2660	17-Sep-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 10G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	473-104-2661	23-May-27	-	Banana	Corm weevil and nematodes	10-15 kg/ha	-	-	10 days after application
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SI	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds				
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SI	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds				
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SI	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Non-crop land	Weeds				
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SI	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg		
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	
MARTHDAVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAMI 50 SP	500 g/Kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
RBAV HARVEST TRADING CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	772-106-6514	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Last application should be done at least 10 days before harvest.	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY-ME 80 WP	400+400 g/Kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-		
MONARCH AGRICULTURAL PRODUCTS, INC.	TRIDEMORPH	TRY ME MORE	860 g/L		FUNGICIDE	2	096-097-2332	22-Oct-23	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 0.5 L/Ha Oil	-	-	-
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries

AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SOUTHLAND CONSUMERS COOPERATIVE	PYMETROZINE	TRUST 50 WG	500 g/Kg	WG	INSECTICIDE	4	599-307-4284	27-Jan-26	-	Mango	Mango Leafhopper	80g/ 200L water	_	No PHI is proposed since last spray will be 80 days before harvest	Do not enter treated fields until spray deposits have completely dried
SOUTHLAND CONSUMERS COOPERATIVE	PYMETROZINE	TRUST 50 WG	500 g/Kg	WG	INSECTICIDE	4	599-307-4284	27-Jan-26	-	Corn	Leafhopper, planthopper and aphids	Leafhopper, planthopper and aphids	-	5 days	Do not enter treated fields until spray deposits have completely dried
SOUTHLAND CONSUMERS COOPERATIVE	PYMETROZINE	TRUST 50 WG	500 g/Kg	WG	INSECTICIDE	4	599-307-4284	27-Jan-26	-	Rice	Brown planthopper and green leafhopper	Brown planthopper	-	25 days	Do not enter treated fields until spray deposits have completely dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, shealt blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Grape	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Eggplant	Early and late blight, cercospora leaf spot, anthracnose	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Celery	Early and late blight	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Cucurbits	Powdey mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Crucifers	Powdey mildew	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Potato	Early and late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ ha		7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

FKA AGRI CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMSPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
DCDM MARKETING INCORPORATED	CLOTHIANIDIN	TRUMPET 20 SC	200 g/L	SC	INSECTICIDE	4	467-379-5758	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-		
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-27	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
GNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	01-Jul-22	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	One day after application
GNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	01-Jul-22	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before	One day after application
GNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	01-Jul-22	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before	One day after application
GNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	01-Jul-22	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before	One day after application
GNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	01-Jul-22	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before	One day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
TROPI-CUKE, INC.	PROPICONAZOLE	TROPIZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	091-178-4557	19-Jun-26	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	Do not enter treated fields until spray has completely dried
TROPI-CUKE, INC.	PROPICONAZOLE	TROPIZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	091-178-4557	19-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha	-	-	Do not enter treated fields until spray has completely dried
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6% PELETS	60 g/Kg	P	MOLLUSCICIDE	4	002-075-2447	08-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6% PELETS	60 g/Kg	P	MOLLUSCICIDE	4	002-075-2447	08-Sep-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6% PELETS	60 g/Kg	P	MOLLUSCICIDE	4	002-075-2447	08-Sep-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6% PELETS	60 g/Kg	P	MOLLUSCICIDE	4	002-075-2447	08-Sep-24	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6% PELETS	60 g/Kg	P	MOLLUSCICIDE	4	002-075-2447	08-Sep-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Papaya	Fruit rot	3-6 Tbsp/16 L water			As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries

VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Mungo	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Soybeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BPMC+CHLORPYRIFOS	TROJAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24		Beans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Potato	Early and late blight	3-6 Tbsp/16 L water			At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	At least 48 hours after application
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds				
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds				
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds				
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Coffee	Weeds				
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Citrus	Weeds				
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg		
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Cacao	Weeds				
UPL PHILIPPINES, INC.	TRIDEMORPH	TRIUMPH 86 OL	860 g/L	OL	FUNGICIDE	2	562-097-4875	13-Aug-27	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha TRIUMPH 86 OL + 5.0 L/ha Oil or 0.5 L/ha TRIUMPH 86 OL + 5.0	-	0 Day	Until the spray deposit has dried
JOCANIMA CORPORATION	PARAFFINIC MINERAL OIL	TRITEK	100 g/L	-	OTHERS	4	241-282-4208	21-Dec-26	-	Banana	Black sigatoka, scale insects mealybugs	3.6-6 L / hectare	-	-	Re-entry to treated fields is dependent on the pesticides product that was used. When crops were solely tretaed with Tritek, re-entry could
JOCANIMA CORPORATION	PARAFFINIC MINERAL OIL	TRITEK	100 g/L		OTHERS	4	241-282-4208	21-Dec-26	-	Pineapple	Scale insects, mealybug	20-40 L / hectare	-	-	Re-entry to treated fields is dependent on the pesticides product that was used. When crops were solely tretaed with Tritek, re-entry could
BASF PHILIPPINES, INC.	PROFOXYDIM	TRIPLEX 75 EC	75 g/L	EC	HERBICIDE	4	005-614-6002	30-Jan-25	POST-EMERGENT	Rice (Transplanted)	*E. crusgalli, L. chinesis, E. colona*	0.75-1.0 L product / hectare; 160 L/ hectare	0.05 mg/kg	60 days	As soon as spray droplets dries
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Non-crop land	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–

VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973-B	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973-B	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973-B	24-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
GENTRADEPHIL INC.	TRIDEMORPH	TRIO 86 OL	860 g/L	OL	FUNGICIDE	2	660-097-5308	13-Aug-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MISCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	27-Mar-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRO ADVANCED INTERNATIONAL PHILS., INC.	TRIDEMORPH	TRIMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	473-097-2603	11-Nov-25	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	-	As soon as solution has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TRIDEMORPH	TRIMOR 86 OL	860 g/L	OL	FUNGICIDE	2	539-097-5406	14-Apr-27	SYSTEMIC/CONTACT	Banana	Black sigatoka	-	-	-	-
MINDANAO AGRIPLUS CORPORATION	TRIDEMORPH	TRIMAGPLUS 86 OL	860 g/L	OL	FUNGICIDE	2	632-097-4662	14-Feb-22	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.698 L/Ha Tridemorph plus 5-7 L/Ha oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Beans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	LINURON	TRIM 50 SC	500 g/Kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	Rice	Bugs	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	Mango	Hopper, fruit flies	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	Tobacco	Aphids, thrips	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	Banana	Mealy bugs	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	Sweet potato	Leafholder, leafminer, weevil, aphids	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-27	-	White potato	Leafholder, leafminer, weevil, aphids	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Chrysanthemum	Leafminer	4.0 tbsp/16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Garden peas	Leafminer	4.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Onion	Leafminer	4.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Stringbeans	Leafminer	5.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Tomato	Leafminer	4.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Potato	Leafminer	4.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Watermelon	Leafminer	4.0-7.0 tbsp/ 16L	-	14 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	PRETILACHLOR	TRIK 30 EC	300 g/L	EC	HERBICIDE	4	001-063-4331	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbsp./16 L water	0.05ppm	-	
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Potato	Leafminer, thrips	6.0-12.0 mL/16L water	-	5 days	Is allowed as soon as spray deposits had dried up
SINOCHEM CROP PROTECTION (PHILS.) INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leaffolder, Green leafhopper	15.0-25.0 mL/16L water	-	21 days	Is allowed as soon as spray deposits had dried up
SYNGENTA PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Potato	Leafminer	6.0-12.0 mL/16L water	-	5 days	Is allowed as soon as spray deposits had dried up
SYNGENTA PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leaffolder, Green leafhopper	15.0-25.0 mL/16L water	-	21 days	Is allowed as soon as spray deposits had dried up
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Potato	Leafminer	4.3-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Onion	Leafminer	4.3-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Garden peas	Leafminer	4.3-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Tomato	Leafminer	4.3-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Watermelon	Leafminer	4.3-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Stringbeans	Leafminer	5.36-6.4 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
AGSPEC PHILIPPINES CORPORATION	CYROMAZINE	TRIGARD 75 WP	75 g/Kg	WP	INSECTICIDE	4	508-331-0980	24-May-27	-	Chrysanthemum	Leafminer	3.2-4.8 g prod/16L	-	14 Days	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	TRIFLUMIZOLE	TRIFMINE 30 WP	300 g/Kg	WP	FUNGICIDE	3	038-252-0588	31-Dec-25	SYSTEMIC (POST-HARVEST)	Banana	Crown mold, crown rot and diamond fruit rot	1.333 gm product/L water	2.0 mg/kg	-	-
TRANS WORLD TRADING CO., INC.	TRIFLUMIZOLE	TRIFMINE 30 WP	300 g/Kg	WP	FUNGICIDE	3	038-252-0588	31-Dec-25	SYSTEMIC (POST-HARVEST)	Pineapple	Ceratocystis rot	0.17-0.25 g product/L water	2.0 mg/kg	-	-
ZAGRO CORPORATION	TRIFLOXYSTROBIN	TRIFLO-Z 125 EC	-	EC	FUNGICIDE	4	043-318-5639	20-Dec-24		Banana	Sigatoka	0.7 L prod/ ha; 30L ha spray volume	0.05 mg/kg		
ZAGRO CORPORATION	TRIFLOXYSTROBIN	TRIFLO-Z 125 EC	-	EC	FUNGICIDE	4	043-318-5639	20-Dec-24		Asparagus	Stem and leaf blight				
UNITED AGRO TRADE CORPORATION	TRIDEMORPH	TRIDEXIN 86 OL	860 g/L	OL	FUNGICIDE	2	264-097-2233	29-Jun-18	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			

TEXICON AGRI VENTURES CORPORATION	TRIDEMORPH	TRIDENT 86 OL	860 g/L	OL	FUNGICIDE	2	242-097-1958	07-Nov-27	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.698 L/Ha Trident 86 OL + 5.0-7.0 L/Ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within 1 day unless wearing protective clothing
AGCHEM MANUFACTURING CORPORATION	TRIDEMORPH	TRIDEM 860 OL	860 g/L	OL	FUNGICIDE	2	001-097-2107	22-Jun-21	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	0 day	Until the spray deposit has dried
TRIGREEN TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	TRICE 70 WP	830 g/kg	WP	MOLLUSCICIDE	4	356-229-1833	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Itch grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/16 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-6464	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	2-3 tbsp /16L	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Mango	Anthracnose				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Bittergourd	Powdery mildew, downy mildew, cercospora leaf spot and leaf anthracnose				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Tomato	Early blight				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Eggplant	Cercospora leaf spot				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		onion	Purple blotch				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Corn	Helminthosporium, leaf spot, rust				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Watermelon	Leaspot, powdery mildew				
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24		Potato	Early and late blight				
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	26-Nov-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	TRIADIMENOL	TRIATHLON 3G	30 g/Kg	G	FUNGICIDE	4	535-311-3344	27-Oct-26	SYSTEMIC	Banana	Sigatoka	25 g prod/mat	-	Do not apply 7 days before	-
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha	-	3 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter treated fields at least 1 day after application.
PHILIPPINE FARMFIX SOLUTIONS INC.	TRIADIMEFON	TRIADIFON 25 WP	250 g/Kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Pineapple	Fruit rot, heart rot, root rot, butt rot and butt mold	8-16grams/16 L water	-	0 day	Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	TRIADIMEFON	TRIADIFON 25 WP	250 g/Kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Soybeans	Rust	15-30grams/16 L water	-	0 day	Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	TRIADIMEFON	TRIADIFON 25 WP	250 g/Kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Mungbeans	Cercospora	7.5-15grams/16 L water	-	0 day	Immediately after spray deposits have dried
KEMISTAR CORPORATION	BUTACHLOR+PROPANIL	TREMOR 70 EC	350+350 g/L	EC	HERBICIDE	3	239-238-2032	05-Jun-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
KEMISTAR CORPORATION	BUTACHLOR+PROPANIL	TREMOR 70 EC	350+350 g/L	EC	HERBICIDE	3	239-238-2032	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
OLD TOWN AGRICULTURAL KINDS CORP.	PROPICONAZOLE	TREMENDO 25 EC	250 g/L	EC	FUNGICIDE	3	499-178-5439	12-May-27	SYSTEMIC	Banana	Sigatoka	400mL/ha	-	Last spray should be done 2 weeks before harvest	Re-entry into treated areas may be done as soon as the spray solution has dried on the foliage
OLD TOWN AGRICULTURAL KINDS CORP.	PROPICONAZOLE	TREMENDO 25 EC	250 g/L	EC	FUNGICIDE	3	499-178-5439	12-May-27	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	Last spray should be done 2 weeks before harvest	Re-entry into treated areas may be done as soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREFIC 20 WP	200 g/Kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Mango	Mango hopper & tip borer	1 Tbsp/16L water	2.0 mg/kg	7 Days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREFIC 20 WP	200 g/Kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Rice	Green leafhopper & Rice leaf folder	1-2 Tbsp/16L water	0.05ppm	7 Days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREFIC 20 WP	200 g/Kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Tomato	Fruit worm & Cutworm	2-3 Tbsp/16L water	-		As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	TREBON EXCEL 10 EC	100 g/L	EC	INSECTICIDE	4	097-208-1309	16-Nov-24	CONTACT	Rice	Green leafhopper,brown plant hopper,stem borer,whorl maggot & leaf folder	1-2 Tbsp/16 L water	0.05ppm	7 Days	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	TREBON EXCEL 10 EC	100 g/L	EC	INSECTICIDE	4	097-208-1309	16-Nov-24	CONTACT	Mango	Hoppers	1-2 Tbsp/16 L water	2.0 mg/kg	7 Days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREBON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Rice	Green leafhopper,brown plant hopper,stem borer,whorl maggot & leaf folder	2-4Tbsp/100 L	0.05ppm	7 Days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREBON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Mango	Mango Hopper, cecid fly,capsid bug, fruit fly & seed borer	2-4 Tbsp/100 L ,7-14 Tbsp/100L	2.0 mg/kg	7 Days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TREBON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Banana	Scarring beetle	2.5-10.0 Tbsp/100L	2.0mg/Kg	77 days	As soon as the spray solution has dried on the foliage
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Rubber	Weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Oil palm	Weeds	160ml/16 L water,135ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Non- crop Areas	Weeds	160-215ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738-A	17-Jun-25	NON-SELECTIVE	Cavendish Banana	Black sigatoka	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/Kg	B	RODENTICIDE	2	604-173-4329	06-Apr-27	-	Rice	Field rats, mice & other harmful rodents	-	-	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/Kg	B	RODENTICIDE	2	604-173-4329	06-Apr-27	-	Corn	Field rats, mice & other harmful rodents	-	-	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/Kg	B	RODENTICIDE	2	604-173-4329	06-Apr-27	-	Sugarcane	Field rats, mice & other harmful rodents	-	-	-	-
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries

TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	038-053-0607	09-Jun-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Tomato	Early and late blight			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Banana	Sigatoka			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Potato	Early and Late Blight			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Cabbage	Downy mildew, Alternaria leaf spot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Cauliflower	Downy mildew, Alternaria leaf spot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Broccoli	Downy mildew, Alternaria leaf spot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Celery	Late Blight			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Cucumber	Downy Mildew, Anthracnose,Scab			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Squash	Downy Mildew, Anthracnose,Scab			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Cotton	Damping off			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Lettuce	Downy Mildew			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Beans	Anthracnose, Downy Mildew, Rust			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Peas	Anthracnose, Downy Mildew, Rust			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Mungbeans	Anthracnose, Downy Mildew, Rust			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Onion	Purple blotch, Downy mildew, Botrytis leaf Blight			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Pepper	Anthracnose			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Eggplant	Blight, Anthracnose			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Grapes	Downy Mildew, Black rot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Mango	Anthracnose, and scab			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Papaya	Fruit rot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Melon	Downy mildew, Anthracnose, Scab			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Watermelon	Downy mildew, Anthracnose, Scab			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Corn (sweet and popcorn)	Helminthosphorium leaf spot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.02ppm	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Peanut	Cercospora leaf spot			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Soybeans	Leaf rust			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24		Ornamentals	Black spot, Blight, Anthracnose			Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 600 OS	600 g/L	OS	FUNGICIDE	4	038-053-2009	23-Nov-24	SYSTEMIC	Banana	Black Sigatoka	1.75-2.90 Liters/ha	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZEB 455 FLOWABLE	455 g/L	FC	FUNGICIDE	4	038-053-1039	24-May-25	-	Banana	Sigatoka/black leaf streak	4-5 L/ha	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Potato	Late Blight	5 tbsp,/16 L sprayer	-	-	Do not enter fields treated with TRANZATE 505 WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Tomato	Late Blight	5 tbsp,/16 L sprayer	-	-	Do not enter fields treated with TRANZATE 505 WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Grapes	Downy mildew	5 tbsp,/16 L sprayer	-	-	Do not enter fields treated with TRANZATE 505 WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried

TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSONIL 500 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	BUTACHLOR+2,4-D IBE	TRANSONEX 60 EC	360+240 g/L	EC	HERBICIDE	3	038-152-2893	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TRANS WORLD TRADING CO., INC.	BUTACHLOR+2,4-D IBE	TRANSONEX 60 EC	360+240 g/L	EC	HERBICIDE	3	038-152-2893	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha		-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha		-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage worms, loopers	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	20-Jun-25	CONTACT	Stringbeans	Beanfly, leaffolder,aphids, podborer	1.5-3.0 Tbsp/16l water	-	Do not spray 14 days before harvest.	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	CLETHODIM	TRANSCIDE 24 EC	240 g/L	EC	HERBICIDE	4	038-334-5801	06-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D. aegyptium and D. ciliaris)	0.5 L/Ha	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Coffee	Annual and Perennial broadleaves and grasses	13.0 Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Cotton	Annual and Perennial broadleaves and grasses	3.0-5.0 Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
PHILIPPINE FARMFIX SOLUTIONS INC.	OXYFLUORFEN	TRAMP 24 EC	240 g/L	EC	HERBICIDE	4	535-123-3997	20-May-25	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Entry to treated fields is allowed as soon as spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	OXYFLUORFEN	TRAMP 24 EC	240 g/L	EC	HERBICIDE	4	535-123-3997	12-Sep-24	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Broadleaves, sedges & grasses	3-5 L prod./ ha; 2000-3000 L/ ha	-	-	Entry to treated fields is allowed as soon as spray deposits have dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	13-Aug-27	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod./ ha	-	-	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L prod./ ha	-	14 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, powdery mildew	0.20-0.30 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod./ ha	-	7 days	-
TRADETON CORPORATION	DIFENOCONAZOLE	TRA-DIFENO 250 EC	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-27	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.

TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Watermelon	Aphids, thrips,beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50 g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	TRACTOR 160 SL	160 g/L	SL	HERBICIDE	4	457-151-3269	09-Mar-25	POST-EMERGENT	non-crop areas	common grassy fields	3-6 L/ha	-	-	-
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-B	10-Oct-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Citrus	Rind Borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Soybeans	Pod borer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cowpea and other beans	Pod borer, beanfly, leaf miner, aphids, cutworm	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/Kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas may be re-entered immediately after spray has dried
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Mungbeans	Bean podborer, aphid, banfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Soybeans	Bean podborer, aphid, banfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	BPMC+CHLORPYRIFOS	TOXIDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-27	-	Beans	Bean podborer, aphid, banfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Pineapple	Mealy bug	935 L/ha; 1870 L/ha	-	No PHI proposed as last application of TAYAMET 25WG will be 436 days before harvest	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Mango	Leafhopper	100 L	-	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	16 L	-	28 Days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Stringbeans	Aphids, leafhopper	16L; 20L	-	7 days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Eggplant	Aphids, leafhopper	16L; 20L	-	3 days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOXAM	TOXANEX 25 WG	250 g/Kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Banana	Flower thrips	1 L	-	No PHI proposed as TAYAMET 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	TOWER 160 SL	160 g/L	SC	HERBICIDE	4	264-151-1350	19-Feb-26	POST-EMERGENT	Non-crop areas	Weeds	24-48 Tbsp/16L sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	FENAZAQUIN	TOTEM 20 SC	200 g/L	SC	MITICIDE	2	075-382-4073	29-Aug-20		Pineapple	Mites	2.3-4.3 Tbsp/16L water			
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21		Banana	Fungal crown mold/ crown rot, anthracnose, pitmark and smoky fruit	2.0-4.0 mL/ L water	-	-	-
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21		Pineapple	Butt and crown mold, bacterial rot and butt rot	0.5-1.0 mL/ L water	-	-	-
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21		Pineapple	Fruitlet core rot	1.0 L/hectare			
TOTAL COLOURS CORPORATION	AZADIRACHTIN	TOTAL COLOURS NEEM OIL CONCENTRATE			INSECTICIDE/FUNGICIDE	4	685-513-5464	28-May-22	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	-	-
TOTAL COLOURS CORPORATION	DIMETHOMORPH	TOTAL COLOURS DIMETHOMORPH 48 SC	480 g/L	SC	FUNGICIDE	2	685-264-5416	08-Mar-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	1.0 2.0-2.5 L/ha	-	-	-
TOTAL COLOURS CORPORATION	BUPROFEZIN	TOTAL COLOURS BUPROFEZIN 25 SC	250g/L	SC	INSECTICIDE	3	685-224-5415	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 m/L Water	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60 g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-27	-	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2.0-4.0 Kg/ Ha	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60 g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-27	-	Rice (Direct Seeded)	Golden Apple Snail (Kuhol)	4.0-8.0 Kg/ Ha	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60 g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-27	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 Kg/ Ha	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60 g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-27	-	Chinise cabbage	Slug snails	6.0-8.0 kg	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60 g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-27	-	Strawberry	Slug snails	6.0-8.0 kg	-	-	Do not enter treated field within 48 hours after application.
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried

PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMFIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT, INC.	MANCOZEB	TOROGI BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	549-053-3409	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	BUTACHLOR+PROPANIL	TORNADO 70 EC	350+350 g/L	EC	HERBICIDE	3	367-238-2892-A	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JARDINE DISTRIBUTION, INC.	BUTACHLOR+PROPANIL	TORNADO 70 EC	350+350 g/L	EC	HERBICIDE	3	367-238-2892-A	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
DOW AGRO SCIENCES B.V.	PICHLORAM+2,4-D	TORDON 101	102 g/L+396 g/L	-	HERBICIDE	3	013-146-0316	31-Dec-21	-	Non-crop areas	Annual and perennial broadleaf of weeds	-	-	-	-
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	LAMBDA-CYHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	CYMOXANIL+MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Potato	Late blight	50 g prod./ 16L	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with **TOPZATE 505 WP** within 24hours after application
S&P ENTERPRISES INC.	CYMOXANIL+MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Tomato	Late blight	50 g prod./ 16L	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with **TOPZATE 505 WP** within 24hours after application
S&P ENTERPRISES INC.	CYMOXANIL+MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Grapes	Downy mildew	50 g prod./ 16L	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with **TOPZATE 505 WP** within 24hours after application
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Onion	Basal/bulb rot	1-2 Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-2 Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up
S&P ENTERPRISES INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to trated field is allowed as soon as spray dries up

TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Orange	Scab	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Citrus	Scab	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Calamansi	Scab	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Banana	Sigatoka, Diamond fruit spot	1.5-2.0, 1-4 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/Kg	WP	FUNGICIDE	4	038-107-0499	20-Dec-27	SYSTEMIC	Banana	Sigatoka, Diamond fruit spot	10-40g Product/ 16 L water	-	14 days	-
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 50 SC	500 g/L	SC	FUNGICIDE	4	038-107-5636	20-Dec-27	-	Cavendish Banana as bunch spray	Diamond fruit spot Caused by cercospora hayi, fusarium pelilogroseum and fusarium solani	0.5-1.5 mL prod. / L water	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	083-383-2311	04-Sep-17		Rice (Direct-seeded)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5Tbsp/tank load			
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	083-383-2311	04-Sep-17		Rice (Transplanted)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10Tbsp/tank load			
CORTEVA AGRSCIENCE PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	737-383-1777	21-Mar-27	-	Rice (Direct-seeded)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5, 7.0 Tbsp/tank load	-	-	-
CORTEVA AGRSCIENCE PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	737-383-1777	21-Mar-27	-	Rice (Transplanted)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10.0, 8.5 Tbsp/tank load	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	014-383-4295	19-Mar-27	-	Rice (Direct-seeded)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5Tbsp/tank load	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PENOXSULAM+CYHALOFOP-BUTYL	TOPSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	014-383-4295	19-Mar-27	-	Rice (Transplanted)	Echinoclоa crusgalli,E.globrescens,C.diffformis,I nagosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10Tbsp/tank load	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Banana	Sigatoka disease; Diamond-fruit spot and freckle	1.5-2.0 TBSP/16L Water; 0.7 g product/L water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
UNIVERSAL HARVESTER INC.	CYHALOFOP-BUTYL	TOPRICE 100 EC	100 g/L	EC	HERBICIDE	4	606-257-4267	05-Mar-21	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
FKA AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPPER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR+PROPANIL	TOPLINE 70 EC	350+350 g/L	EC	HERBICIDE	3	376-238-2255-A	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR+PROPANIL	TOPLINE 70 EC	350+350 g/L	EC	HERBICIDE	3	376-238-2255-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	As soon as the spray mist dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPCIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	-
TOP AGRO PRODUCTS COMPANY	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	TOPBONDS 13 SE	80 g/L+50 g/L	SE	HERBICIDE	4	210-504-5114	26-May-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	10.0 tank load/ ha 16L 12.5 tank load/ ha 16L	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Celery	Early and late blight	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Beans	Rust	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Coffee	Brown eye spot	65h/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Citrus	Black spot	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Ornamentals	Black spot, rust	35-50 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Mango	Anthracnose	50-65 g/ 16L water	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROPINEB	TOPAZ 70 WP	700 g/Kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Banana	Sigatoka, freckle disease	2.5 kgs/ ha	-	-	-	-
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/Kg	SP	INSECTICIDE	3	385-106-2136-A	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying shall be stopped 10 days before harvest.	Do not enter the field within 2 days after spraying.
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & loopers	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder, aphids, podborer	1.5-3.0 Tbsp/16l water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PROFENOFOS	TOP KILL 500 EC	500g/L	EC	INSECTICIDE	2	566-070-4895-A	15-Jun-27	CONTACT	Mango	Blossom Thrips	10.0-20.0 mL/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/Kg	WG	INSECTICIDE	4	566-307-4406-A	27-Dec-26	-	Mango	Mango Leafhopper	80 grams	_	_	Do not enter the treated fields for at least 24 hours after application
S&P ENTERPRISES INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/Kg	WG	INSECTICIDE	4	566-307-4406-A	27-Dec-26	-	Rice	Green leafhopper and brown planthopper	25-30 grams	-	-	Do not enter the treated fields for at least 24 hours after application
S&P ENTERPRISES INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/Kg	WG	INSECTICIDE	4	566-307-4406-A	27-Dec-26	-	Corn	Leafhopper, planthopper and aphids	7-16 grams; 100-250 grams/ha	-	-	Do not enter the treated fields for at least 24 hours after application
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.

UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			Twenty four (24) hours after application.
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	264-021-1882	15-Aug-26	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-049-2488-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-049-2488-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-049-2488-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE 80 SC	800 g/L	SC	HERBICIDE	4	099-021-2221-A	05-Mar-27	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
ABG TRADING CORPORATION	TRIDEMORPH	TOMAHAWK 86 OL	860 g/L	OL	FUNGICIDE	2	673-097-5422	13-Aug-21	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.698 L/Ha Tridemorph plus 5-7 L/Ha oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
ALBAUGH PHILIPPINES, INC.	TRIDEMORPH	TOKALIX 860 OL	860 g/L	OL	FUNGICIDE	2	569-097-3691	22-Jul-25	SYSTEMIC/CONTACT	Banana	Black Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	0 day	Until the spray deposit has dried
JOCANIMA CORPORATION	TRIDEMORPH	TOKALIX 86 OL	860 g/L	OL	FUNGICIDE	2	241-097-1938	20-Sep-27	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha TOKALIX 86 OL + 5.0 L/ha oil	-	0 day	Until the spray deposit has dried
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters /Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODO MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	450-075-2439	04-Feb-22	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	450-075-2439	04-Feb-22	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	450-075-2439	04-Feb-22	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	450-075-2439	04-Feb-22	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	450-075-2439	04-Feb-22	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	CLOTHIANIDIN	TOBLI 200 SC	200 g/L	SC	INSECTICIDE	4	487-379-6021	7-Sep-25	-	Rice	Rice black bug	40-50 mL			
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TMX 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOXAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as TMX 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
FMC AGRO PHILIPPINES INC.	FLUAZINAM	TIZCA	500 g/L	-	FUNGICIDE	4	598-301-6003	23-Jan-26	-	Potato	Late blight	15mL-20 mL/ 16L water		14 days	-
FMC AGRO PHILIPPINES INC.	FLUAZINAM	TIZCA	500 g/L		FUNGICIDE	4	598-301-6003	23-Jan-26	-	Onion	Purple blotch	15mL-20 mL/ 16L water	-	7 Days	-
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grasses and broadleaf weeds	160-215ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg		
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water			
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TIRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.

VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPMC+CHLORPYRIFOS	TIRADOR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	THIOPHANATE METHYL	TIPTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827-A	27-Feb-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	PROPICONAZOLE	TILT 250 EC	250 g/Kg	EC	FUNGICIDE	3	011-178-0372	08-Apr-27	SYSTEMIC	Banana	Black sigatoka and black leaf streak	400mL/ha	-	0 day	Do not enter treated fields until spray has completely dried
SYNGENTA PHILIPPINES INC.	PROPICONAZOLE	TILT 250 EC	250 g/Kg	EC	FUNGICIDE	3	011-178-0372	08-Apr-27	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	no PHI as the product is applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Rice	Rice blast, neck rot, black spot	1.5-2.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Orange	Scabs	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Beans	Powdery mildew, *cercospora* leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Legumes	Powdery mildew, *cercospora* leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Cabbage	Shot hole disease, *cercospora* leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Cauliflower	Shot hole disease, *cercospora* leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Lettuce	Shot hole disease, *cercospora* leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Grapes	Fruit rot, powdery mildew, anthracnose	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Orchids	Powdey mildew, black spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-27	SYSTEMIC	Ornamentals	Powdey mildew, black spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	001-106-1345	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	432-075-3993	07-Mar-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	432-075-3993	07-Mar-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	432-075-3993	07-Mar-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	432-075-3993	07-Mar-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	432-075-3993	07-Mar-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-

PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16 L sprayer	-	-	-	
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/Kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16 L sprayer	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	12-Mar-25	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26	-	Banana	Flower thrips	8.30-12.50 mL/ L	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26	-	Cabbage	Diamondback moth, aphids, and cabbage moth	6.30-12.50 mL/ 16L water 6.30-12.50 mL/ 16L water	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26	-	Potato	Thrips	2.10-6.30 mL/ 16L water	-	-	-	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Watermelon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Melon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Cucumber	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Squash	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Tobacco	Aphids, Budworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	White potato	Thrips	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Tomato	Fruitworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Mango	Thrips,capsid bugs,leafhoppers	40-80 g/16 L water	0.01 ppm	7 days	1 day or when spray droplets have dried up	
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHIELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26	-	Banana	Flower thrips	3-5 g product/16 L water(inject 60-80ml/bud)	0.01 ppm	7 days	1 day or when spray droplets have dried up	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIRAM	THIRAMAX 480 SC	480g/L	SC	FUNGICIDE	3	088-337-4569	21-Nov-24	-	Cavendish Banana	Black Sigatoka	2.5 L/Ha	-	Do not apply to fruits or vegetables later 14-21 days before harvest	Re-entry to treated fields is allowed as soon as spray droplets dry up.	
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-27	-	Banana	Black sigatoka & freckle	-	-	-	Re-enter treated area as soon as the spray deposits has dried	
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-27	-	Pineapple	Phytophthora heart rot & fruitlet rot	-	-	-	Re-enter treated area as soon as the spray deposits has dried	
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-27	-	Celery	Leafspot & blight	-	-	-	Re-enter treated area as soon as the spray deposits has dried	
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-27	-	Mango	Scab & anthracnose	-	-	-	Re-enter treated area as soon as the spray deposits has dried	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying	

RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Rice	Rice blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Mango	Antracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Legumes	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Beans	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Cabbage	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Cauliflower	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Lettuce	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-27	-	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha	-	7 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ha	-	7 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha	-	7 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL prod./ ha	-	7 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Mango	Leafhoppers, tiphorers	-	-	3 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL prod./ ha	-	3 Days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated fields for at least 1 day after application
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971-B	29-Dec-27	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL prod./ha	-	14 days	Do not enter treated fields for at least 1 day after application
TEXICON AGRI VENTURES CORPORATION	FIPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
TEXICON AGRI VENTURES CORPORATION	FIPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TEXICON AGRI VENTURES CORPORATION	FIPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TEXICON AGRI VENTURES CORPORATION	FIPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TEXICON AGRI VENTURES CORPORATION	FIPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
INTERSORORA INC.	PROPICONAZOLE	THEON 250 EC	250 g/L	EC	FUNGICIDE	4	664-178-5376	26-Nov-26	SYSTEMIC	Banana	Black sigatoka	400 mL/ha	-	0 day	Do not enter treated fields until spray has completely dried
INTERSORORA INC.	PROPICONAZOLE	THEON 250 EC	250 g/L	EC	FUNGICIDE	4	664-178-5376	26-Nov-26	SYSTEMIC	Pineapple	Butt rot	8 mL/100 L	-	No PHI as applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	THANOS 70 EC	350+350 g/L	EC	HERBICIDE	3	623-238-4510	07-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Annual Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	THANOS 70 EC	350+350 g/L	EC	HERBICIDE	3	623-238-4510	07-Nov-26	POST-EMERGENT	Rice (Transplanted)	Annual Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, shealt blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Celery	Late blight	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	470-118-3043	13-Mar-25	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Celery	Early and late blight	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-27	-	Banana	Black sigatoka	1.0-2.0 L/ hhectare	-	0 day	Do not enter treatment areas until spray deposit have dried
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	DIURON	TFC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	ATRAZINE	TFC-ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGRI PRODUCTS INC.	ATRAZINE	TFC-ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGRI PRODUCTS INC.	ATRAZINE	TFC-ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Potato	Early and late blight	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Celery	Late blight	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Cotton	Damping off	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		lettuce	Downy mildew	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Pepper	Anthracnose	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Chili	Anthracnose	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Papaya	Fruit rot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Soybeans	Leaf rust	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	–	–	At least 48 hours after application
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dry
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			

TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
TOTAL FARM CARE AGRI PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
TEXICON AGRI VENTURES CORPORATION	ALKYLPHENOL-HYDROXYPOLYOXYETHELENE	TEXSOL X			OTHERS	4	242-406-2409	08-Jul-24	-	-	As a surface active agent (Emulsifier)	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	TEXSOL 25 X	285+475 mL/L	-	OTHERS	4	242-348-4633	24-Jan-25	-		As Surfactant for ASPIRE SC TWIN	10 spray loads: 20-30mL/16L water. 15 spray loads: 15-20mL /16L water			
POLARA CHEMICAL CORPORATION	ETHOXYLATED DODECYL ALCOHOL	TEXSOL 100	990 g/kg		OTHERS	4	654-407-5055	08-Mar-26	-	-	As surface active agent (emulsifier)	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	ETHOXYLATED DODECYL ALCOHOL	TEXSOL 100	990 g/kg	-	OTHERS	4	242-407-2410	08-Jul-21	-	-	As a surface active agent (emulsifier)	-	-	-	-
POLARA CHEMICAL CORPORATION	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	TEXSIL 248	83g/L +17 g/L	-	INSECTICIDE	4	654-335-5410	29-Jul-25		Banana	Sigatoka	-	-	-	-
POLARA CHEMICAL CORPORATION	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	TEXSIL 248	83g/L +17 g/L	-	INSECTICIDE	4	654-335-5410	29-Jul-25		Pineapple	Weeds	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977-A	12-Apr-27	-	Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	2 Tbsp product in 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976-A	12-Apr-27	-	Corn	*Helmithosphorium* leaf spot, *Cercospora* leafspot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Eggplant	Cercospora leaf spot, early and late blight, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Pepper	*Cercospora* leaf spot, early blight, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Peanut	*Cercospora* leaf spot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Potato	Early and late blight, vine rot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Tomato	Early and late blight, vine rot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Carrot	Alternaria leaf spot, *Cercospora* leaf spot, *helminthosporium* leaf spot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Banana	Sigatoka, rust, freckles	2/ L ha	2.0 mg/Kg	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Mango	*Anthracnose* , diplodia rot	6.0 tbsp	0.5 mg/kg	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Beans	Rust, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Crucifers	Powdery mildew	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Grapes	Downy and powdery mildew, fruit rot	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Melon	Powdery mildew, *cercospora* leaf spot, early and late blight, *Septoria* fruit rot, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Cucumber	Powdery mildew, *cercospora* leaf spot, early and late blight, *Septoria* fruit rot, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Squash	Powdery mildew, *cercospora* leaf spot, early and late blight, *Septoria* fruit rot, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Watermelon	Powdery mildew, *cercospora* leaf spot, early and late blight, *Septoria* fruit rot, anthracnose	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-27	-	Celery	Early and late blight	6.0 tbsp	-	Harvesting may be done on the day of application.	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	PARAFFINIC MINERAL OIL	TEXICON AGRI-OIL	100 g/L	-	OTHERS	4	242-282-3800	02-Sep-25	CONTACT	Banana	Black sigatoka as spray adjuvant	5.0 Liters/Ha	-	-	Re-entry to treated field is dependent on the pesticide product that was used. When crops were solely treated with Texicon Agri Oil, re-
TEXICON AGRI VENTURES CORPORATION	PARAFFINIC MINERAL OIL	TEXICON AGRI-OIL	100 g/L	-	OTHERS	4	242-282-3800	02-Sep-25	CONTACT	Pineapple	Mealy bugs, scale insects	20-40 L/ha	-	-	Re-entry to treated field is dependent on the pesticide product that was used. When crops were solely treated with Texicon Agri Oil, re-
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGRI VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
PHILIPPINE FARMFIX SOLUTIONS INC.	TEBUCONAZOLE+TRIADIMENOL	TETRIS 300 EC	225+75 g/L	EC	FUNGICIDE	3	535-414-4816	31-May-22	SYSTEMIC	Cavendish Banana	Black Sigatoka	0.4 L prod/ha	-	0 day	After spray deposits have dried.
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CYHALOTHRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CYHALOTHRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/Kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-28	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated TERRAPEST 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	THIRAM	TERRAIN 80 WDG	820 g/Kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-27	-	Celery	*Septoria* leafspot and blight	8 Tbsp/ 16L water	-	Do not apply to fruits or vegetables later than 14-21 days before harvest.	As soon as spray dries.
BERRIS AGRICULTURAL COMPANY, INC.	THIRAM	TERRAIN 80 WDG	820 g/Kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-27	-	Mango	Anthracnose and scab	4 Tbsp/ 16L water	-	Do not apply to fruits or vegetables later than 14-21 days before harvest.	As soon as spray dries.
BERRIS AGRICULTURAL COMPANY, INC.	THIRAM	TERRAIN 80 WDG	820 g/Kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-27	-	Banana	Black sigatoka and freckles	40 TBsp/ 16L water	-	Do not apply to fruits or vegetables later than 14-21 days before harvest.	As soon as spray dries.
UPL PHILIPPINES, INC.	CHLOROTHALONIL+TETRACONAZOLE	TERRA STAR	250+62.5 g/L	-	FUNGICIDE	3	562-408-5062	16-Jun-27		Mango	Antracnose and scab	1.28-1.60 Tbsp/ 16 L	-	5 days after the last spray	As soon as the spray solution has dried on the foliage.
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/Kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
UPL PHILIPPINES, INC.	FLUOXASTROBIN+TEBUCONAZOLE	TEPERA PLUS 480 SC	200.2 g/L+277.4 g/L	SC	FUNGICIDE	4	562-488-4848	15-Jun-27	SYSTEMIC	Rice	Sheath blight and neck/node blast	250-350mL product/ha with volume rate of 160L/ha at 45-55 DAT and 60-94Liters/Ha	0.6-mg/kg(Tebuconazole) 0.01mg/kg(Fluoxastrobin)	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO-T may be done 1 day after spraying
DOW AGRO SCIENCES B.V.	1,3 DICHLOROPROPENE	TELONE II	940 g/kg	-	NEMATICIDE	2	031-147-0318	31-Dec-21	-	Pineapple	Nematodes(Radopholus,Meloidogyne,Helicotylenchus)	94Liters/Ha			For broadcast application, do not enter treated area within 72 hours after application unless heavy duty synthetic footgear is worn. For
DOW AGRO SCIENCES B.V.	1,3 DICHLOROPROPENE	TELONE II	940 g/kg	-	NEMATICIDE	2	031-147-0318	31-Dec-21	-	Banana	Bacteria(Pseudomanas spp.)and other soil pests	16-20Liters/Ha	-	-	For broadcast application, do not enter treated area within 72 hours after application unless heavy duty synthetic footgear is worn. For
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Banana	Blossom thrips	0.5/ L water			Re-enter treated area only after spray deposits have dried out

ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Cabbage	Diamond back moth	1000 mL prod/ha		7 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water		3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water		14 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25		Mango	Cecid fly	-	-	-	Re-enter treated area only after spray deposits have dried out
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Into treated areas may be done as soon as spray solution has dried.
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEKWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791-A (460)	08-Dec-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
COMPANIA J.M., INC.	PARA-TERTIARY-AMYPHENOL+ORTHO-BENZYL-PARA-CHLOROPHENOL+ORTHO-PHENYLPHENOL	TEK-TROL	4g/L+10g/L+12g/L	-	OTHERS	2	716-600-5869	31-Dec-27	-	-	Cleaning and disinfection for poultry and livestock farms	-	-	-	-
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 Tbsp/16 L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Cabbage	Diamond-back moth, cabbage worm, aphids	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Watermelon	Thrips	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Potato	Thrips, armyworms, cutworm, tubermoth	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Soybean	Corn earworm, leafminers	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminers	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Cotton	Thrips, bollworms, budworms	3.0-5.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Stringbeans	beanfly, leaffolder, aphids	1.5-3.0 Tbsp/16 L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEKBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Tomato	Fruitworms	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Mango	Mango hoppers	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Corn	Corn borer, earworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Rice	Whorl maggot, planthopper, Green leafhopper, stenbore, leafolder	1-2 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Beans	Podborer, aphids, flea beetle, beanflies	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	White Potato	Tubermoth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying

TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-27	-	Onion	Thrips	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGRI VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	07-Nov-25	-	Okra	Leafhopper	Dillution: 0.5-1.5 tbsp/16L Spray volume: 160-500L/ ha	-	4-7 days	One day after spraying
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPI-CUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	04-Nov-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L product/Ha	_	-	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Mango	Anthracnose	0.528-0.880 L product/Ha	_	14 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.25 L product/Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L product/Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Eggplant	Leafspot	0.20-0.25 L product/Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L product/Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L product/Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Asparagus	Stem and Leaf blight	0.36 L product/ Ha	_	7 days	
LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Banana	Black sigatoka	0.30-0.340 L product/ Ha	_	_	
ORACLE CHEM CORPORATION	BENZALKONIUM CHLORIDE	TECH PRO 400	40 g/L by mass	-	OTHERS	4	417-097-5331	25-Nov-26	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-		As soon as spray solution has dried up.
JOCANIMA CORPORATION	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Banana	Black Sigatoka	0.23L prod./ha	-	0 day	Until the spray deposit has dried
JOCANIMA CORPORATION	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	Until the spray deposit has dried
JOCANIMA CORPORATION	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	Until the spray deposit has dried
ALBAUGH PHILIPPINES, INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3689	22-Jul-25	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 Day	Until the spray deposit has dried
ALBAUGH PHILIPPINES, INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3689	22-Jul-25	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	Until the spray deposit has dried
ALBAUGH PHILIPPINES, INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3689	22-Jul-25	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	Until the spray deposit has dried
AGCHEM MANUFACTURING CORPORATION	TEBUCONAZOLE	TEBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 Day	After spray deposits have dried.
AGCHEM MANUFACTURING CORPORATION	TEBUCONAZOLE	TEBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	After spray deposits have dried.
AGCHEM MANUFACTURING CORPORATION	TEBUCONAZOLE	TEBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	After spray deposits have dried.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	22-Mar-26	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	248-065-1521	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	248-065-1521	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	248-065-1521	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-049-1433	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/16 L water	0.1 ppm	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-049-1433	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 TBsp/16 L water	-	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-049-1433	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-25.0 Tbsp/16 L water	-	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DIURON	TEAM AGRO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	248-021-4344	09-Mar-25	NON-SELECTIVE/SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	_	_	Entry to fields treated with TEAMAGRO DIURON 80 WP can be done one day after application.
TOTAL COLOURS CORPORATION	CHLOROTHALONIL+MANCOZEB	TC-CHLOROZEB WP	360 g/Kg+400 g/Kg	WP	FUNGICIDE	2	685-531-5536	02-Jul-22	CONTACT	Banana	Black Sigatoka	3.0-2.5 L/ha			
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TAYAMET 25WG will be 436 days before harvest	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried

AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice hue, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/Kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as TAYAMET 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		7 Days before harvest	1 Day after Application
ALDIZ INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		7 Days before harvest	1 Day after Application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	29-Jun-24	-	Banana	Banana thrips	1.0-2.0 mL prod. Per L water by bunch spray	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	29-Jun-24	-	Banana	Scale insects, mealy bugs through bunch spray and for the control of scale insect, mealy bugs, scaring beetles and aphids through stem	1.5-2.0 mL prod./ L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	29-Jun-24	-	Tobacco	Whiteflies, thrips and aphids	0.5-3 mL prod./ L	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	29-Jun-24	-	Banana	Scale insects, mealy bugs, aphids, and scarring beetles (Stem & Mat Spray)	1.0-1.5 mL prod. / L ha.	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	29-Jun-27	-	Pineapple	Mealy bugs, scale insects and pineapple mites	1-3 mL product per L at volume rate of 2,338 L per ha	-	0 Day	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CINNAMALDEHYDE	TARSSUS XP	60 g/L	-	INSECTICIDE	4	473-533-5197	15-Jul-25	-	Papaya	Mealybugs, scale insects, mites, aphids, whiteflies	1-3 mL prod./ L water	-	-	As soon as solution has dried up
AGCHEM MANUFACTURING CORPORATION	NICLOSAMIDE	TARGET 25 EC	250 g/L	EC	MOLLUSCICIDE	4	001-229-1133	22-Feb-21	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	At least 48 hours after application
OLD TOWN AGRICULTURAL KINDS CORP.	QUIZALOFOP-P-ETHYL	TARGA EC	100 g/L	EC	HERBICIDE	4	499-317-5456	20-May-27	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water	-	-	As soon as the spray mist dries up.
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-		2 days
ACE CROP SOLUTIONS INC.	CARBOFURAN	TARE 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	530-104-3441	08-Jul-21	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-		2 days
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/16L	-	1 day	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Eggplant	shootborer/fruitborer. Cutworm	10- mL prod/16L	-	1 day	
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Stringbeans	Podborer, leaffolder	10- mL prod/16L	-	1 day	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Rice	Stemborer, leaffolder	60 mL prod/16L water	-	45-60 days	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod/16L	-	3 days	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Corn	Corn borer, earworm	25-30 mL/16L	-	7 days	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	7 days	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/Ha	-	240-300 days	-
JARDINE DISTRIBUTION, INC.	CHLORANTRANILIPROLE	TARALIN S SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	28-Jun-27	-	Bittergourd	Leafhopper, cutworm	20 mL/16L	-	3 days	-
DIVINE AGRICULTURAL OPC	BUTACHLOR+PROPANIL	TARAKI 700 EC	350 g/L+350 g/L	EC	HERBICIDE	3	753-238-6032	23-Aug-24	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	9-14 tbsp / 16L water	-	-	-
DIVINE AGRICULTURAL OPC	BUTACHLOR+PROPANIL	TARAKI 700 EC	350 g/L+350 g/L	EC	HERBICIDE	3	753-238-6032	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	9-14 tbsp / 16L water	-	-	-
TOP AGRO PRODUCTS COMPANY	BUPROFEZIN	TAPROZIN 25 SC	250 g/L	SC	INSECTICIDE	3	210-224-5896	27-Nov-25	-	Mango	Leafhopper	60-80 mL/200L water	-	-	Re-entry to treated fields is allowed as soon as spray dries up.
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying

FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	399-106-3358-C	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	-		Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Potato	Thrips, aphid, cutworm, tuber moth, leafhopper	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggots	3-5 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
AGRO IRIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-27	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2 Tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm		Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	CARBENDAZIM+TEBUCONAZOLE	TANTOR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	241-405-2396	18-Aug-27	SYSTEMIC	Mango	Anthracnose	16-24mL/16L Sprayer		55 days after last application	When spray deposits have dried
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM+TEBUCONAZOLE	TANTOR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	569-405-3692	22-Jul-25	SYSTEMIC	Mango	Anthracnose	16-24mL/16L Sprayer	-	55 days after last application	When spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARBENDAZIM+TEBUCONAZOLE	TANTAN 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	432-405-4004	28-Mar-26	-	Mango	Anthracnose	16-24mL/16L Sprayer	-	55 days	When spray deposits have dried
SYNGENTA PHILIPPINES INC.	CARBENDAZIM+TEBUCONAZOLE	TANTAN 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	011-405-4004	28-Mar-26	-	Mungo	Anthracnose	16-24mL/16L Sprayer	-	55 days after last application	When spray deposits have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Mango	Antracnose, Diplodia rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Eggplant	Early and late blight, cercospora, antracnose	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Celery	Early and late blight	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, antracnose, Septoria, fruit rot, early and late blight	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Crucifers	Powdery mildew	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Beans	Rust, anthracnose	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Tomato	Early blight, Blight, Vine rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Potato	Early and late blight, vine rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Asparagus	Stem and leaf blight	1.6 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Mango	Anthracnose	40-80 g prod /100 L water	-	30 days	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/16 L water	-	35 days	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leaf spot, & leaf anthracose	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Tomato	Early blight	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Eggplant	*Cercospora* leaf spot	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Onion	Purple blotch	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Corn	Helminthosporium leaf spot, rust	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Watermelon	Leafspot, powdery mildew	-	-	-	Immediately after spray deposits has dried up.
LICHEMPHIL INTERNATIONAL INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Potato	Early and late blight	-	-	-	Immediately after spray deposits has dried up.
AIMS TRADING INTERNATIONAL, INC..	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/16L	-	-	Entry to fields and crops treated with **TANICIDE 400 SL** can be done one day after spraying
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5-6.5 tbsp/16L	-	-	Entry to fields and crops treated with **TANICIDE 400 SL** can be done one day after spraying
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13-25 tbsp/16L	-	-	Entry to fields and crops treated with **TANICIDE 400 SL** can be done one day after spraying
ZAGRO CORPORATION	2,4-D AMINE	TANIAMINE 40 SL	400g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	_	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying.
ZAGRO CORPORATION	2,4-D AMINE	TANIAMINE 40 SL	400g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	_	_	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying.
ZAGRO CORPORATION	2,4-D AMINE	TANIAMINE 40 SL	400g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	_	_	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying.
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Mango	Anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Strawberry	Powdery mildew, gray molds, *Cercospora* leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application

CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after application
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	TANDEM EC	250+25 g/L	EC	INSECTICIDE	2	234-239-1452	31-Mar-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	TANDEM EC	250+25 g/L	EC	INSECTICIDE	2	234-239-1452	31-Mar-25	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Avocado	Black spots	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Beans	Anthracnose, rust, and downy mildew	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Carrot	*Alternaria* and *cercospora* leaf spot, late blight, and *cercospora* blight	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Celery	Damping-off and pink rot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Citrus	Brown spots, melanose black spots, and scab	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Corn	*Diplodia* rot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Cucumber	Mildew, anthracnose, *cercospora* and *septoria* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Eggplant	Antracnose, fruit rot, early blight, *phomopsis* blight	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Garlic	Downy mildew, leaf blight, and purple blotch	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Grapes	Dead arm disease	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Mango	Anthracnose and Scab	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Melon	*Cercospora* leaf spot and mildew	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Onion	Downy mildew, purple blotch, and leaf blight	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Ornamentals	Black spot and *phytaphthora* disease	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Oil palm	Anthracnose, seedling blight, *diplodia* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Pepper	Anthracnose, stem end rot, fruit rot, *cercospora* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Pineapple	Heart rot, root rot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Potato	Early and late blight	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Squash	Mildew, *cercospora* leaf spot, anthracnose, and *septoria* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Strawberry	Botrytis rot, grey molds	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Tomato	Anthracnose, early and late blights, and *septoria* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Watermelon	Mildew, *alternaria* and *cercospora* leaf spot	4-8 tbsp/ 16L water (15 400 L/ha)	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary	After spray has dried up
CYMEJB CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	TAMAKE 70 WP	830 g/kg	WP	MOLLUSCICIDE	4	537-229-3489	21-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 Tank load/ha 1 sachet (35gm)/ tankload (16L)	-	-	At least 48 hours after application
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Banana	Flower thrips	Mix 5-7 mL prod/L water.	-	30 days	0 day or as soon as excess solution dries up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Mango	Leafhoppers and tipborers	6-9g ai/200L or 75-100ml prod/200L water and apply at 1-2x at early stage	-	30 days	0 day or as soon as excess solution dries up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Rice	Black bug, green leafhopper and rice bug	500 mL prod/ hectare	-	7 days	-
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	18-May-25	-	Banana	Aphids (Stem and mat spray), corn weevil, white grubs (soil drenching)	2-6 mL prod./ L solution at 178 mL solution/ mat[1]	-	-	-
AGWAY CHEMICALS CORPORATION	BIFENTHRIN	TALSTAR 10 WP	10 g/Kg	WP	INSECTICIDE	2	075-328-1537	21-Jul-20	-	Banana	Flower thrips	4-6 grams prod/L water	-	-	As soon as the apray mist dries-up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 10 WP	100 g/Kg	WP	INSECTICIDE	2	598-328-4183	30-Oct-26	-	Banana	Flower thrips	4-6 grams prod/L water	-	-	As soon as the spray mist dries-up
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Eggplant	Tip borer and fruit borer	3-4 g/ 16 L water		3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Tobacco	Cutworm,budworm	3-4 g/ 16 L water			After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Tomato	Cutworm, fruitworm	4-5 g/ 16 L water		3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Ampalaya	Cutworm, leafroller	4-5 g/ 16 L water		3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Stringbeans	Podborer and cutworm	3 g/ 16 L water		3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Watermelon	Melon worm	4-5 g/ 16 L water			After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Onion	Cutworm, armyworm	4-5 g/ 16 L water			After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Rice	Leafroller, stemborer	2-4 mL/kg seed			After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Cabbage	Diamond back moth	3-4 g/ 16 L water		5 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Eggplant	Tip borer and fruit borer	6-8 g/ 16 L water		3 days	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Tobacco	Cutworm,budworm	5-7 g/ 16 L water		3 days	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Tomato	Cutworm, fruitworm	4-6 g/ 16 L water			After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Ampalaya	Cutworm, leafroller	4-6 g/ 16 L water		3 days	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Watermelon	Armyworm, cutworm, fruitworm, leafroller, rindworm	2-4 g/ 16 L water		1 day	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Onion	Cutworm, armyworm	2-4 g/ 16 L water		1 day	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Rice	Leafroller, stemborer	5-20 g/ 16 L water		30 days	After spray deposits have dried.
OLD TOWN AGRICULTURAL KINDS CORP.	FLUBENDIAMIDE	TAKUMI 24 WG	240g/Kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Corn	Corn borer	4-8 g/16 L water		5 days	After spray deposits have dried.
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	367-386-5790	7-Aug-26	-	Eggplant	Tip borer and Fruit borer	180-240 g prod./ ha	1.5 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Tobacco	Budworm and cutworm	120-180 g prod./ ha	-	-	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Tomato	Cutworm and fruitworm	120-180 g prod./ ha; 4.8-7.2 g prod./ 16L water; 400L/ ha	0.2 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Watermelon	Armyworm, cutworm, fruitworm, leaffolder, rindworm	2.4-4.8 g prod./ 16L water; 400L/ ha	0.2 ppm	1 day	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Onion	Cutworm and armyworm	2.4-4.8 g prod./ 16L water; 400L/ ha	0.5 ppm	-	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Bittergourd	Leafroller and cutworm	120-180 g prod./ ha; 4.8-7.2 g prod./ 16L water; 400L/ ha	0.3 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Stringbeans	Podborer, cutworm, armyworm and semi-lopper	60-120 g prod./ ha; 2.4-4.8 g prod./ 16L water; 400 L/ ha	0.5 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDIAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Rice	Stemborer and leaffolder	120-240 gprod./ ha; 160 L/ ha	0.05 ppm	-	After spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	IMAZOSULFURON	TAKEOFF 10 SC	100 g/L	SC	HERBICIDE	4	099-363-2597	13-May-25	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaves	1.00-1.50 Tbsp/16L water	0.1ppm	-	24 hours after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	IMAZOSULFURON	TAKEOFF 10 SC	100 g/L	SC	HERBICIDE	4	472-363-2591	18-May-25	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaves	1.00-1.50 Tbsp/16L water	0.1ppm	-	24 hours after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	DIFENOCONAZOLE+PROPICONAZOLE	TAGSHIELD 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	S17-325-5401	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/16L water	-	_	
TAGCHEM DRAGON DISTRIBUTION INC.	DIFENOCONAZOLE+PROPICONAZOLE	TAGSHIELD 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	S17-325-5401	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/16l water	-	_	
TAGCHEM DRAGON DISTRIBUTION INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	TAGRISOL	285/475/240ml/L		OTHERS	4	S17-348-4075	04-Dec-25	SELECTIVE (POST-EMERGENT)	Rice	As a surfactant on QUADRO8	25-30ml/16 L water	-	-	As soon as spray deposit have dried.
TAGCHEM DRAGON DISTRIBUTION INC.	NICLOSAMIDE ETHANOLAMINE SALT	TAGLUSCIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	S17-229-3002	23-Apr-24	-	Rice	Golden apple snail	10 tank load/ha 1 sachet / tankload	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4907	18-Jul-21	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4907	18-Jul-21	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4907	18-Jul-21	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4907	18-Jul-21	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4907	18-Jul-21	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application

TAGCHEM DRAGON DISTRIBUTION INC.	NICLOSAMIDE	TAGLUSCIDE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	S17-229-4722	13-Aug-21	-	Rice	Golden apple snail	7-10; 10-14 Tbsp/16L Water	-	-	-	Entry to field and crops treated with TAGLUSCIDE 250 EC can be done 48 hours after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4636	25-Jan-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 Kgs/ha	-	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4636	25-Jan-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 Kgs/ha	-	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/Kg	P	MOLLUSCICIDE	4	S17-075-4636	25-Jan-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	S17-053-3820	22-Apr-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	S17-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DIURON	TAGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	S17-021-3819-A	15-Nov-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	Entry to fields treated with TAGCHEM DIURON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4 D ESTER	400 g/L	EC	HERBICIDE	2	S17-049-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4 D ESTER	400 g/L	EC	HERBICIDE	2	S17-049-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4 D ESTER	400 g/L	EC	HERBICIDE	2	S17-049-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4 D AMINE	400 g/L	-	HERBICIDE	2	S17-013-5931	8-Oct-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/ 16L water	-	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4 D AMINE	400 g/L	-	HERBICIDE	2	S17-013-5931	8-Oct-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.5 tbsp/ 16L water	-	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4 D AMINE	400 g/L	-	HERBICIDE	2	S17-013-5931	8-Oct-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13-25 tbsp/ 16L water	-	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG357 5 EC	50 g/L	EC	INSECTICIDE	4	S17-037-2999	21-Mar-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	S51-174-3943	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	-	Do not enter the field within 2 days after spraying.

JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	TAG TEAM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Lettuce	Early blight, neck rot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Cucurbits	Downy mildew, late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Celery	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Beans	Rust	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Potato	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Tomato	Early and late blight	50-65 g prod./ 16L water	-	3 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Tobacco	Brown leaf spot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Coffee	Brown eye spot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Citrus	Black spot	65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Melon	Downy mildew	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Watermelon	Downy mildew	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Ornamentals	Black spot, rust	35-50 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Mango	Anthracnose	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Rice	Dirty panicle, brown leaf spot	50-100 g prod./ 16L water 500-1000 g prod / ha	-	18 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Banana	Sigatoka, freckle disease	2.5 kg / ha	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPINEB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Asparagus	Cercospora leaf spot	2.5 kg / ha	-	7 days	Immediately after spray deposits have dried
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	TABAK 10 SC	100 g/L	SC	HERBICIDE	4	529-276-4450	30-Jul-24	SELECTIVE	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	–	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	TABAK 10 SC	100 g/L	SC	HERBICIDE	4	529-276-4450	30-Jul-24	SELECTIVE	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	–	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	–	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	–	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	–	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	–	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1 mL/L water (50-100 mL spray volume)	–	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	16-Feb-24	SYSTEMIC	Rubber tree	*Pestalotiopsis sp.*	216-360 mL prod. / hectare (Drone spray application)	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	03-Jul-25	SYSTEMIC	Pineapple	*Fusarium sp.*	1.5-6.0 L/ ha	-	-	As soon as the spray dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21	-	Tobacco	Budworm,aphids	1.2-3 Tbs/ 16L	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried

THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Eggplant	Fruitborer	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Stringbeans	Aphids	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Tomato	Fruitworm	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Watermelon	Aphids And Thrips	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Rice	Whorl maggot,green leafhopper,brown plant hopper,stemborer, leaffolder And rice bug	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Banana	Thrips	2-3 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
THAIPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	657-242-4935	28-Jun-21		Mango	Mango, leafhopper, tipborer	1.5-2 Tbsp/ 16L		Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with SYMMETRIX 75 SP Can be done as soon as Spray Deposits Have dried.
C.B. ANDREW ASIA, INC.	DIFENOCONAZOLE+PROPICONAZOLE	SYMBIO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	460-325-4226	21-Sep-27	SYSTEMIC	Rice	Sheath Blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
JOCANIMA CORPORATION	DODINE	SYLLIT 400 SC	400 g/L	SC	FUNGICIDE	2	241-418-2778	02-Oct-23		**Banana**	Black Sigatoka	0.8-1.2 L product/ha	-	0 Day	No ground workers allowed during spraying operation. Workers can enter area only after 1-2 hours of application to avoid small droplet
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	BUTACHLOR+PROPANIL	SWITCH 70 EC	350+350 g/L	EC	HERBICIDE	3	351-238-2355	08-Jan-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		As soon as the spray mist dries up
ALTACROP PROTECTION CORPORATION	BUTACHLOR+PROPANIL	SWITCH 70 EC	350+350 g/L	EC	HERBICIDE	3	351-238-2355	08-Jan-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		As soon as the spray mist dries up
ALTACROP PROTECTION CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SWIPE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	351-229-1783	05-Jul-18	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/Kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	SULFENTRAZONE	SURRENA 480 SC	480 g/L	SC	HERBICIDE	3	539-392-5382	08-Apr-27	PRE-EMERGENT	Pineapple	Grasses (*D. sanguinalis, P. conjugatum* and *R. exaltata*), broadleaves (*L. trilaba, B. laevis* and *C. crepidiodes*) and sedges	1 L/HA	-	-	0 day
RAINBOW AGROSCIENCES PHILIPPINES INC.	SULFENTRAZONE	SURRENA 480 SC	480 g/L	SC	HERBICIDE	3	539-392-5382	08-Apr-27	PRE-EMERGENT	Sugarcane	Grasses (*D. sanguinalis, P. conjugatum* and *R. exaltata*), broadleaves (*L. trilaba, B. laevis* and *C. crepidiodes*) and sedges	1 L/HA	-	-	0 day
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.

HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-27	NON-SELECTIVE/SYSTEMIC	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	12 hours.Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last.
C.B. ANDREW ASIA, INC.	THIRAM	SURGE 480 SC	480 g/L	SC	FUNGICIDE	3	460-337-4985	16-Dec-25	-	Banana	Black sigatoka	-	-	0 day Harvesting may be done on the day of application	-
CROPKING CHEMICALS INC.	ALKYL MODIFIED HEPTAMETHYLTRISILOXANE	SURFAST 560	100 g/Kg	L	OTHERS	4	065-362-3958	23-Dec-25	-	Banana	Sigatoka (as adjuvant in tank combination with MANCOZEB 448 F	Mix with Mancozeb 448 F. 5% of Oil Used	-	Ni PHI needed when Surfast is use alone. The PHI required depends on the agrochemicals when Surfast	Do not enter treated field without clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow pesticide label
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-100mL (4-16ml)/100ml	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Banana	Sigatoka	1-2 Tbsp/16 L water	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Pineapple	Weeds	1-2 Tbsp/16 L water	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
UNAHCO, INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	SURFAMAX	250+450+mL/L	-	OTHERS	4	662-348-4998	04-Dec-22	SELECTIVE (POST-EMERGENT)	-	As a surfactant for VIGILANTE 100 SC	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR+PROPANIL	SURESTOP 700 EC	350+350 g/L	EC	HERBICIDE	3	459-238-2484	07-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR+PROPANIL	SURESTOP 700 EC	350+350 g/L	EC	HERBICIDE	3	459-238-2484	07-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
S&P ENTERPRISES INC.	NICLOSAMIDE ETHANOLAMINE SALT	SURESHOT 70 WP	700g/kg	WP	MOLLUSCICIDE	4	566-229-4340-A	23-Apr-27	CONTACT	Rice	Golden Apple Snail	35grams or 1 sachet	–	–	–
S&P ENTERPRISES INC.	METALDEHYDE	SURESHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	566-075-4538	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	–	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES INC.	METALDEHYDE	SURESHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	566-075-4538	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	–	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES INC.	METALDEHYDE	SURESHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	566-075-4538	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	–	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES INC.	METALDEHYDE	SURESHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	566-075-4538	18-Jul-27	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	–	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES INC.	METALDEHYDE	SURESHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	566-075-4538	18-Jul-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	–	Do not enter treated field within 48 hours after application.
JARDINE DISTRIBUTION, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUREKILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	367-229-1070	23-Dec-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	No less than 48 hours after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	160-215ml/16 L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest.	Do not enter the field within two days after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCICIDE	4	640-075-5800	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCICIDE	4	640-075-5800	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCICIDE	4	640-075-5800	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCICIDE	4	640-075-5800	18-Jul-27	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCICIDE	4	640-075-5800	18-Jul-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Rice	Armyworms, caseworms, leafhopper, bugs	2-6 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Corn	Earthworm, silkworm, aphids, grasshoppers	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Crucifers/Cabbage	Cabbage worm, loopers, diamond-back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Pineapple	Mealy bugs	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Pepper	Aphids, cutworms, fruitworm	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Garlic	cutworms	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Onion	cutworms	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Tobacco	Plant growth regulator	3-6 Tbsp/16 L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Tomato	Lady beetle	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Eggplant	Aphids, fruitworm	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Sorghum	Web worm	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	80 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	65-130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod./ 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13-19 Tbsp/16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13-19 Tbsp/16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13 Tbsp/ 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	3.0-5.0 Tbsp / 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13 Tbsp/ 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28 Tbsp / 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.

SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640-021-4882	15-Aug-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Calamansi	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Mandarin	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Orange	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	09-Aug-27	-	Banana	Black sigatoka	280 g/ha	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	640-065-4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	640-065-4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	640-065-4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	640-049-4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	640-049-4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	640-049-4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640-013-4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one day after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640-013-4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one day after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640-013-4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one day after spraying
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAMIDE	SURE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	099-229-1003	10-Jun-20		Rice	Golden apple snail	7-10 Tbsp/16L water				48 hours
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-4 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_	_
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	_	_	_	_
UNAHCO, INC.	DIFENOCONAZOLE+PROPICONAZOLE	SUPREMACY 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	662-325-5259	25-Jul-27	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	-	-	-	-
UNAHCO, INC.	DIFENOCONAZOLE+PROPICONAZOLE	SUPREMACY 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	662-325-5259	25-Jul-27	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1-2 Tbsp/16 L water	-	45 Days	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry

ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water			
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20		Cacao	Podborer, aphids	0.1 Tbsp/16L water			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARTHDAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Agricultural crops (horticultural and agronomic	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	0.8-1.0 Tbsp/16L water	1.0ppm	24 hours after last spray	24 hours after each spray
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Cabbage	Diamond-back moth, cabbage moth, worm	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Watermelon	Aphids, thrips, beetle	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Tobacco	Aphids, cutworm, budworm, thrips	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Tomato	Tomato, fruitworm, aphids, beetle	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Rice	Brown planthopper, stemborer, green leafhopper, armyworm, rice bug	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Cotton	Bollworm, leafworm, aphids, leafhopper, thrips boll weevil	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-enttry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	10-30 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RNE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Corn	Cornborer	10-45 mL/16L water	-	For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER-M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUPERKILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	088-229-1700-A	26-Jan-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Mango	Blossom thrips	1.0-1.5 L prod/ ha	-	Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Pineapple	Pineapple flowering and ripening	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Banana	-	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Mango	-	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Coffee	Coffee ripening	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally,	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Citrus	Annual and perrenial broadleaves and grasses	13.0-19.0 Tbsp/ 16 water	-	-	A day after application
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Coffee	Annual and perrenial broadleaves and grasses	13.0-19.0 Tbsp/ 16 water	-	-	A day after application
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Cotton	Annual and perrenial broadleaves and grasses	8 tbsp /16 water	-	-	A day after application
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Sugarcane	Annual and perrenial broadleaves and grasses	6.5-13.0 Tbsp/ 16 water	-	-	A day after application
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Pineapple	Annual and perrenial broadleaves and grasses	13 TBsp/ 16 water	-	-	A day after application
SUPERAGRO CHEMICALS, INC.	DIURON	SUPERDIURON 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Non-crop land	Annual and perrenial broadleaves and grasses	20.0-28.0 Tbsp/ 16 water	-	-	A day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water			
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water			
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water			
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping			
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water			
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-27	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR+2,4-D IBE	SUPERCUT 60 EC	360+240 g/L	EC	HERBICIDE	3	457-152-2473	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR+2,4-D IBE	SUPERCUT 60 EC	360+240 g/L	EC	HERBICIDE	3	457-152-2473	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Coffee	Berry borer	4-6 tbsp/16L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Citrus	Rind borer	4-6 tbsp/16L water	-	5 days	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16L water	1ppm	14 Days	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16L water	-	-	Treated areas maybe re-entered immediately after spray has dried
HQ AGRICARE TRADING, INC.	GLYPHOSATE IPA	SUPER PWR	160 g/L	SL	HERBICIDE	4	505-151-4253	19-Feb-26	POST-EMERGENT	Non-crop Areas	Common grassy field	3-6 L/Ha	–	–	–
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Crucifer	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
ARIES RNE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	22-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	–	One (1) day after each spraying	One (1) day after each spraying
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHDAVE CO., LTD.	LAMBDA-CYHALOTHRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BUTACHLOR+PROPANIL	SUPER HERBICIDE 700 EC	350+350 g/L	EC	HERBICIDE	3	088-238-1883	01-Dec-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BUTACHLOR+PROPANIL	SUPER HERBICIDE 700 EC	350+350 g/L	EC	HERBICIDE	3	088-238-1883	01-Dec-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	21-Oct-27	POST-EMERGENCE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 160 SL	160 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	non-crop areas	common grassy fields				
DCDM MARKETING INCORPORATED	NICLOSAMIDE ETHANOLAMINE SALT	SUPER DJ 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	467-229-2523	12-Jan-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	088-106-1354-B	01-Oct-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-
AGWAY CHEMICALS CORPORATION	SULFENTRAZONE	SUNZONE 480 SC	480 g/L	SC	HERBICIDE	3	075-392-5208	30-Sep-26	PRE-EMERGENT	Pineapple	Nutsedge Broadleaves	1 L/HA	-	-	0 Day
AGWAY CHEMICALS CORPORATION	SULFENTRAZONE	SUNZONE 480 SC	480 g/L	SC	HERBICIDE	3	075-392-5208	30-Sep-26	PRE-EMERGENT	Sugarcane	Sedge (*Cyperus rotondus*) Grasses broadleaves	1 L/HA	-	-	0 Day
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	669-337-5580	18-Jul-27	-	Banana	Black sigatoka & freckle	2.5 kg/ha 100L water	_	0 day	Re-entry to treated areas as soon as the spray droplets deposits has drie up
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	669-337-5580	18-Jul-27	-	Pineapple	Phytophthora heart rot & fruitlet core rot	7.5-11.5 kg/ha 400-500L water,8-11kg/ha 1500-400l water	_	7-30 days	Re-entry to treated areas as soon as the spray droplets deposits has drie up
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	669-337-5580	18-Jul-27	-	Celery	Leafspot & blight	4 tbsp /16L water	_	7-10 days	Re-entry to treated areas as soon as the spray droplets deposits has drie up
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	669-337-5580	18-Jul-27	-	Mango	Scab & anthracnose	8 tbsp /16L water	_	-	Re-entry to treated areas as soon as the spray droplets deposits has drie up
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5579	25-Oct-24		Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp 16L water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5580	25-Oct-24		Mango	Anthracnose	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5581	25-Oct-24		Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5582	25-Oct-24		Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5583	25-Oct-24		Legumes	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5584	25-Oct-24		Beans	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5585	25-Oct-24		Cucumber	Powdery mildew, gummy stem bligth, leaf and fruit spots	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5586	25-Oct-24		Melon	Powdery mildew, gummy stem bligth, leaf and fruit spots	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5587	25-Oct-24		Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5588	25-Oct-24		Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5589	25-Oct-24		Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5590	25-Oct-24		Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5591	25-Oct-24		Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5592	25-Oct-24		Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5593	25-Oct-24		Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5594	25-Oct-24		Orange	Scabs	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5595	25-Oct-24		Citrus	Scabs	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5596	25-Oct-24		Calamansi	Scabs	0.5-1.0 TBSP/16L Water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5597	25-Oct-24		Banana	Sigatoka	1.5-2.0 Tbsp/ 16L water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	619-107-5598	25-Oct-24		Papaya	Powdery mildew	0.1-1.0 TBsp/ 16L water	_	_	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried

SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water		-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Soybeans	Leaf rust	3-6 Tbsp/16 L water			As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray has dried
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA-CYHALOTHRIN	SUNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water		-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water		-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water		-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water		-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water		-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/ 16L water		-	After spray deposits have dried
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Banana	Blossom thrips	0.5/ L water	-	-	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Cabbage	Diamond back moth	1000 mL Prod./ Ha	-	7 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Ornamentals	Mites	1.0-1.5 Tbsp/ 16L water	-	-	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Pineapple	Mites	1000-4000 mL Prod./ Ha	-	-	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Eggplant	Thips,leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 16L water	-	3 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Onion	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	3 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Potato	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	14 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/ 16L water	-	3 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/ 16L water	-	3 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Papaya	Mites	0.5-1.0 Tbsp/ 16L water	-	14 days	-
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-27	-	Strawberry	Mites	2.0-4.0 Tbsp/ 16L water	-	3 days	-
ACE CROP SOLUTIONS INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	SUNFYRE 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	530-504-6029 (234)	1-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	50 mL to 1 L formulated product / hectare fusing spray volumes of 160	-	-	Re-entry to the rice field can be done as soon as spray dries up
MARTHDAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water			
MARTHDAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water			
MARTHDAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water			
MARTHDAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping			
MARTHDAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water			
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CYHALOTHRIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	2,4-D IBE	SUN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	515-049-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to field and crops treated with SUN 2,4-D ESTER can be done one day after spraying.
SANKHEM CORPORATION	2,4-D IBE	SUN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	515-049-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with SUN 2,4-D ESTER can be done one day after spraying.
SANKHEM CORPORATION	2,4-D IBE	SUN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	515-049-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with SUN 2,4-D ESTER can be done one day after spraying.
SANKHEM CORPORATION	2,4-D AMINE	SUN 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	515-013-3188	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with SUN 2,4-DAMINE can be done one (1) day after spraying
SANKHEM CORPORATION	2,4-D AMINE	SUN 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	515-013-3188	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with SUN 2,4-DAMINE can be done one (1) day after spraying
SANKHEM CORPORATION	2,4-D AMINE	SUN 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	515-013-3188	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with SUN 2,4-DAMINE can be done one (1) day after spraying
SUMOCHEM CORPORATION	ALUMINUM PHOSPHIDE	SUMOPHOS	560 g/Kg	TAB	FUMIGANT	1	483-084-2705	08-Oct-25	CONTACT		Rust-red beetle, cadelle, khapra beetle, grain moth, Indian-meal moth, grain and rice weevil,saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN	SUMO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
KARRAT MARKETING CORPORATION	AMETRYN+ATRAZINE	SUMMITEE	400+400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
SURE CROP SCIENCE AGRIVENTURES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUMMA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	640-229-4055-A (735)	14-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/16L water	0.2 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/16L water	0.2 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/16L water	0.2 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Beans	Beanfly, fleabeetle, aphids, leaffolder, podborer	3-5 Tbsp/16L water	0.2 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/16L water	2 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/16L water	0.05 ppm	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Banana	Flower thrips	2 ml/L	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried

SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Beans	Beanfly, fleabeetle, aphids, leaffolder, podborer	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/16L water	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying.	Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried.
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	367-543-5525	11-Aug-27	-	Sugarcane	Broadleaves, grasses and sedges	-	-	-	-
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	367-543-5525	11-Aug-27	-	Cassava	Broadleaves, grasses and sedges	-	-	-	-
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	367-543-5525	11-Aug-27	-	Cavendish Banana	Broadleaves, grasses and sedges	-	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	472-543-5413	11-Aug-27	-	Sugarcane	Broadleaves, grasses and sedges	250-300 g prod./ ha. Whwn applied alone , 150 g prod./ ha. When in tank	-	Not applicable SUMIMAX will not be applied directly on plants and the active ingredient is not systemic. Spray	As soon as spray dries up.
SUMITOMO CHEMICAL PHILIPPINES INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	472-543-5413	11-Aug-27	-	Cavendish Banana	Broadleaves, grasses and sedges	-	-	Not applicable SUMIMAX will not be applied directly on plants and the active ingredient is not systemic. Spray	As soon as spray dries up.
SUMITOMO CHEMICAL PHILIPPINES INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/Kg	WG	HERBICIDE	4	472-543-5413	14-Aug-25	-	Cassava	Broadleaves, grasses and sedges	250 g prod./ ha	-	Not applicable SUMIMAX will not be applied directly on plants and the active ingredient is not systemic. Spray	As soon as spray dries up.
SUMITOMO CHEMICAL PHILIPPINES INC.	DINICONAZOLE	SUMI-EIGHT 12.5 WP	125 g/Kg	WP	FUNGICIDE	4	472-292-2594	18-May-25	SYSTEMIC	Banana	Sigatoka	100 g a.i./ha (0.80 kg product/ha) as low volume aerial spray using fixed	-	-	Do not enter treated fields until spray deposit have completely dried.
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	Cabbage: 3ppm, broccoli & cauliflower: 2 ppm	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water	0.5 ppm	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Cucurbits (watermelon and melon)	Squash beetle	5-8 Tbsp/16L water	Cucumber & melon: 0.2 ppm, watermelon and other	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Tobacco	Aphids, budworm	5-8 Tbsp/16L water	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	18-May-25	-	Cotton	Aphids, budworm	5-8 Tbsp/16L water	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Cucurbits	Squash beetle	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Tobacco	Aphids, budworm	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Cotton	Aphids, budworm	5-8 Tbsp/16L water	-	Crops trated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Rice	Stemborer, black bug, rice bug, whorl maggots, leafhopper brown plant hopper	1.5-2.0 Tbsp/16L water	2.0ppm	Do not spray on rice and corn at 21 Days before harvest	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Mango	Mango hopper, twig borer, tip borer	1.5-2.0 Tbsp/16L water	-	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Corn	Corn borer	1.5-2.0 Tbsp/16L water	-	Do not spray on rice and corn at 21 Days before harvest	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Stringbeans	Podborer, aphids	1.5-2.0 Tbsp/16L water	-	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Eggplant	Shoot/fruit borer, leafhopper	1.5-2.0 Tbsp/16L water	-	7 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Eggplant	Early and let blight, cercospora, anthracnose	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Celery	Early and late blight	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Cucurbits	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Crucifers	Powdery mildew	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Tomato	Early blight, Blight, Vine rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Potato	Early blight, Blight, Vine rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULONIL 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Horticultural and agronomic crops	Locusts-nymphs	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	14-Jun-26	-	Banana	Flower thrips	-	-	24 hours after last spray	Enter treated area 24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Beans	Downly mildew, powdery mildew	3.5-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Ornamentals	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Pepper	Downly mildew, powdery mildew	6.0-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Potato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Tomato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Eggplant	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Cotton	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Banana	Black sigatoka, Freckle	2.5 kg/ha	-	0 day	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SULFUR	SULFOLAC 800 WG	800 g/Kg	WG	FUNGICIDE	4	088-083-2395-A	07-Jan-28	-	Pineapple	Mites	5.0-6.0 Tbsp/16 L water	-	0 day	After spray deposit has been dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKISOK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	15-Sep-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKISOK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	15-Sep-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKISOK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	15-Sep-25	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKISOK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	15-Sep-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUGOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	PRETILACHLOR	SUFFIX 300 EC	300 g/L	EC	HERBICIDE	4	417-063-4918	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-
FKA AGRI CHEMICAL CORPORATION	HEXAZINONE+DIURON	SUCROSHIELD 60 WG	132g/kg+468g/kg	WG	HERBICIDE	4	399-435-6426	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400 L/ ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Banana	Flower thrips	1.0-1.25 ml/L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Eggplant	Fruit borer	60-65ml/16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Beans	Podborer	30-50mL/16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Bulb Onion	Thrips & Cutworm	40-100ml/16L of water	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SPINOSAD	SUCCESS NATURALYTE	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-27	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SPINOSAD	SUCCESS NATURALYTE	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-27	-	Banana	Flower thrips	1.0-1.25 ml/L of water	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SPINOSAD	SUCCESS NATURALYTE	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-27	-	Eggplant	Fruit borer	60-65ml/16L of water	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SPINOSAD	SUCCESS NATURALYTE	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-27	-	Beans	Podborer	30-50mL/16L of water	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SPINOSAD	SUCCESS NATURALYTE	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-27	-	Bulb Onion	Thrips & Cutworm	40-100ml/16L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18		Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18		Banana	Flower thrips	1.0-1.25 ml/L of water	-	-	
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18		Eggplant	Fruit borer	60-65ml/16L of water	-	-	
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18		Beans	Podborer	30-50mL/16L of water	-	-	
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18		Bulb Onion	Thrips & Cutworm	40-100ml/16L of water	-	-	
TEXICON AGRI VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6% PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-27	CONTACT	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2-4 Kgs/ ha	-	-	Do not enter treated field within 48 hours after application
TEXICON AGRI VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6% PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-27	CONTACT	Rice (Direct-seeded)	Golden Apple Snail (Kuhol)	4-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
TEXICON AGRI VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6% PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-27	CONTACT	Potted and dirtwood-attached plants such as	Bush Snails, Giant African Snail, and Slugs	1-2 kgs/ha	-	-	Do not enter treated field within 48 hours after application
TEXICON AGRI VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6% PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-27	CONTACT	Crucifers (Chinese Cabbage)	Slugs ,Snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	PENOXSULAM+CYHALOFOP-BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-383-4629	21-Jan-25	SELECTIVE(POST-EMERGENT)	Rice (Direct-seeded)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-	-	-	After spray deposits has dried up
SINOCHEM CROP PROTECTION (PHILS.) INC.	PENOXSULAM+CYHALOFOP-BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-383-4629	21-Jan-25	SELECTIVE(POST-EMERGENT)	Rice (Transplanted)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-	-	-	After spray deposits has dried up
SYNGENTA PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-383-4629	21-Jan-25	SELECTIVE(POST-EMERGENT)	Rice (Direct-seeded)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-	-	-	-
SYNGENTA PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-383-4629	21-Jan-25	SELECTIVE(POST-EMERGENT)	Rice (Transplanted)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-	-	-	-
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Asparagus	Armyworm, cutworm	-	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Banana	Thrips	3½-4½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Corn	Cornborer, earworm	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Sorghum	Cornborer,earworm	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3½ Tbsp/16L Sprayer	0.01ppm	3 Days	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/Kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Tomato	Tomato fruitworm, aphids	2-3½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CLOTHIANIDIN	STURDY 200 SC	200 g/L	SC	INSECTICIDE	4	575-379-6254	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycaenid	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycaenid	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARMFIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22		Cacao	Podborer, aphids	0.1 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.

SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	01-Oct-27	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
MISCHA AGRO INDUSTRIAL CORPORATION	BUTACHLOR+PROPANIL	STRIPPER 70 EC	350+350 g/L	EC	HERBICIDE	3	620-238-4495	29-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
MISCHA AGRO INDUSTRIAL CORPORATION	BUTACHLOR+PROPANIL	STRIPPER 70 EC	350+350 g/L	EC	HERBICIDE	3	620-238-4495	29-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	2-5 g/16L water	-	-	As soon as spray solution has dried on the foliage
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/Kg	SP	INSECTICIDE	2	075-164-1686	08-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with STRENGHT 40 SP within 12 hours after application
C.B. ANDREW ASIA, INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	STRANGE 8.5 EC	25+60g/L	EC	HERBICIDE	3	460-453-4741	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10 Tbsp/(10 spray load/ha); 8.5 Tbsp/(12 spray load/ha)	-	-	As soon as spray deposit have dried.
ACE CROP SOLUTIONS INC.	NICLOSAMIDE ETHANOLAMINE SALT	STRAIGHT FLUSH 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	530-229-3135	21-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water; 10 tankload/ha	-	-	At least 48 hours after application
ACE CROP SOLUTIONS INC.	NICLOSAMIDE	STRAIGHT FLUSH 25 EC	250 g/L	EC	MOLLUSCICIDE	4	530-229-3440	09-Mar-26		Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within two days after spraying
BASF PHILIPPINES, INC.	FLOCOUMAFEN	STORM WAX BLOCK BAIT	0.05 g/Kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Cacao	Rats, Mice	400-600 g/Ha	-	-	-
BASF PHILIPPINES, INC.	FLOCOUMAFEN	STORM WAX BLOCK BAIT	0.05 g/Kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Oil palm	Rats, Mice	400-600 g/Ha	-	-	-
BASF PHILIPPINES, INC.	FLOCOUMAFEN	STORM WAX BLOCK BAIT	0.05 g/Kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Banana	Rats, Mice	400-600 g/Ha	-	-	-
BASF PHILIPPINES, INC.	FLOCOUMAFEN	STORM WAX BLOCK BAIT	0.05 g/Kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Sugarcane	Rats, Mice	400-600 g/Ha	-	-	-
BASF PHILIPPINES, INC.	FLOCOUMAFEN	STORM WAX BLOCK BAIT	0.05 g/Kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Pineapple	Rats, Mice	400-600 g/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHYDE	STOP 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	099-075-0804-B	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHYDE	STOP 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	099-075-0804-B	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	2.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHYDE	STOP 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	099-075-0804-B	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHYDE	STOP 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	099-075-0804-B	18-Jul-27	CONTACT	Strawberry	Slugs ,Snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHYDE	STOP 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	099-075-0804-B	18-Jul-27	CONTACT	Crucifers (Chinese Cabbage)	Slugs ,Snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours after application
AGWAY CHEMICALS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Banana	Black Sigatoka	300-500ml product/ha	-	0 Days	As soon as foliage dries up
AGWAY CHEMICALS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Rice	Sheath blight & rice blast	250-500 ml product/ha	-	7 days	As soon as foliage dries up
AGWAY CHEMICALS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Mango	Anthracnose, panicle/blossom blight and stem-end rot	100-125 mL product per 200L water	-	14 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Banana	Black Sigatoka	300-500ml product/ha	_	0 day	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Rice	Sheath blight & rice blast	250-500 ml product/ha	_	7 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Mango	Anthracnose, panicle/blossom blight and stem-end rot	100-125 mL product per 200L water	-	14 days	As soon as foliage dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400 g/L+200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Rice	Sheath blight	250-500 mL/ ha; 20-40 mL/ 16L	-	7 days	As soon as foliage dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400 g/L+200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Mango	Anthracnose,panicle/blossom blight and stem-end rot	1000-1250 mL/ ha; 100-125 mL/ 200L	-	0 day	As soon as foliage dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL+DIFENOCONAZOLE	STK REGEV	400 g/L+200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Banana	Black sigatoka	300-500 mL/ ha	-	14 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL	STK 608	-		OTHERS	4	527-402-2349	11-Jun-19	-	Banana	Sigatoka	-	-	Harvesting may be done 24 hours after application	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	TRIDEMORPH	STINGER 86 OL	860 g/L	OL	FUNGICIDE	2	459-097-2529	10-Dec-22	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5-0.8 Li/Ha + 10-15 Li/Ha Oil	-	Harvesting may be done right after spraying	As soon as spray solution has dried on foliage

INTEGRATED CROP TRADING CORPORATION	PYMETROZINE	STING 50 WG	500 g/Kg	WDG	INSECTICIDE	4	274-307-4376	27-Dec-26	-	Mango	Mango Leafhopper	1 sachet/200 L	–	-	Do not enter the treated fields for at least 24 hours after application
INTEGRATED CROP TRADING CORPORATION	PYMETROZINE	STING 50 WG	500 g/Kg	WDG	INSECTICIDE	4	274-307-4376	27-Dec-26	-	Rice	Brown planthopper, green leafhopper	25-30 gms/ 16L	0.02 mg/kg	-	Do not enter the treated fields for at least 24 hours after application
INTEGRATED CROP TRADING CORPORATION	PYMETROZINE	STING 50 WG	500 g/Kg	WDG	INSECTICIDE	4	274-307-4376	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16g prod./ 16L; 100-250g prod./ ha	0.02 mg/kg	-	Do not enter the treated fields for at least 24 hours after application
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETO 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Tobacco	Budworm	10-20 mL/16 L		7 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETO 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Corn	Seeding maggot, corn borer	25-50 mL/16 L	-	13 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETO 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Rice	Leafhopper, stemborer, black bug, whorl maggot	25mL-40mL, 40mL-50mL per 16L		18 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETO 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Mango	Mango hopper	30-65 mL/16 L	-	28 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETO 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Eggplant	Fruit borer, tip borer	15-20 mL/16 L	-	3 days	After spray deposits have dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Cabbage	Diamond-back moth	3.0-3.5 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Eggplant	Shoot/Fruitborer	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Stringbeans	Podborer	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Bittergourd	Leaf folfder and cutworm	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Tobacco	Cutworm, Budworm	4.0 grams product/16 L water		-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-27	CONTACT	Corn	Corn borer, earworm and fall armyworm	4.0 grams product/16 L water	-	-	As soon as the spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 Tbsp/16 L water			
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	3.00 ppm	-	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Sugarcane	whitegrubs	80-100 ml per 16L water	0.10 ppm	-	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Rice	Stemborer,armyworm, leafhopper,caseworm,planthopper,cutworm	25-35 ml/16 L water	0.10 ppm	10 days	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 ml/16 L water	0.05 ppm	-	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Corn	Armyworm, cornborer,earworm,seedling maggot	25-35 ml/16 L water	0.10 ppm	-	-
TAIPAN BRAND FARM INC.	CHLORPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 ml/16 L water	0.10 ppm	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworms, and squash beetles	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Garlic	Thrips and cutworm	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Mango	Leafhoppers	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Onion	Thrips and cutworm	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Potato	Thrips, cutworms, leafhoppers, aphids, tuber moth, and leafminer	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR 50SP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Rice	Stemborers, green leafhoppers, brown planthoppers, and whorl maggots	3-5 Tbsp/16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	STATO 325 SC	125 g/L+200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Rice	Rice blast, sheat blight	4.0-5.0 tbsp/ 16L water; 2.5-5.0 tbsp/ 16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	STATO 325 SC	125 g/L+200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	5.0-7.5 tbsp/ 16L water 500-750 mL prod./ ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	STATO 325 SC	125 g/L+200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Mango	Anthracnose, scab, stem end rot	150-200 mL/ 200 L drum	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	STATO 325 SC	125 g/L+200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Onion	Anthracnose	2.0-3.5 tbsp/ 16L water 300-500 mL prod./ ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	STATO 325 SC	125 g/L+200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Potato	Late blight	2.0-2.5 tbsp/ 16L water 400-500 mL prod./ ha	-	-	-
JARDINE DISTRIBUTION, INC.	SPINOSAD	STATIC	0.2 g/L	SC	INSECTICIDE	4	367-306-3694	20-Apr-19	-	Mango	Fruit flies	-			
LICHEMPHIL INTERNATIONAL INC.	BENTAZONE	STARTUP 48 SL	480 g/L	SL	HERBICIDE	4	590-083-5374	25-Mar-27	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-13Tbsp/16 L water	0.1 ppm	30 days before harvest	Immediately after spray deposit has dried up
LICHEMPHIL INTERNATIONAL INC.	BENTAZONE	STARTUP 48 SL	480 g/L	SL	HERBICIDE	4	590-083-5374	25-Mar-27	SELECTIVE (POST-EMERGENT)	Soybeans	Perennial sedges, annual broadleaves and weeds	-		30 days before harvest	Immediately after spray deposit has dried up
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZOXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3782	10-Nov-22	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Mango	Mango Hopper	1.0-2.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water	-	16 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice	2.0-5.0 g/16 water	-	24 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARKLE 20 SG	200 g/Kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Coconut	Scale insects	5g/Tree (Trunk Injection)	1.0 ppm	0 day	As soon as the spray solution has dried on the foliage.
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	STARFLEX 2% TREEBAG	20 g/kg	-	INSECTICIDE	4	075-224-6210	6-Jul-25	-	Banana	Mealy bugs and scale insects	1 bag per bunch	-	-	
AGWAY CHEMICALS CORPORATION	BIFENTHRIN/STARBUNCH 2% MASTERBATCH	STARBUNCH 0.1% PE		-	INSECTICIDE	4	075-328-5241	07-Sep-26	-	Banana	Mealybugs & scale insects	-	-	-	0 day
CHEMPLAST PHILIPPINES, INC.	BIFENTHRIN/STARBUNCH 2% MASTERBATCH	STARBUNCH 0.1% PE	1 g/Kg	-	INSECTICIDE	4	574-328-5194	07-Sep-26	-	Banana	Mealybugs & scale insects	0.07 kg ai/ha	-	-	0 day
DOLE PHILS.,INC. (STANFILCO DIVISION)	CHLORPYRIFOS	STANFILCO CHLORPYRIFOS-IMPREGNATED PLASTIC	200 g/Kg	G	INSECTICIDE	2	369-101-1787	09-Jun-18		Banana	Mealybug				
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	STANDOUT 160 SL	160 g/L	SL	HERBICIDE	4	460-151-2497	07-Feb-27	POST-EMERGENT	Non-crop areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Cabbage	Diamond back-moth, cutworm, cabbage worm	10-15 mL prod/16L	-	1 day	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	7 days	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Eggplant	shootborer/fruitborer. Cutworm	10 mL/ 16L	-	1 day	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Stringbeans	Podborer, leaffolder	10 mL/ 16L	-	1 day	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Rice	Stemborer, leaffolder	60 mL/ 16L	-	45-60 days	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Tomato	Cutworm, fruitworm	27-40 mL/ 16L	-	3 days	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/Ha	-	-	Twelve hours after spraying

BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Corn	Corn borer, earworm	25-30 mL/16L	-	7 days	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTRANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	28-Jun-27	-	Bittergourd	Leaffolder, cutworm	-	-	3 days	Twelve hours after spraying
INPHILCO, INC.	COPPER SULFATE	STALOSAN F POWDER	14.6 g/kg	-	OTHERS	2	742-607-5947	15-Dec-27	-	-	Disinfection in farm animal facilities	-	-	-	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Rice	Sheath Blight	0.25-0.30 L prod/ Ha			
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Mango	Anthracnose	0.528-88 L prod/ Ha	-	14 days	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha		7 days	
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STAKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-27	-	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BENALAXYL-M+MANCOZEB	STADIO M WG	40+650 g/Kg	WG	FUNGICIDE	4	099-401-2344	15-Jul-25	CONTACT/SYSTEMIC	Potato	Late Blight	16.0-20.0 Tbsp/16L water (200L Spray volume/Ha)	M - 0.2 ppm B - 0.02 ppm	7 days	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BENALAXYL-M+MANCOZEB	STADIO M WG	40+650 g/Kg	WG	FUNGICIDE	4	099-401-2344	11-Nov-22	-	Pineapple	*Phythopthora* heart rot disease	3 kg prod. Ha ast spray volume of 1,870 L / ha.	-	-	-
SANKHEM CORPORATION	BUTACHLOR+PROPANIL	SQUEEZE 70 EC	350+350 g/L	EC	HERBICIDE	3	515-238-3074	05-Jun-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
SANKHEM CORPORATION	BUTACHLOR+PROPANIL	SQUEEZE 70 EC	350+350 g/L	EC	HERBICIDE	3	515-238-3074	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AMMONIUM	SQUARE OFF AS 330 *	330 g/L	AS	HERBICIDE	4	432-182-5088	11-May-27	-	Glyphosate tolerant corn	Weeds	1.5-2.5 L prod./ ha. At spray volume of 160 L/ ha, applied at 15&40 DAP	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE AMMONIUM	SQUARE OFF AS 330 *	330 g/L	AS	HERBICIDE	4	011-182-5088	11-May-27	-	Glyphosate tolerant corn	Weeds	2-2.5 L/ ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	011-151-4479-A	03-Sep-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	14-Jun-27	PRE-EMERGENT	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 Hours after last spray	Enter treated area 24 hours after each spray
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying

VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/Kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Application of SPURS 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
B.M. CUSIPAG AGRI TRADE	NICLOSAMIDE ETHANOLAMINE SALT	SPRINTER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	568-229-3669	14-Mar-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE 5 EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SUMOCHEM CORPORATION	LAMBDA-CYHALOTHRIN	SPRAY+FOG 2.5 EC	25 g/L	EC	INSECTICIDE	2	483-204-5851	19-Sep-25	-	Corn	*Sitophilus spp., tribolium castaneum, rhizopertha dominica*	20-40 mL prod./ L water of diluent	-	-	Do not enter treated area until all treated surfaces are dry. Ventilate rooms which where fogged by opening doors or windows before entry
JYNNSONS PHILIPPINES, INC.	PRETILACHLOR	SPOTLESS 30 EC	300 g/L	EC	HERBICIDE	4	551-063-4837	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-
JOCANIMA CORPORATION	DIDECYL DIMETHYL AMMONIUM CHLORIDE	SPOREKILL	120 g/L	SC	OTHERS	3	241-428-4254	07-Feb-19	-	Cavendish Banana	As foot bath, tire dip, tool and machinery disinfectant for the control of Moko disease and Fusarium wilt	5-15 ml/ L water	-	-	-
VERCA AGRO CHEM, INC.	(E,Z) 9,11 TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	OTHERS	4	647-509-4794	03-Feb-24	-	Onion(as Pheromone)	Common cutworm	5 traps/hectare	-	-	-
VERCA AGRO CHEM, INC.	(E,Z) 9,11 TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	OTHERS	4	647-509-4794	03-Feb-24	-	Corn	Fall armyworm	5 traps/hectare	-	-	-
VERCA AGRO CHEM, INC.	(E,Z) 9,11 TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	INSECTICIDE	4	647-509-4794	03-Feb-27	-	Cotton	Common cutworm	90 mg A.I. per hectare or 45 lures per hectare	-	-	-
VERCA AGRO CHEM, INC.	(E,Z) 9,11 TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	INSECTICIDE	4	647-509-4794	03-Feb-27	-	Onion	Common cutworm				
VERCA AGRO CHEM, INC.	(E,Z) 9,11 TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	INSECTICIDE	4	647-509-4794	03-Feb-27	-	Tobacco	Common cutworm	90 mg A.I. per hectare or 45 lures per hectare	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	SPIROXAMINE	SPLENDID 500 EC	500 g/L	EC	FUNGICIDE	2	539-385-5276	17-Nov-26	SYSTEMIC	Banana	Black Sigatoka	0.64 L prod./ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPITFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES INC.	SPIROXAMINE	SPIROX 500 EC	500 g/L	EC	FUNGICIDE	2	083-385-4218	05-Jan-21	SYSTEMIC	Banana	Black Sigatoka	0.64 Liters prod/ha	-	0 day	After spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA) ,INC.	SPIROXAMINE	SPIROMAX 50 EC	500 g/L	EC	FUNGICIDE	2	088-387-5642	17-Nov-26	-	Banana	Black Sigatoka	0.64 L prod./ha	-	0 Day	After spray deposits have dried.
EZERTECH CORPORATION	SPIROXAMINE	SPIRAL 500 EC	500 g/L	EC	FUNGICIDE	2	648-385-6274	25-Sep-26	SYSTEMIC	Banana	Black sigatoka	0.5 L/ha banana oil + 0.05 L/ha emulsifier + 0.64 L/ha SPIRAL 500 EC	-	Harvesting may be done right after spraying	As soon as spray solution has dried on foliage
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR+PROPANIL	SPIKE 70 EC	350+350 g/L	EC	HERBICIDE	3	445-238-3466	24-Jul-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR+PROPANIL	SPIKE 70 EC	350+350 g/L	EC	HERBICIDE	3	445-238-3466	24-Jul-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
GOLDENMAN MARKETING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SPHERE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	400-229-3142	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	SPIROTETRAMAT	SPERAMET 240 SC	240 g/L	SC	INSECTICIDE	4	539-419-5594	04-Nov-27	NON-SELECTIVE (POST-EMERGENT)	Banana	Flower thrips	3.3-4.17 mL product/ Liter water	=	84 days	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLUFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-27	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLUFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-27	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLUFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-27	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLUFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-27	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Mixed weeds (grasses, sedges and broadleaves)	16-21.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
NOVELLUS CENTRIS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SPECTRUM 70 WP	700g/kg	WP	MOLLUSCICIDE	4	567-229-4145	09-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	–	–	Do not enter the treated field within 48 hours after application
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRELEAD TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TROPI-CUKE, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SPEAR 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	091-229-2936	16-Jun-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	48 hours after spraying
SUMIFRU (PHILIPPINES) CORPORATION	CHLOROTHALONIL	SPC DACONIL 720SC	720 g/L	SC	FUNGICIDE	4	761-118-6122 (088)	24-Apr-26	-	Banana	Black sigatoka	1.00-Kg a.i./ ha 1.38-L prod./ ha	-	No pre-harvest interval necessary from last spray until harvest	-

CROPEVO PHILIPPINES,INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	593-061-4087	09-Mar-21		Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES,INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	593-061-4087	09-Mar-21		Banana	Banana ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES,INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	593-061-4087	09-Mar-21		Mango	Mango ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES,INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	593-061-4087	09-Mar-21		Coffee	Coffee ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after applcation
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cacao	Podborer, aphids	0.1 Tbsp/16L water		Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after applcation
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/Kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
GRANDIA AGRO MARKETING CORPORATION	ALCOHOL C13 iso,-ETHOXYLATED	SPAN	900 g/L	-	OTHERS	4	445-460-5080	13-Aug-21	POST-EMERGENT	-	As surfactant for COMBEE 100 sc			-	As soon as spray hyave deposits dried up.
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-27	-	Banana	Black sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	SOUJI 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	385-504-6036	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500 mL to 1 L prod./ ha. Using a spray volume of 160 to 192 L water/ ha. (10-	-	-	Re-entry to treated fields is allowed as soon as spray deposits dry up
ASIA GOLD TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	SORA 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	266-325-4566	25-Jul-27	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
ASIA GOLD TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	SORA 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	266-325-4566	25-Jul-27	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water		45 days	
ALDIZ INCORPORATED	BUTACHLOR	SONIC 600 EC	600 g/L	EC	HERBICIDE	4	002-150-0728	25-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9; 7(SONIC) FOLLWED BY 11(2,4-D EC): 18; (**Tbsp/16Li water**)	0.1 ppm	-	-
ALDIZ INCORPORATED	BUTACHLOR	SONIC 600 EC	600 g/L	EC	HERBICIDE	4	002-150-0728	25-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9; 7(SONIC)PLUS: 7(2,4-D EC): 7(SONIC) FOLLOWED BY 11(2,4-D EC)	0.1 ppm	-	-
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	SOLOMON 300 OD	210+90 g/L	OD	INSECTICIDE	2	284-398-2289	28-Dec-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/100 liters water	Beta-cyfluthrin 0.02ppm Imidacloprid 0.20ppm	28 days	No re-entry within 48 hours os spray. Warning signs shlould be placed before and after spraying
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	SOLOMON 300 OD	210+90 g/L	OD	INSECTICIDE	2	284-398-2289	05-Nov-22	-	Okra	Leafhoppers, aphids, thrips	5mL prod. / 16 L water; 125 mL prod. / ha.	0.1 mg/kg (Beta-cyfluthrin) ; 0.7 mg/ kg (Imidacloprid)	-	-
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/Kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Pineapple	Heart rot	-			
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Coconut	Wet-bud rot, nut rot	-			
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Rubber	Black stripe	-			
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Cacao	Black pod	-			
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Orchids	Black rot	-			
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Asparagus	Crown & spear rot	-			
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	SOLAR 160 SC	160 g/L	SC	HERBICIDE	4	478-151-2727	19-Feb-26	POST-EMERGENT	Non-crop areas	common grassy fields	3-6 L/ha, 24-48Tbsp/16 L water(200 L/ha),12-24 Tbsp/16 L water(400	-	-	-
SYNGENTA PHILIPPINES INC.	PRETILACHLOR	SOFIT 300 EC	300 g/Kg	EC	HERBICIDE	4	011-063-0090	01-Feb-26	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbs.p./16 L water	0.05ppm		
SYNGENTA PHILIPPINES INC.	PRETILACHLOR	SOFIT 300 EC	300 g/Kg	EC	HERBICIDE	4	011-063-0090	01-Feb-26	PRE-EMERGENCE	Rice (Transplanted)	**Grasses controlled:** Echinochloa glabrescens, ischaemun rugosum & leptochloa chinensis. **Sedges controlled:** Cyperus iria, cyperus	1.0-1.5L product/ha	0.05ppm	-	-
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG		WG	FUNGICIDE	3	692-337-5717	18-May-25	-	Banana	Black leaf sigatoka, freckle leagf disease	Ground application: 2.5 kg/ha mixed in 1000 water. Aerieal application:12.5	-	0 days	Do not enter treatment areas until spray deposit have dried

SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG	-	WG	FUNGICIDE	3	692-337-5717	19-May-25	-	Pineapple	Phytophthora heart rot & fruitlet rot (FCR)	Phytopphtthora diseases: 7.5-11.5kg/ha mixed in 400-500L water;	-	7-30 days	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG	-	WG	FUNGICIDE	3	692-337-5717	20-May-25	-	Mango	Anthracnose, scab	4 tbsp per 16L water	-	-	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG	-	WG	FUNGICIDE	3	692-337-5717	21-May-25	-	Celery	Septoria leaf spot and blight	8 tbsp per 16L water	-	7-10 days	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG	-	WG	FUNGICIDE	3	692-337-5717	22-May-25	-	Potato	Late blight	1-4per L water	-	-	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80% WG	-	WG	FUNGICIDE	3	692-337-5717	23-May-25	-	Avocado	Cercospora spot	2.5-3.5g per L water; 500-700g per 200	-	-	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNORKEL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	239-229-4031	07-Jun-20	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	
TAIPAN BRAND FARM INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNORKEL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	529-229-3248-B	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	No less than 48 hours after spraying
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
YUUMIE TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-B(590)	27-Jun-25	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried.
PLANTMEDS AGRISOLUTIONS CORP.	NICLOSAMIDE ETHANOLAMINE SALT	SNAP 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	683-229-5492	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 tankload/ ha	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILTOX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	043-229-1281	20-Dec-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	
ARIES RNE CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILMATE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	478-229-2723	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams or 1 sachet(per 16 L water)	-	-	At least 48 hours after application
ARIES RNE CHEMICAL CORPORATION	NICLOSAMIDE	SNAILMATE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	478-229-2722	18-Oct-26	-	Rice	Golden apple snail	7-10, 10-14 Tbsp/16L water	-	-	Entry to field and crops treated with SNAILMATE 250 EC can be done 48 hours after spraying
SAVEWELL AGRI-MARKETING CO.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILKILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	425-229-2931	10-Jan-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	681-075-5450	21-Dec-23	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			Do not enter treated field within 48 hours application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	681-075-5450	21-Dec-23	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			Do not enter treated field within 48 hours application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	681-075-5450	21-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			Do not enter treated field within 48 hours application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	681-075-5450	21-Dec-23	-	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			Do not enter treated field within 48 hours application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6% P	60 g/Kg	P	MOLLUSCICIDE	4	681-075-5450	21-Dec-23	-	Strawberry	Slug, snails	6-8 kg/product per hectare			Do not enter treated field within 48 hours application
SAVEWELL AGRI-MARKETING CO.	NICLOSAMIDE	SNAILKILL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	425-229-3026	28-May-18	-	Rice	Golden apple snail	7-10 Tbsp/16L water			
S&P ENTERPRISES INC.	METALDEHYDE	SNAILKIL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	566-075-6047	31-Dec-26	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES INC.	METALDEHYDE	SNAILKIL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	566-075-6047	31-Dec-26	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES INC.	METALDEHYDE	SNAILKIL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	566-075-6047	31-Dec-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kgs/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES INC.	METALDEHYDE	SNAILKIL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	566-075-6047	31-Dec-26	-	Chinese Cabbage	Slug, snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES INC.	METALDEHYDE	SNAILKIL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	566-075-6047	31-Dec-26	-	Strawberry	Slug, snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
PLANTCARE TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILFREE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	495-229-2794	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams / 1 sachet	-	-	Do not enter the treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	_	No pre-harvest interval is necessary	Do not enter treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	_	No pre-harvest interval is necessary	Do not enter treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	_	No pre-harvest interval is necessary	Do not enter treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-27	CONTACT	Chinese Cabbage	Slug, snails	6.0-8.0 kg	_	No pre-harvest interval is necessary	Do not enter treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-27	CONTACT	Strawberry	Slug, snails	6.0-8.0 kg	_	No pre-harvest interval is necessary	Do not enter treated field within 48 hours after application
MINDORO SAGANA MERCHANDISING, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILDOWN 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	571-229-3700	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 tankload/ha 1 sachet (35gms)/tankload (16L)	-	-	Re-enter fields at least 48 hours after application
ORACLE CHEM CORPORATION	NICLOSAMIDE	SNAILDOWN 250 EC	250 g/L	EC	MOLLUSCICIDE	4	417-229-3419	15-Jun-21	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	At least 48 hours after application
FARMON AGRI-COMMUNITY CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILCUFF+ 70 WP	700g/kg	WP	MOLLUSCICIDE	4	621-229-4541	17-Oct-21	CONTACT	Rice	Golden apple snail	35gms (1 sachet) per 10 Tank load/ha	-	-	48 hours after spraying
UNAHCO, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILBOMB 7 WP	700g/kg	WP	MOLLUSCICIDE	4	612-229-4409	23-Apr-27	CONTACT	Rice	Golden apple snail	35g(1 pouch)/16 L water	_	_	_
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAIT 6%	60 g/Kg	P	MOLLUSCICIDE	4	266-075-3969	12-May-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAIT 6%	60 g/Kg	P	MOLLUSCICIDE	4	266-075-3969	12-May-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAIT 6%	60 g/Kg	P	MOLLUSCICIDE	4	266-075-3969	12-May-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAIL OUT 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	295-229-2460	13-Oct-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	667-075-5081	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	667-075-5081	07-Mar-26	-	Rice (Direct-seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	667-075-5081	07-Mar-26	-	Potted and Driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	667-075-5081	07-Mar-26	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	667-075-5081	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAIL AWAY 700 WP	700 g/Kg	WP	MOLLUSCICIDE	4	667-229-5112	25-Jun-26	-	Rice	Golden Apple Snail (Kuhol)	35 g (sachet) per 16 L water	-	-	No less than 48 hours after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/Kg	WP	FUNGICIDE	4	564-053-3711	22-May-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GINTONG ANI TRADING OPC	BUTACHLOR+PROPANIL	SMOOTH 70 EC	350+350 g/L	EC	HERBICIDE	3	471-238-6830	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water		-	As soon as the spray mist dries up.
GINTONG ANI TRADING OPC	BUTACHLOR+PROPANIL	SMOOTH 70 EC	350+350 g/L	EC	HERBICIDE	3	471-238-6830	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water		-	As soon as the spray mist dries up.
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	PRETILACHLOR	SMART HERB 30 EC	300 g/L	EC	HERBICIDE	4	467-063-4486	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbsp./16 L water	0.05ppm	-	-
SAVERS ALLIANCE TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLUGKILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	655-229-4898	31-Mar-26	CONTACT	Rice	Golden Apple Snail	1 sachet (35 gms)/Tankload (16 liters	-	-	Re-enter fields at least 48 hours after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLUGKILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	575-229-3736	02-Jun-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	295-075-1699-A	07-Feb-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	295-075-1699-A	07-Feb-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	295-075-1699-A	07-Feb-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	295-075-1699-A	07-Feb-27	CONTACT	Crucifers(Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6% P	60 g/Kg	P	MOLLUSCICIDE	4	295-075-1699-A	07-Feb-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
CROP PROTECTION AGRIVENTURES INC.	CYHALOFOP-BUTYL	SLICER 10 EC	100 g/L	EC	HERBICIDE	4	616-257-5477	15-Apr-25	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
SANKHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLAYER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	515-229-3186	03-Sep-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids, leafworm and leafminer	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMESTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/Kg	SP	INSECTICIDE	3	623-106-4605	06-Oct-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	0.20 ppm		
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	0.20 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	1.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	1.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	2.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	23-Dec-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAM! 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SL BIOTECH NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	488-229-6177	21-Feb-25	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Corn	Corn borer, earworm	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METAMIFOP	SL BIOTECH METAMIFOP 100 EC	100 g/L	EC	HERBICIDE	4	488-409-6179	29-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, echinochlora sp., Leptochloa chinesis, ischaemum rugosum	750 mL to 1 L prod/ ha 7.5 tbsp (75 mL to 10 tbsp or 100 mL	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systems	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Potato	Thrips, aphid, cutworm, tuber moth, leafhopper	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggots	3-5 tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2 Tbs/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
UPL PHILIPPINES, INC.	METALAXYL-m+MANCOZEB	SKYWALK 68 WG	39+640 g/Kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Potato	Late blight	100 g per 16 L water	-	14 Days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXYL-m+MANCOZEB	SKYWALK 68 WG	39+640 g/Kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Tomato	Late blight	100 g per 16 L water	-	3 Days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXYL-m+MANCOZEB	SKYWALK 68 WG	39+640 g/Kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Pineapple	Heart rot	10-14 Kgs./Ha	-	90 days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXYL-m+MANCOZEB	SKYWALK 68 WG	39+640 g/Kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Asparagus	Spear rot	2 Kgs./ Ha	-	1 day	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXYL-m+MANCOZEB	SKYWALK 68 WG	39+640 g/Kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Orchids	Black rot	25 g/ Ha	-	-	Re-entry to treated areas is allowed as soon as spray has completely dried-up
GALCHEM ENTERPRISE, INC.	PARAFFINIC MINERAL OIL	SK ENSPRAY N	1000 g/L	-	OTHERS	4	642-282-5103	01-Apr-25	CONTACT	Banana	Black sigatoka as spray advujant in combination with fungicide	-	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Enspray N, Re-
GALCHEM ENTERPRISE, INC.	PARAFFINIC MINERAL OIL	SK ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Mango	Mango Leafhopper	0.5-1.0L/100L water	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Enspray 99, Re-
GALCHEM ENTERPRISE, INC.	PARAFFINIC MINERAL OIL	SK ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Banana	Black sigatoka , scale insects and mealy bug	-	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Enspray 99, Re-
GALCHEM ENTERPRISE, INC.	PARAFFINIC MINERAL OIL	SK ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Pineapple	Scale insects and mealy bug	-	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Enspray 99, Re-
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Tobacco	Budworm, cutworm, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-80 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Coffee	Berry borer	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cacao	Pod borer, aphids, capsid bug	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Citrus	Rind borer	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Soybeans	Pod borer, bean fly, leaf miner, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	40-80 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cotton seeds	Bollworm, cutworm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Corn	Corn borer, corn earworm, army worm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Tomato	Fruitworm, lady beetle	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
PLANCARE TRADING CORPORATION	CARBARYL	SIYETE 85 WP	850 g/Kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D IBE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-049-5230	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D IBE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-049-5230	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D IBE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-049-5230	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Asparagus	Armyworm, cutworm	-	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Banana	Thrips	3½-4½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Corn	Cornborer, earworm	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application

MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Sorghum	Cornborer,earworm	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3 ½ Tbsp/16L Sprayer	0.01ppm	3 Days	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/Kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Tomato	Tomato fruitworm, aphids	2-3 ½ Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHIP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-agricultural crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	HEXAZINONE+DIURON	SINORON 600 WG	132g/kg+468g/kg	WG	HERBICIDE	4	461-435-5867	23-Sep-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400L per hectare	-	118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray solution has dried
SINO-MONSANTO OIL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SINO-M NICLOSAMIDE 700 SP	700g/kg	WP	MOLLUSCICIDE	4	624-229-S825(590)	23-Apr-24	-	Rice	Golden apple snail	35 g(1 pouch)/16 L water	–	–	–
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-S826(590)	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter treated fields within 2 days after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	PYRIMETHANIL	SINOCHEM PYRIMETHANIL 600 SC	600 g/L	SC	FUNGICIDE	4	432-345-5159	26-Nov-25	-	Cavendish Banana	Black sigatoka	500-750 mL prod/ Ha	-	Do not harvest for 7 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
SYNGENTA PHILIPPINES INC.	PYRIMETHANIL	SINOCHEM PYRIMETHANIL 600 SC	600 g/L	SC	FUNGICIDE	4	011-345-5159	26-Nov-25	-	Cavendish Banana	Black sigatoka	500-750 mL prod/ Ha	-	Do not harvest for 7 days after the last spray application.	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	22-Dec-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Cabbage/Crucifers	Cabbage worm, diamond-back moth, loopers	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Garlic	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Onion	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092-A	22-Dec-27	-	Sorghum	Web worm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Banana	Black sigatoka and freckle diseases	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Cavendish Banana (Post-harvest treatment)	Antracnose , crown rot, crown mold	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Pineapple	Butt mold	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayng.
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	–	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayng.
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	–	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayng.

SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072-A	29-Jun-27	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayine
SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072-A	29-Jun-27	-	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayine
SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072-A	29-Jun-27	-	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with SINOCHEM 2,4-D ESTER can be done one day after sprayine
SINOCHEM CROP PROTECTION (PHILS.) INC	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
SINOCHEM CROP PROTECTION (PHILS.) INC	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
SINOCHEM CROP PROTECTION (PHILS.) INC	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	011-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	011-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	011-013-3073	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after sprayine
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	31-Mar-25	CONTACT	Mango	Blossom thrips	-	-	14 days	Do not enter treated field one (1) day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Banana	Black sigatoka	1.38L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	07-Feb-27	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	After spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 150 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
KARPOS CHEMICALS SOLUTIONS CO.	POTASSIUM SALTS OF FATTY ACID	SIMBACIDE	-	-	INSECTICIDE	4	684-476-5932	19-Mar-25	-	Cavendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mat spray	-	-	0 day	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried

ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	HALOXYFOP-R-METHYL ESTER	SIMAKOR	108 g/L	EC	HERBICIDE	2	065-351-3367	23-Jan-24	SYSTEMIC (POST-EMERGENCE)	Onion	Annual and Perennial grasses	2.5-5.0 Tbsp/16L	-	-	Once spray droplets have dried out
BIOSTADT PHILIPPINES INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	097-335-4228	24-Jun-27	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-100mL (4-16ml)/100ml	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
BIOSTADT PHILIPPINES INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	097-335-4228	24-Jun-27	-	Banana	Sigatoka	1-2 Tbsp/16 L water	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
BIOSTADT PHILIPPINES INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	097-335-4228	24-Jun-27	-	Pineapple	Weeds	1-2 Tbsp/16 L water	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
OPTICHEM SOLUTIONS OPC	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	790-335-2362	24-Jun-27	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-100mL (4-16ml)/100ml	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
OPTICHEM SOLUTIONS OPC	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	790-335-2362	24-Jun-27	-	Banana	Sigatoka	1-2 Tbsp/16 L water	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
OPTICHEM SOLUTIONS OPC	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	SILWET 408	83+17 g/L	-	OTHERS	4	790-335-2362	24-Jun-27	-	Pineapple	Weeds	1-2 Tbsp/16 L water	-	No PHI needed when Silwet is used alone.The PHI required depends on the agrochemical where Silwet 408	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 day	As soon as spray deposits dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	As soon as spray deposits dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	As soon as spray deposits dries up
AGSMART CORPORATION	PYRACLOSTROBIN	SILVERTOWN 250 EC	250 g/L	EC	FUNGICIDE	2	680-396-6162	17-May-26	-	Corn	Leaf spot	0.4 L/ha; 3.2 tbsp/ 16L	-	-	-
AGSMART CORPORATION	PYRACLOSTROBIN	SILVERTOWN 250 EC	250 g/L	EC	FUNGICIDE	2	680-396-6162	17-May-26	-	Banana	Black sigatoka and freckles	0.4 L/ha; 3.2 tbsp/ 16L			
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIADIMENOL	SILVACUR 300 EC	225+75 g/L	EC	FUNGICIDE	3	284-414-2606	28-Dec-25	SYSTEMIC	Cavendish Banana	Black Sigatoka	400 mL FP/ha	Tebuconazole-0.05 ppm;Triadimenol-0.2 ppm	0 day	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	POTTASIUM SILICATE	SILEX 200	-	-	FUNGICIDE	4	733-492-5857	19-Nov-25	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pitmark and black sigatoka	0.5-2 L/ ha	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Cocoa	Pod borer	1.0-2.0 tbsp prod./ 16L water (Based on 1 tbsp= 10 mL	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Corn	Borer, aphids, seedling maggot	1.0-1.5 tbsp./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Cotton	Bollworm	1.0-1.5 tbsp./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Mango	Hoppers	0.90-1.5 tbsp prod./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp prod./ 16L water (Based on 1 tbsp=0 mL	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Onion	Cutworms, thrips	1.0 tbsp prod./ 16L water (Based on 1 tbsp=0 mL	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 tbsp./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Tomato	Fruitworm, mcutworm, aphids	1.0-1.5 tbsp./ 16L water (Based on 1 tbsp= 10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Watermelon	Squash beetle, melon worm	1.0 tbsp prod./ 16L water (Based on 1 tbsp=0 mL	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYHALOFOP-BUTYL	SIGNUS 100 EC	100 g/L	EC	HERBICIDE	4	242-257-4506	23-Oct-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)			
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATVRE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	12-Apr-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLORPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
PALMTRE CORPORATION	CHLORPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
PALMTRE CORPORATION	CHLORPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
PALMTRE CORPORATION	CHLORPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.

CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Chili	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	SIGAZEB 600 OS	600g/L	OS	FUNGICIDE	4	529-053-4621	16-Jan-22	-	Banana	Black Sigatoka	1.50-1.75kg A.I or 1.75-2.90 L/ha siganeb 600 OS mixed in 30 L water.	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	0 Day	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIFENOCONAZOLE	SIGATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 Days	-
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Cabbage	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Broccoli	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Cauliflower	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C. B. ANDREW ASIA, INC.	CHLOROTHALONIL	SIGANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-C	10-Dec-27	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	PYRIMETHANIL	SIGANEX 600 SC	600 g/L	SC	FUNGICIDE	4	284-345-1068	28-Dec-25	-	Cavendish Banana	Black Sigatoka	750 mL/ha	-	-	-
POLARA CHEMICAL CORPORATION	PARAFFINIC MINERAL OIL	SIGA OIL	100 g/L	-	OTHERS*	4	654-282-5298	15-Dec-21	-	Banana	Sigatoka	5 L per hectare (5 L prod. / 25 L water)	-	-	Re-entry to treated to treated fields is dependent on the pesticide product that was used when crops were solely treated with SIGA OIL,
ALDIZ INCORPORATED	CHLORPYRIFOS	SIGA 300 EC	300 g/L	EC	INSECTICIDE	2	002-101-0640	10-Jul-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLORPYRIFOS	SIGA 300 EC	300 g/L	EC	INSECTICIDE	2	002-101-0640	10-Jul-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLORPYRIFOS	SIGA 300 EC	300 g/L	EC	INSECTICIDE	2	002-101-0640	10-Jul-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLORPYRIFOS	SIGA 300 EC	300 g/L	EC	INSECTICIDE	2	002-101-0640	10-Jul-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	7 Days	As soon as the spray deposits have dried
BASF PHILIPPINES, INC.	HYDRAMETHYLNON	SIEGE PRO GRANULAR BAIT	7.3 g/Kg	B	INSECTICIDE	4	005-292-0772	08-Oct-26	-	Pineapple	Ants	1.7 kg/ha	-	-	0 day
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTECH CORPORATION	CYPERMETHRIN	SIDEKICK 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797-A	28-Jun-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SICO 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0636	11-Nov-25	SYSTEMIC	Banana	Black Sigatoka	300-400mL prod/ha	-	-	-
ENVIREAU PACIFIC INC,	GLUFOSINATE AMMONIUM	SICARIO 20 SL	200 g/L	SL	HERBICIDE	4	503-182-5666	02-Feb-28	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Weeds	1-2 L/ ha	-	-	-

ENVIREAU PACIFIC INC,	GLUFOSINATE AMMONIUM	SICARIO 20 SL	200 g/L	SL	HERBICIDE	4	503-182-5666	02-Feb-28	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	7.5 L/ ha	-	-	-	
ENVIREAU PACIFIC INC,	GLUFOSINATE AMMONIUM	SICARIO 20 SL	200 g/L	SL	HERBICIDE	4	503-182-5666	02-Feb-28	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	1-2 L/ ha	-	-	-	
ENVIREAU PACIFIC INC,	GLUFOSINATE AMMONIUM	SICARIO 20 SL	200 g/L	SL	HERBICIDE	4	503-182-5666	02-Feb-28	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	1-2 L/ ha	-	-	-	
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water				Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water				Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		1 Day		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Coffee	Berry borer	4-6 tbsp/16 L water		1 Day		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 Day		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Citrus	Rind borer	4-6 tbsp/16 L water		5 days		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Cotton seed	Boilworm, cutworm	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI BEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-	-
VLMAD OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Non-crop agricultural areas and minimum or reduced	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-	
LICHEMPHIL INTERNATIONAL INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	SHOT PLUS 250 EC	50 g/L+200 g/L	EC	HERBICIDE	3	590-453-6049	28-Feb-26	POST-EMERGENT	Rice	Grasses (*Leptochloa chinensis, Echinochloa crusgalli, ischaemum rogusum*), sedges (*Cyperus iria*), broadleaves (*Sphenoclea*	0.75-1.0 kg prod/ hectare at spray volume of 10 tankloads / hectare	-	-	-	As soon as spray deposits dry up
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
JOEPABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days		Re-enrty to treated field is allowed as soon as spray deposits dry.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-27	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	Interval between last application and harvest is 14 days		One day after application.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-27	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	Interval between last application and harvest is 14 days		One day after application.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-27	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	Interval between last application and harvest is 14 days		One day after application.
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Cotton seed	Boilworm, cutworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	CARBARYL	SHOOT 85 WP	850 g/Kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Potato	Early and late blight	3-6 Tbsp/16 L water		-		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Celery	Late blight	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cotton	Damping off	3-6 Tbsp/16 L water		-		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries

ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGUN 800 WP	800 g/Kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN+LAMBDA-CYHALOTHRIN	SHOCKWAVE 300 SC		SC	FUNGICIDE		451-623-6200	20-Jul-24	-	Rice	Brown planthopper, green leafhopper, rice black bug, leaffolder, stemborer				
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN+LAMBDA-CYHALOTHRIN	SHOCKWAVE 300 SC		SC	FUNGICIDE		451-623-6200	20-Jul-24	-	Corn	Fall armyworm				
SL BIOTECH CORPORATION	BUTACHLOR+PROPANIL	SHOCK 70 EC	350+350 g/L	EC	HERBICIDE	3	488-238-4162	06-Nov-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
SL BIOTECH CORPORATION	BUTACHLOR+PROPANIL	SHOCK 70 EC	350+350 g/L	EC	HERBICIDE	3	488-238-4162	06-Nov-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	BENOMYL	SHINEGLO 50 WP	500 g/Kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours after spraying, the treated field may be entered oly with the use of an appropriate personal productive equipment (PPE) or
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Vegetables under minimum or tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
DCDM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ZOETIS PHILIPPINES, INC.	SODIUM HYDROXIDE	SHIFT	8.7 g/L	-	OTHERS	2	705-567-5658	31-Dec-27	-	-	Disinfection of surfaces and equipment in livestock housing and all types of building structures	-	-	-	-
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EZERTECH CORPORATION	FIPRONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-27	SYSTEMIC	Rice (transplanted)	Stemborer	10-17 kg/ hectare	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FIPRONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-27	SYSTEMIC	Rice (Direct-seeded)	Brown planthopper	11-17 kg/ hectare	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FIPRONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-27	SYSTEMIC	Corn	Stemborer	10-17 kg/ hectare	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FIPRONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-27	SYSTEMIC	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg / hectare	-	Do not apply 7 days before harvest	1 day after application
ALTACROP PROTECTION CORPORATION	2,4-D IBE	SHELTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	351-049-2911	17-Oct-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops teated with **SHELTER 2,4-D ESTER** can be done one day after sprayng
ALTACROP PROTECTION CORPORATION	2,4-D IBE	SHELTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	351-049-2911	17-Oct-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops teated with **SHELTER 2,4-D ESTER** can be done one day after sprayng
ALTACROP PROTECTION CORPORATION	2,4-D IBE	SHELTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	351-049-2911	17-Oct-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops teated with **SHELTER 2,4-D ESTER** can be done one day after sprayng
ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with **SHELTER 2,4-D AMINE** can be done one day after sprayng

ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with **SHELTER 2,4-D AMINE** can be done one day after spraying
ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with **SHELTER 2,4-D AMINE** can be done one day after spraying
CHEMISOL INCORPORATED	C18-C24 LINEAR & BRANCHED/HYDROCARBONS	SHELL GTL GS 310		-	OTHERS	4	663-525-5012	13-Oct-27	-	Banana	Black Sigatoka (As adjuvant in combination with FPA-registered fungicide	5.0 L / ha.	-	-	Allow some time for the spray to settle down before reentry into the sprayed areas
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	239-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	239-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	239-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.10 ppm	2 days	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.05 ppm	2 days	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.05 ppm	2 days	24 hours after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	239-013-1971-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	239-013-1971-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	239-013-1971-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.10 ppm	-	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	0.50 ppm	-	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	0.50 ppm	-	24 hours after spraying
CROP PROTECTION AGRIVENTURES INC.	CLOTHIANIDIN	SHEARLINE 20SC	200 g/L	SC	INSECTICIDE	4	616-379-6053	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Potato	Early & late blight, vine rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Tomato	Early & late blight, vine rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Carrots	Alternative, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Crucifers	Powdery Mildew	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Cucurbits	Powdery Mildew, Cercspora, Septoria fruit rot, anthracnose, early & late blight	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Celery	Early & late blight	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Eggplant	Early & Late blight, cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Pepper	Early blight, cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Banana	Sigatoka, Leaf freckle, rust, helminthosporium leaf spot	1.0-2.0 L per ha Tbsp/ 16L water		Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-27	-	Asparagus	Stem and leaf blight	4.5-6.0 Tbsp/ 16L water	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	NICLOSAMIDE ETHANOLAMINE SALT	SHATTER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	668-229-5086	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2.0-4.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters /Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters /Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters /Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters /Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves	2.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves	2.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves	2.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves	4.5 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0 Liters/Ha	-	-	-
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARŪ 480 SL	480 g/L	SL	HERBICIDE	4	493-151-2769	4-Jan-23	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	7 Days	As soon as the spray deposits have dried
SHARPHIL, INC.	TEBUCONAZOLE	SHARPHIL TEBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-20	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha			
SHARPHIL, INC.	TEBUCONAZOLE	SHARPHIL TEBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-20	SYSTEMIC	Corn	Rust	25-30mL/16 L water			
SHARPHIL, INC.	TEBUCONAZOLE	SHARPHIL TEBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-20	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water			
SHARPHIL, INC.	CYHALOFOP-BUTYL	SHARPHIL RYCFOP 100 EC	100 g/Kg	EC	HERBICIDE	4	402-257-3457	14-Jul-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	–	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL, INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	–	14 Days	Do not enter treated fields for at least one(1) day after application

SHARPHIL, INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare				
SHARPHIL, INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare				
SHARPHIL, INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare				
SHARPHIL, INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare				
SHARPHIL, INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water				
SHARPHIL, INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water				
SHARPHIL, INC.	LUFENURON	SHARPHIL LUFENURON 5% EC	50g/L	EC	INSECTICIDE	4	402-321-4490	28-Aug-21		Tomato	Fruitworm & cutworm	2.0-3.5 Tbsp/16 L water		7 days		
SHARPHIL, INC.	LUFENURON	SHARPHIL LUFENURON 5% EC	50g/L	EC	INSECTICIDE	4	402-321-4490	28-Aug-21		Mango	Twigcutter and tipborer	1.0-1.5 Tbsp/16 L water				
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	18-Sep-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds		0.2 mg/kg			
SHARPHIL, INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds					
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIPOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water				Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-		Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-		Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-		Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-		Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-		Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days		Do not enter treated field for at least 1 day after application
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water		7 days		Re-entry to treated field is allowed as soon as spray deposits dry

SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	27-Dec-27	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water			
SHARPHIL, INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water			
SHARPHIL, INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	402-065-2348	03-Dec-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL, INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	402-065-2348	03-Dec-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL, INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	402-065-2348	03-Dec-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Eggplant	Fruitborer	2-3 Tbsp/16L water	-	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Stringbeans	Aphids	2-3 Tbsp/16L water	-	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Tomato	Fruitworm	2-3 Tbsp/16L water	_	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Banana	Thrips	1.5-2 Tbs p/16L water	_	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Watermelon	Aphids, thrips	2-3 Tbsp/16L water	_	-	
SHARPHIL, INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/Kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Can be harvested 2 weeks after treatment	
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL, INC.	CYPERMETHRIN	SHARPHIL 5 EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual broadleaves and certain annual grasses	2.0-4.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Mango	Annual broadleaves and certain annual grasses	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Banana	Annual broadleaves and certain annual grasses	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Coffee	Annual broadleaves and certain annual grasses	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Cacao	Annual broadleaves and certain annual grasses	3.0-4.5 Liters /Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Rubber	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Oil palm	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Citrus	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Coconut	Annual broadleaves and certain annual grasses	4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Sugarcane	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	Vegetables	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	POST-EMERGENT	non-crop	Annual broadleaves and certain annual grasses	-			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			

NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	03-Jan-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
TEXICON AGRI VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/Kg	WP	HERBICIDE	4	242-065-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
TEXICON AGRI VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/Kg	WP	HERBICIDE	4	242-065-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
TEXICON AGRI VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/Kg	WP	HERBICIDE	4	242-065-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	
SHARPHIL, INC.	DIFENOCONAZOLE	SHARDIF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	
SHARPHIL, INC.	BISPYRIBAC SODIUM	SHARBIS 40 SC	400 g/L	SC	HERBICIDE	4	402-276-4090	15-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		
SHARPHIL, INC.	BISPYRIBAC SODIUM	SHARBIS 10 SC	106.4 g/L	SC	HERBICIDE	2	402-276-3038	01-Jul-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weed dried
SHARPHIL, INC.	BISPYRIBAC SODIUM	SHARBIS 10 SC	106.4 g/L	SC	HERBICIDE	2	402-276-3038	01-Jul-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weed dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Ornamentals	**Black spot, powdery mildew, black rot**	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILIPPINE FARMFIX SOLUTIONS INC.	BISPYRIBAC SODIUM	SHADES 100 SC	104.6 g/L	SC	HERBICIDE	2	535-276-4516	21-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as deposit on crops and weeds have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	POTASSIUM SILICATE	SF-808	300 g/L		FUNGICIDE	4	581-492-4572	19-Nov-25	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pitmark and black sigatoka	-	-	-	
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Tobacco	Budworm, cutworm, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Coffee	Berry borer	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cacao	Podborer, aphids, capsid bug	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Citrus	Rind borer	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Soybeans	Pod borer, beanfly, leafminer, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Rice	Green leafhopper, caseworm, rice bug	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cowpea and other beans	Pod borer, beanfly, leaf miner, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cotton seed	Silkworm, cutworm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Corn	Corn borer, corn earworm, army worm	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Tomato	Fruitworm, lady beetle	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 g/16 L water	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water			

BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Coffee	Berry borer	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Citrus	Rind borer	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm		
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water			
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water			
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
TEXICON AGRI VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-27	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	-	-
TEXICON AGRI VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-27	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 Tbsp/16L	-	-	-
TEXICON AGRI VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-27	SYSTEMIC	Rubber	Black strife	3-6 Tbsp/16L	-	-	-
TEXICON AGRI VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-27	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	-	-
TEXICON AGRI VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-27	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21		Mango	Plant growth regulator	4ml per 1 meter canopy diameter	–	–	–
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21		Durian	Plant growth regulator	0.5-1.5/1.5-4.0 Tbsp/5 L water	–	–	–
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21		Calamansi	Plant growth regulator	1-2 Tbsp/5 L water	–	–	–
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21		Cocoa as PGR	Plant growth regulator	0,25 Tbsp/5 L water	–	–	–
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	160/ml/16 L water,135-200 ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial, grass and broad-leaved weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	160ml-215ml/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Banana	Black Sigatoka, crown mold, crown rot, and fusarium wilt	0.75-2.0L/Ha,fusarium wilt: 5-15 ml product/L water,50ml spray	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Mango	Anthracnose	0.4-0.6L/100L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Potato	Late Blight	1.0-2.0L/Ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Garden peas	Powdery mildew	1.0-2.0L/Ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Okra	Leaf mold	1.0-2.0L prod./Ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Eggplant	Cercospora Leaf spot	2-10ml prod./L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Onion	Damping off, anthracnose, twister	2-10ml prod./L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Rice	Rice blast, bacterial leaf blight, sheath blight	1000-2000ml prod ./ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Strawberry	Strawberry leafspot	1-2 L prod./ha ,5-10ml prod./ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Chrysanthemum	White rust	10ml prod./L water,2 L prod./ha	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	10-Sep-24	-	Stringbeans	Damping-off,cercospora leaf spot,rust	500-2000ml prod./ha ,5-10ml prod./L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Bittergourd	Damping off, cercospora leaf spot	(Foliar)0.5-2.0 L prod./L water, (Drench)5-10 ml prod./L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Cabbage	Cercospora leaf spot, club root	1000-2000 mL Prod./ha ; 5-10 mL Prod./L water	–	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Watermelon	Foliar (Damping-off,cercospora leaf spot) Drench (Damping-off fusarium wilt)	Foliar (500-2,000mL product/ha) Drench (2-10mL product/L water)	-	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Tobacco	Frog-eye	Foliar (0.5-2.0L/ha at 400L spray volume) Drench (5-10mL/L water at	-	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Tomato	Early light (foliar spray) and for the control of damping-off and fusarium wilt (drench application)	5-10 mL/ L; 1.0-2.0 L/ hectare	-	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Sweet pepper	Anthracnose (foliar application) and damping-off (drench application.	32-64 mL/ 16L water at spray volume of 500L / ha ; 80-160 mL/ 160 L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROPSCIENCE, INC.	BACILLUS AMYLOLIQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Pomelo	Scab, bacterial canker	4-8 L prod./ hectare; 133-266 mL prod./ 100 L water; 2000 L/ hectare	-	0 day	May enter treated area after spray deposits have dried
EZERTECH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/ water	0.1 ppm	Do not spray within two days before harvest	Entry to fields may be done 1 day after spraying.
EZERTECH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/ water	-	Do not spray within two days before harvest	Entry to fields may be done 1 day after spraying.
EZERTECH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-26.0 Tbsp/ water	-	Do not spray within two days before harvest	Entry to fields may be done 1 day after spraying.
EZERTECH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-013-5116-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/ L	0.1 ppm	-	1 Day
EZERTECH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-013-5116-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13.0-26.0 Tbsp/ L	-	-	1 Day
EZERTECH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-013-5116-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/ L	-	-	1 Day
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Rubber	Annual grasses,perennial grasses & broadleaf weeds	3.5 L/ Ha	–	–	12 hours
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Oil palm	Annual grasses,perennial grasses & broadleaf weeds	3.5 L/ Ha	–	–	12 hours
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Non-crop areas	Weeds	3.5 L/ Ha	–	–	12 hours

HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Cavendish Banana	Annual grasses,perennial grasses & broadleaf weeds	3.5 L/ Ha	0.2 mg/kg	–	12 hours
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
2HJL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
TAIPAN BRAND FARM INC.	FIPRONIL	SEÑOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FIPRONIL	SEÑOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L	0.05 ppm	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FIPRONIL	SEÑOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 ttbsp./16L	–	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FIPRONIL	SEÑOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	15-Feb-25	CONTACT	Onion	Cutworm	5.33 ttbsp./16L	–	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FIPRONIL	SEÑOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	15-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 ttbsp./16L	–	Do not apply 7 days before harvest	One day after application.
LICHEMPHIL INTERNATIONAL INC.	CHLORFENAPYR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-283-4887	02-Sep-25		Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	CHLORFENAPYR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-283-4887	02-Sep-25		Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	CHLORFENAPYR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-283-4887	02-Sep-25		Banana	Flower thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	SELTIMA 10 CS	100 g/L	CS	FUNGICIDE	4	005-237-4465	01-Apr-25	SYSTEMIC	Rice	Panicle blast caused by *Pyricularia oryzae* and Sheath blight caused by *Rhizoctonia solani*	750-1000mL of product/ha using a volume rate of 400Liters/ha, sprayed	-	No pre-harvest interval	As soon as spray droplets dries or 24 hours after spraying
JARDINE DISTRIBUTION, INC.	CLETHODIM	SELECT 24 EC	240 g/L	EC	HERBICIDE	4	367-334-4110	16-Jun-27	-	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. ciliaris	0.5 L/ ha	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with SELECT 24 EC may be done 1 day after spraying
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	-	-
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
ALTACROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
JARDINE DISTRIBUTION, INC.	SPIROTETRAMAT	SEGURO 240 SC	240 g/L	SC	INSECTICIDE	4	367-419-5995	18-Jan-26	-	Banana	Flower thrips	3.3-4.17 mL prod./L water	-	84 days	Treated areas may be re-entered immidiately after bud injection (in banana) or as soon as spray deposits have dried completely (in
JARDINE DISTRIBUTION, INC.	SPIROTETRAMAT	SEGURO 240 SC	240 g/L	SC	INSECTICIDE	4	367-419-5995	18-Jan-26	-	Pineapple	Nematodes, mealybugs, scale insects, white grubs and mites	0.45-1.20 L prod./ha	-	120 days	Treated areas may be re-entered immidiately after bud injection (in banana) or as soon as spray deposits have dried completely (in
ARIES RNE CHEMICAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	SEGADOR PLUS 200 OD	150g/L+50g/L	OD	HERBICIDE	4	478-504-5842	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	-	-	-	Re-entry to the rice field can be done as soon as spray dries up.
ARIES RNE CHEMICAL CORPORATION	BISPYRIBAC SODIUM	SEGADOR 10 SC	105.5 g/L	SC	HERBICIDE	4	478-276-3320	05-Mar-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	BISPYRIBAC SODIUM	SEGADOR 10 SC	105.5 g/L	SC	HERBICIDE	4	478-276-3320	05-Mar-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
BASF PHILIPPINES, INC.	AFIDOPYROPEN	SEFINA 50 DC	50 g/L	DC	INSECTICIDE	3	005-627-6277	26-Sep-26	-	Eggplant	Leafhopper and whitefly	0.75-1.0 L/ha; 3-4 tbsp/ 16L	-	7 Days	1 day
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 ttbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Onion	Cutworm	5.33 ttbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 ttbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	SEEKER 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Banana	Flower thrips	-		Do not apply 7 days before harvest	One day after application.
S&P ENTERPRISES INC.	BUTACHLOR+2,4-D IBE	SEED STOP ULTRA 60 EC	360 g/L+240 g/L	EC	HERBICIDE	3	566-152-6014	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses and sedges	8-20Tbsp/16 L sprayload	-	-	-
S&P ENTERPRISES INC.	BUTACHLOR+2,4-D IBE	SEED STOP ULTRA 60 EC	360 g/L+240 g/L	EC	HERBICIDE	3	566-152-6014	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses and sedges	8-20Tbsp/16 L sprayload	-	-	-
S&P ENTERPRISES INC.	BUTACHLOR	SEED STOP 60 EC	600 g/L	EC	HERBICIDE	4	566-150-6013	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS), 7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	-	-	-
S&P ENTERPRISES INC.	BUTACHLOR	SEED STOP 60 EC	600 g/L	EC	HERBICIDE	4	566-150-6013	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Pineapple	Heart rot	3.4-6.8 g/L; 56-110 g/16 L; 3.4 g/L	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Coconut	Wet bud rot and nut rot	10 g/L 160 g/16L water	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Cacao	Black pod	3.4 g/L; 55g/16 L water	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Rubber	Black stripe (Panel disease)	Preventive:14 g/L; Curative: 28 g/L; 225 g/L16 L	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Rice	Bacterial leaf blight	1.5-2.0 kg/ha	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Orchids	Black rot	3.4 g/L; 55g/16 L water	-	-	As soon as pray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/Kg	WG	FUNGICIDE	4	733-154-5987	26-Sep-25	-	Pineapple	Heart rot (Phytophthora parasitica) through drone spray application	4.0-8.0 kg prod./ ha	-	90 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.3-0.4 L/ha or 1 Tbsp/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Mango	Anthracnose	1 Tbsp/16 L water	-	14 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha or 1 Tbsp/16L water			
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.2-0.3 L/Ha or 1 Tbsp/16L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.2-0.3 L/Ha or 1 Tbsp/16L water		7 days	

TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.2-0.3 L/Ha or 1 Tbsp/16L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.2-0.3 L/Ha or 1 Tbsp/16L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.4-0.6 L/Ha or 1-2 Tbsp/16L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha or 1 Tbsp/16L water	-	7 days	-
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water			
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cacao	Podborer, aphids	0.1 Tbsp/16L water			
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Banana	Thrips	3½-4½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Corn	Cornborer, earworm	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Sorghum	Cornborer,earworm	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3½ Tbsp/16L Sprayer	0.01ppm	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/Kg	SP	INSECTICIDE	2	002-164-2411	28-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3½ Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	01-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	530-035-3480	24-Jan-26	SYSTEMIC	Potato	Late blight	1 Sachet/16L			
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Tomato	Late blight	1 Sachet/16L			
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha			
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha			
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Orchids	Black rot	25 kg prod./ha			
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/Kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha		-	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	29-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			

SYNGENTA PHILIPPINES INC.	FLUDIOXONIL	SCHOLAR 230 SC	230 g/L	SC	FUNGICIDE	4	011-575-5678	04-Mar-25	-	Pineapple	Mold (DOLE PHILIPPINES PLANTATION use only)	1-2.6 mL prod./ L wax	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCEPTER 80 WP	800 g/Kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	PYRIMETHANIL	SCARLET 40 SC	400 g/L	SC	FUNGICIDE	4	038-345-5021	27-Jan-26	-	Cavendish Banana	Black Sigatoka	0.75-1.25 mL prod./ 30L water 0.3-0.45 kg a.i./ha	-	-	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
TAIPAN BRAND FARM INC.	BUTACHLOR+PROPANIL	SCALPEL 70 EC	350+350 g/L	EC	HERBICIDE	3	529-238-3510	24-Aug-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TAIPAN BRAND FARM INC.	BUTACHLOR+PROPANIL	SCALPEL 70 EC	350+350 g/L	EC	HERBICIDE	3	529-238-3510	24-Aug-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
VETMATE FARMA CORPORATION	PRETILACHLOR	SCAD-M 300 EC	300 g/L	EC	HERBICIDE	4	658-063-6144	21-Dec-26	PRE-EMERGENCE	Rice (Direct-seeded)	Grasses sedges and broadleaves weeds	10-15 Tbsp/ Tankload of 16L capacity Sprayer, 8.5-12.5 Tbsp/ Tankload of	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/Kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/16L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Coffee	Berry borer	4-6 Tbsp/16L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/16L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Citrus	Rind borer	4-6 Tbsp/16L water	-	5 days	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/16L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cotton seed	Bollworm, cutworm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Tomato	Fruitworm, leady beetle	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
IAGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cucurbits	Squesh beetle, leady beetle	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGPLANTA MARKETING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SAVOUGE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	720-229-6327	22-Feb-27	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying

SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, podborer, thrips	2-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Pineapple	Mealy bugs	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Pepper	Aphids, cutworm, fruitworm	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Garlic	Cutworm	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Onion	Cutworm	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Tobacco	Aphids, katyidid	3-6 Tbsp/16 L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Tomato	Lady beetle	3-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Eggplant	Aphids, fruitworm	3-5 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Sorghum	Web worm	3 tbsp/ 16L water		One(1) day after each spraying	One (1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Rice	Green leafhopper, armyworm, rice bug, leaffolders, black bug	1.0-1.5 Tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Mango	Hopper	0.75-1.5 tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Onion	Thrips, cutworm	1.0 Tbsp/16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Cotton	Boilworm	1.0-1.5 Tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Cocoa	Podborer	1.0-2.0 tbsp/ 16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	DIURON	SAVEWELL DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/Kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/Kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/Kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-013-5452	31-Dec-23	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	13-25 tbsp / 16L water		-	Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-013-5452	31-Dec-23	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 Tbsp/16 L water		-	Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-013-5452	31-Dec-23	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	5.0-6.5 Tbsp/16 L water		-	Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D IBE	SAVEWELL 2,4- ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	5.0-6.50 Tbsp/ 16L water		Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D IBE	SAVEWELL 2,4- ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.50 Tbsp/ 16L water		Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D IBE	SAVEWELL 2,4- ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	5.0-6.50 Tbsp/ 16L water		Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGRI-MARKETING CO.	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-27	-	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-27	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-27	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-27	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-27	-	Crucifers (chinese cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-27	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	BUTACHLOR+PROPANIL	SAVERS BUTAPRO 700 EC	350+350 g/L	EC	HERBICIDE	3	655-238-5765	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water			
SAVERS ALLIANCE TRADING CORPORATION	BUTACHLOR+PROPANIL	SAVERS BUTAPRO 700 EC	350+350 g/L	EC	HERBICIDE	3	655-238-5765	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
SAVEWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Banana	Black sigatoka	280 g/ha			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
JOEPABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	SAVE CROP	350+350 g/L	EC	HERBICIDE	3	538-238-3570	22-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the sprayed with the product is allowed after the mist has dried up.
JOEPABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	SAVE CROP	350+350 g/L	EC	HERBICIDE	3	538-238-3570	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the sprayed with the product is allowed after the mist has dried up.
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			Do not enter treated field within 48 hours after last application
INTERSORORA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Mango	Anthracnose	35-45ml/100 L water	-	22 days	Until spray has dried
INTERSORORA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Banana	Black sigatoka	0.23 L/ha	-	0 day	Until spray has dried
INTERSORORA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Corn	Rust	25-30 ml/16 L water	-	-	Until spray has dried
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
VAST AGRO SOLUTIONS, INC.	METSULFURON METHYL+CHLORIMURON ETHYL	SATURA 20 WP	100+100 g/kg	WP	HERBICIDE	4	385-298-5681	05-May-27	POST-EMERGENCE	Rice (Transplanted)	Broadleaf weeds & annual grasses	-	-	-	As soon as spray mis dries up
VAST AGRO SOLUTIONS, INC..	METSULFURON METHYL+CHLORIMURON ETHYL	SATURA 20 WP	100+100 g/kg	WP	HERBICIDE	4	385-298-5681	05-May-27	POST-EMERGENCE	Rice (Direct-Seeded)	Broadleaf weeds & annual grasses	-	-	-	As soon as spray mis dries up
BIOSTADT PHILIPPINES INC.	THIOBENCARB+PROPANIL	SATUNIL 600 EC	400+200 g/L	EC	HERBICIDE	3	097-370-1554	18-Nov-26	SELECTIVE	Rice	Grasses, sedges & broadleaf weeds	15-20.0 Tbsp/16L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Beans	Rust	2 1/2 tbsp/16L water	0.05 ppm	2-3 days	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Cabbage	Leaf spot	3-8 tbsp/16L water	2.00 ppm	5 days	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Mango	Anthracnose, stem-end rot	2 1/2-3 tbsp/16L water	2.00 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Pineapple	Wilt, fruit rot	4 tbsp/16L water	2.00 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Sugarcane	Rot	4-8 tbsp/16L water		-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-27	-	Roses	Leaf spot	2 1/2-4 tbsp/16L water	-	-	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Beans	Rust	2 1/2 tbsp/16L water		2-3 days before harvest	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Cabbage	Leaf spot	3-8 tbsp/16L water		Do not spray on cabbage at 5 days before harvest	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Mango	Anthracnose, stem-end rot	2 1/2-3 tbsp/16L water		-	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Pineapple	Wilt, fruit rot	4 tbsp/16L water		-	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Sugarcane	Rot	4-8 tbsp/16L water		-	24 hours after spraying
SUMITOMO CORPORATION PHILIPPINES	TRIFORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22		Roses	Leaf spot	2 1/2-4 tbsp/16L water		-	24 hours after spraying
AGRO ADVANCED INTERNATIONAL PHILS., INC.	SOYBEAN OIL, ETHOXYLATED	SAPONIT	450 g/L		OTHERS	4	473-538-5330	12-Oct-27	-	Banana	Black sigatoka (as adjuvant)	0.25-0.5 L prod./ ha	-	-	As soon as solution has dried up.
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPYR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	02-Sep-25	-	Cabbage	Diamond back moth,aphids & cabbage moth	1.5-3.0 tbsp/ 16 L water		Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPYR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPYR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	02-Sep-25	-	Banana	Flower thrips	2-3 mL / L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
CHEMREZ TECHNOLOGIES, INC.	BENZALKONIUM CHLORIDE	SANIPLUS PQ	400 g/L	SC	OTHERS	4	529-394-4666	14-Feb-25	-	Banana	As tool disinfectant for the control of Moko disease (*ralstonia solanacearum*)	20 mL per liter of solution	-	-	-	
CHEMREZ TECHNOLOGIES, INC.	BENZALKONIUM CHLORIDE	SANIPLUS PQ	400 g/L	SC	OTHERS	4	529-394-4666	14-Feb-25	-	Banana	As tool disinfectant for the control of Panama disease (*Fusarium oxysporum f. sp. Cubense)*	10-40 mL per liter of water	-	-	-	
CROP PROTECTION AGRIVENTURES INC.	BUTACHLOR+PROPANIL	SANGGOT 70EC	350 g/L+350 g/L	EC	HERBICIDE	3	616-238-6329	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-	As soon as the spray mist dries up
CROP PROTECTION AGRIVENTURES INC.	BUTACHLOR+PROPANIL	SANGGOT 70EC	350 g/L+350 g/L	EC	HERBICIDE	3	616-238-6329	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-	As soon as the spray mist dries up
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Banana	Blossom thrips	0.5 per L water tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Strawberry	Mites	2.0-4.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Cabbage	DBM	NA	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Pineapple	Thrips	2.0-5.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Eggplant	Leafminer, fruit & shot borer	5.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Onion	Leafminer, thrips	2.0-3.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Potato	Leafminer, thrips	2.0-3.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Watermelon	Leafminer, thrips,melonworm	2.0-3.0 tbsp/16L water; 2.0-5.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Papaya	Mites	2.0-5.0 tbsp/16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
JYNNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Ornamentals	Mites	1.0-1.5 Tbsp/ 16L water	-	7 days; potato and papaya - 14days; rggplant, onion, tomato, watermelon and strawberry-3 days	-	Is allowed as soon as spray deposits had dried up.
DOW AGRO SCIENCES B.V.	PROPICONAZOLE	SANAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	013-178-0916	24-May-24	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	-	-	
DOW AGRO SCIENCES B.V.	PROPICONAZOLE	SANAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	013-178-0916	24-May-21	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	-	
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Corn	Aphids, corn borers, seedling maggots	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Rice	Armyworms,black bugs, Green leafhoppers, leaffolders, Rice bugs	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Cacao	Pod borer	1.0-2.0 tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 TBsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Onion	Cutworms, Thrips	1.0 tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Cotton	Bollworms	1-1.5 Tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Tomato	Aphids, cutworms, fruitworms	1-1.5 Tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Watermelon	Melon worms, squash beetles	1.0 Tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Mungbeans	Aphids, beanflies, flea beetles, leafhoppers, mites	1.0 Tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CYHALOTHRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Tobacco	Aphids, budworms, cutworms, katydsids	1-1.5 Tbsp/ 16L water	-	Do not spray 3 days before harvest	-	Enter treated fields as soon as spray deposits have dried up.
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Mango	Mango hopper, tip borer, twig borer, fruitfly, mealy bug	4-8 tsbp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Coffee	Berry borer	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Citrus	Rind borer	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Soybeans	Pod borer, bean fly, leaf miner, aphids	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cotton seeds	Bollworm, cutworm	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Tomato	Corn borer, corn earworm, armyworm	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao,coffee and mango.	-	Treated areas may be re-entered immediately after spray has dried
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CYHALOTHRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-	Re-entry to treated fields is allowed as soon as spray deposits dry
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853-A	21-Sep-26	-	Onion	Thrips	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 Days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 Days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 Days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 50 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 tbsp/ 16L water	-	-	-	-

VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Mango	Hoppers	0.90-1.5 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Onion	Thrips, cutworm	1.0 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Cotton	Bollworm	1.0-1.5 tbsp/ 16L water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Cacao	Pod borer	1.0-2.0 Tbsp/16l water	-	-	-	
VETMATE FARMA CORPORATION	LAMBDA-CYHALOTHRIN	SALVATEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	28-Jun-27	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/ 16L water	-	-	-	
JARDINE DISTRIBUTION, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	SALVADOR 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	367-504-5363	02-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ ha. (75mL/ 16L spray load; 10 spray load per ha.	-	-	-	As soon as sprayn dries.
GOLDENMAN MARKETING CORPORATION	CHLORPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-	
GOLDENMAN MARKETING CORPORATION	CHLORPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-	
GOLDENMAN MARKETING CORPORATION	CHLORPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-	
GOLDENMAN MARKETING CORPORATION	CHLORPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
VAST AGRO SOLUTIONS, INC.	METALDEHYDE	SAKUHOL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	385-075-1977	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHYDE	SAKUHOL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	385-075-1977	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHYDE	SAKUHOL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	385-075-1977	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHYDE	SAKUHOL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	385-075-1977	18-Jul-27	CONTACT	Chinese Cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHYDE	SAKUHOL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	385-075-1977	18-Jul-27	CONTACT	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	-	Do not enter treated field within 48 hours after application
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-				
2HJL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	21-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying	
2HJL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	21-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying	
2HJL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	21-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying	
2HJL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	10-May-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying	
2HJL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying.	
2HJL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	10-May-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying.	
TRANS WORLD TRADING CO., INC.	BUTACHLOR+PROPANIL	SADAM-O 70 EC	350+350 g/L	EC	HERBICIDE	3	038-238-1334	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
TRANS WORLD TRADING CO., INC.	BUTACHLOR+PROPANIL	SADAM-O 70 EC	350+350 g/L	EC	HERBICIDE	3	038-238-1334	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR+PROPANIL	SACATI 70 EC	350+350 g/L	EC	HERBICIDE	3	428-238-2886	21-Sep-20	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm			
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR+PROPANIL	SACATI 70 EC	350+350 g/L	EC	HERBICIDE	3	428-238-2886	21-Sep-20	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm			
FULL GREEN AGRO CORPORATION	BUTACHLOR+PROPANIL	SABRE 70 EC	350+350 g/L	EC	HERBICIDE	3	475-238-3556	21-Sep-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 tbsp/16L water	Butachlor 0.1ppm Propanil 0.1ppm			
FULL GREEN AGRO CORPORATION	BUTACHLOR+PROPANIL	SABRE 70 EC	350+350 g/L	EC	HERBICIDE	3	475-238-3556	21-Sep-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 tbsp/16L water	Butachlor 0.1ppm Propanil 0.1ppm			
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABIDONG 5 EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries	
UPL PHILIPPINES, INC.	PYRAZOSULFURON ETHYL+PRETILACHLOR	SAAHTI GOLD 30.75 WG	7.5g/kg+300g/kg	WG	HERBICIDE	4	562-518-5827 (367)	22-Aug-25	PRE (POST EMERGENT)	Rice	Grasses sedges and broadleaves	100-200 g/ 16L water	-	-	Re-entry to field is allowed one day after treatment	
UPL PHILIPPINES, INC.	MANCOZEB+CARBENDAZIM	SAAF 75 WP	630 g/kg	WP	FUNGICIDE	4	562-526-5015	17-Jan-26	-	Mango	Panicle blight and scabs	500-750 g/ 200L	-		Re-entry to treated areas is allowed as soon as spray dried up	
S&P ENTERPRISES INC.	PYRACLOSTROBIN	POSITIVE 25 EC	250 g/L	EC	FUNGICIDE	2	566-396-6212	29-Oct-26	-	Banana	Sigatoka freckles	0.40 l/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying	
S&P ENTERPRISES INC.	PYRACLOSTROBIN	POSITIVE 25 EC	250 g/L	EC	FUNGICIDE	2	566-396-6212	29-Oct-26	-	Corn	Leaf spot	0.40 l/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying	

S&P ENTERPRISES INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	29-Nov-27	-	Mango	Plant growth regulator	Rate is dependent on the size of the canopy. Apply S&P Paclobutrazol 25	-	-	-
S&P ENTERPRISES INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	29-Nov-27	-	Durian	Plant growth regulator	0.5-1.0 tbsp; 5-10 mL 1.5-2.0 tbsp; 15-20 mL	-	-	-
S&P ENTERPRISES INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	29-Nov-27	-	Calamansi	Plant growth regulator	1.0-2.0 tbsp; 10-20 mL	-	-	-
S&P ENTERPRISES INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	29-Nov-27	-	Cacao	Plant growth regulator	1/4 tbsp; 2-3 mL	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cotton	Damping oil	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Beans	Anthracnose, Downy mildew, rust	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Peas	Anthracnose, Downy mildew, rust	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, rust	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Onion	Purple blotch, downy mildew, Botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Garlic	Purple blotch, downy mildew, Botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Grape	Downy mildew, black rot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Peanut	*Cercospora* leaf spot	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MANCOZEB	S&P TOPZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-
S&P ENTERPRISES INC.	MALATHION	S&P MALATHIION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	_	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Mango	Hoppers	0.75-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Tomato	Fruitworm, cutworm, aphids	1-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Onion	Thrips, cutworm	1 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Mungbeans	Bean flies, flea beetles, leaf hoppers, aphids, mites, pod borers	1 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Corn	Corn borer, aphids, seedling maggots	1-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Cotton	Bollworms	1-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Cacao	Pod borers	1-2 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	S&P LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	16-May-27	-	Watermelon	Squash beetle, melon worm	1 tbsp/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	500;320;240 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Cabbage	Diamondback moth	500;320;240 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Watermelon	Thrips, leaf beetles	500 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Onion	Cutworm	300 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Eggplant	Shoot borer	400 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	6-Oct-26	CONTACT	Corn	Seedling maggot	200-250mL/ 20kg seed	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Pineapple	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Banana	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Mango	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Coffee	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Citrus	Grasses, annual and perrenial broadleaves	13.0-19.0 Tbsp/16 L water	-	-	A day after application
S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Coffee	Grasses, annual and perrenial broadleaves	13.0-19.0 Tbsp/16 L water	-	-	A day after application

S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Cotton	Grasses, annual and perrenial broadleaves	8 tbsp/ 16L water	-	-	A day after application
S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Sugarcane	Grasses, annual and perrenial broadleaves	6.5-13.0 tbsp/ 16L water	-	-	A day after application
S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Pineapple	Grasses, annual and perrenial broadleaves	13 tbs/ 16L water	-	-	A day after application
S&P ENTERPRISES INC.	DIURON	S&P DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	566-021-6301	25-Sep-27	-	Non-crop areas	Grasses, annual and perrenial broadleaves	20.0-28.0 tbs/ 16L water	-	-	A day after application
S&P ENTERPRISES INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/16L water; 2.5-3.5 tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/16L water; 2.5-3.5 tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 mL/16L water; 2.5-3.5 tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water; 2.5-3.5 tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES INC.	BUPROFEZIN	S&P PROFEZIN 25 SC	250 g/L	SC	INSECTICIDE	3	566-224-6324-A	23-Nov-27	-	Mango	Leafhopper	60-80 mL/ 200L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as solution dries up.
S&P ENTERPRISES INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	566-065-3778-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	566-065-3778-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	566-065-3778-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Tobacco	Budworm, aphids	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Eggplant	Fruit borer	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Stringbeans	Aphids	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Tomato	Fruitworm	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Banana	Thrips	1.5-2 tbsp/ 16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Watermelon	Aphids and thrips	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Mango	Leafhopper, tip borer	1.5-2 tbsp/ 16L	-	-	-
S&P ENTERPRISES INC.	ACEPHATE	MVP 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 tbsp /16L	-	-	-
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Banana	Blossom thrips	4.5/ L water; 0.5/ L water	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Cabbage	Diamond back moth	1000 mL prod/ha; 2.0 tbsp/ 16L water	-	7 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 tbsp/ 16L water	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Pineapple	Mites	1000-4000 mL prod/ha	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Papaya	Mites	150-600 mL prod/ha; 2.0-5.0 tbsp/16L water	-	14 days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Strawberry	Mites	600-1200 mL prod/ha; 2.0-4.0 tbsp/16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod/ha; 2.0-5.0 tbsp/ 16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Onion	Leafminer, thrips	500-1000 mL prod/ha; 2.0-3.0 tbsp/16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Potato	Leafminer, thrips	500-1000 mL prod/ha; 2.0-3.0 tbsp/16L water	-	14 days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Tomato	Leafminer, thrips, aphids	500-1000 mL prod/ha; 2.0-3.0 tbsp/16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	ABAMECTIN	TOPMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Watermelon	Leafminer,thrips, melonworm	500-1000 mL prod/ha; 2.0-3.0 tbsp/16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES INC.	2,4-D IBE	S & P 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	566-049-3779	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D ESTER can be done 1 day after spraying.
S&P ENTERPRISES INC.	2,4-D IBE	S & P 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	566-049-3779	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D ESTER can be done 1 day after spraying.
S&P ENTERPRISES INC.	2,4-D IBE	S & P 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	566-049-3779	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D ESTER can be done 1 day after spraying.
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbs/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Eggplant	Thrips, flea beetle	0.1 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbs/ 16L water	-	-	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	24 Hours after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Mango	Hoppers, twig/tip borer	21.3-32 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Corn	Seedling maggot, corn borer, earworms	21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Tomato	Fruitworm	21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Eggplant	Shoot/fruit borerm, leafhoppers	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SINOCHEM CROP PROTECTION (PHILS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Mungbeans	Pod borers, leafhopper	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Mango	Hoppers, twig/tip borer	21.3-32 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Corn	Seedling maggot, corn borer, earworms	21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Tomato	Fruitworm	21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Eggplant	Shoot/fruit borerm, leafhoppers	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	011-332-4310	27-Mar-27	-	Mungbeans	Pod borers, leafhopper	10.6-21.3 ml/16 L water	–	–	Entry to treated field allowed as soon as spray deposits have dried.
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters /Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	–	–

JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	–	–
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	–	–
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	In field, shaded conditions: Mixed weeds (grasses, sedges and broadleaves);	1.5 L/ha or 0.75 % Prod. Concentration; 120 ml/16 L water			
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature shaded condition:cogon Immature, open : condition cogon				
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm					
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas (Agricultural)	Weeds				
JOCANIMA CORPORATION	NICLOSAMIDE	RUNDOWN 25 EC	250 g/L	EC	MOLLUSCICIDE	4	241-229-3171	02-May-19		Rice	Golden apple snail	7-10 Tbsp/16L water			
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
S&P ENTERPRISES INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
GINTONG ANI TRADING OPC	NICLOSAMIDE ETHANOLAMINE SALT	RUMBLE SPRAY 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	471-229-6832	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	FIPRONIL	RUMBLE 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	RUMBLE 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	RUMBLE 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	RUMBLE 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FIPRONIL	RUMBLE 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application.
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUIN 6%	60 g/Kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUIN 6%	60 g/Kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUIN 6%	60 g/Kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953-A	08-Dec-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water			
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water			
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water			
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water			
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water			
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water			
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	RPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EZERTECH CORPORATION	PYMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Corn	Leafhopper, planthopper and aphids	100-250g/ ha; dillute 7-16g/ 16L water	-	5 days	Do not enter treated filed until spray deposits have completely dried
EZERTECH CORPORATION	PYMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Mango	Mango leafhopper	80g/ 200L water	-	NO PHI is proposed since last spray will be 20-40 days before harvest	Do not enter treated filed until spray deposits have completely dried
EZERTECH CORPORATION	PYMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Rice	Brown planthopper and green leafhopper	25-30g/ 16L water	-	36 days	Do not enter treated filed until spray deposits have completely dried
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Potato	Early and late blight	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Celery	Late blight	3-6 Tbsp/16 L water	–	14 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Cotton	Damping off	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		lettuce	Downy mildew	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Pepper	Anthracnose	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Chili	Anthracnose	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	–	60 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Papaya	Fruit rot	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	–	14 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	–	–	As soon as spray dries.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	27-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water			
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water			
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water			
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha			
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha		-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water		-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water		-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water		-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha		-	-
ARCA GALLEON AGRIVENTURES, INC.	POTASSIUM MONOPERSULFATE TRIPLE SALT	ROXYCIDE 52 WSP	520 g/kg	WSP	OTHERS	4	699-556-5567	1-Dec-27	-	-	Surface disinfection and water sanitation in animal facilities for poultry, swine, bovine, equine; for terminal biosecurity and	5 g prod./ L water; 5-10 g prod./ L water; 1-2 g prod./ L water	-	-	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Rice	Sheath blight	0.4-0.8 product L/ha; 30-60 mL/16 L	3ppm	14 Days	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Banana	Sigatoka & crown rot & crown mold	1.0-1.5 product L/ha; (2-3 mL/Liter)	10.0 mg/kg	0 day	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Turf grass	Fairy ring	6.0-12.0 product L/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Rice	Sheath blight	3.0-6.0 Tbsp/16L	3ppm	14 Days	

FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Banana	Sigatoka & crown rot & mold	2-3 g/L (Applied as aerial spray. Please refer to label for details)	10.0 mg/kg	0 day	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Cabbage	Black leg	5.5-10.5 Tbsp/16 L	-	-	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Turf grass	Fairy ring	10-19 Tbsp/16 L	-	-	-
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	C	FUNGICIDE	4	002-118-0451	31-Mar-25		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	ISOTIANIL+TRIFLOXYSTROBIN	ROUTINE START FS 280	200 g/L+80 g/L	FS	FUNGICIDE	3	284-537-5281	3-Dec-26	-	Rice	Rice blast	5-15 mL prod./ kg seeds	-	-	-
BAYER CROPSCIENCE, INC.	ISOTIANIL	ROUTINE SC 200	200 g/L	SC	FUNGICIDE	4	284-581-5710	2-May-25	-	Banana	Black sigatoka	0.25 L/HA	-	0 Day	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	1.3-2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	1.3-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	1.3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	1.3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges				
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	_	_	_
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges		_	_	_
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-

BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Non-crop land	Annual & perennial grasses, broadleaf weeds & sedges	-			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L water	0.01ppm	3 Days	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOCANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
ALBAUGH PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/Kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **ROSTOP 40 SP** within 12 hours after application.
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				

BAYER CROPSCIENCE, INC.	OXADIAZON	RONSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26		Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	60-100 gm./16 L water			
BAYER CROPSCIENCE, INC.	OXADIAZON	RONSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26		Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	50-60 gm./16 L water			
BAYER CROPSCIENCE, INC.	OXADIAZON	RONSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26		Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	60-100 gm./16 L water			
BAYER CROPSCIENCE, INC.	OXADIAZON	RONSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26		Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges, Broad-leaf Weeds	40-50 gm./16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	RONIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	RONIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/16 L water		7 days	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	RONIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	RONIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	RONIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Green peas	Powdery mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
THE LICHEMPHIL INTERNATIONAL INC.	OXADIAZON	RONGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	2-3 prod./ ha L	-	-	Re-entry can be done after the spray droplets have dried up.It recommended to keep from distributing the soil, even by trodding on
THE LICHEMPHIL INTERNATIONAL INC.	OXADIAZON	RONGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	1-1.5 prod./ ha L	-	-	Re-entry can be done after the spray droplets have dried up.It recommended to keep from distributing the soil, even by trodding on
THE LICHEMPHIL INTERNATIONAL INC.	OXADIAZON	RONGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	2-3 prod./ ha L	-	-	Re-entry can be done after the spray droplets have dried up.It recommended to keep from distributing the soil, even by trodding on
THE LICHEMPHIL INTERNATIONAL INC.	OXADIAZON	RONGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges, Broad-leaf Weeds	1-1.5 prod./ ha L	-	-	Re-entry can be done after the spray droplets have dried up.It recommended to keep from distributing the soil, even by trodding on
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Banana	Blossom thrips	0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
ALBAUGH PHILIPPINES, INC.	ABAMECTIN	ROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried
AGRO IRIS PHILIPPINES, INC.	OXYFLUORFEN	ROLEN 240 EC	240 g/L	EC	HERBICIDE	4	752-123-6131	4-Aug-26	SELECTIVE (PRE-POST-EMERGENCE)	Onion	Broadleaves, sedges & grasses	2-4 tbs/ 16L water			
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Mango	Anthracnose	40-80 g/16 L water	-	30 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	12-16 g/16 L water	-	35 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leafspot and leaf anthracnose	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Tomato	Early blight	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Corn	Helminthosporium, leaf spot, rust	4-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Watermelon	Leafspot, powdery mildew	4-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-27	SYSTEMIC	Potato	Early and late blight	4-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+2,4-D IBE	ROGUE EC	360+240 g/L	EC	HERBICIDE	3	432-152-2303	20-Mar-28	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+2,4-D IBE	ROGUE EC	360+240 g/L	EC	HERBICIDE	3	432-152-2303	20-Mar-28	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+2,4-D IBE	ROGUE EC	360+240 g/L	EC	HERBICIDE	3	011-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+2,4-D IBE	ROGUE EC	360+240 g/L	EC	HERBICIDE	3	011-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	-	-	-
VERDANT LUSTERCORE CORPORATION	BUTACHLOR+2,4-D IBE	ROGEE 600 EC	360+240 g/L	EC	HERBICIDE	3	546-152-3371	30-Jan-21	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
VERDANT LUSTERCORE CORPORATION	BUTACHLOR+2,4-D IBE	ROGEE 600 EC	360+240 g/L	EC	HERBICIDE	3	546-152-3371	30-Jan-21	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

ROM ROEM CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT XTRA 350 FS	350 g/L	FS	INSECTICIDE	4	539-312-5084	09-Jun-26	-	Corn (as seed treatment)	Seedling maggot	50ml/ 16-20kg bag of seeds	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT XTRA 350 FS	350 g/L	FS	INSECTICIDE	4	539-312-5084	09-Jun-26	-	Rice	Greenleafhoppers, Brown planthopper, White backed planthopper	25ml/ 40kg sack of seeds	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI as last application will be 436 days before harvest	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI since applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHOXAM	ROCKOT 25 WG	250 g/Kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	ROADRUNNER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	031-504-6161	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	478-021-2724-A	25-Sep-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to field and crops treated with **RNE 2,4-D Ester** can be done one day after spraying
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with **RNE 2,4-D Ester** can be done one day after spraying
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with **RNE 2,4-D Ester** can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	METSULFURON-METHYL+CHLORIMURON ETHYL	RIZATTAC 20 WP	100g/kg+100g/kg	WP	INSECTICIDE	4	399-298-6427	5-May-24	POST-EMERGENCE	Rice (Direct-seeded)	Broadleaf weeds and sedges	5-10 tankloads / ha	-	-	As soon as spray mist dries up
FKA AGRI CHEMICAL CORPORATION	METSULFURON-METHYL+CHLORIMURON ETHYL	RIZATTAC 20 WP	100g/kg+100g/kg	WP	INSECTICIDE	4	399-298-6427	5-May-24	POST-EMERGENCE	Rice (Transplanted)	Broadleaf weeds and sedges	5-10 tankloads / ha	-	-	As soon as spray mist dries up
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6% P	60 g/Kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-26	-	Rice (Transplanted)	Golden apple snail	2-4 kgs./ha	-	-	Do not enter treated fiekd within 48 hurs after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6% P	60 g/Kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-26	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs./ha	-	-	Do not enter treated fiekd within 48 hurs after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6% P	60 g/Kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-26	-	Potted and driftwood-attached plants such as	Bush snails, giant african snails and slugs	1-2 kgs./ha	-	-	Do not enter treated fiekd within 48 hurs after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6% P	60 g/Kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-26	-	Crucifers (Chinese cabbage)	Slugs, snails	6-8 kgs./ha	-	-	Do not enter treated fiekd within 48 hurs after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6% P	60 g/Kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-26	-	Strawberry	Slugs, snails	6-8 kgs./ha	-	-	Do not enter treated fiekd within 48 hurs after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	RISUN 90 SC	69+21 g/L	SC	HERBICIDE	3	539-357-5383	28-Jun-27	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-	-	After spray deposits have dried .
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	RISUN 90 SC	69+21 g/L	SC	HERBICIDE	3	539-357-5383	28-Jun-27	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet-Seed)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-	-	After spray deposits have dried .
MONARC CROP SOLUTIONS PROVIDER CORPORATION	BUTACHLOR	RISE 600 EC	600 g/L	EC	HERBICIDE	3	550-150-4966	05-Jun-22	-	Transplante rice	Grasses sedges	9tbsp, (2-4 DAT)9Tbsp (0-4 DAT) 9Tbsp+7Tbsp	0.1ppm		
MONARC CROP SOLUTIONS PROVIDER CORPORATION	BUTACHLOR	RISE 600 EC	600 g/L	EC	HERBICIDE	3	550-150-4966	05-Jun-22	-	Direct seeded rice	Grasses sedges	9Tbsp (2-4 DBS), 7Tbsp (2-4 DBS), 11 Tbsp (30 DAS)	0.1ppm		
ALTACROP PROTECTION CORPORATION	CLOTHIANIDIN	RIPTOX 20 SC	200 g/L	SC	INSECTICIDE	4	351-379-5756	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	09-Mar-25	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
JARDINE DISTRIBUTION, INC.	METOMINOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	367-424-2932	01-Jul-23	SYSTEMIC	Mango	Anthracnose	0.8-1.2 tbsp prod/16L water	-	7 days	Do not enter treated fields until spray deposit have completely dried
JARDINE DISTRIBUTION, INC.	METOMINOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	367-424-2932	01-Jul-23	SYSTEMIC	Onion	Anthracnose/twister bulb rot	0.8-2.0 tbsp prod/16L water	-	14 days	Do not enter treated fields until spray deposit have completely dried
OLD TOWN AGRICULTURAL KINDS CORP.	METOMINOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	499-424-5440	12-May-27	SYSTEMIC	Mango	Anthracnose	0.8-1.2 tbsp prod/16L water	0.01 ppm	7 days	Do not enter treated fields until spray deposit have completely dried
OLD TOWN AGRICULTURAL KINDS CORP.	METOMINOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	499-424-5440	12-May-27	SYSTEMIC	Onion	Anthracnose/twister bulb rot	0.8-2.0 tbsp prod/16L water	0.01 ppm	14 days	Do not enter treated fields until spray deposit have completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	NOVALURON+BIFENTHRIN	RIMON FAST 100 SC	50+50g/L	SC	INSECTICIDE	2	099-484-4533	25-Jul-27	CONTACT	Cabbage	Diamond back moth	1.5-2.0 Tbsp/16L water	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	NOVALURON+BIFENTHRIN	RIMON FAST 100 SC	50+50g/L	SC	INSECTICIDE	2	461-484-4452	25-Jul-27	CONTACT	Cabbage	Diamond back moth	1.5-2.0 Tbsp/16L water		3 Days	Re-entry to treated field is allowed as soon as spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	NOVALURON	RIMON 10 EC	100 g/L	EC	INSECTICIDE	4	099-349-1128	30-Jul-26	-	Cabbage	Diamond back moth	1-2 tbsp/16L	-	1 week	1 day
PLANTCARE TRADING CORPORATION	CLOTHIANIDIN	RIGOR 20 SC	200 g/L	SC	INSECTICIDE	4	495-379-5895	31-May-25	-	Rice	Rice black bug	4-5 tsbp/ 16L	-	-	-
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
TOTAL FARM CARE AGRI PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/Kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried

EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD MZ 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Asparagus	Spear rot	2 kg prod./ha		1 day	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD MZ 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Orchids	Black rot	25 g prod/ha	-	-	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD MZ 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Pineapple	Heart rot	6-14 kg prod/ha	-	90 days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD MZ 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Potato	Late blight disease	100g prod/16L	-	14 Days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD MZ 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Tomato	Late blight disease	100g prod/16L	-	3 Days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m	RIDOMIL GOLD 480 SL	480 g/L	SL	FUNGICIDE	2	011-384-3133	15-Nov-25	SYSTEMIC	Pineapple	Heart rot & root rot	8.33-12.50ml prod/l water	0.01 ug/g	156 days	-
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
BAYER CROPSCIENCE, INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	RICESTAR XTRA	69+21 g/L	SC	HERBICIDE	3	284-357-1217	28-Dec-25	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	50ml/16 L water	Fenoxaprop p-ethyl 0.05ppm Ethoxysulfuron 0.01 ppm		
BAYER CROPSCIENCE, INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	RICESTAR XTRA	69+21 g/L	SC	HERBICIDE	3	284-357-1217	28-Dec-25	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet-Sown)	Annual grasses, sedges and broadleaf weeds	36 ml/16 L water	Fenoxaprop p-ethyl 0.05ppm Ethoxysulfuron 0.01 ppm		
S&P ENTERPRISES INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	RICEMAX ULTRA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	566-504-5934	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves, sedges	500-mL to 1-L product/ ha (Using spray volume of 160-192 L water/ha.)	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	459-150-2485	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	459-150-2485	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	459-150-2485	29-Apr-26	PRE-EMERGENT	Rice (Drill-seeded dryland)	Grasses and sedges	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	459-150-2485	29-Apr-26	PRE-EMERGENT	Rice (Upland rice)	Grasses and sedges	-	-	-	-
AGRI BIZ CO. OF GS, INC.	PRETILACHLOR	RICEFIT 30EC	300 g/L	EC	HERBICIDE	4	580-063-6289	5-Sep-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, broadleaf weeds	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICEDOCTOR 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	539-383-4395	20-May-25	POST-EMERGENT	Rice (Direct-seeded)	*Crusgalli,E.globrescens,C. difformis,I rugosom,L.chinesis,M.vaginalis ,F.miliacea,C.iria,S.zylanica and L.octavalvis*	14-18Tbsp/tankload	–	–	After spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICEDOCTOR 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	539-383-4395	20-May-25	POST-EMERGENT	Rice (Transplanted)	*Crusgalli,E.globrescens,C. difformis,I rugosom,L.chinesis,M.vaginalis ,F.miliacea,C.iria,S.zylanica and L.octavalvis*	14-18Tbsp/tankload	–	–	After spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR+PROPANIL	RICECLEAN 70 EC	350+350 g/L	EC	HERBICIDE	3	539-238-4213	07-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR+PROPANIL	RICECLEAN 70 EC	350+350 g/L	EC	HERBICIDE	3	539-238-4213	07-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR	RICEBRO 60 EC	600 g/L	EC	HERBICIDE	4	460-150-2571	12-Jan-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR	RICEBRO 60 EC	600 g/L	EC	HERBICIDE	4	460-150-2571	12-Jan-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BISPYRIBAC SODIUM	RICEBARN 100 SC	100 g/L	SC	HERBICIDE	4	539-276-4626	21-Jan-28	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges & broadleaves	10s prayload/ha,25-30ml/16L water;12sprayload/ha,20.8-25ml/16L	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
RAINBOW AGROSCIENCES PHILIPPINES INC.	BISPYRIBAC SODIUM	RICEBARN 100 SC	100 g/L	SC	HERBICIDE	4	539-276-4626	21-Jan-25	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10s prayload/ha,25-30ml/16L water; 12sprayload/ha, 20.8-25ml/16Lwater	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYHALOFOP-BUTYL	RICEAID 100 EC	100 g/L	EC	HERBICIDE	4	539-257-4791	20-May-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha	-	-	-
HAILIR PHILIPPINES AGROSERVICE INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICE WEEDING 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	672-383-6292	6-Oct-26	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
HAILIR PHILIPPINES AGROSERVICE INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICE WEEDING 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	672-383-6292	6-Oct-26	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
S&P ENTERPRISES INC.	CYHALOFOP-BUTYL	RICE SHOT 10 EC	100 g/L	EC	HERBICIDE	2	566-257-5105	15-Apr-22	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
S&P ENTERPRISES INC.	BISPYRIBAC SODIUM	RICE MAX 100 SC	100 g/L	SC	HERBICIDE	4	566-276-4067	09-Mar-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
S&P ENTERPRISES INC.	BUTACHLOR+PROPANIL	RICE DUO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	566-238-6015	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dried up
S&P ENTERPRISES INC.	BUTACHLOR+PROPANIL	RICE DUO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	566-238-6015	26-Jun-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dried up
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICE BUDDY 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	667-383-5357	23-Feb-27	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5, 7.0 Tbsp/tank load	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICE BUDDY 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	667-383-5357	23-Feb-27	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10.0, 8.5 Tbsp/tank load	-	-	-
JARDINE DISTRIBUTION, INC.	BISPYRIBAC SODIUM	RICE BAC 400 SC	400 g/L	SC	HERBICIDE	4	367-276-4161	07-Aug-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
AGRO IRIS PHILIPPINES, INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	RIBENZO 85 EC	25 g/L+60 g/L	EC	HERBICIDE	3	752-453-6007	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	8.5-10 Tbsp/16 L water	-	-	-
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 505 WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-27	-	Potato	Late Blight	5 tbsp,/16 L sprayer	-	7 DAys	Do not enter fields treated with REZULT 505 WP within 24 hours after application.
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 505 WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-27	-	Tomato	Late Blight	5 tbsp,/16 L sprayer	-	7 DAys	Do not enter fields treated with REZULT 505 WP within 24 hours after application.
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 505 WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-27	-	Grapes	Downy mildew	5 tbsp,/16 L sprayer	-	7 DAys	Do not enter fields treated with REZULT 505 WP within 24 hours after application.
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+2,4-D IBE	REWARD 60 EC	360+240 g/L	EC	HERBICIDE	3	001-152-2220	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+2,4-D IBE	REWARD 60 EC	360+240 g/L	EC	HERBICIDE	3	001-152-2220	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SYNGENTA PHILIPPINES INC.	MANDIPROPAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-27	-	Tomato	Late blight	10-15 Tbsp/16L	-	3 days	Do not enter until spray deposits have dried
SYNGENTA PHILIPPINES INC.	MANDIPROPAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-27	-	Potato	Late blight	10-15 Tbsp/16L	-	3 days	Do not enter until spray deposits have dried
SYNGENTA PHILIPPINES INC.	MANDIPROPAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-27	-	Pineapple	Heart rot	1.12-2.0 prod/ha (L)	-	8 months	Do not enter until spray deposits have dried
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry

CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGRI VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	FOSTHIAZATE	REVAZATE 10 G	100 g/Kg	G	NEMATICIDE	2	075-347-5733	10-Jun-25	-	Banana	Burrowing Nematode	10g products/Mat or 20 kg product/Ha Tbsp/16L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	FOSTHIAZATE	REVAZATE 10 G	100 g/Kg	G	NEMATICIDE	2	075-347-5733	10-Jun-25	-	Potato	Potato Cyst Nematode	20 kg product/Ha Tbsp/16 L sprayer	-	-	-
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Soybeans	Bean fly, grubs, nematodes, other soilinsects	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Cowpea	Bean fly, grubs, neamatode, other soil insects	16.7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/Kg	G	INSECTICIDE	2	551-104-5679	01-Feb-27	-	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 Days
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Cotton	Damping off	3-6 Tbsp/16 L water	-		As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FMC AGRO PHILIPPINES INC.	BENTAZONE	RESUMIDE 48 SL	400 g/L	SL	HERBICIDE	4	598-083-5967	25-Mar-27	-	Rice	Pennial and annual broadleaf weeds	6-13 tbsp or 60mL-130mL; 1.0-1.5 L prod / hectare	-	30 days before harvest	Immediately after spray deposits has dried up.
FMC AGRO PHILIPPINES INC.	BENTAZONE	RESUMIDE 48 SL	400 g/L	SL	HERBICIDE	4	598-083-5967	25-Mar-27	-	Soybeans	Pennial and annual broadleaf weeds	6-13 tbsp or 60mL-130mL; 1.0-1.5 L prod / hectare	-	30 days before harvest	Immediately after spray deposits has dried up.
C.B. ANDREW ASIA, INC.	PENOXSULAM+CYHALOFOP-BUTYL	RESTORE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	460-383-4803	25-Mar-24	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5Tbsp/tank load	-	-	-
C.B. ANDREW ASIA, INC.	PENOXSULAM+CYHALOFOP-BUTYL	RESTORE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	460-383-4803	27-May-25	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10Tbsp/tank load	-	-	-
ARIES RNE CHEMICAL CORPORATION	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	RESTER	250+450 ml/L	-	OTHERS	4	478-348-3321	05-Mar-25	SELECTIVE (POST-EMERGENT)	-	As surfactant on Segador 10 SC	25-30ml/16 L water	-	-	-
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
SULI AGROSCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
DCDM MARKETING INCORPORATED	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	RESCUE PRO 200 OD	150g/L+50g/L	OD	HERBICIDE	4	467-504-5982	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, broadleaves and sedges	50-100 mL/ 16L	-	-	As soon as spray dries up.
DCDM MARKETING INCORPORATED	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	RESCUE 13SE	80+50 g/L	SE	HERBICIDE	4	467-504-5150	26-May-23	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	-			
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/Kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGRI VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REPULSE 50 SP	500 g/Kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
DOW AGRO SCIENCES B.V.	PENOXSULAM+CYHALOFOP-BUTYL	REPIVOX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	013-383-4551	26-Oct-24		Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5Tbsp/tank load			
DOW AGRO SCIENCES B.V.	PENOXSULAM+CYHALOFOP-BUTYL	REPIVOX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	013-383-4551	26-Oct-24		Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10Tbsp/tank load			
SYNGENTA PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	REPIVOX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	011-383-4415	28-Jun-24		Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5, 7.0 Tbsp/tank load	-	-	-
SYNGENTA PHILIPPINES INC.	PENOXSULAM+CYHALOFOP-BUTYL	REPIVOX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	011-383-4415	28-Jun-24		Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I nugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10.0, 8.5 Tbsp/tank load	-	-	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of Renova will be 436 days before harvest	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-28	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as Renova will be applied as bud injection	Do not enter unless spray deposits have dried
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENO 350 FS	350g/L	FS	INSECTICIDE	4	562-312-4795	20-May-25	-	Corn (as seed treatment)	Seedling maggot	32-120 mL/16-20 kgs. Seeds	-	-	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENO 350 FS	350g/L	FS	INSECTICIDE	4	562-312-4795	20-May-25	-	Rice	Green leafhopper,brown planthopper & whitebacked planthopper	25-50 mL/40 kgs. Seeds	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23		Banana	Black Sigatoka	4.5 Li/Ha or 12 Tbsp/16Li			
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23		Potato	Late blight	5-6 ½ Tbsp/16Li			
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23		Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li			
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135-200 mL/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges, and broadleaf weeds	215,270,135 mL/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges, and broadleaf weeds	160,135 mL/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial grasses, sedges, and broadleaf weeds	160,135 mL/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial grasses, sedges, and broadleaf weeds	160,135 mL/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial grasses, sedges, and broadleaf weeds	160,135 mL/16L water	-	-	After spray deposits have dried

ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial grasses, sedges, and broadleaf weeds	160-215 mL/16L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	MANCOZEB+METALAXYL	REID 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Potato	Late Blight	1 Sachet/16L			
AGWAY CHEMICALS CORPORATION	MANCOZEB+METALAXYL	REID 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Tomato	Late Blight	1 Sachet/16L			
AGWAY CHEMICALS CORPORATION	MANCOZEB+METALAXYL	REID 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Asparagus	Spear rot	2 kg prod./ha			
AGWAY CHEMICALS CORPORATION	MANCOZEB+METALAXYL	REID 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Pineapple	Heart Rot	10-14 kg prod./ha			
AGWAY CHEMICALS CORPORATION	MANCOZEB+METALAXYL	REID 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Orchids	Black rot	25 kg prod./ha			
BASF PHILIPPINES, INC.	FIPRONIL	REGENT 0.3 GR	3 g/Kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FIPRONIL	REGENT 0.3 GR	3 g/Kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FIPRONIL	REGENT 0.3 GR	3 g/Kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA	0.01 ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FIPRONIL	REGENT 0.3 GR	3 g/Kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./HA	_	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FIPRONIL	REGENT 0.3 GR	3 g/Kg	G	INSECTICIDE	3	005-244-0541	31-Oct-25	CONTACT	Cavendish Banana	Corm weevil	20-40 kg prod./ hectare		7 days before harvest	1 day after application
JOCANIMA CORPORATION	EXTRACT OF REYNOUTRIA SACHALINENSIS	REGALIA	50 g/L		FUNGICIDE	4	241-628-6290	6-Oct-24	-	Banana	Black sigatoka	1200 mL prod./ ha	-	-	-
SYNGENTA PHILIPPINES INC.	ISOPYRAZAM	REFLECT 125 EC	125 g/L	EC	HERBICIDE	4	011-448-3361	08-Apr-27	-	Banana	Black Sigatoka	0.6 L/ha	0.05 mg/kg	0 day	
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-		As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/Kg	WP	FUNGICIDE	4	097-053-0684-B	08-May-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Potato	Early and Late Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Cabbage	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Cauliflower	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Broccoli	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Celery	Late Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Cucumber	Downy Mildew, Anthracnose,Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Squash	Downy Mildew, Anthracnose,Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Cotton	Damping off				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Lettuce	Downy Mildew				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Beans	Anthracnose, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Peas	Anthracnose, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Mungo	Anthracnose, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Tomato	Early and late blight, Anthracnose ,Septoria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Onion	Purple blotch, Downy mildew, Botrytis leaf Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Pepper	Anthracnose				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Eggplant	Blight, Anthracnose				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Banana	Sigatoka, Black leaf streak				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Grapes	Downy Mildew, Black rot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Mango	Anthracnose, and scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Papaya	Fruit rot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Melon	Downy mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Watermelon	Downy mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Corn (sweet and popcorn)	Helminthosphorium leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.02ppm		
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Peanut	Cercospora leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Soybeans	Leaf rust				

BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	097-053-1414	03-May-25		Ornamentals	Black spot, Blight, Anthracnose				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 600 OS	600 g/L	OS	FUNGICIDE	4	097-053-2565	02-Dec-25	-	Banana	Black sigatoka	-	-	Do not spray within 7 days before harvest	Do not enter near the field with in 2 days after spraying
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-053-1416	08-May-24		Banana	Black Sigatoka	4.5 Li/Ha or 12 Tbsp/16Li	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-053-1416	08-May-24		Potato	Late blight	5-6 ½ Tbsp/16Li	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-053-1416	08-May-24		Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
RBAV HARVEST TRADING CORPORATION	PROPICONAZOLE	REDBUCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	772-178-6495	18-Jan-27	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha			
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Rice	Bacterial leaf streak, bacterial leaf blight, cercospora leaf spot	2-3 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Cabbage	Black rot, leaf spot, downy mildew	1.5-2 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Cacao	Pod rot	2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Carrot	Leaf Blight	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Celery	Leaf spot, leaf blight	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Citrus	Canker, Scab	2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Coffee	Coffee, Berry disease	2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Cucumber	Downy mildew	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Mango	Anthracnose	1.0-1.5 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Onion	Purple blotch	1.5 Scoops/16 L water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Potato	Late Blight	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Snap Beans	Anthracnose, Rust	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCDM MARKETING INCORPORATED	CUPROUS OXIDE	RED SHIELD 75 WG	862 g/Kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19		Tomato	Early blight	1.5-2.0 Scoops/16 L of water	-	Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	LAMBDA-CYHALOTHRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Tobacco	Budworm, aphids	8-14 200L of water/ ha	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Eggplant	Fruitborer	-	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Stringbeans	Aphids	8-14 200L of water/ ha	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Tomato	Fruitworm	8-14 200L of water/ ha	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Banana	Leafhopper, Tipborer	2.5-3.5 Tbsp/16L water	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Watermelon	Aphids, thrips	8-14 200L of water/ ha	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	8-14 200L of water/ ha	-	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-27	-	Mango	Leafhopper and tip borer	2.5-3.5 Tbsp/16L water	0.02 ppm	Crops sprayed with **RECLAIM 40 SL**	Re-entry to treated field is allowed as soon as solution dries up
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	REATIS FS 480	480 g/L	FS	INSECTICIDE	4	284-515-5014	09-Feb-27	-	Corn	Corn seedling, maggot, cutworm and white grubs, fall armyworm	6.25-10 mL prod./ kg seeds 7.5-10 mL prod./ kg seeds	0.01 mg/kg	-	-
BAYER CROPSCIENCE, INC.	TETRANILIPROLE	REATIS FS 480	480 g/L	FS	INSECTICIDE	4	284-515-5014	09-Feb-27	-	Rice	Stemborer and rice leaffolder	3.1-10 ml prod./ kg seeds	0.01 mg/kg	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AKTIV MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-27	-	Mango	Plant growth regulator	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-27	-	Durian	Plant growth regulator	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-27	-	Calamansi	Plant growth regulator	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-27	-	Cacao	Plant growth regulator	-	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Mango	Anthracnose	0.258-0.88 L prod./ha; 30-50 mL prod./100L	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.25-0.30 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, powdery mildew	0.25-0.30 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Cabbage	Ringspot, *alternaria*	0.25-0.30 L prod./ha	-	-	-

RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod./ha; 0.6/L	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RBZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod./ha	-	-	-
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Bitter gourd	Leafhoppers, thrips, aphids	100-400 mL prod./ ha; 4.0-13.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers	20-30 mL/ 100L	-	3 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL prod./ ha; 10.0-16.0 ml prod./ 16L	-	3 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 mL/ L	-	90 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	RBTHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	100-200 mL prod./ ha; 10.0-30.0 mL prod./ 16L	-	40 days	Do not enter treated fields for at least 1 day after application
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Tomato	Fruitworm. Armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Cabbage	Diamond-back moth, cabbage worms, aphids, thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Potato	Thrips, army worm, cutworm, tubermoth	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Stringbeans	Beanfly, leaffolder, aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Watermelon	Thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	PROFENOFOS	RBNOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Mango	Blossom thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 24 hours after spraying
RBAV HARVEST TRADING CORPORATION	CARBENDAZIM	RBENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
RBAV HARVEST TRADING CORPORATION	CARBENDAZIM	RBENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-27	SYSTEMIC	Cucurbits	Downy mildew	2-2 tbsp/ 16L water	-	-	-
RBAV HARVEST TRADING CORPORATION	CARBENDAZIM	RBENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-27	SYSTEMIC	Green peas (Legumes)	Powdery mildew	3-2 tbsp/ 16L water	-	-	-
RBAV HARVEST TRADING CORPORATION	CARBENDAZIM	RBENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-27	SYSTEMIC	Mango	Anthracnose	1-2 Tbsp/16L water	-	-	-
RBAV HARVEST TRADING CORPORATION	CARBENDAZIM	RBENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10 tbsp/ 200L water	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	-	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	-	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	-	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses, itchgrass, goosegrass, sour, paspalum, crab grasses,bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	FLUAZIFOP-P-BUTYL	RBCIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	30-50 mL/ 16L	-	-	-
zHENGBANG CROP PROTECTION (PHILIPPINE) INC	PROCHLORAZ	RAZPRO 450 EW	450 g/L	EW	FUNGICIDE	3	667-300-5994	17-Jan-26	-	Banana	Fungal crown mold and crown rot	32 mL/ 16L water	-	0 day	-
zHENGBANG CROP PROTECTION (PHILIPPINE) INC	PROCHLORAZ	RAZPRO 450 EW	450 g/L	EW	FUNGICIDE	3	667-300-5994	17-Jan-26	-	Pineapple	Butt and crown mold and fruitlet core rot	0.5-1.0 mL/ L; 1 L ha	-	0 day	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHLORAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24		Banana	Fungal crown mold, crown rot, anthracnose, pitmark, and smoky fruit	2-4 ml/L water			
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHLORAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24		Pineapple	Butt & crown mold	0.5 -1.0 mL / L water			
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHLORAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24		Pineapple	Fruitlet core rot	1.0 mL / ha			
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHLORAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	25-Apr-23		Pineapple	Black rot	1.0-3.0 L prod./ ha; 0.5-1.0 mL prod./ L water			
TEAMAGRO TRADING CORPORATION	BISPYRIBAC SODIUM	RAZER 10 SC	105.5 g/L	SC	HERBICIDE	4	248-276-3649	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
TEAMAGRO TRADING CORPORATION	BISPYRIBAC SODIUM	RAZER 10 SC	105.5 g/L	SC	HERBICIDE	4	248-276-3649	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			

VAST AGRO SOLUTIONS, INC.	ZINC PHOSPHIDE	RAT-X 80 WP	800g/kg	WP	RODENTICIDE	2	385-173-4219	27-Jun-25	-	Field	Rats and mice	10 g	-	-	-
CULTIVA INCORPORATED	ZINC PHOSPHIDE	RATTEN 80 WP	800 g/Kg	WP	RODENTICIDE	2	201-173-3798	23-Aug-25	-	Agricultural fied	Rodents	-	-	-	-
UPL PHILIPPINES, INC.	ZINC PHOSPHIDE	RATOL	800 g/Kg	B	RODENTICIDE	2	562-173-3748	27-Jun-25	-	Field	Rats and mice	-	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	RATKIL	800 g/Kg	B	RODENTICIDE	2	097-173-0981	12-Jan-28	-	Rice	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice corn dried fish & any foodstuff	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	RATKIL	800 g/Kg	B	RODENTICIDE	2	097-173-0981	12-Jan-28	-	Corn	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice corn dried fish & any foodstuff	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	RATKIL	800 g/Kg	B	RODENTICIDE	2	097-173-0981	12-Jan-28	-	Sugarcane	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice corn dried fish & any foodstuff	-	-	-
CYBERTH PHILIPPINES, INC.	ZINC PHOSPHIDE	RATCHET 80% POWDER	800 g/Kg		RODENTICIDE	2	216-173-3773	15-Jul-22		Field	Rats and mice	-	-	-	-
S&P ENTERPRISES INC.	ZINC PHOSPHIDE	RAT-BAIT	800 g/Kg	-	RODENTICIDE	2	566-173-5944	27-Jun-25	-	Field	Rats and mice	-	-	-	-
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GNM AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	RAPTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	01-Jul-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	ALKYL MODIFIED HEPTAMETHYLTRISILOXANE	RAPID-WET 560	100 g/Kg	L	OTHERS	4	233-362-3941	02-Dec-25	-	Banana	As adjuvant in tank combination with MANCOZEB 448 F for the control of sigatoka	Mix with Mancozeb 448 F. 5% of Oil Used	-	No PHI needed when RAPID-WET is used alone. The PHI required depends on the agrochemicals where RAPID-	Do not enter treated field without protective clothing (long sleeved shrit and long pants) until spray have dried. Consult and follow
BERRIS AGRICULTURAL COMPANY, INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	RAPID-WET 408	83+17 g/L	-	OTHERS	4	233-335-3968	28-Dec-25	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-100mL (4-16ml)/100ml	-	No PHI required when RAPID-WET 408 is used alone PHI. PHI depends on the agrochemical where RAPID-	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
BERRIS AGRICULTURAL COMPANY, INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	RAPID-WET 408	83+17 g/L		OTHERS	4	233-335-3968	28-Dec-25	-	Banana	Sigatoka	1-2 Tbsp/16 L water	-	No PHI required when RAPID-WET 408 is used alone PHI. PHI depends on the agrochemical where RAPID-	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
BERRIS AGRICULTURAL COMPANY, INC.	TRISILOXANE ALKOXYLATE+ALLYL ETHOXYLATE	RAPID-WET 408	83+17 g/L	-	OTHERS	4	233-335-3968	28-Dec-25	-	Pineapple	Weeds	1-2 Tbsp/16 L water	-	No PHI required when RAPID-WET 408 is used alone PHI. PHI depends on the agrochemical where RAPID-	Do not enter field without protective clothing (long sleeved shirts and long pants) until the sprays have dried
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	RANSACK 60 EC	360+240 g/L	EC	HERBICIDE	3	551-152-3998	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	RANSACK 60 EC	360+240 g/L	EC	HERBICIDE	3	551-152-3998	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AVC CHEMICAL CORPORATION	CYAZOFAMID	RANMAN 10 SC	106.4 g/L	SC	FUNGICIDE	4	060-426-2949	11-Aug-27	SELECTIVE	Cabbage	Clubroot	10mL/Gallon (4L water)	0.05 ppm	50-60 days	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	CYAZOFAMID	RANMAN 10 SC	106.4 g/L	SC	FUNGICIDE	4	060-426-2949	11-Aug-27	SELECTIVE	Tomato	Late blight	25-30mL/ 16L water	2 ppm	0 day	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	CYAZOFAMID	RANMAN 10 SC	106.4 g/L	SC	FUNGICIDE	4	060-426-2949	11-Aug-27	SELECTIVE	Potato	Late blight	25-30mL/ 16L water	0.05 ppm	0 day	Enter the field as soon as the spray dries up
EZERTECH CORPORATION	OXYFLUORFEN	RANKADA 24 EC	240 g/L	EC	HERBICIDE	4	648-123-5334	02-Feb-27	-	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Entry to fields may be done after spray deposits have dried up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPMC+CHLORPYRIFOS	RANGER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	603-174-4315	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	_	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of RAMROD 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	20 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	30-Jun-25	SYSTEMIC	Banana	Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as RAMROD will be applied as bud injection	Do not enter unless spray deposits have dried
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Cabbage and other crucifers	Diamondback moth, cabbage worm, loopers, and aphids	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Cotton	Thrips, bollworm & budworm	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Eggplant	Fruit borer, aphids, leafhopper, and thrips	1.5 tbsp or 3.2 tbsp	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Mango	Blossom thrips	10-20 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Mungbeans	Corn earworm, leafminer	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Potato	Thrips, army worm, cutworm, tubermoth	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Soybeans	Corn earworm, leafminer	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Stringbeans	Beanfly, leaffolder, aphids, and pod borer	1.5 tbsp or 3.2 tbsp	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Tomato	Fruitworm, armyworm, cutworm	15-30 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Watermelon	Blossom thrips	30-50 mL/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-

BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/Kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	-
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CYHALOTHRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
AVC CHEMICAL CORPORATION	TOLPYRALATE	RAKER 400 SC	400 g/L	SC	HERBICIDE	4	060-506-4763	02-May-25	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Corn	Annual and perennial grasses, broadleaves and sedges	10-12.5 mL/16L of water	-	-	-
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RKT KING'S AGRI SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	RAINTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries

CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800 g/kg	WP	FUNGICIDE	4	201-053-1395-B	06-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	RAINPRITA 300 OD	210+90 g/L	OD	INSECTICIDE	2	539-398-4885	27-Aug-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/100 liters water 50-80 mL prod/200L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	RAINLUSCIDE 70 WP	700g/kg	WP	MOLLUSCICIDE	4	539-229-4671	21-Feb-28	CONTACT	Rice	Golden apple snail	35 grams or 1 sachet product/ sprayer load (16 Liters)	-	-	Do not enter the treated field within 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZINAM	RAINKOPRAL 500 SC	500 g/L	SC	FUNGICIDE	4	539-301-6115	14-Apr-26	-	Potato	Late blight	15-20 mL prod/ 16 L water 300-500 mL prod./ hectare	-	Do not apply **RAINKOPRAL 500 SC**, 14 days before harvest for potato and 7 days before harvest for onion	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZINAM	RAINKOPRAL 500 SC	500 g/L	SC	FUNGICIDE	4	539-301-6115	14-Apr-26	-	Onion	Purple blotch	15-20 mL prod/ 16 L water 300-500 mL prod./ hectare	-	Do not apply **RAINKOPRAL 500 SC**, 14 days before harvest for potato and 7 days before harvest for onion	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Lettuce	Early blight, neck rot	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Cucurbits	Downy mildew, late blight	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Celery	early and late blight	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Beans	Rust	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Potato	Early and late blight	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Tomato	Early and late blight	50-65 g prod./ 16 L water	-	3 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Tobacco	Brown leaf spot	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Coffee	Brown eye spot	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Citrus	Balack spot	65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Melon	Downy mildew	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Watermelon	Downy mildew	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Ornamentals	Black spot, rust	35-50 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Mango	Anthracnose	50-65 g prod./ 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Rice	Dirty panicle, brown leaf spt	50-100 g prod. / 16 L water (500-100 g prod. / ha)	-	18 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Banana	Sigatoka, freckle desease	2.5 kg per ha	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPINEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Asparagus	Stem and leaf blight	2.5 kg per ha	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5 - 1.0mL/ 16 L water (80 - 100mL spray volume)	-	7 days	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Cucurbits	downy mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Green peas (Legumes)	Powdery mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Mango	anthracnose	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Sugarcane	Pineapple disease	5 - 10 mL 200 L water cane dipping	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Celery	Late blight	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	–	–	As soon as spray dries

RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	–	–	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds		-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds		-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Weeds		-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg		
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR	RAINBOW BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	539-150-3278	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR	RAINBOW BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	539-150-3278	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Palm oil	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYN+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400+400 g/Kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/16 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	–	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXSULAM	RAINBOW 250 OF	25 g/L	OF	HERBICIDE	4	083-374-2309	04-Sep-20	-	Rice (Direct-Seeded)	Echinocloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachoria, Cyperus difformis and C. iria	1OTbsp/tank load	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	PENOXSULAM	RAINBOW 25 OF	25 g/L	OF	HERBICIDE	4	737-374-1588	23-Aug-26	-	Rice (Direct-Seeded)	Echinocloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachoria, Cyperus difformis and C. iria	8.5Tbsp/tank load	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PENOXSULAM	RAINBOW 25 OF	25 g/L	OF	HERBICIDE	4	014-374-4295	12-Sep-26	-	Rice (Direct-Seeded)	Echinocloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachoria, Cyperus difformis and C. iria	50 mL prod./ tank load (TL)	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FIPRONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-28	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FIPRONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-28	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FIPRONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-28	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FIPRONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-28	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FIPRONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-28	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADIZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADIZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADIZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-27	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADIZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADIZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried

GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Beans	Leaffolder, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Sorghum	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/Kg	SP	INSECTICIDE	2	234-164-1357	01-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application .
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090-A	03-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Cabbage/Crucifer	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Mango	Hoppers	20-25ml/100 L water	_	20 days	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Banana	Flower thrips, aphids, mealy bugs	1 ml product/L water	_	_	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Watermelon	Thrips, aphids	6-8 ml/16 L water	_	7 days	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying

RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Citrus	Rindborer, mealybug, scale insects	2.5-5.0ml/16 L water	_	14 days	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Cabbage	DBM, Flea beetle	4-5ml/16 L water	_	28 days	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Sugarcane	Termites	3-5 ml/16 L water	_	_	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Asparagus	Thrips	_	_	_	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 100 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	03-Apr-21	_	Okra	Leafhopper	_	_	_	No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with RADISSON DIURON 80 WP can be done one day after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		-	Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DIURON	RADISSON DIURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			Twenty four (24) hours after application
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Banana	Sigatoka	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Potato	Early blight, late blight	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/Kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Banana	Sigatoka	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cacao	Black pod	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Carrot	Cercospora	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Celery	Early blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Mango	Anthracnose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Papaya	Baterial crown rot	4.5-7.0 kg/ha			
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Field legumes	grubs	16.7-33.3 kg prod/ha	-	-	2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			2 Days

RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-		2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-		2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-		2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-		2 Days
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	234-104-1472	04-Mar-25		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-		2 Days
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water		-		Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water		-		Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Banana	Thrips	1.5-2 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Can be harvested 2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/Kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water	-	Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested2 weeks after treatment		Entry to fields and crops treated with RADISSON ACEPHATE 75 SP can be done as soon as spray deposits have dried.
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	234-049-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest		Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	234-049-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest		Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	234-049-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest		Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-013-3363-A	04-Dec-26	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-		Entry to field and crops traeted with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-013-3363-A	04-Dec-26	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-		Entry to field and crops traeted with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-013-3363-A	04-Dec-26	POST-EMERGENT	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-		Entry to field and crops traeted with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-			Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-		Re enter the field as soon as spray dries
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/Kg	WP	HERBICIDE	4	481-065-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/Kg	WP	HERBICIDE	4	481-065-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/Kg	WP	HERBICIDE	4	481-065-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
ALTACROP PROTECTION CORPORATION	FIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	10 days		
ALTACROP PROTECTION CORPORATION	FIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L				
ALTACROP PROTECTION CORPORATION	FIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L				
ALTACROP PROTECTION CORPORATION	FIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Onion	Cutworm	5.33 tbsp./16L				
ALTACROP PROTECTION CORPORATION	FIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Eggplant	Shoot borer	30-40 mL/16L water				
RAINBOW AGROSCIENCES PHILIPPINES INC.	CLOTHIANIDIN	RADEPROLE 200 SC	200 g/L	SC	INSECTICIDE	4	539-379-6183	8-Jun-26	-	Rice	Black bug	40-50 mL/ spary load	-	-		-
BAYER CROPSCIENCE, INC.	COUMATETRALYL	RACUMIN DUST	7.5 g/Kg	WP	RODENTICIDE	4	284-020-0024	28-Dec-25	-	Agricultural field	Rodents	-	-	-		-
RADISSON AGROCHEMICAL CORPORATION	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	RACSOL	250 mL/L+450 mL/L	-	OTHERS	4	234-348-2559	05-Mar-25	SELECTIVE (POST-EMERGENT)	-	Surfactant on Choice 10 SC	25- 30 mL/16 L water; 10 spray loads/ha	-	-		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days		
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days		-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days		-
RADISSON AGROCHEMICAL CORPORATION	TRIDEMORPH	RAC TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	234-097-4211	21-Dec-23	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil				
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Mango	Leafhoppers	6-7 g prod/ 100-L water 0.96-1.12 g prod/ 16-L water		-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, rice bug	0.94-1.41 (0.2-0.3 tbsp prod) 6-10 g prd/ 16L water	-	-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Stringbeans	Aphids and leafhoppers	10-30 g prod/ 100-L water 1.6-4.8 g prod/ 16-L water	-	-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Eggplant	Aphids and leafhoppers	10-30 g prod/ 100-L water 1.6-4.8 g prod/ 16-L water	-	-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Banana	flower thrips	4-6 g prod/ 1-L water (60-80 mL solution/ bud)	-	-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Pineapple	Mealy bug	100-200 g prod/ ha	-	-		Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Corn	Leafjopper, planthopper and aphids	7-16 g prod./ 16L water; 100-250 g prod./ ha	0.02 ppm	5 days		Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Mango	Mango leafhopper	80 g prod./ 200L water	-	-		Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Rice	Brown planthopper, green leafhopper	25-30 g prod./ 16L water	0.02 ppm	36 days		Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 6%	60 g/Kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-		Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 6%	60 g/Kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-		Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 6%	60 g/Kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-		Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	234-035-3071	25-Sep-25	SYSTEMIC	Potato	Late blight	1 Sachet/16L	-	14 days		Do not enter treated field until spray deposi have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	234-035-3071	25-Sep-25	SYSTEMIC	Tomato	Late blight	1 Sachet/16L	-	3 days		Do not enter treated field until spray deposi have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	234-035-3071	25-Sep-25	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-	21 days		Do not enter treated field until spray deposi have dried up.

RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	234-035-3071	25-Sep-25	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-	1 day	Do not enter treated field until spray deposi have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	234-035-3071	25-Sep-25	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field until spray deposi have dried up.
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 160 SL	160 g/L	SL	HERBICIDE	4	234-151-1316	19-Feb-26	POST-EMERGENT	Non-crop areas	common grassy fields	3-6 L/ha, 24-48Tbsp/16 L water(200 L/ha),12-24 Tbsp/16 L water(400	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	RAC GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	RAC GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	RAC GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	RAC GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINUM	RAC FOSETYL-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Pineapple	Heart rot	55-110 product (gms/16L)	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINUM	RAC FOSETYL-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	160 product (gms/16L)	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINUM	RAC FOSETYL-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Rubber	Black strife	225-455 product (gms/16L)	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINUM	RAC FOSETYL-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Cacao	Black pod	55 product (gms/16L)	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINUM	RAC FOSETYL-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Orchids	Black rot	55 product (gms/16L)	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYHALOFOP-BUTYL	RAC CYHALOFOP 100 EC	100 g/L	EC	HERBICIDE	4	234-257-5254-A	20-May-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses *(echinochloa spp., leptochloa chinensis, and ischaemum rugosum)*	7-9 tbs.p./tank load; 12 of tank load/ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	THIODIAZOLE COPPER	RAC COPPER THIODIAZOLE 20 SC	200g/L	SC	FUNGICIDE	4	234-371-3772	15-Jul-22	-	Rice	Bacterial leaf blight	6 Tbsp. or 1/2 bottle (Tbsp/16 L or 1 tankload)	-	Stop spraying 20 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Banana	Sigatoka	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Potato	Early blight, late blight	5.5-8 tbsp/16L water			

RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/Kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Banana	Sigatoka	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cacao	Black pod	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Carrot	Cercospora	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Celery	Early blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Mango	Anthracnose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/Kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Papaya	Baterial crown rot	4.5-7.0 kg/ha			
RADISSON AGROCHEMICAL CORPORATION	CLOTHIANIDIN	RAC CLOTHIANIDIN 200 SC	200 g/L	SC	INSECTICIDE	4	234-379-5846 (S30)	7-Sep-25	-	Rice	Rice black bug	0.08.01 kg or L; 4-5 tbsp/ 16L; 400-500 product/ HA	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Banana	Scarring beetle and aphids	20-30 ml per 16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Sugarcane	Whitegrubs	80-100 ml per 16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Pineapple	Ants and mealybugs	1-4 L per hectare	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR	RAC BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	234-150-1241	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR	RAC BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	234-150-1241	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS), 7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR+PROPANIL	RAC BUTACHLOR + PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	234-238-1077	18-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR+PROPANIL	RAC BUTACHLOR + PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	234-238-1077	18-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.

R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	450-038-2456	22-Oct-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	2,4-D IBE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	450-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D IBE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	450-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D IBE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	450-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	450-013-2436	02-Sep-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	450-013-2436	02-Sep-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	450-013-2436	02-Sep-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	HEXAZINONE+DIURON	QUIKCANE 60 WG	132 g/kg+468 g/kg	WG	HERBICIDE	4	539-435-5926	13-Dec-25	-	Sugarcane	Annual grasses, sedges and broadleaves	400 L/ ha	-	-	-
A&B SUMMIT DISTRIBUTION INC.	ALUMINUM PHOSPHIDE	QUICKPHOS TABLET	560 g/kg	-	FUMIGANT	1	739-084-1206	27-Oct-25	-	-	As fumigant for the control of Stored product pest	-	-	-	-
A&B SUMMIT DISTRIBUTION INC.	ALUMINUM PHOSPHIDE	QUICKPHOS SACHET	560 g/kg	-	FUMIGANT	1	739-084-3272	27-Oct-25	-	-	As fumigant for the control of Stored product pest	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-28	-	Pineapple	Pineapple flowering & ripening	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-28	-	Banana	Banana ripening	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-28	-	Mango	Mango ripening	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-28	-	Coffee	Coffee ripening	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual grasses, perennial grasses and broadleaves	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaves	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaves	-	-	-	-
ROTAM PHILIPPINES, INC.	FENPROPIMORPH	QUETZAL 880 OL	880 g/L	OL	FUNGICIDE	2	569-511-6370	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0-7 L/ha		0 day	As soon as spray droplets dries
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	NICLOSAMIDE	QUEEN 250 EC	250 g/L	EC	MOLLUSCICIDE	4	248-229-4876	17-Jul-26	-	Rice	Golden apple snail	100 mL/ 16L water; 1.0 L/ha	-	-	At least 48 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTECH CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried

TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Coffee	Berry borer	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Citrus	Rind borer	4-6 tbsp/16 L water		5 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25		Cucurbits	Squash beetle, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
TAGCHEM DRAGON DISTRIBUTION INC.	BISPYRIBAC SODIUM	QUADRO 8	105.5 g/L	SC	HERBICIDE	4	517-276-4076	04-Dec-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
TAGCHEM DRAGON DISTRIBUTION INC.	BISPYRIBAC SODIUM	QUADRO 8	105.5 g/L	SC	HERBICIDE	4	517-276-4076	04-Dec-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
TRANS WORLD TRADING CO., INC.	PYRACLOSTROBIN	Q-RIO 25 EC	250 g/L	EC	FUNGICIDE	2	038-396-4579	17-Dec-27	-	Corn	Leaf spot	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
TRANS WORLD TRADING CO., INC.	PYRACLOSTROBIN	Q-RIO 25 EC	250 g/L	EC	FUNGICIDE	2	038-396-4579	17-Dec-27	-	Banana	Sigatoka freckles	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Cotton	Nematodes, grubs	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Eggplant	Fruitborer	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Field legumes	Beanflies, grubs, nematodes	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Rice	Stem borer, whorl maggot, leaffhopper, leaffolder, caseworm, planthopper	16.7-33-3 kg/ prod/ha	0.2ppm	28 Days	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Tobacco	Nematode, budworm	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	White potato	Nematodes, grubs	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	239-104-3612	07-Dec-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33-3 kg/ prod/ha	-	-	2 Days
GREEN ACTION BRIGADE INC.	FIPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Rice	Stem borer, brown planthopper (BPH), leaffolder, rice bug	500-910 mL prod./ ha	-	Do not applyy 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FIPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Cabbage	Diamondback moth (DBM)	500-1000 mL prod./ ha	-	Do not applyy 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FIPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Watermelon	Thrips, leaf beetles	500-100 mL prod./ ha	-	Do not applyy 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FIPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Onions	Cutworm	1000 mL prod/ha	-	Do not applyy 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FIPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Eggplant	Fruit borer	750-1000 mL prod./ ha	-	Do not applyy 7 days before harvest	One day after application
FMC AGRO PHILIPPINES INC.	METAMIFOP	PYZERO 10 EC	100 g/L	EC	HERBICIDE	4	598-409-4186	30-Oct-26	CONTACT	Rice (Direct-Seeded)	Barnyard grass and lyptochloa grass	1 L/ha	0.005ppm		
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Tomato	Fruitworms	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Mango	Mango hoppers	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Corn	Corn borer, earworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Rice	Whorl maggot, planthopper, Green leafhopper, stenbore, leafolder	1-2 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Beans	Podborer, aphids, flea beetle, beanflies	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	White Potato	Tubermoth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Onion	Thrips	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
JOCANIMA CORPORATION	PYRIMETHANIL	PYRUS 400 SC	400 g/L	SC	FUNGICIDE	4	241-345-3253	23-Dec-22	-	Cavendish Banana	Black sigatoka	750 mL/ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
AKTIV MULTI TRADING CO. PHILS, INC.	PYMETROZINE	PYROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	540-307-4474	27-Dec-26	-	Mango	leafhopper	80g/ 200L water	-	-	Do not enter the treated fields for at least 24 hours after application
AKTIV MULTI TRADING CO. PHILS, INC.	PYMETROZINE	PYROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	540-307-4474	27-Dec-26	-	Corn	Leafhopper, planthopper, aphids	25-30 g/ 16L water	-	-	Do not enter the treated fields for at least 24 hours after application
AKTIV MULTI TRADING CO. PHILS, INC.	PYMETROZINE	PYROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	540-307-4474	27-Dec-26	-	Rice	Brown planthopper and green leafhopper	7-16 g/ 16L water	-	-	Do not enter the treated fields for at least 24 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRACLOSTROBIN	PYROIN 250 EC	250 g/L	EC	FUNGICIDE	2	539-396-5083	13-May-26	-	Corn	Leafspot	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRACLOSTROBIN	PYROIN 250 EC	250 g/L	EC	FUNGICIDE	2	539-396-5083	13-May-26	-	Cavendish Banana	Black sigatoka and freckles	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BPMC+CHLORPYRIFOS	PYRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-

EZERTECH CORPORATION	GLYPHOSATE IPA	PYRO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
DAVAO PACKAGING CORPORATION	CHLORPYRIFOS	PYRITILINE 20 PE M/B	200 g/Kg	G	INSECTICIDE	2	523-101-3082	28-Jul-26	-	Banana	Mealy bug, thrips and scarring beetle	0.1 Kg/ha	-	-	-	
MACONDRAY PLASTIC PRODUCT, INC.	CHLORPYRIFOS	PYRITILINE 20 PE M/B	200 g/Kg	G	INSECTICIDE	2	524-101-3083	11-Aug-23		Banana	Mealy bug, thrips and scarring beetle	0.1 Kg/ha	-	-	-	
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS	PYRITILINE 20 PE M/B	200 g/Kg	G	INSECTICIDE	2	461-101-2598	28-Jul-26	-	Banana	Mealy bug, thrips and scarring beetle	0.1 Kg/ha	-	-	-	
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS	PYRITILENE 1% PE BAG		-	INSECTICIDE	-	461-101-4550	25-Mar-25	-	Banana	Mealy bug	-	-	-	-	
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS/PYRITILINE 20 PE M/B	PYRITILENE 1% PE BAG	200 g/Kg	EC	INSECTICIDE	2	461-101-4449	25-Jul-21		Banana	Mealy bug					
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS	PYRINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	_	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.	
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS	PYRINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23		Sugarcane	Whitegrubs	80-100 ml per 16L water	_	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.	
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLORPYRIFOS	PYRINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23		Pineapple	Ants, Mealybugs, White grubs and symphylids	1-4 L per hectare, 4000 L/ha spray volume, 8 L/ha (pre-plant)	0.05ppm	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L		7 days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L		7 days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L		7 days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L		7 days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L		3 Days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L		3 Days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Banana	Flower thrips	1-3 ml/L		90 days		
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043-395-5535	02-Sep-24	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L		14 days		
AGWAY CHEMICALS CORPORATION	PYRIMETHANIL	PYRAX 400 SC	400 g/L	SC	FUNGICIDE	4	075-345-4571	15-Jun-27	-	Cavendish Banana	Black sigatoka	750 mL/ha	-	0 day		Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
NAC UNITED CROP SOLUTIONS CORPORATION	PYRIMETHANIL	PYRAMID 400 SC	400 g/L	SC	FUNGICIDE	4	687-345-5457	20-May-24	-	Cavendish Banana	Black Sigatoka	750 mL /HA	-	0 day		Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
ELITE AGROCHEMICALS INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	PYNCHER ULTRA 8.5 EC	25 g/L+60 g/L	EC	HERBICIDE	3	719-453-5940	26-Jul-25	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	-	-	-	-	
ONEGRAIN MARKETING CORPORATION	PYMETROZINE	PYMETRONE 50 WG	500 g/kg	WG	INSECTICIDE	4	723-307-5929	27-Dec-23	-	Mango	Leafhopper	80 g/16L	-	-	Do no enter trated fields for at least 24 hours after application	
GNM AGRIVENTURES INC.	PYMETROZINE	PYMET 50 WG	500 g/Kg	WG	INSECTICIDE	4	577-307-4381	04-Jun-21		Mango	Mango Leafhopper	1 sachet*/200 L	_	_	Do not enter the treated fields for at least 24 hours after application	
SABERO ORGANICS PHILIPPINES ASIA INC.	PYMETROZINE	PYMECOR 50 WG	500 g/Kg	WG	INSECTICIDE	4	466-307-4934	11-Oct-25	-	Mango	leafhopper	1 Sachet/200L		No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposit have completely dried	
SABERO ORGANICS PHILIPPINES ASIA INC.	PYMETROZINE	PYMECOR 50 WG	500 g/Kg	WG	INSECTICIDE	4	466-307-4934	11-Oct-25	-	Corn	Leafhopper, planthopper, aphids	7-16 g/ 16L water	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposit have completely dried	
UPL PHILIPPINES, INC.	PYMETROZINE	PYLON 50 WG	500 g/Kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-27	-	Mango	leafhopper	80 g/200L	-	20-40 Days before harvest	Do not enter treated fields until spray deposit have completely dried	
UPL PHILIPPINES, INC.	PYMETROZINE	PYLON 50 WG	500 g/Kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-27	-	Corn	Leafhoppers, planthoppers and aphids	300 g/ha	-	20-40 Days before harvest	Do not enter treated fields until spray deposit have completely dried	
UPL PHILIPPINES, INC.	PYMETROZINE	PYLON 50 WG	500 g/Kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-27	-	Rice	Brown planthopper and green leafhopper	300 g/ha	-	20-40 Days before harvest	Do not enter treated fields until spray deposit have completely dried	
ALDIZ INCORPORATED	PYRIBENZOXIM+CYHALOFOP-BUTYL	PYANCHOR ULTRA 8.5 EC	25+60g/L	EC	HERBICIDE	3	002-453-3604	23-Feb-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10 Tbsp/16L water	0.05 ppm	Not requried due to the early timing of application	1 to 3 Days after Spraying	
ALDIZ INCORPORATED	PYRIBENZOXIM	PYANCHOR 5 EC	50 g/L	EC	HERBICIDE	4	002-387-1926	23-Feb-26	SYSTEMIC	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	50 - 60 mL	0.05 ppm	Not requried due to the early timing of application	1 to 3 Days after Spraying	
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha				
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha				
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 days		
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha		-		
ENVIREAU PACIFIC INC,	PARAFFINIC MINERAL OIL	PURESPRAY GREEN	980mL/L	-	OTHERS/INSECTICIDE	4	503-282-5248	20-Oct-26	-	Banana	Scale insects mealybugs	15-20 mL/L of water		-	-	
ENVIREAU PACIFIC INC,	PARAFFINIC MINERAL OIL	PURESPRAY GREEN	980mL/L		OTHERS/INSECTICIDE	4	503-282-5248	20-Oct-26	-	Pineapple	Scale insects mealybugs	15-20 mL/L of water	-	-	-	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Eggplant	Fruitborer	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Field legumes	Grubs	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.3-66.7 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		White potato	Nematode, grubs	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Cowpea	Beanfly, grubs, nematode, other soil insect	16.7-33.3 kg prod/ha		-	2 days	
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	478-104-3109	18-Jan-25		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha		-	2 days	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha		-	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 days	-	
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha		7 days	-	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Tobacco	Budworm, aphids	8-14 Tbsp/16 L water (200L of water/ha)		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Eggplant	Fruitborer	8-14 Tbsp/16 L water (200L of water/ha)		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Stringbeans	Aphids	8-14 Tbsp/16 L water (200L of water/ha)		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Tomato	Fruitworm	8-14 Tbsp/16 L water (200L of water/ha)		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Banana	Thrips	2.5-3.5 Tbsp/16L water		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Watermelon	Aphids, thrips	8-14 Tbsp/16 L water (200L of water/ha)		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	8-14 Tbsp/16 L water (200L of water/ha)	0.02 ppm	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMESTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-28	-	Mango	Leafhopper, Tipborers	2.5-3.5 Tbsp/16L water		Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.	
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Abaca	Aphids	2.0-3.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	

ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Banana	Scarring Beetle, Thrips	1.5-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Corn	Corn Borer, Earworm	1.0-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Cotton	Bollworm, leafhopper	1.5-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Mango	Mango Hopper	1.5-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Rice	Brown Planthopper, Green Leafhopper, Leaf Folder, White Backed Planthopper	1.0-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Onion	Thrips, cutworm	1.5-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Tobacco	Budworm, cutworm, aphids	1.5-4.0 Tbsp/16L Water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRI CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	**EC**	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	PULSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ENVIREAU PACIFIC INC,	PARAFFINIC MINERAL OIL	PS 22E	-	-	OTHERS	4	503-282-5466	12-Oct-24	-	Pineapple	Scale insect, mealybug	15 mL/ L water spray	-	-	-
ENVIREAU PACIFIC INC,	PARAFFINIC MINERAL OIL	PS 22E	-	-	OTHERS	4	503-282-5466	12-Oct-24	-	Banana	Scale insect, mealybug	15-20 mL/ L water spray			
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	1 days	Do not enter treated field in 1 day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROPICONAZOLE	PROZOL 250 EC	250 g/L	EC	FUNGICIDE	3	667-178-5211	01-Oct-26	SYSTEMIC	Banana	Black sigatoka	-	-	-	-
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Cavendish banana	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/16 L water, 135-200 mL/16 L water	0.2 mg/kg	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215 mL/16 L water, 270 mL/16 L water, 135 mL/16 L water	-	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/16 L water, 135 mL/16 L water	-	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/16 L water, 135 mL/16 L water	-	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/16 L water, 135 mL/16 L water	-	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/16 L water, 135 mL/16 L water	-	-	After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE(POST-EMERGENT)	Non-Crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16 L water	-	-	After spray deposits have dried
INDOFIL PHILIPPINES INC.	PROPICONAZOLE	PROVISO 250 EC	250 g/L	EC	FUNGICIDE	3	604-178-4856	29-Jul-25	SYSTEMIC	Banana	Sigatoka and black leaf streak	400mL/ha	-	0 days	Do not enter treated field until spray has completely dried.
INDOFIL PHILIPPINES INC.	PROPICONAZOLE	PROVISO 250 EC	250 g/L	EC	FUNGICIDE	3	604-178-4856	29-Jul-25	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	No PHI as the product is applied on seed piece dip before planning	Do not enter treated field until spray has completely dried.
ABG TRADING CORPORATION	PYRACLOSTROBIN	PROVIDENCE 25 EC	250 g/L	EC	FUNGICIDE	2	673-396-5424	29-Oct-23	-	Corn	Leaf spot	0.4 L/Ha		4 days	As soon as spray deposits have dried or at 24 hours after spraying.
ABG TRADING CORPORATION	PYRACLOSTROBIN	PROVIDENCE 25 EC	250 g/L	EC	FUNGICIDE	2	673-396-5424	29-Oct-23		Banana	Sigatoka freckles	0.4 L/Ha		4 days	As soon as spray deposits have dried or at 24 hours after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
VANN HAWK AGRO CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water		Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
VANN HAWK AGRO CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Banana	Flower thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm, loopers	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder, aphids & podborer	1.5-3.0 Tbsp/16l water		14 days	Do not treated field 1 day after application
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	_	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	_	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	_	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Celery	Early and late blight	50-65 g/ 16L water	_	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Beans	Rust	50-65 g/ 16L water	_	7 days	Immediately after spray deposits have dried

AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	3 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Coffee	Brown eye spot	65 g/16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Citrus	Black spot	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Ornamentals	Black spot, rust	35-50 g/16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Mango	Anthracnose	50-65 g/ 16L water	-	7 Days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Rice	Dirty panicle, brown leaf spot	50-65 g/ 16L water (500-1000 prod./ ha)	0.05 ppm	18 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROPINEB	PROTOCOL WP 70	700 g/Kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Banana	Sigatoka, freckle disease	2.5 kgs/ha	-	0 day	Immediately after spray deposits have dried
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
SAVEWELL AGRI-MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Asparagus	Stem and late blight	1.8 L/ ha	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	0 day	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Beans	Anthracnose and rust	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, and helminthosporium leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Celery	Late blight	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Broccoli	Powdery mildew	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Cabbage	Powdery mildew	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Cauliflower	Powdery mildew	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Cucumber	Anthracnsoe, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdey mildew, and septoria leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Melon	Anthracnsoe, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdey mildew, and septoria leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Squash	Anthracnsoe, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdey mildew, and septoria leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Watermelon	Anthracnsoe, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdey mildew, and septoria leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Eggplant	Anthracnose, early and late blight, and cercospora leaf spot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Mango	Anthracnose and diplodia rot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Onion	Bulb rot, neck rot, and purple blotch	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Ornamentals	Black rot, black spot, and powdery mildew	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Pepper	Early and late blight, bulb rot, and neck rot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Potato	Early and late blight, and vine rot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	FITRAKOL 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	26-Mar-27	-	Tomato	Early and late blight, and vine rot	4.5-6.0 tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
ZAGRO CORPORATION	TRIDEMORPH	PROTECTCIN 86 OL	860 g/L	OL	FUNGICIDE	2	043-097-4014	07-Apr-23	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			Until the spray deposit has dried.
C. B. ANDREW ASIA, INC.	POLYOXYETHYLENE SORBITAN MONOOLEATE+POLYOXYETHYLENE ALKYL ETHER	PROTEC AJ-1000	290+490 mL/L	SC	OTHERS	4	460-348-2757	28-Dec-25	-		As surfactant on GUARANTEE 10% SC (ai: Bispyribac Sodium)	-	-	-	
POLARA CHEMICAL CORPORATION	METHYLATED SEED OIL	PROSTICK	99.9g/L	-	OTHERS	4	654-447-5191	03-Sep-26	-	As an adjuvant in combination with Mancozeb	Black Sigatoka and Freckle Diseases	1.0-2.0 L/ ha	-	-	-
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted) and other crucifers	Grasses, Sedges & Broadleaves	60-100 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	50-60 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	60-100 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges & Broadleaves	40-50 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
BIOLIFE SCIENCES SOLUTIONS COMPANY	OXYTETRACYCLINE HCl	PROPLEX POWDER	991.0 g/Kg	WP	OTHERS	4	581-470-4288	04-Mar-25	-	Cavendish banana	Fruit rot	0.3-1 g product/Liter	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	OXYTETRACYCLINE HCl	PROPLEX POWDER	991.0 g/Kg	WP	OTHERS	4	581-470-4288	04-Mar-25	-	Pineapple	Bacterial heart rot	-	-	-	-
ZAGRO CORPORATION	PROPAMOCARB HYDROCHLORIDE	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610-A	16-Sep-27	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/Kg seed	-	-	-
ZAGRO CORPORATION	PROPAMOCARB HYDROCHLORIDE	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610-A	16-Sep-27	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/Kg seed			
ZAGRO CORPORATION	PROPAMOCARB HYDROCHLORIDE	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610-A	16-Sep-27	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed	-	-	-
ZAGRO CORPORATION	PROPAMOCARB HYDROCHLORIDE	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610-A	16-Sep-27	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed	-	-	-
ZAGRO CORPORATION	PROPAMOCARB HYDROCHLORIDE	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610-A	16-Sep-27	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-	-	-
EZERTECH CORPORATION	PROPICONAZOLE	PROPIZOL 250 EC	250 g/L	EC	FUNGICIDE	3	648-178-5034	03-Feb-26	SYSTEMIC	Banana	Black sigatoka	400 mL/ha	-	-	Do not enter treated fields until spray has completely dried.
EZERTECH CORPORATION	PROPICONAZOLE	PROPIZOL 250 EC	250 g/L	EC	FUNGICIDE	3	648-178-5034	03-Feb-26	SYSTEMIC	Pineapple	Butt rot and *Fusarium sp.*	8 mL/100 L	-	-	Do not enter treated fields until spray has completely dried.
ZAGRO CORPORATION	PROPICONAZOLE	PROPIZAC 25 EC	250 g/L	EC	FUNGICIDE	4	043-178-3209	16-Aug-25	SYSTEMIC	Banana	Black sigatoka	21-32 mL/16L	-	-	-
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Lettuce	Early blight, neck rot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Cucurbits	Downy mildew, late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Celery	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Beans	Rust	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Potato	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Tomato	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Tobacco	Brown leaf spot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Coffee	Brown eye spot	65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Citrus	Black spot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Melon	Downy mildew	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Watermelon	Downy mildew	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying

TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Ornamentals	Black spot, rust	35-50 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Mango	Anthracnose	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Rice	Dirty panicle, brown leaf spot	50-65 g/16L water (500-1000g product)	0.05 ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	PROPINEB	PROPITEX 70 WP	700 g/Kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-27	-	Banana	Sigatoka, freckle disease	2.5 kgs/ha	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Lettuce	Early blight, neck rot	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Cucurbits	Downy mildew, late blight	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Celery	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Beans	Rust	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Potato	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Tomato	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Tobacco	Brown leaf spot	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Coffee	Brown eye spot	65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Citrus	Black spot	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Melon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Watermelon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Asparagus	Cercospora Leaf Blight	2.5-kgs/ha			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Ornamentals	Black spot, rust	35-50 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Mango	Anthracnose	50-65 g/16L water			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000 g product/ha)			Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	PROPINEB	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23		Banana	Sigatoka, freckle disease	2.5-kgs/ha			Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPICONAZOLE	PROPICUR 25 EC	250 g/L	EC	FUNGICIDE	3	088-178-2818	09-Jun-26	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	0 Day	Do not enter treated fields until spray has completely dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPICONAZOLE	PROPICUR 25 EC	250 g/L	EC	FUNGICIDE	3	088-178-2818	09-Jun-26	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	No PHI as applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
MEGA BOOSTER AGRI TRADING CO.	PROPICONAZOLE	PROPICOTE 250 EC	250g/L	EC	FUNGICIDE	3	531-178-3439	07-Jul-18	SYSTEMIC	Banana	Black sigatoka	400mL/ha			
MEGA BOOSTER AGRI TRADING CO.	PROPICONAZOLE	PROPICOTE 250 EC	250g/L	EC	FUNGICIDE	3	531-178-3439	07-Jul-18	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L			
MIGHTY AGRICULTURAL TRADING CORPORATION	PROPICONAZOLE	PROPICON 25 EC	-	EC	FUNGICIDE	3	733-178-6046	20-Feb-25	-	Banana	Black sigatoka	400 mL prod./ hectare	-	0 day	0 day
MIGHTY AGRICULTURAL TRADING CORPORATION	PROPICONAZOLE	PROPICON 25 EC	-	EC	FUNGICIDE	3	733-178-6046	25-Apr-25	-	Pineapple	Fruitlet core rot, black rot, *fusarium spp., Phytophthora spp., Pythium spp.* , (through drone spray application)	1.0-4.0 L prod./ ha	-		
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	-
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	-	-
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	-	-
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	-	-
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	-
KEMISTAR CORPORATION	FIPRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Corn (as seed treatment)	Seedling Maggots	200-250ml/20 kg seed	-	-	-
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Corn	Cornborer, earworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-2.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/16 L sprayer			Do not enter the field within twelve (12) hours after application
DCDM MARKETING INCORPORATED	FIPRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
DCDM MARKETING INCORPORATED	FIPRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
DCDM MARKETING INCORPORATED	FIPRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
DCDM MARKETING INCORPORATED	FIPRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
DCDM MARKETING INCORPORATED	FIPRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
TAIPAN BRAND FARM INC.	PENOXSULAM+CYHALOFOP-BUTYL	PROMINENT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	529-383-4624	06-Jun-24	SELECTIVE(POST-EMERGENT)	Rice (Direct-seeded)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.Iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-	-	-	After spray deposits has dried up
TAIPAN BRAND FARM INC.	PENOXSULAM+CYHALOFOP-BUTYL	PROMINENT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	529-383-4624	06-Jun-24	SELECTIVE(POST-EMERGENT)	Rice (Transplanted)	*E. crus-galli,E.globrescens,C.difformis,I. rogosum,L. chinensis, M. vaginalis, F. miliacea,C.Iria, S.zylanica and L.octavalvis*	12tankloads/ha,6-8Tbsp/Tankloads; 15tankloads/ha,5-			After spray deposits has dried up
UPL PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-27	SYSTEMIC	Cabbage	Late blight	2-4 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-27	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-27	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-27	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-27	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-	-	-
STERIX INCORPORATED	SULFURYL FLOURIDES	PROFUME FUMIGANT	-	-	FUMIGANT	1	434-539-5338	28-Sep-27	-	Wheat	Coleopterous stored product insect pests	-	-	-	-
STERIX INCORPORATED	SULFURYL FLOURIDES	PROFUME FUMIGANT	-	-	FUMIGANT	1	434-539-5338	28-Sep-27	-	Corn	Coleopterous stored product insect pests	-	-	-	-
STERIX INCORPORATED	SULFURYL FLOURIDES	PROFUME FUMIGANT	-	-	FUMIGANT	1	434-539-5338	28-Sep-27	-	Rice	Coleopterous stored product insect pests	-	-	-	-
STERIX INCORPORATED	SULFURYL FLOURIDES	PROFUME FUMIGANT	-	-	FUMIGANT	1	434-539-5338	28-Sep-27	-	Nuts	Coleopterous stored product insect pests	-	-	-	-
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.

GNM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	01-Jul-22	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least one (1) day after application.
CROPKING CHEMICALS INC.	BUPROFEZIN	PROFESSOR 10 WP	100 g/Kg	WP	INSECTICIDE	4	065-224-3581	15-Oct-26	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	Do not spray before harvest at 7 days	Re-entry is allowed as soon as spray dries.
CROPKING CHEMICALS INC.	BUPROFEZIN	PROFESSOR 10 WP	100 g/Kg	WP	INSECTICIDE	4	065-224-3581	15-Oct-26	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L	-	Do not spray before harvest at 15 days	Re-entry is allowed as soon as spray dries.
CROPKING CHEMICALS INC.	BUPROFEZIN	PROFESSOR 10 WP	100 g/Kg	WP	INSECTICIDE	4	065-224-3581	15-Oct-26	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha	-	Do not spray before harvest at 7 days	Re-entry is allowed as soon as spray dries.
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
MARTHDAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENOFOS	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	28-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	One (1) day after each spraying
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFENOFOS	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.0-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFENOFOS	PROFECRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Beans	Beanflies, Aphids	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
PROFARM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	PROFARM NICLO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	555-229-3454	23-Jul-18	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-		
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	

PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
PROFARM CORPORATION	CARTAP HYDROCHLORIDE	PROFARM CARTAP	500 g/Kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	24 hous
HEXTAR VENTURE PHILIPPINES INC.	BENOMYL	PROCURE 50 WP	500 g/Kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	24 hous
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Cabbage and other crucifers	Diamond-back moth, cabbage worms, aphids	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Watermelon	Thrips	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	White potato	Thrips, armyworm, cutworm, tubermoth	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Beans	Corn earworm, leafminer	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	30-50 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.0-3.0 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ARIES RNE CHEMICAL CORPORATION	ACETAMIPRID	PROCROP 3EC	30g/L	EC	INSECTICIDE	3	478-329-5160	06-Feb-23		Mango	Mango Hopper	1.5-2.0 tbsp./16 L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
ARIES RNE CHEMICAL CORPORATION	ACETAMIPRID	PROCROP 3EC	30g/L	EC	INSECTICIDE	3	478-329-5160	06-Feb-23		Eggplant	leafhoppers & fruit /shoot borer	1.0-2.0 tbsp./16 L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BISPYRIBAC SODIUM	PROCLEAN 10 SC	100 g/L	SC	HERBICIDE	2	457-276-3821	23-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	09-Jul-25	CONTACT	Cabbage	Diamondback moth, cutworm, cabbage butterfly	10 grams product/16L Knapsack sprayer; 20-30 Tankloads/ha	0.03 mg/Kg	3 days	Do not enter treated areas intil spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	09-Jul-25	CONTACT	Eggplant	Fruit and shoot borer, cutworm	10 grams product/16L Knapsack sprayer; 20-30 Tankloads/ha	0.04 mg/Kg	3 days	Do not enter treated areas intil spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	09-Jul-25	CONTACT	Tomato	Fruit worm, cutworm	10 grams product/16L Knapsack sprayer; 20-30 Tankloads/ha	0.02 mg/Kg	3 days	Do not enter treated areas intil spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	09-Jul-25	CONTACT	Corn	Asiatic corn borer, cutworm, earworm, fall armyworm	25 grams product/16L Knapsack sprayer; 10-12 Tankloads/ha	0.01 mg/Kg	0 day	Do not enter treated areas intil spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	15-Jun-24	-	Corn	Fall armyworm (Knapsack spraying)	250-300 g prod./ hectare 10-12 No. of tankload / hectare	-	-	-
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	011-503-4752	12-Nov-25	-	Onion	Cutworm and armyworm	250-300 prod./ ha (in grams)	0.01 mg/Kg	1 day	-
TRANS WORLD TRADING CO., INC.	BUPROFEZIN+MIPC	PROCIN 25 WP	50+200 g/Kg	WP	INSECTICIDE	3	038-255-0590	31-Dec-27	-	Rice	Green leafhopper,Brown leafhopper	1.5-3.0 Tbsp/16 L water	Buprofezin 0.5ppm MIPC 0.5ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BUPROFEZIN+MIPC	PROCIN 25 WP	50+200 g/Kg	WP	INSECTICIDE	3	038-255-0590	31-Dec-27	-	Mango	Leafhopper	3.0-4.0 Tbsp/16 L water	_	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FIPRONIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FIPRONIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FIPRONIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FIPRONIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FIPRONIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
ARYSTA LIFESCIENCE PHILIPPINES INC.	GAMMA-CYHALOTHRIN	PRO-AXIS 15 CS	15 g/L	CS	INSECTICIDE	4	083-372-2375	19-Mar-18	CONTACT	Rice	Green leafhopper, stemborer	2-3 tbsp./16 L water	0.2ppm	-	-
ARYSTA LIFESCIENCE PHILIPPINES INC.	GAMMA-CYHALOTHRIN	PRO-AXIS 15 CS	15 g/L	CS	INSECTICIDE	4	083-372-2375	19-Mar-18	CONTACT	Mango	Mango hopper, tip hopper, twig borer	4-5 tbsp./16 L water		-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR	PRO RICE 60 EC	600 g/L	EC	HERBICIDE	4	517-150-5226	14-Dec-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR	PRO RICE 60 EC	600 g/L	EC	HERBICIDE	4	517-150-5226	14-Dec-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	-	-	-
BAYER CROPSCIENCE, INC.	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	PRIORITY MIX	750 g/L	LC	OTHERS	4	284-348-3640	11-Feb-22		-	As surfactant on PRIORITY 100 SC	0.25L/Ha			
DCDM MARKETING INCORPORATED	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	PRIORITY MIX	750 g/L	LC	OTHERS	4	467-348-3541	15-Nov-25	-	-	As surfactant on PRIORITY SC 100	10 - 30 mL/16 L water; 10 - 20 spray loads	-	-	-
BAYER CROPSCIENCE, INC.	BISPYRIBAC SODIUM	PRIORITY 100 SC	100 g/L	SC	HERBICIDE	4	284-276-3639	11-Feb-22		Rice (Direct-seeded lowland)	Grasses,sedges & broadleaves	10sprayload/ha,25-30ml/16L water; 12sprayload/ha,20.8-25ml/16L water;	0.1 ppm	-	
DCDM MARKETING INCORPORATED	BISPYRIBAC SODIUM	PRIORITY 100 SC	100 g/L	SC	HERBICIDE	4	467-276-3549	15-Nov-25	POST-EMERGENT	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
INDOFIL PHILIPPINES INC.	BUPROFEZIN+MIPC	PRIMEX 25 WP	50+200g/kg	WP	INSECTICIDE	3	604-255-4386	06-Jun-24	-	Rice	Green leafhopper,Brown leafhopper	1.5-3.0 Tbsp/16 L water	Buprofezin 0.5ppm MIPC 0.5ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	BUPROFEZIN+MIPC	PRIMEX 25 WP	50+200g/kg	WP	INSECTICIDE	3	604-255-4386	06-Jun-24	-	Mango	Leafhopper	3.0-4.0 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	PRIMESTOCKS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	623-021-4603-C	25-Sep-27	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water			After spray deposits have dried
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/Kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/Kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/Kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/Kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
DONATO C. CRUZ TRADING CORPORATION	ZINC PHOSPHIDE	PRIMERA RATAGEN	800g/kg	P	RODENTICIDE	2	587-173-4787	27-Jun-25	-	Field crops	Rats and mice	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CYHALOTHRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	27-Jun-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	7 days	Entry to field and crops teated with LEADER 5 EC is allowed as soon as spray deposits dry.
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	07-Jun-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-

DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	S87-151-4784	07-Jun-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	S87-151-4784	07-Jun-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	S87-151-4784	07-Jun-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha				
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha				
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha				
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days		
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	S87-104-4053	14-Jul-20	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-			
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	S87-053-4802	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-		As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	S87-013-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm			
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	S87-013-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water				
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	S87-013-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water				
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 TBsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphipds, thrips	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Potato	Thrips, armyworm, cutworm, tubemoth	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Stringbeans	Beanfly, leaffolder, aphids	1.0-3.0 Tbsp/16 L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 500 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275-A	19-Dec-26	CONTACT	Mango	Blossom thrips	3.0-5.0 Tbsp/ 16L water	-	14 days		Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-	

PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Crucifer (cabbage)	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One day after each spraying.	One day after each spraying.
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Banana	Black sigatoka	0.30-0.40 L prod./ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Cabbage	*Alternaria* leaf spot	0.20-0.25 L prod./ ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Eggplant	Leaf spot	0.20-0.25 L prod./ ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Mango	Anthracnose	0.528-0.880 L prod./ ha	-	14 days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Onion	Purple blotch	0.40-0.50 L prod./ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Rice	Sheath blight	0.25-0.30 L prod./ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod./ ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIFENOCONAZOLE	PRIME DIFENOCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.40 L prod./ ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Banana	Thrips, mealybug, leaf folder	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Beans	Cutworm, podborer, aphids, flea beetle	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Corn	Cornborer, earworm, aphids, silk beetle	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Cotton	Katydids, grasshopper, cutworm, mites	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Cowpea	Aphids, cutworm, grasshopper	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Mango	Hopper, tipborer	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Pineapple	Mealybug	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Rice	Rice bug, stemborer, leaf folder, whorl maggot	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	Tobacco	Budworm, aphids, armyworm, flea beetle	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2-Mar-26	-	White potato	Aphids, leaf folder, cutworm	25-35 mL prod./ 16L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	AMETRYN+ATRAZINE	PRIME AA 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	623-079-6192 (590)	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Pineapple	Annual broadleaves and grasses	50-65 g prod/ 16L water 1.5-2.0 kg prod/ ha	-	21 days	Immediately after spray deposits has dried up
PRIMESTOCKS CHEMICAL CORPORATION	AMETRYN+ATRAZINE	PRIME AA 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	623-079-6192 (590)	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Sugarcane	Annual broadleaves and grasses	65-100 g prod/ 16L water 2.0-3.0 kg prod/ ha	-	21 days	Immediately after spray deposits has dried up
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D IBE	PRIME 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-4608-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Sedges & Broadleaf weeds	3.5-6.5 Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D IBE	PRIME 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-4608-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Sedges & Broadleaf weeds	5.0-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D IBE	PRIME 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-4608-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges & Broadleaf weeds	13.0-26.0 Tbsp/16 L water	-	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D AMINE	PRIME 2,4-D AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-013-4507-A	13-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D AMINE	PRIME 2,4-D AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-013-4507-A	13-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	2,4-D AMINE	PRIME 2,4-D AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-013-4507-A	13-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	19-Dec-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
SINOCHEM CROP PROTECTION (PHILS.) INC.	NICLOSAMIDE ETHANOLAMINE SALT	PRIMALEX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	432-229-2550-A	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application

SYNGENTA PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	PRIMALEX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	011-229-2550	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 g or 1 sachet 16 L water	-	-	Do not enter the treated field within 48 hours after application
C.B. ANDREW ASIA, INC.	FOSETYL-ALUMINUM	PRIMAL 80 WP	800 g/Kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL-ALUMINUM	PRIMAL 80 WP	800 g/Kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 Tbsp/16L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL-ALUMINUM	PRIMAL 80 WP	800 g/Kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Rubber	Black strife	3-6 Tbsp/16L			
C.B. ANDREW ASIA, INC.	FOSETYL-ALUMINUM	PRIMAL 80 WP	800 g/Kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL-ALUMINUM	PRIMAL 80 WP	800 g/Kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L			
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Mango	hoppers	20-25 mL/ 100 L water	-	20 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Banana	Flower thrips,aphids,mealy bugs	0.5-1.0 mL prod./ Liter water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Watermelon	Thrips, aphids	3-4 mL/16 L water	-	-	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Citrus	Rindborer, mealybug, scale insects	1.25-2.50 mL/ 16 L water	-	14 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Cabbage	DBM, Flea beetle	2.0-2.5 mL/ 16 L water	-	28 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Sugarcane	Termites	1.5-2.5 mL/ 16 L water	-	-	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Asparagus	Thrips	3 mL/ 16 L water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Okra	Leafhopper	0.62-1.25 mL 16 L water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
BERRIS AGRICULTURAL COMPANY, INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Pineapple	Mealybugs	Dip planting materials (seed) in PRIMADORE 20 SL solution before .	-	30 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including bnana as foliar application), enter
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	7 days	
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Celery	Early and late blight	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Beans	Rust	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Coffee	Brown eye spot	65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Citrus	Black spot	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Ornamentals	Black spot, rust	35-50 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Mango	Anthracnose	50-65 g/ 16L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000g prod./ha)	0.05 ppm	18 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Banana	Sigatoka, freckle disease	2.5 kgs./ ha	-	0 da	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPINEB	PRIMACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Asparagus	Cercospora Leaf Blight	2.5 kgs./ ha		-	-
S&P ENTERPRISES INC.	PROPAMOCARB HYDROCHLORIDE	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-27	SYSTEMIC	Lettuce	Late blight	2-4 mL/Kg seed	-	-	-
S&P ENTERPRISES INC.	PROPAMOCARB HYDROCHLORIDE	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-27	SYSTEMIC	Cabbage	Late blight	2-4 mL/Kg seed	-	-	-
S&P ENTERPRISES INC.	PROPAMOCARB HYDROCHLORIDE	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-27	SYSTEMIC	Tomato (Solanaceous crops)	Late blight	10 mL/Kg seed	-	-	-
S&P ENTERPRISES INC.	PROPAMOCARB HYDROCHLORIDE	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-27	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed			
S&P ENTERPRISES INC.	PROPAMOCARB HYDROCHLORIDE	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-27	SYSTEMIC	Potato	Late blight	-	-	-	-
BAYER CROPSCIENCE, INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/Kg seed			
BAYER CROPSCIENCE, INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/Kg seed			
BAYER CROPSCIENCE, INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed			
BAYER CROPSCIENCE, INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed			
BAYER CROPSCIENCE, INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-		
TAIPAN BRAND FARM INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/Kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/Kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed			
TAIPAN BRAND FARM INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROPAMOCARB HYDROCHLORIDE	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/Kg	SP	INSECTICIDE	3	274-106-5730	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/16L	4 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Eggplant	shootborer/fruitborer. Cutworm	10- mL prod/16L	0.3 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Stringbeans	Podborer	10- mL prod/16L	0.02 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Rice	Stemborer, leaffolder (Drone application)	60 mL prod./ ha	2 ppm	45-60 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod/16L	0.60 ppm	3 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Corn	Corn borer, earworm, fall armyworm	25-30 mL/16L water	0.02 ppm	7 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Tobacco	Budworm, cutworm	25-30 mL/16L	3 ppm	7 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Sugarcane	Sugarcane borer (drench application)	1.5-2.0 g prod. / ha. At spray volume of 800 L/ ha.	0..5 mg/kg	255 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-27	-	Bittergourd	Leaffolder, cutworm	20 mL/16L	0.60 mg/kg	3 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Pineapple	White grubs (pre-plant and post-plant application)	0.075-0.150 L prod. Ha., 1.5-2.5 L prod. Ha.	-	150 days	-
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	22-Apr-25	-	Pineapple	White grubs	-	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			

FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAIL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload				
NEXCHEM CORPORATION	PRETILACHLOR	PRETILANEX 30 EC	300 g/L	EC	HERBICIDE	4	702-063-5721-A	21-Dec-26	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 Tbsp/ Tankload of 16L capacity Sprayer, 8.5-12.5 Tbsp/ Tankload of	-	-	-	
AGRI-SPROUT PHILS., INC.	PRETILACHLOR	PRETIL 30 EC	300 g/L	EC	HERBICIDE	4	668-063-5461	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	-	-	-	-	
AKTIV MULTI TRADING CO. PHILS, INC.	PRETILACHLOR	PRETACHLOR 30 EC	300 g/L	EC	HERBICIDE	4	540-063-4472	16-Apr-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbs.p./16 L water	0.05ppm	-		
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMISTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-		Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Onion	Thrips	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Tomato	Fruitworm, lady beetle	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Cucumber and other cucurbits	Aphids	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		White potato	Aphids, cutworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Sorghum	Webworm, armyworm	20-50 ml/16L water				
VERDANT LUSTERCORE CORPORATION	PHENTHOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water				
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Corn	Grasses	15-22.5 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Transplanted)	Grasses & Broadleaf weeds	7.5-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Direct-Seeded)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (lowland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Upland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Cotton	Grasses & Broadleaf weeds	15-30 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Onion (Transplanted)	Grasses & Broadleaf weeds	11.5-15.0 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Sugarcane	Grasses & Broadleaf weeds	22.5-30 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Tobacco	Grasses & Broadleaf weeds	5.0-10.0 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
LTC MORITA CORPORATION	PRETILACHLOR	PREHERB 300 EC	300 g/L	EC	HERBICIDE	4	679-063-5317	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-		
INTEGRO AGROCHEM ENTERPRISES CO.	CHLORPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24		Rice	Stemborer,armyworm,leafhopper,caseworm,planthopper,cutworm	25-35 mL per 16 Liter Water				
INTEGRO AGROCHEM ENTERPRISES CO.	CHLORPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24		Potato	Tuber moth,leafhopper, cutworm, aphids	25-35 mL per 16 Liter Water				
INTEGRO AGROCHEM ENTERPRISES CO.	CHLORPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24		Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 mL per 16 Liter Water				
INTEGRO AGROCHEM ENTERPRISES CO.	CHLORPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24		Beans	Bean fly, Leafroller, pod borer, cutworm, armyworm	25-35 mL per 16 Liter Water				
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECUR 70 WP	700 g/Kg	WP	FUNGICIDE	4	264-107-1885	24-Feb-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest	
ALDIZ INCORPORATED	PRETILACHLOR	PRECOR 300 EC	300 g/Kg	EC	HERBICIDE	4	002-063-3360	23-Feb-26	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbs.p./16 L water	0.05ppm	-		
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-		

SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-PLUS	160 g/L	SL	HERBICIDE	4	266-151-3973	28-Dec-19	POST-EMERGENT	non-crop areas	common grassy fields	-			
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIETHOFENCARB	POWMYL 25 SC	250 g/L	SC	FUNGICIDE	4	099-427-3052	18-Mar-25	SYSTEMIC	Cavendish Banana	Black Sigatoka & Freckle disease	600-800/ha Combination with banana oil and 1.5L/ha Mancozeb 600 os	-	0 Day	Entry to treated fields may be done as soon as spray mist has dried in foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIETHOFENCARB	POWMYL 25 SC	250 g/L	SC	FUNGICIDE	4	472-427-2960	18-Mar-25	SYSTEMIC	Cavendish Banana	Black Sigatoka & Freckle disease	600-800/ha Combination with banana oil and 1.5L/ha Mancozeb 600 os		0 Day	Entry to treated fields may be done as soon as spray mist has dried in foliage
COMPANIA J.M., INC.	CHLORINE DIOXIDE	POWERSAFE	-		OTHERS	2	716-586-5716	31-Dec-24	-	-	Disinfection of animal houses, pens and equipment; water line treatment or drinking water disinfection in animal facilities	-	-	-	
BIOLIFE SCIENCES SOLUTIONS COMPANY	WHITE MINERAL OIL	POWEROIL TOPAZ AGL	1000g/L	-	OTHERS	4	581-282-4956	18-Nov-22	-	Banana	Black sigatoka as adjuvant in combination with fungicide	5.0 Liter/Ha	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Ensspray, Re-entry
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Potato	Whiteflies, aphids, thrips	4.0-6.0 Tbsp/16L		7 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 Tbsp/16L		7 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Eggplant	Whiteflies, green leafhopper, aphids	4.0-6.0 Tbsp/16L		7 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4.0-13.0 Tbsp/16L		7 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	4.0-6.0 Tbsp/16L		3 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	10.16 Tbsp/16L		3 Days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Banana	Flower thrips	1-3 ml/L		90 days	
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	27-Oct-26	CONTACT/STOMACH	Rice	Stemborer, leafhopper, rice bugs	-		-	
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	284-151-4949	17-Aug-25	POST-EMERGENT	non-crop areas	common grassy fields	3-6 Liters/ha	-	-	-
MONSANTO PHILIPPINES INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	028-151-0571	25-Jul-25	POST-EMERGENT	non-crop areas	common grassy fields	3-6 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	432-151-2569	24-Mar-19	POST-EMERGENT	non-crop areas	common grassy fields				
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNDER 160	160 g/L	SL	HERBICIDE	4	043-151-1445	07-Feb-19	POST-EMERGENT	non-crop areas	common grassy fields				
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-27	POST-EMERGENCE/NON-SELECTIVE	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-			
INTERSORORA INC.	AZOXYSTROBIN	POST-PRO 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5161	10-Feb-26	POST-HARVEST	Banana	Black sigatoka and freckle diseases, as post-harvest treatment in cavendish banana (Anthracnose, crown rot, crown mold	0.6-1.6 mL/L	-	No harvest interval is necessary	-
INTERSORORA INC.	AZOXYSTROBIN	POST-PRO 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5161	10-Feb-26	POST-HARVEST	Pineapple	Butt mold	0.6-1.2 mL/L	-	No harvest interval is necessary	-
CROPKING CHEMICALS INC.	BISPYRIBAC SODIUM	POST HERB 10% SC	106.4 g/L	SC	HERBICIDE	2	065-276-2468	09-Jun-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
AGRO ADVANCED INTERNATIONAL PHILS., INC.	LIMONENE	POSFRUIT	50 g/L	-	OTHERS	4	473-534-5198	12-Oct-27	-	Cavendish Banana	Crown rot and crown mold	1.5-5.0 mL/ L	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	BENOMYL	PORTER	500 g/Kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha			
JARDINE DISTRIBUTION, INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/Kg	WP	MOLLUSCICIDE	4	367-075-0646	24-Oct-19	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/16L water			
JARDINE DISTRIBUTION, INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/Kg	WP	MOLLUSCICIDE	4	367-075-0646	24-Oct-19	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/16L water			
TAIPAN BRAND FARM INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/Kg	WP	MOLLUSCICIDE	4	529-075-3137	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/16L water	-	-	Do not enter treated field/ paddy within 48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/Kg	WP	MOLLUSCICIDE	4	529-075-3137	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/16L water	-	-	Do not enter treated field/ paddy within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	PORSNAIL 75 WP	750 g/Kg	WP	MOLLUSCICIDE	3	001-075-0509	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/16L water	-	-	Do not enter treated field/ paddy within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	PORSNAIL 75 WP	750 g/Kg	WP	MOLLUSCICIDE	3	001-075-0509	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/16L water	-	-	Do not enter treated field/ paddy within 48 hours after application
ORACLE CHEM CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	PONENTE 200OD	150 g/L+50 g/L	OD	HERBICIDE	4	417-504-6328 (590)	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500-mL-1L prod./ ha; 160-192 L/ha	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
BASF PHILIPPINES, INC.	CLOTHIANIDIN+IMIDACLOPRID	PONCHO PLUS FS 600	360+240 g/L	FS	INSECTICIDE	2	005-481-4768	28-Jun-27	SYSTEMIC	Corn (as seed treatment)	Seedling Maggots, Armyworm, Cornborer & Hoppers	4-10 mL prod./kg of seeds	0.01 mg/kg Clothianidin 0.05 mg/kg Imidacloprid	-	-

BASF PHILIPPINES, INC.	METIRAM	POLYRAM 70 DF	700 g/Kg	DF	FUNGICIDE	4	005-529-5058	19-Feb-27	-	Potato	Late blight	1-3 kg prod/ hectare at volume rate of 625-700 L/ ha	0.2mg/ kg	5-7 days	As soon as spray droplets dry
BASF PHILIPPINES, INC.	METIRAM	POLYRAM 70 DF	700 g/Kg	DF	FUNGICIDE	4	005-529-5058	19-Feb-27	-	Banana	Black sigatoka	1.0-1.5 kg/ha; 18-200 L/ha	-	0 Day	As soon as spray droplets dry
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BIFENTHRIN+BUPROFEZIN	POLYGUARD 2C	1 g/kg+20 g/kg	-	INSECTICIDE	4	755-455-5560	16-May-26	-	Banana	Flower thrips, mealybugs, and aphids	-	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	BUTACHLOR+PROPANIL	POLYGON 70 EC	350+350 g/L	EC	HERBICIDE	3	535-238-3190	04-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
PHILIPPINE FARMFIX SOLUTIONS INC.	BUTACHLOR+PROPANIL	POLYGON 70 EC	350+350 g/L	EC	HERBICIDE	3	535-238-3190	04-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BUPROFEZIN	PolyBupro	20 g/kg	-	INSECTICIDE	3	755-224-5958	15-Mar-25	-	Banana	Mealybugs and scale insects	-	-	-	-
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	SODIUM PERCARBONATE	POLSAFE PC	450 g/kg		OTHERS	2	714-584-5713	31-Dec-27	-	-	Disinfection of foothbaths, trucks/trailers in animal facilities	-	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Rice	Sheath Blight	0.28-0.30 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Mango	Anthracnose	0.528-0.88 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Stringbeans	Leaf spot	0.20-0.30 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Eggplant	Leaf spot	0.20-0.30 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Cabbage	Ringspot,alternaria	0.20-0.30 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Onion	Purple blotch	0.40-0.50 L/ ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POLISH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Banana	Black sigatoka	0.3-0.4 L/ha	-	-	-
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-2.5 Tbsp/16L sprayer	0.01ppm	3 Days	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with **POLARIS 40 SP** within twelve hours after application
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	FLUTRIAFOL	POINTER 250 SC	250 g/L	SC	FUNGICIDE	2	598-457-4172	31-Oct-26	SYSTEMIC	Banana	Black sigatoka	0.4-0.6 L product /ha	0.3ppm	Harvesting may be done on the day of application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Rice	Green leafhoppers, brown planthoppers, stemborers, whorl maggot, cutworm	20-50 mL/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Corn	Corn borer, earworm, cutworm	20-50 mL/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Sorghum	Webworm, armyworm	20-50 mL/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Soybeans and other beans	Podborer, aphids, semi-looper, leaffolder	20-50 mL/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cabbage	Diamondback moth, cabbage worm, aphids, cutworm	20-50 mL/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Crucifers	Diamondback moth, cabbage worm, aphids, cutworm	20-50 mL/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cucumber	Aphids	20-50 mL/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cucurbits	Aphids	20-50 mL/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Eggplant	Fleabeetle, mealybug	20-50 mL/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Tomato	Fruitworm, lady beetle	20-50 mL/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrip, leafworm	20-50 mL/16L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	White potato	Aphids, cutworm	20-50 mL/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 mL/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Onion	Thrips	20-50 mL/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 mL/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Mango	Mango hopper, tip borer, twig borer	125-312.5 mL/ 100L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
NAC UNITED CROP SOLUTIONS CORPORATION	PYRACLOSTROBIN	PLOVAR 250 EC	250 g/L	EC	FUNGICIDE	2	687-396-6028	1-Feb-26	-	Corn	Leaf spot	0.4 L/ha	-	4 days	After drying of spray
NAC UNITED CROP SOLUTIONS CORPORATION	PYRACLOSTROBIN	PLOVAR 250 EC	250 g/L	EC	FUNGICIDE	2	687-396-6028	1-Feb-26	-	Banana	Black Sigatoka and freckle	0.4 L/ha	-	4 days	After drying of spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-28	CONTACT	Cabbage	Diamondback moth, cabbage wormd, cutworms	16-24 ml/16L water	-	Do not spray cabbage with this product 7 days before head harvest	Entry to treated fields may be done as soon as spray solution has dried on the foliage
LEADS AGRICULTURAL PRODUCTS CORPORATION	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-28	CONTACT	Tobacco	Budworms, cutworms	16-24 ml/16L water	-	Do not spray cabbage with this product 7 days before head harvest	Entry to treated fields may be done as soon as spray solution has dried on the foliage
LEADS AGRICULTURAL PRODUCTS CORPORATION	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-28	CONTACT	Corn	Fall armyworm, corn earworm, corn borer	40-60 mL product/16Liter, 1-1.5 L product/ha			
SUMITOMO CORPORATION PHILIPPINES	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Cabbage	Diamondback moth, cabbage worm, cutworms	16-24 ml/16L water		Do not spray cabbage with this product 7 days before head harvest	Entry to treated fields may be done as soon as spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Tobacco	Budworms, cutworms	16-24 ml/16L water		Do not spray cabbage with this product 7 days before head harvest	Entry to treated fields may be done as soon as spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	PYRIDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Corn	Fall armyworm, corn earworm, corn borer	250mL, 500 mL, 1000 mL	-	-	Entry to retreated fields may be done as soon as spray solution has dried on the foliage
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
118 AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS/PLASTECH 20% M/B	PLASTECH 1% IPE	10 g/Kg	IPE	INSECTICIDE	4	535-101-4684	01-Mar-25	-	Banana	Mealybug	-	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	603-212-4485	20-Aug-21	-	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Citrus	Grasses annual and perennial broadleaves	13.0-19.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Coffee	Grasses annual and perennial broadleaves	13.0-19.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Cotton	Grasses annual and perennial broadleaves	8.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Sugarcane	Grasses annual and perennial broadleaves	6.50-13.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Pineapple	Grasses annual and perennial broadleaves	13.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DIURON	PLANTERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	031-021-6149	25-Sep-27	POST-EMERGENCE	Non-crop land	Grasses annual and perennial broadleaves	20.0-28.0 tbsp/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Mango	Anthracnsoe	1-2 Tbsp/16L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Cucurbits	Downy mildew	1-2 Tbsp/16L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Green peas (Legumes)	Powdery mildew	1-2 Tbsp/16L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Sugarcane	Pineapple disease	5-10 / 200 mL water (cane dripping)	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Banana	Diamond fruit spot, anthracnose	0.5-1 mL/L water (50-100 mL spray volume)	-	-	As soon as the spray dries
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	031-065-0452	05-Aug-21	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	031-065-0452	05-Aug-21	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	031-065-0452	05-Aug-21	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-

PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPRO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PIONEER TRADING & SUPPLY CO., INC.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	PITRADE ECO-OIL	-	-	OTHERS	4	617-282-4923	18-Jul-25	-	Banana	Black Sigatoka	5.0 Liters/ha			
RAINBOW AGROSCIENCES PHILIPPINES INC.	METALAXYL-m	PINNAXYL 480 SL	480 g/L	SL	FUNGICIDE	2	539-384-6358	15-Nov-26	-	Pineapple	Heart rot and root rot	8.33-12.50 mL prod./L water 7.02-14.04 L prod./ha applied at 4.7	0.01 ppm	156 days	-
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	554-037-3436	29-Jun-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Celery	Late blight	3-6 Tbsp/16 L water		14 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Lettuce	Downy mildew	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZEB 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
JOCANIMA CORPORATION	POLYMERIC TERPENES	PINENE II	960 g/L	EC	OTHERS	4	241-404-2352	23-Dec-26	-	Banana -as adjuvant (spreader-sticker)	Black sigatoka	100-500mL/ha	-	-	
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Lettuce	Early blight, neck rot	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Cucurbits	Downy mildew, late blight	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Celery	Early and late blight	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Beans	Rust	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Potato	Early and late blight	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Tomato	Early and late blight	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Tobacco	Brown eye spot	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Coffee	Brown eye spot	65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Citrus	Black spot	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Melon	Downy mildew	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Watermelon	Downy mildew	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Ornamentals	Black spot, rust	35-50 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Mango	Anthracnose	50-65 Product/16L (mL or g)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Rice	Dirty panicle, brown leaf spot	-	0.05 ppm	18 days	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Banana	Sigatoka, freckle disease	2.5 product/ha (Kg or L)	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPINEB	PINEB 70 WP	700 g/Kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Asparagus	Cercospora Leaf Blight	2.5 product/ha	-	The final application of PINEB 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AVIGLYCINE HYDROCHLORIDE	PINCOR 15 SP	150 g/kg	SP	OTHERS	4	535-431-4264	18-Dec-26	-	Pineapple	Natural induction flowering	2kg/ha	-	-	Re-entry to treated area may be done as soon as spray has dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	AVIGLYCINE HYDROCHLORIDE	PINCOR 15 SP	150 g/Kg	SP	PGR	4	472-431-3124	18-Dec-26	-	Pineapple	Natural induction flowering	2kg/ha	-	-	Re-entry to treated area may be done as soon as spray has dried.
MEGA BOOSTER AGRI TRADING CO.	CHLORPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
MEGA BOOSTER AGRI TRADING CO.	CHLORPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
MEGA BOOSTER AGRI TRADING CO.	CHLORPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			

MEGA BOOSTER AGRI TRADING CO.	CHLORPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
PILARQUIM PHILIPPINES CORP.	PYRACLOSTROBIN	PILARTIMA 250 EC	250 g/L	EC	FUNGICIDE	2	694-396-6163	17-May-26	-	Corn	Leaf spot	0.40 L prod/ha	-	-	After drying of spray or 24 hours after spraying
PILARQUIM PHILIPPINES CORP.	PYRACLOSTROBIN	PILARTIMA 250 EC	250 g/L	EC	FUNGICIDE	2	694-396-6163	17-May-26	-	Banana	Black sigatoka and freckles	0.40 L prod/ha	-	-	After drying of spray or 24 hours after spraying
PILARQUIM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PILARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25		Cavendish banana	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PILARQUIM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PILARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25		Rubber	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PILARQUIM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PILARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25		Oil palm	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PILARQUIM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PILARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25		Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PILARQUIM PHILIPPINES CORP.	PENOXSULAM+CYHALOFOP-BUTYL	PILARSPIRIT 60OD	50 g/L+10 g/L	OD	HERBICIDE	4	694-383-6298	9-Oct-26	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
PILARQUIM PHILIPPINES CORP.	PENOXSULAM+CYHALOFOP-BUTYL	PILARSPIRIT 60OD	50 g/L+10 g/L	OD	HERBICIDE	4	694-383-6298	9-Oct-26	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Mango	Anthracnose, diplodia rot	3.75-5.6 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Celery	Early and late blight	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Crucifers	Powdery mildew	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27		Beans	Rust, anthracnose	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Asparagus	Stem and leaf blight	1.8 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	CHLOROTHALONIL	PILARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod/ ha 4.0-6.0 mL/ 16L	-	7 Days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod/ ha 4.0-6.0 mL/ 16L	-	7 days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Eggplant	Green leafhopper, whiteflies, aphids	100-200 mL prod/ ha 4.0-6.0 mL/ 16L	-	7 Days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Bitter gourd	Leafhopper, thrips, fruitfly, cutworm	100-400 mL prod/ ha 4.0-13.0 mL/ 16L	-	7 Days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Corn	Asiatic corn borer, earworms, cutworm, leafhopper, aphids	250-400 mL prod/ ha 10.0-16.0 mL/ 16L	-	3 Days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Mango	Leafhopers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL prod/ ha 20-30 mL/ 100 L	-	3 Days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Banana	Flower thrips	1-3 mL prod/ ha 1-3 mL/ L	-	90 days	DO NOT enter treated fields for atleast 1 day after application
PILARQUIM PHILIPPINES CORP.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PILARIKA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Rice	Stemborer	100-200 mL prod/ ha 10.0-30.0 mL/ 16L	-	14 days	DO NOT enter treated fields for atleast 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried

VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PILARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-B (038)	16-Jun-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PIFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-27	SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PIFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-27	SELECTIVE (POST-EMERGENT)	Rubber	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PIFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-27	SELECTIVE (POST-EMERGENT)	Oil palm	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PIFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-27	SELECTIVE (POST-EMERGENT)	Non-crop areas	Mixed weeds, perrenial grasses and broadleaf weeds	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	TRIDEMORPH	PIDEMORPH 860 OL	860 g/L	OL	FUNGICIDE	2	617-097-4788	01-Apr-25	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha PIDEMORPH 860 OL + 0.5 L/ha Oil	-	-	Until the spray deposit has dried
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
AGRO IRIS PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	752-119-6134	16-Sep-27	SYSTEMIC	Cabbage	Late blight	2-4 mL/ kg seed	-	45-60 days after transplanting	-
AGRO IRIS PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	752-119-6134	16-Sep-27	SYSTEMIC	Lettuce	Late blight	2-4 mL/ kg seed	-	45-60 days after transplanting	-
AGRO IRIS PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	752-119-6134	16-Sep-27	SYSTEMIC	Tomato (Solanaceous crops)	Late blight	10 mL/Kg seed	-	45-60 days after transplanting	-
AGRO IRIS PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	752-119-6134	16-Sep-27	SYSTEMIC	Tobbaco	Late blight	10 mL/Kg seed	-	45-60 days after transplanting	-
AGRO IRIS PHILIPPINES, INC.	PROPAMOCARB HYDROCHLORIDE	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	752-119-6134	16-Sep-27	SYSTEMIC	Tomato	Late blight	20-40 mL/ 16L water	-	45-60 days after transplanting	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	PICDIANE 300 EC	150 g/l+150 g/L	EC	FUNGICIDE	3	752-325-6077	7-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	-	45-60 days after transplanting	-
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (581)	10-Jan-26	-	Banana	Fungal crown mold/ crown rot, antracnose, pitmark and smoky fruit	2.0-4.0 mL prod./ L water	-	0 day	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (581)	10-Jan-26	-	Pineapple	Butt and crown mold, Fruitlet core rot (FCR)	0.5-1 mL prod./ L water; 1 L prod./ hectare	-	0 day	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (581)	25-Apr-25	-	Pineapple	*Thielaviopsis paradoxa, fusarium spp., Phytophthora spp., Phytium spp.* (through drone spray application)	1.0-4.0 L prod./ ha	-	0 day	After spray deposits have dried.
PACIFIC FUMIGATION CO., INC.	ALUMINUM PHOSPHIDE	PHOSPRO	560 g/Kg	TAB/P	FUMIGANT	1	255-084-2446	03-Sep-27	CONTACT	-	Rust-red beetle, cadelle, khapra beetle, grain moth, Indian-meal moth, grain and rice weevil saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	DIURON	PHOENIX 80 WP	800 g/Kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
PHILAGROW INC.	TEBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	20-Oct-26	SYSTEMIC	Mango	Anthracnose	35-45ml/100 L water	–	22 days	Until spray has dried
PHILAGROW INC.	TEBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	20-Oct-26	SYSTEMIC	Banana	Sigatoka	0.23 L/ha	–	0 day	Until spray has dried
PHILAGROW INC.	TEBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	20-Oct-26	SYSTEMIC	Corn	Rust	25-30 ml/16 L water	–		Until spray has dried
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Onion	Thrips	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	–	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO-M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-27	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Onion	Thrips	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water		7 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water		7 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water		3 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Tomato	Fruitworm, lady beetle	20-50 ml/16L water		3 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water		7 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Cucumber and other cucurbits	Aphids	20-50 ml/16L water		3 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		White potato	Aphids, cutworm	20-50 ml/16L water		7 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water		-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application

CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Sorghum	Webworm, armyworm	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water		14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 Dosage mL/16 L Water	-	7 days	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Corn	Corn borer, corn earworm, seedling maggots	24-40 Dosage mL/16 L Water	-	14 days	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Sorghum	Webworm	24-40 Dosage mL/16 L Water	-	14 days	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Tobacco	Budworm, cutworm	24-40 Dosage mL/16 L Water	-	10 days	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Crucifers	Diamond backed- moth, cabbage worm, aphids	24-40 Dosage mL/16 L Water	-	7 days	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE+BPMC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25		Citrus	Scale insect, mealy bugs, aphid, while flies	24-40 Dosage mL/16 L Water	-	14 days	Re-entry to treated areas may be done 2 days after treatment.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Rice	Whorl maggot,green leafhoppe,brown planthopper,armyworm,rice bug	24-40 mL/16 Liters	Phenthoate-0.05 ppm	7 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Corn	Corn borer,corn earworm,seedling maggot	24-40 mL/16 Liters	-	14 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Sorghum	Webworm	24-40 mL/16 Liters	-	14 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Tobacco	Budworm,cutworm	24-40 mL/16 Liters	-	10 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Crucifers	Diamond backed-moth,cabbage worm,aphids	24-40 mL/16 Liters	-	7 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE+BPMC	PHENDAL SUPER 350 EC	250+100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Citrus	Scale insect,mealy bugs,aphid,white flies	24-40 mL/16 Liters	-	14 days	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Onion	Thrips	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorhum; 7 days on rice	Re-entry into treated areas may be done at least 2 days after application
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cotton seed	Boilworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/Kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	TRIFLUMEZOPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	014-246-4039	22-Oct-24	-	Rice	Brown planthopper (through drone spray application)	240 mL prod. / ha.	-	-	
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	TRIFLUMEZOPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	014-246-4039	19-Mar-27	-	Rice	Green leafhopper and brown planthopper	-	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	TRIFLUMEZOPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	014-462-4039	22-Oct-24	-	Mango	Hoppers	-	-	-	
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	METHOMYL	PEST-X 400 SP	400 g/Kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CYHALOTHRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Banana	Blossom thrips	4.5 per L water; 0.5 per L water	-	-	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Cabbage	Diamondback moth	1000 mL prod./ ha; 2.0 tbsp/ 16L water	0.01 ppm	7 Days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Pineapple	Mites	1000-4000 mL prod./ ha	0.01 ppm	-	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Eggplant	Thrips, leaf hopper, fruit and shoot borer	500-1500 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Onion	Leafminer, and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Potato	Leafminer, and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	0.01 ppm	14 days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Tomato	leafminer, thrips and aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Watermelon	Leafminer, thrips and melon worm	500-100 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Papaya	Mites	150-600 mL prod./ ha; 0.5-1.0 tbsp 16L water	0.01 ppm	14 days	Re-enter treated area only after spray has dried
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ABAMECTIN	PESTIMEK 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/ 16L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PESOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672-A (446)	21-Feb-28	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
AGRO TECHNOPRODUCTS INC.	BUTACHLOR+2,4-D IBE	PERSIST 60 EC	360+240 g/L	EC	HERBICIDE	3	370-152-3568	05-Oct-21	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AGRO TECHNOPRODUCTS INC.	BUTACHLOR+2,4-D IBE	PERSIST 60 EC	360+240 g/L	EC	HERBICIDE	3	370-152-3568	05-Oct-21	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SUMITOMO CORPORATION PHILIPPINES	HALOSULFORAN-METHYL	PERMIT 10 WP	100 g/Kg	WP	HERBICIDE	4	482-354-5176	18-Aug-23	SELECTIVE	Rice (Transplanted)	Broadleaf weeds and sedges	-	-	-	Entry to treated field is allowed as soon as spray deposits have dried.
SUMITOMO CORPORATION PHILIPPINES	HALOSULFORAN-METHYL	PERMIT 10 WP	100 g/Kg	WP	HERBICIDE	4	482-354-5176	18-Aug-23	SELECTIVE	Rice (Direct-Seeded)	Broadleaf weeds and sedges	-	-	-	Entry to treated field is allowed as soon as spray deposits have dried.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Mango	Anthracnose & stem-end rot	35-45ml/100 L water	_	22 days	Until spray has dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Banana	Sigatoka	0.23 L/ha	_	0 day	Until spray has dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Corn	Rust	25-30 ml/16 L water	_		Until spray has dried
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Mango	Anthracnose & stem-end rot	50-75(g/100 Liters water)	_	22 days	When spray deposits have dried
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Rice	Sheath blight	30-50 g//16 L water	0.05ppm	55 days	When spray deposits have dried
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 L water	_	7 days	When spray deposits have dried
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	PERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Potato	Early blight	25-30 g/16 L water	_	30 days	When spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Tomato	Fruitworms	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Mango	Mango hoppers	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Corn	Corn borer, earworm	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Rice	Whorl maggot, planthopper, Green leafhopper, stenbore, leafolder	1-2 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Beans	Podborer, aphids, flea beetle, beanflies	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	White Potato	Tubermoth	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Onion	Thrips	1-3 Tbsp/16L water	-	Spray at weekly interval depending on degree of infestation, Interval between last application and	One day after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 mL/16L water	0.1 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leaffolders	3-5 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 mL/16L water	0.01 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Coffee	Berrybores, leaffolder, mealybugs	2-3 mL/16L water	0.01 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Cacao	Aphids, caspid bugs	3.2-6.4 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Cotton	Aphids, leaffolder, whiteflies, mites	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BASF PHILIPPINES, INC.	DIMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-28	SELECTIVE/SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/L water. Inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water			

BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water				
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water				
BIOSTADT PHILIPPINES INC.	BPMC+CHLORPYRIFOS	PERFEK 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water				
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	71 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC(POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges & broadleaves	1.2 to 1.8 kg product/ha (applied at 14 to 21 days after planting)	-	-		As soon as spray deposits on crops and weeds have dried.
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	71 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC(POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges & broadleaves	1.8 to 3.6 kg product/ha	-	-		As soon as spray deposits on crops and weeds have dried.
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	74.7 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC(POST-EMERGENT)	Non-crop areas	Grasses, sedges & broadleaves	2.7 to 5.4 kg product/ha				As soon as spray deposits on crops and weeds have dried.
ASIAQUEST VENTURES CORPORATION	CHLORPYRIFOS	PENTENE IR 1253 1% BAG	10 g/Kg		INSECTICIDE	4	635-101-4680	01-Mar-22	-	Banana	Mealybug	-	-	-		-
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Stringbeans	Beanfly, leaffolder,leafminer aphids	1.5-3.0 Tbsp/16l water		Do not apply at less than 7 days before harvest.		Do not enter treated fields within24 hours after application.Be sure that spray deposits have dried up before entering the treated fields.
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water				As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm			As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-		As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-053-3951	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-		As soon as spray dries
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Onion	Thrips	20-50 ml/16L water		14 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	0.05 ppm	7 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water		14 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water		7 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water		3 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Tomato	Fruitworm, lady beetle	20-50 ml/16L water		3 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water		14 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water		7 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Cucumber and other cucurbits	Aphids	20-50 ml/16L water		3 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		White potato	Aphids, cutworm	20-50 ml/16L water		7 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water		-		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water		14 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Sorghum	Webworm, armyworm	20-50 ml/16L water		14 days		
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water		14 days		
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Onion	Thrips	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Tomato	Fruitworm, lady beetle	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Cucumber and other cucurbits	Aphids	20-50 ml/16L water				
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		White potato	Aphids, cutworm	20-50 ml/16L water				

ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water			
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water			
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Sorghum	Webworm, armyworm	20-50 ml/16L water			
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Onion	Thrips	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Tomato	Fruitworm, lady beetle	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Cucumber and other cucurbits	Aphids	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		White potato	Aphids, cutworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Sorghum	Webworm, armyworm	20-50 ml/16L water			
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water			
THE LICHEMPHIL INTERNATIONAL INC.	DODINE	PENALTY 400 SC	400 g/L	SC	FUNGICIDE	2	590-418-5599	12-Nov-27	-	Banana	Black Sigatoka	One (1) Liter per hectare	-	0 Day	No ground workers are allowed during the spray operation. Works can enter the treated area only after 1-2 hours of application to avoid
SYNGENTA PHILIPPINES INC.	DIAFENTHIURON	PEGASUS 500 SC	500 g/L	SC	INSECTICIDE	2	011-305-4309	28-Jun-27	CONTACT	Cabbage	Diomondback moth	2.0-2.6 Tbsp/16L knapsack sprayer	-	14 Days	Do not enter areas for 24 hours after treatment
SYNGENTA PHILIPPINES INC.	DIAFENTHIURON	PEGASUS 250 SC	250 g/L	SC	INSECTICIDE	2	011-305-0818	13-Mar-20	CONTACT	Cabbage	Diomondback moth	2.0-2.6 Tbsp/16L knapsack sprayer	-	14 Days	Do not enter areas for 24 hours after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggot	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Sorghum	Webworm	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Tobacco	Budworm, cutworm	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Crucifers	Diamond backed-moth, cabbage worm, aphids	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE+BPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Citrus	Scale insects, mealy bugs, aphids, white flies	24-40 mL 16L water	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before spraying on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Onion	Thrips	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		White potato	Aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Sorghum	Webworm, armyworm	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25		Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PYRACLOSTROBIN	PEAK 250 EC	250 g/L	EC	FUNGICIDE	2	667-396-5139	01-Jul-26	-	Corn	Leafspot	0.4 L/Ha	-	4 days	After drying of spray
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PYRACLOSTROBIN	PEAK 250 EC	250 g/L	EC	FUNGICIDE	2	667-396-5139	01-Jul-26	-	Banana	Sigatoka freckles	0.4 L/Ha	-	4 days	After drying of spray
PERFECT BREEDING AND AQUATIC CORPORATION	GLUTARALDEHYDE+ALKYLDIMETHYLBENZYLAMONIUM CHLORIDE	PBAC MICROBNIL	150g/L+100g/L		OTHERS	2	722-593-5784	31-Dec-27	-	-	Routine sanitation and disinfection of farm buildings, hatcheries and equipment	-	-	-	-
PERFECT BREEDING AND AQUATIC CORPORATION	GLUTARALDEHYDE+ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE+OCTYLDECYLDIMETHYLAMMONIUM	PBAC F4+	62.50g/L+50.00g/L +37.50g/L+18.75g/		OTHERS	2	722-592-5783	31-Dec-27	-	-	Disinfection and sanitation of farm buildings, poultry houses, hatcheries, animal transport vehicles and equipment	-	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-		Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-		Do not enter treated fields at least 1 Day after application
MISCHA AGRO INDUSTRIAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	PATTON 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	620-229-4492	24-Apr-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Tobacco	Budworm, armyworm, cutworm	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Tomato	Fruitworm (heliothis)	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Cotton	Leafhopper, bollworm , weevil	0.75-1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	_		Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20		Cacao	Podborer, aphids	1.0 Tbsp/16L water	_		Enter treated area 24 hours after each spray
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries

GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Cotton	Damping off	3-6 Tbsp/16 L water			As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
GNM AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMISTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 4G	40 g/Kg	G	INSECTICIDE	4	239-106-5509	30-Jul-27	-	Rice	Stemborer and leaffolder	-	-	In rice, last application of PATRAK 4G should be made not later than 30 days before harvest	Re- entry on the treated field can be done 2 days after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METRIBUZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5743	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METRIBUZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5744	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METRIBUZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5745	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METRIBUZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5746	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
AGRO IRIS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	PATALOR 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	752-238-6065	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	PATALOR 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	752-238-6065	19-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water			
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Tobacco	Budworm, aphids	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Eggplant	Fruitborer	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Stringbeans	Aphids	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Tomato	Fruitworm	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Watermelon	Aphids, thrips	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Rice	Whorl maggots, Green leafhopper, brown planthopper, stemborer, Leaffolder, rice bugs	2-3 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Banana	leafhopper, tipborer	1.5-2 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	ACEPHATE	PASTFAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Mango	leafhopper, tipborer	1.5-2 Tbsp/ 16L water	-	Crop sprayed with PASTFAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTFAT 750 SP can be done as soon as spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500 g/Kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Okra	Ants, leaf miner, leafhopper, aphids	-		Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
FMC AGRO PHILIPPINES INC.	CARFENTRAZONE-ETHYL	PARTNER 40 WG	400 g/Kg	WG	HERBICIDE	4	598-296-4173	30-Oct-26	POST-EMERGENT	Rice	Broadleaves and sedges	10-12 tankload/ ha	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-27	-	Mango	Plant growth regulator	1-2 tbs.p./3-5 L water	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-27	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-27	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-27	-	Cacao	Plant growth regulator	¼ tbsp./3-5 L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLORPYRIFOS	PARAULOD 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	19-Feb-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLORPYRIFOS	PARAULOD 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	19-Feb-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLORPYRIFOS	PARAULOD 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	19-Feb-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLORPYRIFOS	PARAULOD 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	19-Feb-26	-	Beans	Beanfly, leaffolder, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
UNAHCO, INC.	BUTACHLOR+PROPANIL	PARATROOPER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	612-238-6020	3-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sdeges and broadleaves	8-12 Tbsp/16 L water	-	-	-

UNAHCO, INC.	BUTACHLOR+PROPANIL	PARATROOPER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	612-238-6020	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses sdeges and broadleaves	8-12 Tbsp/16 L water	-	-	-
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Pineapple	Mealybug	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	White potato	Aphids,Leafhopper, Cutworm	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Citrus	Mites, aphids, stink bug	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Banana	Thrips, mealybug, leaffolder	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Mango	Hopper, tip borer	4.0-6.0 Tbsp/16 L		14 Days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	1 Day	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-4.0 Tbsp/16L Water	-	14 days, Stem and Mat - 0 day	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DIAZINON	PARAPEST D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	21-Jun-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated field for at least 1 day after application
UNITED AGRO TRADE CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	PARAKUHOL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	264-229-1219	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
UNITED AGRO TRADE CORPORATION	NICLOSAMIDE	PARAKUHOL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	264-229-1166	17-Nov-26		Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within 2 days after spraying.
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JEELS MASAGANA FARM SUPPLY, INC.	BENOMYL	PARAKAGAW 50 WP	500 g/Kg	WP	FUNGICIDE	4	487-167-4539	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
TEXICON AGRI VENTURES CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	PARAGON 200 OD	100 g/L+100 g/L	OD	HERBICIDE	3	242-504-5797	29-Jul-25	-	Rice	Grasses, annual broad-leaved weeds, and gramnae weeds	375 mL/ha	-	-	-
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cotton	Damping off	3-6 Tbsp/16 L water			As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries

PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/Kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	09-Jan-27	SYSTEMIC	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2610	27-Oct-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Banana	Blossom thrips	0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Cabbage	Diamond back moth	1000 mL prod/ha	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water			Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18 g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPAMOCARB HYDROCHLORIDE	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5538	16-Sep-27	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/Kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPAMOCARB HYDROCHLORIDE	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5538	16-Sep-27	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/Kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPAMOCARB HYDROCHLORIDE	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5538	16-Sep-27	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPAMOCARB HYDROCHLORIDE	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5538	16-Sep-27	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed			
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPAMOCARB HYDROCHLORIDE	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5538	16-Sep-27	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-	-	-
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARIES RNE CHEMICAL CORPORATION	BUTACHLOR	PANDAY 60 EC	600 g/L	EC	HERBICIDE	4	478-150-3108	18-Jan-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT)-9Tbsp+7Tbsp	0.1 ppm		
ARIES RNE CHEMICAL CORPORATION	BUTACHLOR	PANDAY 60 EC	600 g/L	EC	HERBICIDE	4	478-150-3108	18-Jan-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS), 7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm		
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	2-5 tbsp/ 16L water		One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Corn	Earworm, silkworm, aphids, grasshopper	3-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Pineapple	Mealy bug	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Pepper	Aphids, cutworm, fruitworm	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Garlic	Cutworm	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Onion	Cutworm	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Tobacco	Aphids, katyidid	3-6 Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Tomato	Lady beetle	3-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Eggplant	Aphids, fruitworm	3-5 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-27	-	Sorghum	Web worm	3 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.

AGRO IRIS PHILIPPINES, INC.	BUPROFEZIN	PALORIDE 250 SC	250 g/L	SC	INSECTICIDE	3	752-224-6133	23-Dec-25	-	Mango	Leafhopper	60-80 mL/ 200L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as spray dries up.
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50 g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	NICLOSAMIDE ETHANOLAMINE SALT	PAKSIAT 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	470-229-3724	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm or 1 sachet(per 16 L of water)	-	-	Do not re-enter the field within two (2) days after spraying
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
GINTONG ANI TRADING OPC	CYPERMETHRIN	PAKAT 5 EC	50 g/L	EC	INSECTICIDE	4	471-037-6829	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+2,4-D IBE	PAKAMOT 60 EC	360+240 g/L	EC	HERBICIDE	3	487-152-2797	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+2,4-D IBE	PAKAMOT 60 EC	360+240 g/L	EC	HERBICIDE	3	487-152-2797	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Lettuce	Early and late blight, Neck rot	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Onion	Downy mildew, anthracnose, purple blotch	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Cucurbits	Downy mildew, late blight	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Celery	Early and late blight	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Beans	Rust	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Potato	Early and late blight	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Tomato	Early and late blight	–	-	3 days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Tobacco	Brown leaf spot	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Coffee	Brown eye spot	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Citrus	Black spot	–	-	7 Days	Immediately after spray deposits have dried

JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Melon	Downy mildew	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Watermelon	Downy mildew	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Ornamentals	Black spot, rust	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Mango	Anthracnose	–	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Rice	Dirty panicle, brown leaf spot	–	-	18 days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Banana	Sigatoka, freckle disease	–	-	0 day	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROPINEB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Asparagus	*Cercospora Leaf Blight*	–	-	7 Days	Immediately after spray deposits have dried
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/ 16L	-	7 Days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/ 16L	-	7 Days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Bittergourd	Leafhoppers, thrips, aphids	100-200 mL/ha; 4-13 mL/16L	-	7 Days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Mango	Leafhoppers, tiploreres	12-24 mL/200L	-	3 Days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha; 10-16 mL/16L	-	3 Days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Banana	Flower thrips	1-3 mL/L	-	90 days	-
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Rice	Stemborer, leafhopper, rice bugs	100-300 mL/ha; 10-30 mL/16L	-	14 days	-
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CARTAP HYDROCHLORIDE	PADIM 50 SP	500 g/Kg	SP	INSECTICIDE	3	233-106-1515	12-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.20 ppm	Stop spraying 10 days before harvest	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	–	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	3.00 ppm	10 days	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	–	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	–	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	3.00 ppm	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	0.10 ppm	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	3.00 ppm	–	–
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	–	–	–
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	472-106-2589	18-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 4G	40 g/Kg	G	INSECTICIDE	4	472-106-2588	18-May-25	SYSTEMIC	Rice	Stemborer and leaffolder	(15 to 22.5 kg PADAN 4G/Ha) into 3 to 5 cm paddy water depth at 5 to 15	0.2ppm	In rice, last application of PADAN 4G should be made not later than 30 days before harvest	Entry to PADAN 4G treated fields can be made 2 days after application
KEMISTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Mango	Plant growth regulator	1-2 tbs.p./3-5 L water	-	-	-
KEMISTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
KEMISTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Calamansi	Plant growth regulator	1-2 tbs.p./3-5 L water	-	-	-
KEMISTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Cocoa	Plant growth regulator	¼ tbsp./3-5 L water	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Mango	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Banana	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Coffee	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Cacao	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Rubber	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Oil palm	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Citrus	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Coconut	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Sugarcane	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Vegetables	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Glyphosate-tolerant corn under minimum or reduced	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-27	POST-EMERGENT	Non-crop areas	Annal & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338-A	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Mango	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Cocoa	Plant growth regulator	¼ tbsp./3-5 L water			
AGWAY CHEMICALS CORPORATION	BUTACHLOR	PACKER	600 g/L	EC	HERBICIDE	4	075-150-4074 (460)	18-Apr-27	PRE-EMERGENT	Rice (Direct-Seeded)	Annual grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	-
AGWAY CHEMICALS CORPORATION	BUTACHLOR	PACKER	600 g/L	EC	HERBICIDE	4	075-150-4074 (460)	18-Apr-27	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	9tbsp(2-4DBS), 7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-	-
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	248-053-2454	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
CULTIVA INCORPORATED	OXYFLUORFEN	OXYPRIME 24 EC	-	EC	HERBICIDE	4	201-123-5727	31-May-25	-	Onion	Broadleaves, sedges and grasses	4-8 tbsp/16 L water; 2-4tbsp/16 L water	-	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
BIOSTADT PHILIPPINES INC.	OXYFLUORFEN	OXYGOLD 24 EC	240 g/L	EC	HERBICIDE	4	097-123-4908	28-Sep-22	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water			Immediately after spray deposits have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	SODIUM PERCARBONATE	OXYGARD-POWDER	85g/kg	-	OTHERS	3	581-459-3988	14-Feb-20	-	Banana	use as tool disinfectant, foot & wheel bath /dip for the control of moko disease(Ralstonia solanacearum) & fusarium wilt(fusarium	10-30 gm prod/L water			
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE+ACETIC ACID	OXYGARD-PAA	50 g/L+220 g/L+100 g/L	-	OTHERS	2	581-493-4575	19-Nov-25	-	Banana	As disinfectant for the control of crown rot and crown mold	-	-	0 day	After spray deposits have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE+ACETIC ACID	OXYGARD-PAA	50 g/L+220 g/L+100 g/L	-	OTHERS	2	581-493-4575	19-Nov-25	-	Pineapple	Crown and butt molds, bacterial heart rot and fruitlet core rot	-	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE	OXYGARD-LIQUID	350g/L	-	OTHERS	2	581-464-4089	14-Aug-23	-	Cavendish Banana	Moko disease or Fusarium wilt	20-30 ml oxygard-liquid/L of water			
BERRIS AGRICULTURAL COMPANY, INC.	OXYFLUORFEN	OXYBULB 24 EC	240 g/L	EC	HERBICIDE	4	233-123-2090	31-May-25	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
BERRIS AGRICULTURAL COMPANY, INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-27	-	Onion (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm./16 L water	-	-	No restriction but do not walk through treated soil surface at least 3-5 days after application to prevent disturbance of the herbicide barrier
BERRIS AGRICULTURAL COMPANY, INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-27	-	Rice (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	50-60 gm./16 L water	-	-	No restriction but do not walk through treated soil surface at least 3-5 days after application to prevent disturbance of the herbicide barrier
BERRIS AGRICULTURAL COMPANY, INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-27	-	Rice (Dry-Seeded)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm./16 L water	-	-	No restriction but do not walk through treated soil surface at least 3-5 days after application to prevent disturbance of the herbicide barrier
BERRIS AGRICULTURAL COMPANY, INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-27	-	Rice (Direct Seeded Pre-Germinated)	Annual Grasses Sedges Broad-leaf Weeds	40-50 gm./16 L water	-	-	No restriction but do not walk through treated soil surface at least 3-5 days after application to prevent disturbance of the herbicide barrier
TRANS WORLD TRADING CO., INC.	OXYFLUORFEN	OXIGOLD 24 EC	240 g/L	EC	HERBICIDE	4	038-123-4060-A	20-Aug-27	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Entry to treated field is allowed as soon as spray deposits
TEXICON AGRI VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24		Onion (Transplanted)	Grasses, Sedges & Broadleaves	60-100 gm./16 L water			
TEXICON AGRI VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24		Rice (Transplanted)	Grasses, Sedges & Broadleaves	50-60 gm./16 L water			
TEXICON AGRI VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24		Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	60-100 gm./16 L water			
TEXICON AGRI VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24		Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges & Broadleaves	40-50 gm./16 L water			
AGSMART CORPORATION	OXADIAZON	OXAKIL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	(Direct-seeded) (Pre-germinated) rice	Grasses, sedges and broadleaves	1-1.5 L product/Ha	–	–	Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by trodding on the
AGSMART CORPORATION	OXADIAZON	OXAKIL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	Transplanted rice	Grasses, sedges and broadleaves	1-1.5 L product/Ha	–	–	Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by trodding on the
AGSMART CORPORATION	OXADIAZON	OXAKIL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	[Dry-seeded] (Upland) rice	Grasses, sedges and broadleaves	2-3 L product/Ha	–	–	Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by trodding on the
AGSMART CORPORATION	OXADIAZON	OXAKIL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	Transplanted onion	Grasses, sedges and broadleaves	2-3 L product/Ha	–	–	Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by trodding on the
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	OXAMYL	OX 240 SL	240 g/L	SL	INSECTICIDE	1	088-172-4054	15-Aug-19	SYSTEMIC	Banana	Nematodes	10 mL/mat	-	Apply as long as pest threatens	Do not enter treated field within 12 hours after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Cabbage	Diamondback moth, cabbage worm, loopers, and aphids	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Crucifers	Diamondback moth, cabbage worm, loopers, and aphids	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Mango	Blossom thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application

METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Stringbeans	Beanfly, leaffolder, aphids, podborer	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVILEP 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Watermelon	Blossom thrips	3-5 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fileds for at least 1 day after application
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L water	0.01ppm	3 Days	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOEPABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
AGRI-SPROUT PHILS., INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Application of OVER-ALL 50 SP should be stopped 10 days before harvest	Entry to fields sprayed with OVER-ALL 50 SP is allowed 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	Re-entry is allowed as soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L	-	Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	Re-entry is allowed as soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha	-	Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	Re-entry is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	0.80 ppm	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	After spray deposits have dried up
SURE CROP SCIENCE AGRIVENTURES, INC.	BUTACHLOR+PROPANIL	OUTRAGE 70 EC	350+350 g/L	EC	HERBICIDE	3	640-238-4719	19-Mar-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
SURE CROP SCIENCE AGRIVENTURES, INC.	BUTACHLOR+PROPANIL	OUTRAGE 70 EC	350+350 g/L	EC	HERBICIDE	3	640-238-4719	19-Mar-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ORACLE CHEM CORPORATION	METALDEHYDE	OUST 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ORACLE CHEM CORPORATION	METALDEHYDE	OUST 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ORACLE CHEM CORPORATION	METALDEHYDE	OUST 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ORACLE CHEM CORPORATION	METALDEHYDE	OUST 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-27	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ORACLE CHEM CORPORATION	METALDEHYDE	OUST 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
MIGHTY AGRICULTURAL TRADING CORPORATION	OXYTETRACYCLINE HCl	OTC 90 WP	-	WP	OTHERS	4	733-470-5880	4-Mar-25	-	Cavendish banana	Fruit rot and control of *Erwinia carotovora*	-	-	30 days	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	OXYTETRACYCLINE HCl	OTC 90 WP	-	WP	OTHERS	4	733-470-5880	4-Mar-25	-	Pineapple	Bacterial heart rot	-	-	30 days	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g/16 water	-	16 days after the last spray	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.5-5.0 g/16 water	-	–	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.5-5.0 g/16 water	-	–	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice	2.5-5.0 g/16 water	2 mg/kg	–	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Coconut	Scale insects	5g/Tree (Trunk Injection)	1.0ppm	0 day after injection	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	DINOTEFURAN	OSHIN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Mango	Mango leaf hoppper	1.0-2.0 16L spray water	1ppm		As soon as the spray solution has dried on the foliage.
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORP.	NOVALURON	LARVAIDER 100 EC	100 g/L	EC	INSECTICIDE	4	676-349-5257	07-Mar-25	-	Housely maggots in animal farms		16 mL prod./ 16-L water at spray volume of 250-300 mL per m2 area.	-	-	
MONARCH AGRICULTURAL PRODUCTS, INC.	BISPYRIBAC SODIUM	OSCAR 10 SC	100 g/L	SC	HERBICIDE	2	096-276-3474	01-Apr-22	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ISIDORE AGROCHEMICALS, INC.	BISPYRIBAC SODIUM	ORYZA 10 SC	105.5 g/L	SC	HERBICIDE	4	576-276-4685	21-May-24	POST-EMERGENCE	Rice (Direct-seeded)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload, 20-25ml/16Lwater;	0.1 ppm		As soon as the spray droplets have dried.
ISIDORE AGROCHEMICALS, INC.	BISPYRIBAC SODIUM	ORYZA 10 SC	105.5 g/L	SC	HERBICIDE	4	576-276-4685	21-May-24	POST-EMERGENCE	Rice (Transplanted)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload, 20-25ml/16Lwater;	0.1 ppm		As soon as the spray droplets have dried.
TRANS WORLD TRADING CO., INC.	FENPYROXIMATE	ORTUS 5 SC	50 g/L	SC	MITICIDE	4	038-359-1235	26-Mar-27	-	Pineapple	Pineapple Mites	1.6-2.4 Tbsp/16L water	1.0 ppm	Do not spray within 30 days before harvest	Do not enter the field within 2 Days after spraying
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/16L water	Azoxystrobin-0.01 Difenoconazole-0.01	28 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Mango	Anthracnose scab stem and rot	150-200mL/200L	Azoxystrobin-0.2 Difenoconazole-0.07	14 Days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Onion	Anthracnose	2.0-3.5 Tbsp/16L water	Azoxystrobin-0.01 Difenoconazole-0.01	12 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Potato	Late blight	2.0-2.5 Tbsp/16L water	Azoxystrobin-0.05 Difenoconazole-0.01	14 Days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Rice	Rice blast sheath blight	2.5-5.0 Tbsp/16L water	Azoxystrobin-0.6 Difenoconazole-0.4	30 Days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Tomato	Early blight and late blight	400-500 mL product per hectare	Azoxystrobin-0.3 mg/Kg; Difenoconazole-0.3 mg/Kg	0 day	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Cabbage	Leaf s pots	300-500 mL product per hectare	Azoxystrobin-0.01 mg/Kg; Difenoconazole-0.01 mg/Kg	14 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25	-	Rice	Dirty panicle (knapsack spray application)	250-500 mL pdt/ ha 25-50 mL prod./ 16L tankload at spray	0.05 mg/kg Azoxystrobin 0.01 mg/kg Difenoconazole	30 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Banana	Thrips	1.5-2 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried

TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	06-Apr-27	-	Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water	-	Crop sprayed with **ORTHENE 75 SP** can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Tobacco	Budworm, aphids	2-3 Tbsp/16 L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Eggplant	Fruitborer	2-3 Tbsp/16 L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Stringbeans	Aphids	2-3 Tbsp/16 L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Tomato	Fruitworm	2-3 Tbsp/16 L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Banana	Leafhopper, Tipborer	1.5-2 Tbsp/16L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Watermelon	Aphids, thrips	2-3 Tbsp/16 L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16 L water	0.02 ppm	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750 g/Kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Mango	Hoppers, tipborers	15-2 tbsp/ 16L water	-	Crops sprayed with **ORTAIN 75 SP** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **ORTAIN 75 SP** can be done as soon
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Tobacco	Budworm, aphids	2-3 Tbsp/16 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Eggplant	Fruitborer	2-3 Tbsp/16 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Stringbeans	Aphids	2-3 Tbsp/16 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Tomato	Fruitworm	2-3 Tbsp/16 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Banana	Leafhopper, Tipborer	1.5-2 Tbsp/16L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Watermelon	Aphids, thrips	2-3 Tbsp/16 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16 L water	0.02 ppm	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
COROMANDEL CROP PROTECTION PHILIPPINES INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-27	-	Mango	Leafhopper and tip borer	1.5-2 Tbsp/16L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Ornamentals	Black spot, block rot, powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Mango	Antracnose, diplodia rot	4.5-6.0 Tbsp/16L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Eggplant	Early and late bligth, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Celery	Early and late bligth	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Tomato	Early blight, blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Banana	Black sigatoka	1.38L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORIUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Banana	Sigatoka	0.23L/ha	-	0 day	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORIUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORIUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	Do not enter fields until spray has completely dried
BASF PHILIPPINES, INC.	EPOXICONAZOLE	OPUS 12.5 SC	125 g/L	SC	FUNGICIDE	3	005-369-4703	15-Dec-27	SYSTEMIC	Banana	Black sigatoka	0.3-0.8 L prod. / ha. ; 30 L/ hectare Volume rate	-	0 day	As soon as spray droplets dries
MIGHTY AGRICULTURAL TRADING CORPORATION	MILBEMECTIN	OPTIMITE 1% EC	10 g/L	EC	INSECTICIDE	2	733-482-6126	27-Apr-25	-	Pineapple	Mites	1-3 L prod. / hectare	-	7 Days	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	MILBEMECTIN	OPTIMITE 1% EC	10 g/L	EC	INSECTICIDE	2	733-482-6126	6-Jul-24	-	Papaya	Mites	1.0-3.0 L prod/ ha	-	0 day	After spray deposits have dried
BASF PHILIPPINES, INC.	EPOXICONAZOLE	OPAL 7.5 EC	75 g/L	EC	FUNGICIDE	2	005-369-1499	04-Jan-27	SYSTEMIC	Banana	Sigatoka	1.0-1.3 L/HA	-	0 Day	24 hours after spraying
BASF PHILIPPINES, INC.	EPOXICONAZOLE	OPAL 7.5 EC	75 g/L	EC	FUNGICIDE	2	005-369-1499	04-Jan-27	SYSTEMIC	Rice	Sheath blight caused by *Rhizoctonia solani*	0.5 Liter product/ha at volume rate of 200 liters/ha	-	0 Day	24 hours after spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Legumes	Aphids, beantly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Grapes	Beetles, cut worm, leafhopper, mealybug, scale insects, spider mites	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Pineapple	Mealybug	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Garlic	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Onion	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Tobacco	Aphids, katydid	3.0-6.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Tomato	Lady beetle	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-27	-	Sorghum	Web worm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	BUTACHLOR+PROPANIL	ONEGRAIN COMBINE 700EC	350 g/L+350 g/L	EC	HERBICIDE	3	723-238-6438	26-Jan-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
ONEGRAIN MARKETING CORPORATION	BUTACHLOR+PROPANIL	ONEGRAIN COMBINE 700EC	350 g/L+350 g/L	EC	HERBICIDE	3	723-238-6438	26-Jan-27	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE 80WP	800 g/kg	WP	HERBICIDE	4	723-065-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Corn	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE 80WP	800 g/kg	WP	HERBICIDE	4	723-065-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Sorghum	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE 80WP	800 g/kg	WP	HERBICIDE	4	723-065-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	2,4-D IBE	ONEGRAIN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-26	POST-EMERGENCE	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one (1)day after spraying.
ONEGRAIN MARKETING CORPORATION	2,4-D IBE	ONEGRAIN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-26	POST-EMERGENCE	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one (1)day after spraying.
ONEGRAIN MARKETING CORPORATION	2,4-D IBE	ONEGRAIN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-26	POST-EMERGENCE	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one (1)day after spraying.
ONEGRAIN MARKETING CORPORATION	2,4-D AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-013-5813	31-Dec-26	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-013-5813	31-Dec-26	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-013-5813	31-Dec-26	POST-EMERGENT	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up

AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
S&P ENTERPRISES INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
S&P ENTERPRISES INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
S&P ENTERPRISES INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Banana	Flower thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
CROPEVO PHILIPPINES,INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMTRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Corn	Hemiminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L		Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
MSD ANIMAL HEALTH (PHILS.), INC.	GLUTARALDEHYDE+BENZYL-C12-18-ALKYLDIMETHYL CHLORIDE)	OMNICIDE			OTHERS	2	706-569-5560	22-Mar-25	-	-	Disinfection of surfaces, water systems and in all animal housing for poultry, swine and ruminants	-	-	-	-
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	OMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (590)	07-Jul-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses,perennial grasses & broadleaf weeds	215,270,135ml/16 L water	-	-	After spray deposits have dried

EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	OMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (590)	07-Jul-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses,perennial grasses & broadleaf weeds	160, 135ml/16 L water	-	-	After spray deposits have dried
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	OMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (590)	07-Jul-26	NON-SELECTIVE(POST-EMERGENT)	non-crop agricultural areas	Annual grasses,perennial grasses & broadleaf weeds	160, 215ml/16 L water	-	-	After spray deposits have dried
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	OMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (590)	07-Jul-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses,perennial grasses & broadleaf weeds	160,135-200ml/16L water	0.2 mg/kg	-	After spray deposits have dried
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	598-300-4169	30-Oct-26	-	Banana	Fungal crown mold/crown rot, Anthracnose, pitmark, and smoky fruit	2.0 ml/L or g/L	5.0 mg/kg	0 day	
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	598-300-4169	30-Oct-26	-	Pineapple	Butt & crown mold, Fruit core rot	200-400 ppm ai, 1L product /ha	2.0 mg/kg	0 day	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	598-300-4169	30-Oct-26		Mango	Anthracnose, scab	50 mL prod./ 200 L water; Spray volume 20-30 L per tree	7 mg/kg	0 day	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	598-300-4169	18-Apr-24	-	Pineapple	Heart rot	2-4 L prod/ hectare 2000-4000 L/ ha	-	-	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA 45 EC	450 g/L	EC	FUNGICIDE	2	598-300-4168	30-Oct-26	-	Banana	Fungal crown/crown rot	-	5.0 mg/kg	-	-
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Cotton	Damping off	3-6 Tbsp/16 L water	_	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	14 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	OMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_	At least 48 hours after application
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	OFFENZA 4% GRANULES	40 g/ kg	-	INSECTICIDE	4	367-106-5694	30-Jul-27	-	Rice	Stemborer and leaffolder	-	-	For rice, last application of OFFENZA 4% GRANULES should be made n ot later than 30 days before harvest	Re-entry on the treated field can be done 2 days after application
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFCIDE 15 EC	150 g/L	EC	HERBICIDE	4	723-212-5809	17-Sep-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Cucurbits	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BPMC+CHLORPYRIFOS	ODIN PRO 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	226-174-5467	27-Dec-24		Legumes	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Coffee	Berry borer	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Cacao	Pod borer, apids, capsid bug	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Citrus	Rind borer	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Soybeans	Pod borer, beanfly, leaf miner, aphids	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Corn	Corn borer, corn earworm, armyworm	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/Kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-27	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Enter treated areas immediately after spray has dried
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	MALATHION	OCC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Banana	Thrips, mealybug, and leaf folder	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Beans	Cutworm, pod borer, aphids, and flea beetle	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Corn	Corn borer, earworm, aphids, and silk beetle	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Cotton	Katydids, grasshopper, cutworm, mites	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Cowpea	Aphids, cutworm, and grasshopper	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Mango	Hopper and tip borer	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Pineapple	Mealybug	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Rice	Planthopper, rice bug, stem borer, leaffolder, and whorl maggot	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Tobacco	Budworm, aphids, armyworm, and flea beetle	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	White potato	Aphids, leaffolder, cutworm	25-35 mL prod./ 16L water	-	Do not spray within 14 days before harvest	Soon as solution dries up
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying

ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	417-106-2601-A	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Banana	Blossom thrips	4.5 per L water 0.5 per L water	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Cabbage	Diamondback moth	1000 mL prod/ha 2.0 tbsp/16 L water	-	7 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Ornamentals	Mites	10-15 mL/16 L water 1.0-1.5 tbsp/16 L water	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod/ha	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Eggplant	Thrips, leaf hopper, fruit and shoot borer	500-1500 mL/ prod/ha 2.0-5.0 tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Onion	Leafminer and thrips	500-100 mL/ prod/ha 2.0-3.0 tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Potato	Leafminer and thrips	500-100 mL/ prod/ha 2.0-3.0 tbsp/16 L water	-	14 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	500-100 mL/ prod/ha 2.0-3.0 tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Watermelon	Leafminer, thrips and melon worm	500-1000 mL prod/ha;500-1500 mL prod/ha	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Papaya	Mites	150-600 mL prod/ha 2.0-5.0 tbsp/16 L water	-	14 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (S90)	28-Mar-26	-	Strawberry	Mites	600-1200 mL prod/ha 2.0-4.0 tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-049-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-049-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-049-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-26.0 Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Mango	Cecid fly	750-1000 mL/ha	-	15 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Onion	Leaf miner, thrips	500-700 mL/ha 20-30 mL/16L water	-	7 Days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Potato	Whitefly, aphids, leafminer	500-700 mL/ha 20-30 mL/16L water	-	7 Days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Tomato	Leaf miner, whitefly, mites, thrips	500-700 mL/ha 20-30 mL/16L water	-	14 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Watermelon	Whitefly, aphids, leafminer	500-700 mL/ha 20-30 mL/16L water	-	7 Days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBERON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Eggplant	Whitefly, leaf miner, mites	500-700 mL/ha 20-30 mL/16L water	-	3 Days	After spray deposits have dried.
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Glyphosate tolerant corn	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Mango	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Banana	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Coffee	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Cacao	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Rubber	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Oil palm	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Citrus	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Coconut	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Sugarcane	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		Vegetables	Brodaleaf weeds & sedges				
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21		non-crop	Brodaleaf weeds & sedges				
FARM EDGE AGRO TRADING CORPORATION	HYDROTREATED LIGHT, HEAVY PARAFFINIC AND NAPTHENIC OIL	NYFLEX 3013			FUNGICIDE	3	618-546-5465	17-Jun-22	-	Banana	Black Sigatoka	5 L prod. / ha.	-	Follow the label recommendation of the fungicides to be used.	Enter the treated field when the spray deposits have dried up.
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYDREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18		Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYDREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18		Banana	Banana ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYDREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18		Mango	Mango ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYDREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18		Coffee	Coffee ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	02-Sep-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Stop spraying 10 days before harvest	
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up

DU PONT FAR EAST, INC.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25g/L	EC	INSECTICIDE	2	014-239-4294	19-Mar-21	_	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	_	_	_	
DU PONT FAR EAST, INC.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25g/L	EC	INSECTICIDE	2	014-239-4294	19-Mar-21	_	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	_	_	_	
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25 g/L	EC	INSECTICIDE	2	013-239-0517	31-Dec-21		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-	
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25 g/L	EC	INSECTICIDE	2	013-239-0517	31-Dec-21		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	-	-	
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25 g/L	EC	INSECTICIDE	2	367-239-1467	24-Oct-20		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water				
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	NURELLE	250+25 g/L	EC	INSECTICIDE	2	367-239-1467	24-Oct-20		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water				
FULL GREEN AGRO CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NUNCHUCKS 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	475-229-3558	21-Sep-18	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water				
LEADS AGRICULTURAL PRODUCTS CORPORATION	DI-1-P-MENTHENE	NUFILM-P	904 g/L	EC	OTHERS	4	099-365-2399	18-Jun-27	-	Banana (as spreader sticker extender agent for use in	Black sigatoka	400-600mL/ha	-	up to normal pesticide cut-off time as sticker/spreader. Do not use the extender rate within 30 days before	-	
ENASIA AGRO VENTURES, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	NUEVO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	770-504-6246	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-			Re-entry to treated field is allowed as soon as spray deposits dry up.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Mango	Hoppers	20-25ml/100 L water	_	20 days		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Banana	Flower thrips, aphids, mealy bugs	0.5ml.prod/liter water,0.5-1.5 ml prod/liter water	_	-		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Watermelon	Thrips, aphids	3-4 ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Citrus	Rindborer, mealybug, scale insects	1.25-2.50ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Cabbage	DBM, Flea beetle	2.0-2.5ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Sugarcane	Termites	1.5-2.5ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Asparagus	Thrips	3 ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Okra	Leafhopper	0.62-1.25ml/16 L water	_	_		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21		Pineapple	Mealybug	before planting at the rate of 0.85 liter prod.in 568 liters of water 2-3 months	_	20 days		No re-entry within 48 hours after spray.Appropriate warning signs should be in place before and after spraying.
AVC CHEMICAL CORPORATION	PRETILACHLOR	NUDAMU 500 EC	500 g/L	EC	HERBICIDE	4	060-063-5325	25-Jan-27	PRE-EMERGENT	Rice (Transplanted)	Grasses, sedges, and broadleaves weeds	1.0-1.5L product/ha	0.05ppm	-		Enter the field as soon as the spray dries up
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Jan-27	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water				
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS GLYPHOSATE 160 SL	160 g/L	SC	HERBICIDE	4	470-151-3045	19-Feb-26	POST-EMERGENT	Non-crop areas	Common grassy fields	24-48 Tbsp/16L	-	-		-
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries

NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-053-3628-A	03-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	QUIZALOFOP-P-ETHYL	NOWEED 100 EC	100 g/L	EC	HERBICIDE	4	535-317-4628	21-Jan-22	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water	-	-	As soon as the spray mist dries up.
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
ARMORY AGRO CHEMICALS COMPANY	FLUAZIFOP-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYHALOFOP-BUTYL+FLORPYRAUXIFEN BENZYL	NOVLECT 120 Neo EC	100 g/L+20 g/L	EC	FUNGICIDE	4	737-547-5493	25-Mar-27	POST-EMERGENT	Rice (Direct-Seeded)	Grass sedges and broadleaf weeds	85-105 mL prod./ 16-L tank load; 12 No. of tank loads / ha.	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYHALOFOP-BUTYL+FLORPYRAUXIFEN BENZYL	NOVLECT 120 Neo EC	100 g/L+20 g/L	EC	FUNGICIDE	4	737-547-5493	25-Mar-27	POST-EMERGENT	Rice (Transplanted)	Grass sedges and broadleaf weeds	12.5 mL prod./ 16L tank laod; 12 No. of tank loads / ha.	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYHALOFOP-BUTYL+FLORPYRAUXIFEN BENZYL	NOVLECT 120 Neo EC	20+100 g/L	EC	HERBICIDE	4	014-547-5682	01-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, Sedges, Broad-leaf Weeds	85-105 mL prod./ 16-L tank load; 12 No. of tank loads / ha.	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYHALOFOP-BUTYL+FLORPYRAUXIFEN BENZYL	NOVLECT 120 Neo EC	20+100 g/L	EC	HERBICIDE	4	014-547-5682	01-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	12.5 mL prod./ 16L tank laod; 12 No. of tank loads / ha.	-	-	-
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Rice	Bacterial Leaf Streak, Bacterial Leaf Blight, Cercospora Leaf Spot	2-3 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Cabbage	Black Rot, Leaf Spot, Downy Mildew	1.5-2 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Cacao	Pod Rot	2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Carrot	Leaf Blight	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Celery	Leaf Spot, Leaf Blight	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Citrus	Canker, Scab	2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Coffee	Coffee Rust, Berry Diseases	2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Cucumber	Downy mildew	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Mango	Anthracnose	1.0-1.5 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Onion	Purple Blotch	1.5 Scoops/16 L water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Potato	Late Blight	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Snap Beans	Anthracnose, Rust	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Tomato	Early Blight	1.5-2.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/Kg	WG	FUNGICIDE	4	087-249-3232	10-Nov-25	-	Banana	Black Sigatoka	1.0-3.0 Scoops/16 L of water		Harvesting can be done even a day after application,as long as the spray has already dried.	Do not enter treated area without protective clothing until spray have dried.The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Rice	Bacterial Leaf Streak, Bacterial Leaf Blight, Cercospora Leaf Spot	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cabbage	Black Rot, Leaf Spot, Downy Mildew	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cacao	Pod Rot	1-2 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Carrot	Leaf Blight	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Celery	Leaf Spot, Leaf Blight	2-3 Tbsp/16 L of water		No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Citrus	Canker, Scab	1-2 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Coffee	Coffee Rust, Berry Disease	1-2 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cucumber	Downy mildew	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Mango	Anthracnose	1-1.5 Tbsp /16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Onion	Purple Blotch	1-2 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Potato	Late Blight	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Snap Beans	Anthracnose, Rust	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/Kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Tomato	Early Blight	2-3 Tbsp/16 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
EZERTECH CORPORATION	FOSTHIAZATE	NO-NEMA 10 GR	100 g/kg	GR	NEMATICIDE	2	648-347-6243	8-Aug-26	-	Banana	Burrowing nematode *(Radopholus similis)*	10-g prod/ mat 10-g prod./ha	-	0 day	-
BAYER CROPSCIENCE, INC.	BISPYRIBAC SODIUM	NOMINEE ONE	100 g/L	OF	HERBICIDE	2	284-276-2053	20-Nov-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
BAYER CROPSCIENCE, INC.	BISPYRIBAC SODIUM	NOMINEE 100 SC	105.5 g/L	SC	HERBICIDE	4	284-276-0735	28-Oct-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	NOMINEE 100 SC	105.5 g/L	SC	HERBICIDE	4	529-276-6106	28-Oct-26	-	Rice (Direct-Seeded (lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROPSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/Kg	WP	HERBICIDE	4	284-085-0221	28-Oct-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage

EVERLAND AGRI CORPORATION	BISPYRIBAC SODIUM	NOMESS SC 100	105.5 g/L	SC	HERBICIDE	4	261-276-2273	02-Jun-18	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (malanol)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	-
EVERLAND AGRI CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	NOMESS PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	261-504-6208	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL-1 L prod/ hectare using a spray volume of 160-192 L water per	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
JYNNSONS PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	NOMAD 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	551-229-4007	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after applicatiion
LTC MORITA CORPORATION	BUTACHLOR+PROPANIL	NOLANA 70 EC	350+350 g/L	EC	HERBICIDE	3	679-238-5688	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
LTC MORITA CORPORATION	BUTACHLOR+PROPANIL	NOLANA 70 EC	350+350 g/L	EC	HERBICIDE	3	679-238-5688	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
FLAGLEAF AGRI PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	NOBLE 60 EC	360+240 g/L	EC	HERBICIDE	3	564-152-3678	31-Mar-22	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	NOBLE 60 EC	360+240 g/L	EC	HERBICIDE	3	564-152-3678	31-Mar-22	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Ornamentals	Blackspot, black rot, powdery	4.5-6.0 Tbsp		7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Cucurbits	Powdery mildew, downy mildew, cescospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Crucifers	Powdery m	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-27	-	Asparagus	Stem and leaf blight	1.00 L/Ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	TRIDEMORPH	NIXXIN 86 OL	860 g/L	OL	FUNGICIDE	2	261-097-2139	14-Jun-20	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			
CULTIVA INCORPORATED	NICLOSAMIDE ETHANOLAMINE SALT	NIX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	201-229-2044	16-Jun-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			48 hours after spraying
TRANS WORLD TRADING CO., INC.	HEXYTHIAZOX	NISSORUN 5 EC	50 g/L	EC	MITICIDE	3	038-271-0667	31-Dec-25	-	Papaya	Spider Mites	3-5.5 Tbsp/16L water	-	-	-
IAGRI CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NIQLO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	534-229-3327	07-Oct-17	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
SABERO ORGANICS PHILIPPINES ASIA INC.	BUPROFEZIN	NINJA 25 SC	250 g/L	SC	INSECTICIDE	3	466-224-5018	20-Jan-26	-	Mango	Leafhoppers	60.80 ML/200 L water	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries.
SABERO ORGANICS PHILIPPINES ASIA INC.	BUPROFEZIN	NINJA 25 SC	250 g/L	SC	INSECTICIDE	3	466-224-5018	20-Jan-26	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 mL prod./ L water	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries.
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Beans	Downly mildew, powdery mildew	3.5-7.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Ornamentals	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Pepper	Downly mildew, powdery mildew	6.0-7.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Potato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Tomato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Eggplant	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water			
SAVEWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/Kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18		Cotton	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water			
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	08-Mar-25	-	Rice	Black bugs, leaf hoppers	4.0-8.0 tbsp/ 16L water; 160 L/ ha			
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	08-Mar-25	-	Mango	Mango Hopper	4.0-8.0 tbsp/ 16L water; 2000 L/ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	02-Feb-22	-	Corn	Fall armyworm	3 Liters product per hectare			
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	29-Nov-27	-	Cabbage	Diamondback moth, cabbage worm and aphids	40-80 mL prod. / 16 L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	29-Nov-27	-	Eggplant	Fruit and shoot borer, aphids, leafhopper, thrips	60-80 mL prod./ 16 L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	AZADIRACHTIN	NIMBICIDINE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	29-Nov-27	-	Banana	Mealy bugs	1.0-3.0 Tbsp/16 L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSTOP 70 WP	700g/kg	WP	MOLLUSCICIDE	4	590-229-4342	23-Apr-27	CONTACT	Rice	Golden apple snail	35 g(1 pouch)/16 L water	–	–	–
TOTAL FARM CARE AGRI PRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSTAR 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	533-229-3486	17-Jun-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm)/Tankload (16 liters)	-	-	At least 48 hours after application
NEXCHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSANEX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	702-229-5673-B	21-Feb-28	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams or 1 sachet ; 10 sprayer load / heactare	-	-	Do not enter the treated field with 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOS M PLUS 70 WP	700g/kg	WP	MOLLUSCICIDE	4	099-229-4697 (B)	23-Apr-27	CONTACT	Rice	Golden apple snail	35gm (one sachet) per 16 liters water	-	-	At least 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOS M	500 g/Kg	WP	MOLLUSCICIDE	4	099-229-0893	10-Jun-20	CONTACT	Rice	Golden Snail	50gm (One Sachet) /16L water	-	-	48 hours
VAST AGRO SOLUTIONS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOMAX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	385-229-2808-C	21-Feb-28	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
PHILAGROW INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOCIDE 70 WP	700g/kg	WP	MOLLUSCICIDE	4	372-229-1806	02-Feb-27	CONTACT	Rice	Golden apple snail	35g or 1 sachet	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–

TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	GEORGE GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	09-Jan-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS 5 EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Direct Seeded Pre-Germinated)	Grasses and broadleaves	1-1.5 L prod./ hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Dry-Seeded)	Grasses and broadleaves	2-3 L prod./ hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Transplanted)	Grasses and broadleaves	1-1.5 L prod./ hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Onion (Transplanted)	Grasses and broadleaves	2-3 L prod./ hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Cabbage and other crucifers	Grasses and broadleaves	3-4 L prod./ hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itch grass, goose grass, sour paspalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual and perennial grass weeds	-	-	-	-
NEXCHEM CORPORATION	ZINC PHOSPHIDE	NEXCHEM ZINC PHOSPHIDE	800 g/Kg	-	RODENTICIDE	2	702-173-5619	27-Jun-25	-	Agricultural field	Rodents	-	-	-	-
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Fruit trees	Aphids, mealu bugs, scale insects	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Corn	Earthworm, silkworm, aphids, grasshoppers	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Garlic	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Onion	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613-A	12-Nov-27	-	Sorghum	Web worm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	NEXCHEM FIESTA 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	702-325-6373	7-Jun-26	SYSTEMIC	Rice	Sheath blight	mL prod./ha= 250 mL prod / 16L= 25 mL	-	-	-
NEXCHEM CORPORATION	CLOTHIANIDIN	NEXCHEM BINGO 20 SC	200 g/L	SC	INSECTICIDE	4	702-379-6345	8-Jun-26	-	Rice	Rice black bug	40-50 mL/ sprayload	-	-	-
NEXCHEM CORPORATION	2,4-D IBE	NEXCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	702-049-5618	21-Feb-27	POST-EMERGENT	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D IBE	NEXCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	702-049-5618	21-Feb-27	POST-EMERGENT	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D IBE	NEXCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	702-049-5618	21-Feb-27	POST-EMERGENT	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-013-5674-A	24-Sep-27	-	Rice (Transplanted)	Post-emergent broadleaves and cyperaceous weeds	3.5-6.5 tbsp/16L water	-	Do nor spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying.
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-013-5674-A	24-Sep-27	-	Corn	Post-emergent broadleaves and cyperaceous weeds	5.0-8.5 tbsp/16L water	-	Do nor spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying.
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-013-5674-A	24-Sep-27	-	Sugarcane	Post-emergent broadleaves and cyperaceous weeds	13.0-25.0 tbsp/16L water	-	Do nor spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying.
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha		-	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCONAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	02-Aug-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha		7 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application

BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Beans	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	LINURON	NEURON 50 SC	500 g/Kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	0.2 mg/kg	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL COMPANY, INC.	GLUFOSINATE AMMONIUM	NEUHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	215,270,135ml/16 L water		-	
BERRIS AGRICULTURAL COMPANY, INC.	GLUFOSINATE AMMONIUM	NEUHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	160, 135ml/16 L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLUFOSINATE AMMONIUM	NEUHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds	160-215ml/16 L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLUFOSINATE AMMONIUM	NEUHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	160,135-200ml/16L water	0.2 mg/kg	-	-
ASIA GOLD TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NET 70 WP	700g/kg	WP	MOLLUSCICIDE	4	266-229-1270	23-Apr-27	CONTACT	Rice	Golden apple snail	35gm (one sachet) per 16 liters water	-	-	Do not enter the treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	NICLOSAMIDE	NET 25 EC	250 g/L	EC	MOLLUSCICIDE	4	266-229-1271	18-Oct-26	-	Rice	Golden apple snail	7-10; 10-14 Tbsp/16L Water	-	-	Entry to field and crops treated with NET 250 EC can be done 48 hours after spraying
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-	3 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-	3 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	14 Days	Do not enter treated fields at least 1 Day after application
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Banana	Black sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	Harvest can be done on the application day	As soon as sprayed leaves/plant parts dries up
ORACLE CHEM CORPORATION	BISPYRIBAC SODIUM	NEMESIS 10 SC	100 g/L	SC	HERBICIDE	2	417-276-5192	08-Nov-27	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
AVC CHEMICAL CORPORATION	FOSTHIAZATE	NEMATHORIN 10G	107.5 g/Kg	G	NEMATICIDE	2	060-347-1120	15-Feb-25	-	Banana	Burrowing of nematode (Radopholus Similis)	10g per mat or 20 kg per ha.	-	-	-
AVC CHEMICAL CORPORATION	FOSTHIAZATE	NEMATHORIN 10G	107.5 g/Kg	G	NEMATICIDE	2	060-347-1120	15-Feb-25	-	Potato	Cyst nematode (Globedera spp.)	20kg per hectare	0.03 ppm	-	-
AGWAY CHEMICALS CORPORATION	METAM SODIUM	NEMASOL 510 SL	-	SL	OTHERS	-	075-561-5600	12-Nov-22		Banana	*Fusarium oxysporum f.sp cubense*	1,500-3,000 L prod./ ha.	-	-	-
JOCANIMA CORPORATION	FENAMIPHOS	NEMACUR 400 EC	400 g/L	EC	INSECTICIDE	1	241-017-2878	14-Oct-23	SYSTEMIC	Pineapple	Nematodes	7.0 Liters/ha			
JOCANIMA CORPORATION	FENAMIPHOS	NEMACUR 10 G	100 g/Kg	G	OTHERS	1	241-017-2877	11-Jan-22	SYSTEMIC	Banana	Nematodes	25-30g nemacur 10 G/mat		0 day	7 days
BIOSTADT PHILIPPINES INC.	FLUSULFAMIDE	NEBIJIN 0.3 DP	3 g/Kg	DP	FUNGICIDE	4	097-445-3275	24-Mar-26	-	Cabbage	Clubroot caused by Plasmodiophora brassicae	200-300 kg product/ha	0.05ppm	-	-
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	03-Nov-26	CONTACT	Cabbage	Diamond-back moth	8-13 ml product/16 Li		1 day	Do not enter treated field 12 hours after spraying

EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	03-Nov-26	CONTACT	Bittergourd	Leaffolder/cutworm	8-10 ml product/16 Li	-	1 day	Do not enter treated field 12 hours after spraying
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	03-Nov-26	CONTACT	Stringbeans	Podborer	6-10 ml product/16 Li	-	1 day	Do not enter treated field 12 hours after spraying
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	03-Nov-26	CONTACT	Eggplant	Fruit and Shoot borer	8-13 ml product/16 Li	-	1 day	Do not enter treated field 12 hours after spraying
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	AZADIRACHTIN	NATURE'S DEFENSE NEEM OIL CONCENTRATE	-	-	INSECTICIDE/FUNGICIDE	-	686-513-5428	05-May-24	-	Banana	Scale insects, mealybugs, aphids, sigatoka	3-5 mL prod./ L water, 0.6-1 L prod./ ha, 2-4 L/ ha			-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Mango	Anthracnose	40-80 g prod /100 L water		30 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Bittergourd	Powdery mildew and downy mildew	6-8 g/16 L water	0.008-Tebuconazole 0.01-Trifloxystrobin	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	0.008-Tebuconazole 0.01-Trifloxystrobin	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16 L water	0.008-Tebuconazole 0.01-Trifloxystrobin	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	Tebuconazole-0.09 Trifloxystrobin-0.08	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Corn	Corn rust, Helminthosporium leaf spot	4-8 g/16L water	Tebuconazole-0.09 Trifloxystrobin-0.08	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	Tebuconazole-0.15 mg/kg Trifloxystrobin-0.067 mg/kg	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	Tebuconazole-1.01 mg/kg Trifloxystrobin-0.02 mg/kg	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Cabbage	Alternaria leaf spot	100-200 gms product/ha	Tebuconazole-0.01 mg/kg Trifloxystrobin-0.05 mg/kg	3 days	As soon as spray deposits dries up.
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Chili (pepper)	Cercospora leaf spot	150-200 gms prod./ ha	Tebuconazole 1.2 mg/kg Trifloxystrobin-0.267 mg/kg	7 days	As soon a spray deposits have dried . Store in a cool , dry place away from foods and feeds, and reach of children.
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Rice (Knapsack)	Rice blast, sheath blight and brown leafspot (drone application)	150 g prod./ hectare through drone application ; 20 L prod./ ha	-	-	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500+250 g/Kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Rice (drone application)	Sheath blight	120-160 g prod. / hectare through drone application applied at 30 50 and			
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CYHALOTHRIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MAGAN AGRO PHILS. ENTERPRISE INC.	BISPYRIBAC SODIUM	NARKIS 10 SC	100 g/L	SC	HERBICIDE	4	461-276-3996	09-Mar-26	POST-EMERGENT	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		As soon as spray deposits have dried
UPL PHILIPPINES, INC.	DIFENOCONAZOLE	NARITA 250 EC	250g/L	EC	FUNGICIDE	4	562-272-4789	15-Jun-27	SYSTEMIC	Banana	Black Sigatoka	75-100g ai/ha (0.3-0.4 Liters of product/ha) as an oil-water emulsion	-	-	-
INTERSORORA INC.	PYRACLOSTROBIN	NANDRO 25 EC	250 g/L	EC	FUNGICIDE	2	664-396-5849	9-Sep-25	SYSTEMIC	Corn	Leafspot	0.4 L prod./ ha		4 days	After drying of spray or 24 hours after spraying
INTERSORORA INC.	PYRACLOSTROBIN	NANDRO 25 EC	250 g/L	EC	FUNGICIDE	2	664-396-5849	9-Sep-25	SYSTEMIC	Banana	Sigatoka freckles	0.4 L prod./ ha	-	4 days	After drying of spray or 24 hours after spraying
118 AGRICULTURAL CORPORATION	CLOTHIANIDIN	NAKSU 20SC	200 g/L	SC	INSECTICIDE	4	776-379-6359	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L	-	-	-
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CYHALOTHRIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	29-Jul-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	SETHOXYDIM	NABU-S 11.1 EC	111 g/L	EC	HERBICIDE	4	038-277-0681	31-Dec-25	-	Onion	Volunteer rice, barnyard grass, jungle rice, crowfoot grass, goose grass , goose grass & red sprangleton	4-5 Tbsp/16L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
TRANS WORLD TRADING CO., INC.	SETHOXYDIM	NABU-S 11.1 EC	111 g/L	EC	HERBICIDE	4	038-277-0681	31-Dec-25	-	Rice	Barnyard rice & Jungle rice	7-10.5 Tbsp/16L water	0.2ppm	-	Entry to treated field is allowed as soon as spray deposits have dried
TRANS WORLD TRADING CO., INC.	SETHOXYDIM	NABU-S 11.1 EC	111 g/L	EC	HERBICIDE	4	038-277-0681	31-Dec-25	-	Pineapple	Grass weeds (Eleusine indica, digitaria setigera, Pospolum conjugatum, Rottboellia exaltata, Ischaemum rugosum)	0.938-03.75 L pdt/ ha	1 mg/kg (Japan MRL)	Not applicable (Last applications is before forcing)	Entry to treated field is allowed as soon as spray deposits have dried
JOCANIMA CORPORATION	BEAUVERIA BASSIANA STRAIN GHA	MYCOTROL ES	113 g/L	ES	INSECTICIDE	4	241-380-1670	23-May-25	-	Banana	Aphids and Mealybugs	2-3 and 6-8 mL/ L water	-	-	-
GIRASOL AGRICHEM INC.	BENZALKONIUM CHLORIDE+GLUTARALDEHYDE	MYCOCARE	100 g/L+200 g/L		OTHERS	2	665-508-5028	27-Jan-23	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) & fusarium wilt	10-30 mL/L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	NICLOSAMIDE ETHANOLAMINE SALT	MUSTLER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	597-229-5295	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Re-enter fields at least 48 hours after application
R & A AGROFARM PRODUCTS, INC.	BUTACHLOR+PROPANIL	MUSTANG 70 EC	350+350 g/L	EC	HERBICIDE	3	450-238-2611	02-Jul-16	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	
R & A AGROFARM PRODUCTS, INC.	BUTACHLOR+PROPANIL	MUSTANG 70 EC	350+350 g/L	EC	HERBICIDE	3	450-238-2611	02-Jul-16	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	
BIOLIFE SCIENCES SOLUTIONS COMPANY	GLUTARAL	MUSAGARD-FORTE	100g/L+200 g/L	-	OTHERS	2	581-508-4781	14-May-25	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) & fusarium wilt	-	-	-	-
ELANCO PHILIPPINES, INC.	POTASSIUM PEROXYMONOSULPHATE+SODIUM DICHLOROISOCYANURATE	MUSAFIX	500g/kg+50g/kg	-	OTHERS	4	678-467-5277	18-Nov-23	-	Banana	Farm operation as a tool disinfectant to control Moko and Panama disease	Moko(20grams of product/L of water) Panama(5.0-7.5 grams of product/L of	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	DIMETHOMORPH	MUSACURE 80 WP	800 g/Kg	WP	FUNGICIDE	2	581-264-5365	08-Mar-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	1.0-2.5 L/ha			
CHEMI-SOURCE UNLIMITED CORPORATION	DIMETHOMORPH	MUSACURE 48 SC	480 g/L	SC	FUNGICIDE	2	674-254-5386	19-Oct-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	0.5-1.5 L/ha	-	-	After drying of spray or 24 hours after spraying
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	As soon as the spray dries
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	495-106-2823	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application

DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
DCDM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
INDOFIL PHILIPPINES INC.	CYMOXANIL+MANCOZEB	MOXIMATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Potato	Late Blight	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
INDOFIL PHILIPPINES INC.	CYMOXANIL+MANCOZEB	MOXIMATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Tomato	Late Blight	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
INDOFIL PHILIPPINES INC.	CYMOXANIL+MANCOZEB	MOXIMATE 505 WP	40+465g/Kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Grapes	Downy mildew	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA+2,4-D AMINE	MOWER ULTRA 514 SL	485.3g/L+28.70g/L	SL	HERBICIDE	4	099-505-4759	24-Jun-26	POST-EMERGENT	Glyphosate tolerant corn	Perennial grasses, broadleaves and sedges	2.0-4.0 L prod. Ha	-	-	Entry to fields and crops treated with MOWER ULTRA can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Glyphosate tolerant-corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Vegetables (under minimum or reduced tillage system)	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOWER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363(B)	04-Feb-25	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BAYER CROPSCIENCE, INC.	SPIROTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE/ NEMATICIDE	4	284-419-2801	28-Dec-25		Banana	Flower thrips	3.3-4.17 mL prod./1Liter of water (80mL solution/bud)	0.3 ppm	77 days	Treated areas may be re-entered immediately after bud injection
BAYER CROPSCIENCE, INC.	SPIROTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE/ NEMATICIDE	4	284-419-2801	28-Dec-25		Banana	Mealy bugs, scale insects, aphids, corn weevil (stem and mat spray)	2-3 mL prod./ L water	-	77 days	Treated areas may be re-entered immediately after bud injection
BAYER CROPSCIENCE, INC.	SPIROTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE/ NEMATICIDE	4	284-419-2801	28-Dec-25		Pineapple	Mealybugs, scale insects, white grubs, mites and nematodes	0.45-1.20 Liters product/ha	0.3 ppm	120 days	Treated areas may be re-entered immediately after bud injection
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids & thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Potato	Thrips, armyworm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Cotton	Thrips, bollworms, budworms	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
PLANTIMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-27	STOMACH/CONTACT	Stringbeans	Beanfly, leaffolder, aphids	1.5-3 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application.
TRANS WORLD TRADING CO., INC.	ACETAMIPRID	MOSPILAN 3 EC	30 g/L	EC	INSECTICIDE	3	038-329-0973-A	23-Nov-27	-	Mango	Mango Hopper	1.5-2.0 tbsp./16 L	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	ACETAMIPRID	MOSPILAN 3 EC	30 g/L	EC	INSECTICIDE	3	038-329-0973-A	23-Nov-27	-	Eggplant	leafhoppers & fruit /shoot borer	2.0 tbsp./16 L	5 ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	DIMETHOMORPH	MORPHUS 50 WP	500 g/Kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	White potato	Late blight	5-10 g/ 16L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 3 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DIMETHOMORPH	MORPHUS 50 WP	500 g/Kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Tomato	Late blight	60 g/ 16L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 3 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DIMETHOMORPH	MORPHUS 50 WP	500 g/Kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Pineapple	Root rot and heart rot	30 g/ 16L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 3 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DIMETHOMORPH	MORPHUS 50 WP	500 g/Kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Papaya	Phytophthora rot	4-8 g/L	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 3 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
GREAT HARVEST AGRICHEMICALS CORPORATION	TRIDEMORPH	MORPHOLIX OL	860 g/L	OL	FUNGICIDE	2	541-097-4560	15-Nov-21	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	0 day	Until the spray deposit has dried
ENVIRO CROPVET PRODUCTS INC.	TRIDEMORPH	MORPHOLIX 86 OL	860 g/L	OL	FUNGICIDE	2	282-097-6199	13-Aug-24	CONTACT (SYSTEMIC)	Banana	Black sigatoka	0.5 L/ha MORPHOLIX 86 OL + 5.0 L/ha	-	0 day	Until the spray deposit has dried
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RADISSON AGROCHEMICAL CORPORATION	BPMC+CHLORPYRIFOS	MOREDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	BENZALKONIUM CHLORIDE	MORBUSHIELD	80 g/L	-	OTHERS	2	639-097-4709	18-Mar-22	-	Banana	As tool disinfectant, foot bath, tire bath, or wheel bath for the control of Moko disease or bacterial wilt (*ralstonia solanacearum*)	10-30 mL/L water	-	-	-
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	As soon as the last spray has dried
CAVILLA AGRI VENTURES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	MONSTER 70 WP	700g/kg	WP	MOLLUSCICIDE	4	636-229-4690	06-Mar-22	CONTACT	Rice	Golden apple snail	35 grams or 1 sachet product/ sprayload (16 Liters)	-	-	Do not enter the treated field within 48 hours after application
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-

ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L water	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Potato	Early and late blight	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Celery	Late blight	3-6 Tbsp/16L water		14 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Cotton	Damping off	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Chili	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Papaya	Fruit rot	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Soybeans	Leaf rust	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-	As soon as spray dries
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Rice	Rice bug, stemborer, leaffolder, whorl maggot	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Beans	Cutworm, podborer, aphids, flea beetle	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Pineapple	Mealybug	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	White potato	Aphids, leaffolder, cutworm	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Banana	Thrips, mealybug, leaffolder	2.5-3.5 tbsp/16L water	-	-	-
MONARC AGRICULTURAL PRODUCTS, INC.	DIAZINON	MONARCH DIAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Mango	Hopper, Tipborer	2.5-3.5 tbsp/16L water	-	-	-
MONSANTO PHILIPPINES INC.	CRY1A.105 AND CRY2AB2	MON 89034 (YIELD GARD 2)	-		INSECTICIDE	-	PIP-02-03-04	25-Oct-21	-	Corn	Asian Corn borer (*Ostrinia Furnacalis Guenee*), Common cutworm (*Spodoptera litura*), Earworm (*Helicoverpa armigera*)	-	-	-	-

MONSANTO PHILIPPINES INC.	CRY1A.105 AND CRY2AB2	MON 89034 (YIELD GARD 2)	-	-	INSECTICIDE	-	PIP-02-03-04	25-Oct-21	-	Corn as Plant-Incorporated Protectant (PIP)-Insecticide	Fall armyworm (*Spodoptera Frugiperda*)	-	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLUXIDE PELLETS	600 g/Kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLUXIDE PELLETS	600 g/Kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLUXIDE PELLETS	600 g/Kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLUXIDE PELLETS	600 g/Kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLUXIDE PELLETS	600 g/Kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
TRANS WORLD TRADING CO., INC.	NICLOSAMIDE ETHANOLAMINE SALT	MOLUXIDE 70 WP *	700 g/Kg	WP	MOLLUSCICIDE	4	038-229-1455-A	23-Dec-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm or 1 sachet/16 L water	-	-	Do not enter the treated field within 48 hours after application
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	MOLUXIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	239-229-3833	02-Dec-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
TRANS WORLD TRADING CO., INC.	NICLOSAMIDE	MOLUXIDE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	038-229-0864	15-Mar-19		Rice	Golden apple snail	7-10 Tbsp/16L water			
GOLDENMAN MARKETING CORPORATION	BISPYRIBAC SODIUM	MOLOTOV 10 SC	100 g/L	SC	HERBICIDE	2	400-276-5252	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLOC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 Days	-
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leaffolder, whorl maggot	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Beans	Cutworm, Podborer, aphids, flea beetle	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	White potato	Aphids, leaffolder, cutworm	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Banana	Thrips, mealy bug, leaf roller	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DIAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Mango	Mango hopper, tip borer, aphids, stemborer, pidermites, thrips	2.5-3.5 Tbsp/ 16 L	-	14 Days	Soon as spray has dried
DCDM MARKETING INCORPORATED	BUTACHLOR+PROPANIL	MODELSTAR 70 EC	350+350 g/L	EC	HERBICIDE	3	467-238-2539	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		As soon as the spray mist dries up
DCDM MARKETING INCORPORATED	BUTACHLOR+PROPANIL	MODELSTAR 70 EC	350+350 g/L	EC	HERBICIDE	3	467-238-2539	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCDM MARKETING INCORPORATED	CYPERMETHRIN	MODEL 5 EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MT. KALATUNGAN AGRI-VENTURES, INC.	CHLOROTHALONIL	MKAV12 daconil 720 SC		SC	FUNGICIDE	4	746-118-5985	9-Jan-26	-	Banana	Black sigatoka				
MT. KITANGLAD AGRI-VENTURES, INC.	CHLOROTHALONIL	MKAV11 daconil 720 SC	-	SC	FUNGICIDE	4	744-118-5983	9-Jan-26	-	Banana	Black sigatoka				
MITPLAS TECHNOLOGY ENTERPRISES	CHLORPYRIFOS	MITPLAS TREATED BAGS	-	-	INSECTICIDE	2	601-101-4802	24-Nov-20		Banana	Mealybugs	-			
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-013-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-013-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-013-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	PROCHLORAZ	MIRAGE 45 EC	450 g/L	EC	FUNGICIDE	2	461-300-4800	27-May-22	-	Banana	Fungal crown/crown rot	2 ml/L	5.0 mg/kg	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water			
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-

SYNGENTA PHILIPPINES INC.	VipAa20	MIR162	-	-	OTHERS	-	PIP-01-01-01	25-Oct-24	-	Corn	Fall armyworm (PIP)	-	-	-	-
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Rice	Leafhopper, planthopper, caseworm	1.5-3.5 Tbsp/16L water	0.5ppm	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Cowpea	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Mungbeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Soybeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Tobacco	Budworm, aphids	1.5-4 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Cotton	Leafhopper	4-7 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Melon	Diamond back moth, cutworm, aphids	1.5-3.5 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MIPCIN	MIPCIN 50 WP	500 g/Kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Cabbage	Cabbage worm	1.5-3.5 Tbsp/16L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	MINX 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	242-325-4635	25-Jan-25	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	As soon as the spray solution has dried on the foliage.
TEXICON AGRI VENTURES CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	MINX 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	242-325-4635	25-Jan-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	-	As soon as the spray solution has dried on the foliage.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/Kg	WP	HERBICIDE	4	526-022-5540	30-Jul-27	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/Kg	WP	HERBICIDE	4	526-022-5540	30-Jul-27	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/Kg	WP	HERBICIDE	4	526-022-5540	30-Jul-27	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/Kg	WP	HERBICIDE	4	526-022-5540	30-Jul-27	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CYHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	29-Jul-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Banana	Thrips, mealybug and leaf folder	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Beans	Cutworm, pod borer, aphids, and flea beetle	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Corn	Corn borer, earworm, aphids, and silk beetle	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Cotton	Katydids, grasshopper, cutworm, mites	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Cowpea	Aphids, cutworm, and grasshopper	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Mango	Hopper and tip borer	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Pineapple	Mealybug	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Rice	Planthopper, rice bug, stem borer, leaffolder, and whorl maggot	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Tobacco	Budworm, aphids, armyworm, and flea beetle	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	White potato	Aphids, leaffolder, cutworm	25-35 mL prod./ 16L water	-	14 days	As soon as spray has dried up
SYNGENTA PHILIPPINES INC.	LUFENURON+CYANTRANILIPROLE	MINECTO XTRA 400 SC	200 g/L+200 g/L	SC	INSECTICIDE	3	011-610-5957	9-Dec-24	-	Rice	Leaffolder	50 mL prod./ hectare (0.01 kg Lufenuron+0.01 kg Cyantraniliprole) /	-	40 days	Treated areas should not be entered before spray deposits on the leaf surface have dried, unless protective clothing is worn.
SYNGENTA PHILIPPINES INC.	LUFENURON+CYANTRANILIPROLE	MINECTO XTRA 400 SC	200 g/L+200 g/L	SC	INSECTICIDE	3	011-610-5957	3-Oct-25	-	Onion	Cutworm and armyworm	150-200 mL prod./ ha	0.01 mg/kg Lufenuron (EU MRL)	3 Days	-
SYNGENTA PHILIPPINES INC.	CYANTRANILIPROLE+PYMETROZINE	MINECTO STAR 60 WG	100 g/kg+500 g/kg	WG	INSECTICIDE	4	011-498-4638	23-Mar-27	SYSTEMIC/CONTACT	Mango	Mango hopper	80g product per 200L water at maximum spray volume of 2,500L/ha	Cyantraniliprole 4mg/kg Pymetrozine 1mg/kg	No PHI needed	Treated areas should not be entered before spray deposits on the leaf surface
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINDSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Mango	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINDSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINDSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINDSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Cocoa	Plant growth regulator	¼ tbsp./3-5 L water	-	-	-
TRANS WORLD TRADING CO., INC.	TEBUFENOZIDE	MIMIC 20 F	200 g/L	F	INSECTICIDE	4	038-250-3428	29-Jun-27	-	Rice	Stemborer, leaffolder,caseworm & armyworm	1.5-3 Tbsp/16 L water	0.05ppm	Do not apply MIMIC 20F 14 days before crop harvest	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried.
TRANS WORLD TRADING CO., INC.	TEBUFENOZIDE	MIMIC 20 F	200 g/L	F	INSECTICIDE	4	038-250-3428	29-Jun-27	-	Eggplant	Fruitborer, shootborer	3.0-4.0 Tbsp/	-	Do not apply MIMIC 20F 14 days before crop harvest	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried.
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/Kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	MILBEMECTIN	MILBEKNOCK 1 EC	10 g/L	EC	MITICIDE	2	097-482-4488	16-Nov-24	-	Pineapple	Mites	10-20 mL/16L, 62.5-125 mL/100L	-	Do not harvest fruits 14 days after application	The spray should be allowed to dry on the plants before re-entry into the field
BERRIS AGRICULTURAL COMPANY, INC.	ACETAMIPRID	MILAN 3 EC	30 g/L	EC	INSECTICIDE	3	233-329-2394	10-Jun-26	-	Mango	Mango Hopper	1.5-2.0 tbsp./16 L	1 mg/kg	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL COMPANY, INC.	ACETAMIPRID	MILAN 3 EC	30 g/L	EC	INSECTICIDE	3	233-329-2394	10-Jun-23	-	Eggplant	leafhoppers & fruit /shoot borer	2.0 tbsp./16 L		Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying
MIGHTY AGRICULTURAL TRADING CORPORATION	POTASSIUM SILICATE	MIGHTYSIL 200	300 g/L	-	FUNGICIDE	4	733-492-6005 (SB1)	25-Jan-26	-	Cavendish banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pitmark and black sigatoka	-	-	-	-

MIGHTY AGRICULTURAL TRADING CORPORATION	AZADIRACHTIN	MIGHTY NEEM OIL 400	400 ppm	-	INSECTICIDE/FUNGICIDE	4	733-513-5878	5-May-25	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	0 day	0 day
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Banana	Thrips	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Sorghum	Cornborer,earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
PRIMESTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/Kg	SP	INSECTICIDE	2	623-164-4593-A	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighty M 40 SP within 12 hours after application .
MIGHTY AGRICULTURAL TRADING CORPORATION	SPIROTETRAMAT	MIGHTY INSPIRE 240 SC	240 g/L	SC	INSECTICIDE	3	733-419-6128	1-Jul-27	-	Banana	Flower thrips	3.3-4.17 mL prod/ L water 80 mL diluted prod/ bud	0.3 ppm	84 days	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	SPIROTETRAMAT	MIGHTY INSPIRE 240 SC	240 g/L	SC	INSECTICIDE	3	733-419-6128	1-Jul-27	-	Pineapple	Mealy bugs, scale insects, white grubs, mites and nematodes	0.45-1.20 L prod./ ha; 4.17 L prod./ ha	0.03 ppm 0.03 ppm	120 days; 15 days	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	2-(3-CHLOROPHENOXY)	MIGHTY CPA	-	-	OTHERS	4	733-214-6276	26-Sep-26	-	Pineapple	Plant growth regulator	-	-	21 days	Re-entry into treated areas may be done as soon as spray dries on the foliage
MIGHTY AGRICULTURAL TRADING CORPORATION	BUPROFEZIN	MIGHTY -BUPROFEZIN 25 SC	250 g/L	SC	INSECTICIDE	3	733-224-6117	21-Jul-24	-	Cavendish Banana	Scale insects, aphids, mealybugs	1.5-2.0 ml/L water	-	0 day	After spray deposits have dried.
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Beans	Downly mildew, powdery mildew	3.5-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Ornamentals	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Pepper	Downly mildew, powdery mildew	6.0-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Potato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Tomato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Eggplant	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Cotton	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/Kg	DF	FUNGICIDE	4	562-083-3059	30-Jul-27	-	Pineapple	Mites, heart rot	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
C.B. ANDREW ASIA, INC.	METOMINOSTROBIN	MICROS 20 SC	200 g/L	SC	FUNGICIDE	2	460-424-4559	14-Nov-21	SYSTEMIC	Mango	Anthracnose	0.8-1.2 tbsp prod/16L water	-	7 days	Do not enter treated fields until spray deposit have completely dried
C.B. ANDREW ASIA, INC.	METOMINOSTROBIN	MICROS 20 SC	200 g/L	SC	FUNGICIDE	2	460-424-4559	14-Nov-21	SYSTEMIC	Onion	Anthracnose/twister bulb rot	0.8-2.0 tbsp prod/16L water	-	14 days	Do not enter treated fields until spray deposit have completely dried
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/Kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
MIGHTY AGRICULTURAL TRADING CORPORATION	BENZALKONIUM CHLORIDE+GLUTARALDEHYDE	MICROKLEEN	100 g/L+200 g/L		OTHERS	2	733-508-5996	14-May-25	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) & fusarium wilt	-	-	-	-
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Cotton	Nematodes, grubs	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Eggplant	Fruitborer	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Field legumes	Beanflies, grubs, nematodes	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.4 kg prod/ha	0.2ppm	Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	33.3-66.8 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	216-104-2680	17-Sep-22		Tobacco	Nematode, budworm	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application

CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	216-104-2680	17-Sep-22		White potato	Nematodes, grubs	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	216-104-2680	17-Sep-22		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	216-104-2680	17-Sep-22		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.4 kg prod/ha		Do not apply MICRO-GRAN 3G within 30 days before harvest	Do not enter treated fields within 2 days after application
GOLDEN PRIMESTOCKS CHEMICAL INC.	TETRACONAZOLE+CARBENDAZIM	METTLE PRO	125 g/L+150 g/L	SE	FUNGICIDE	4	573-423-3718	27-Sep-25	SYSTEMIC	Mango	Anthracnose & Stem-end rot	65-80ml/100 L water		Do not spray 14 days before harvest.	As soon as spray solution dries up.
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	ATRAZINE	METROZINE 80 WP	800g/kg	WP	HERBICIDE	4	634-065-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	ATRAZINE	METROZINE 80 WP	800g/kg	WP	HERBICIDE	4	634-065-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water			Do not enter treated fields within 5 days after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	ATRAZINE	METROZINE 80 WP	800g/kg	WP	HERBICIDE	4	634-065-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Potato	Early and late blight	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Celery	Late blight	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cotton	Damping off	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Chili	Anthracnose	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WG	500 g/Kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-27	-	Mango	Mango Leafhopper	1 sachet*/200 L	-	-	Do not enter treated fields until spray deposit have completely dried
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WG	500 g/Kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-27	-	Corn	Lleafhopper, planthopper, aphid	7-16 g prod./ 16L water; 100-250 g prod./ ha	0.02	5 days	Do not enter treated fields until spray deposit have completely dried
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WG	500 g/Kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-27	-	Rice	Brown planthopper, green planthopper	25-30 g prod/16L water	0.02	36 days	Do not enter treated fields until spray deposit have completely dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Oct-26	SYSTEMIC (NON SELEVCTIVE)	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Rice	Black spot, neckrot, rice blast	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Tomato	Powdery mildew, leaf mold	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis rot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis rot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Strawberry	Powdery mildew, cercospora leaf spot, gray molds	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying

METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/Kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Banana	Black sigatoka	1.38L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215 mL/16L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	METRIBUZIN	METRIL 700 WP	700 g/Kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRIBUZIN	METRIL 700 WP	700 g/Kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRIBUZIN	METRIL 700 WP	700 g/Kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRIBUZIN	METRIL 700 WP	700 g/Kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/Kg	SP	INSECTICIDE	2	295-164-2495-B	13-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	-
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/Kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMIKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/Kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter treated field within 12 hours after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.

MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/Kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/Kg	SP	INSECTICIDE	2	487-164-4329	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle, leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter treated fields within 12 hours after application
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
ANGELEX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Asparagus	Armyworm, cutworm	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Banana	Thrips	3.75-5 Tbsp/16L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Corn	Cornborer, earworm	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.5 Tbsp/16 L water	0.01ppm	3 Days	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
S&P ENTERPRISES INC.	METHOMYL	METHOKILL 40 SP	400g/kg	SP	INSECTICIDE	2	566-164-4615-A	18-Sep-27	CONTACT	Sorghum	Cornborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with METHOKILL 40 SP within 12 hours after application.
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application

AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
AGCHEM MANUFACTURING CORPORATION	METHOMYL	METHO-CHEM 40 SP	400 g/Kg	SP	INSECTICIDE	2	001-164-3331	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with METHO-CHEM 40 SP within twelve hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Sorghum	Cornborer,earworm	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Melon	Aphids, Squash beetle, leaffolder	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16L water	0.01ppm	3 Days	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	METHOMYL	METEOR 40 SP	400 g/Kg	SP	INSECTICIDE	2	459-164-2533	08-Jun-26	SYSTEMIC/CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16L water	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	METAFLUMIZONE	METAKILL 230 SC	230 g/L	SC	INSECTICIDE	3	233-615-6073	7-Mar-25	-	Cabbage	Diamondback moth, aphids	900-1200 mL prod. / hectare	-	Do not spray within 14 days before harvest	Do not enter treated field within 12 hours after spraying
BERRIS AGRICULTURAL COMPANY, INC.	METAFLUMIZONE	METAKILL 230 SC	230 g/L	SC	INSECTICIDE	3	233-615-6073	7-Mar-25	-	Rice	Green leafhopper, leaffolder	670-900 mL prod. / hectare	-	Do not spray within 14 days before harvest	Do not enter treated field within 12 hours after spraying
MENZI & CO., INC.	METHYL BROMIDE+CHLOROPICRIN	METABROM	980+20 g/L	-	FUMIGANT	1	027-111-0262	27-Oct-23	-	Soil and space fumigant	Weeds,Nematodes, Fungal and Insect pests	500 kg/ha	-	-	-
AGRI BIZ CO. OF GS, INC.	METALDEHYDE	METABEST 6% P	60 g/kg	P	MOLLUSCICIDE	4	580-075-5108	07-Mar-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours of application
AGRI BIZ CO. OF GS, INC.	METALDEHYDE	METABEST 6% P	60 g/kg	P	MOLLUSCICIDE	4	580-075-5108	07-Mar-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours of application
AGRI BIZ CO. OF GS, INC.	METALDEHYDE	METABEST 6% P	60 g/kg	P	MOLLUSCICIDE	4	580-075-5108	07-Mar-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours of application
AGRI BIZ CO. OF GS, INC.	METALDEHYDE	METABEST 6% P	60 g/kg	P	MOLLUSCICIDE	4	580-075-5108	07-Mar-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours of application
AGRI BIZ CO. OF GS, INC.	METALDEHYDE	METABEST 6% P	60 g/kg	P	MOLLUSCICIDE	4	580-075-5108	07-Mar-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours of application
DCDM MARKETING INCORPORATED	METALDEHYDE	META BAIT 6%P	60 g/Kg	P	MOLLUSCICIDE	4	467-075-5937	31-Dec-26	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ha	-	-	Do not enter treated field within 48 hours after application
DCDM MARKETING INCORPORATED	METALDEHYDE	META BAIT 6%P	60 g/Kg	P	MOLLUSCICIDE	4	467-075-5937	31-Dec-26	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
DCDM MARKETING INCORPORATED	METALDEHYDE	META BAIT 6%P	60 g/Kg	P	MOLLUSCICIDE	4	467-075-5937	31-Dec-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kgs/ha	-	-	Do not enter treated field within 48 hours after application
DCDM MARKETING INCORPORATED	METALDEHYDE	META BAIT 6%P	60 g/Kg	P	MOLLUSCICIDE	4	467-075-5937	31-Dec-26	-	Strawberry	Slug, snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
DCDM MARKETING INCORPORATED	METALDEHYDE	META BAIT 6%P	60 g/Kg	P	MOLLUSCICIDE	4	467-075-5937	31-Dec-26	-	Chinese cabbage	Slug, snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Banana	Thrips, mealybug, leaffolder	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Beans	Cutworm, pod borer, aphids, flea beetle	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Corn	Corn borer, earworm, aphids, silk beetle	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Cotton	Katydid, grasshopper, cutworm, mites	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Cowpea	Aphids, cutworm, grasshopper	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Mango	Hopper, tip borer	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Pineapple	Mealybugs	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Rice	Rice bug, stemborer, leaf folder, whorl maggot, planthopper	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Tobacco	Budworm, aphids, armyworm, flea beetle	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQUIM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	White Potato	Aphids, leaffolder, cutworm	25-35 mL prod./ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Lettuce	Early blight, neck rot	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Cucurbits	Downy mildew, late blight	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Celery	Early and late blight	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Beans	Rust	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Potato	Early and late blight	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Tomato	Early and late blight	50-65 g prod./ 16L water	-	3 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Tobacco	Brown leaf spot	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Coffee	Brown eye spot	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Citrus	Black spot	65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Melon	Downy mildew	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Watermelon	Downy mildew	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Ornamentals	Black spot rust	35-50 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Mango	Anthracnose	50-65 g prod./ 16L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Rice	Dirty panicle, brown leaf spot	50-100 g prod./ 16L water 500-1000 g prod./ ha	-	18 days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Banana	Sigatoka, freckle disease	2.5 kg / ha	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPINEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Asparagus	Stem and leaf blight	2.5 kg / ha	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Potato	Early and late blight	-	-	-	-

AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Cabbage	Downy mildew and *alternaria* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Cauliflower	Downy mildew and *alternaria* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Broccoli	Downy mildew and *alternaria* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Celery	Late blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Cucumber	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Squash	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Cotton	Damping off	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Lettuce	Downy mildew	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Beans	Anthracnose, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Mungo	Anthracnose, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Peas	Anthracnose, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Tomato	Early and late blight, anthracnose, and *septoria* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Garlic	Purple blotch, downy mildew, and botrytis leaf blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Onion	Purple blotch, downy mildew, and botrytis leaf blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Chili	Anthracnose	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Pepper	Anthracnose	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Eggplant	Blight, Anthracnose	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Banana	Sigatoka and black leaf streak	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Grapes	Downy mildew, black rot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Mango	Anthracnose and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Papaya	Fruit rot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Melon	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Watermelon	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Rice	Blast, sheath blight, *cercospora* leaf spot, and *helminthosporium* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Peanut	*Cercospora* leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Soybeans	Leaf rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26		Ornamentals	Black spot, blight, and athracnose	-	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	MENDER 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	550-325-4967	20-Feb-21	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 tbsp/16L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	45-60 days after transplanting	
MONARC CROP SOLUTIONS PROVIDER CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	MENDER 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	550-325-4967	20-Feb-21	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	–	45 days	
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Potato	Early and late blight	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Cabbage	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Cauliflower	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Broccoli	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Celery	Late blight	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Cucumber	Downy mildew, Anthracnose, scab	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Squash	Downy mildew, Anthracnose, scab	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Cotton	Damping off	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Lettuce	Downy mildew	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Beans	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Peas	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Mungo	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Tomato	Early and late blight, anthracnose, septorial leaf spot	9 tbsp/ 16L of water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Pepper	Anthracnose	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Chili	Anthracnose	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Eggplant	Blight, Anthracnose	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Banana	Sigatoka, black leaf streak	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Grapes	Downy mildew, black rot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Mango	Anthracnose and Scab	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Papaya	Fruit rot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Rice	Blast, sheat blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Peanut	Cercospora leaf spot	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Soybeans	Leaf rust	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26		Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/ 16L water	-	-	As soon as spray residues is dry
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg		INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
MEGA BOOSTER AGRI TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	531-237-5471	12-Sep-23		Mango	Plant growth regulator		-	-	-
MEGA BOOSTER AGRI TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	531-237-5471	12-Sep-23		Durian	Plant growth regulator				

MEGA BOOSTER AGRI TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	531-237-5471	12-Sep-23		Calamansi	Plant growth regulator			-	-	
MEGA BOOSTER AGRI TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	531-237-5471	12-Sep-23		Cocoa	Plant growth regulator			-	-	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Eggplant	Anthracnose, cercospora leaf spot, early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Peanut	Cercospora leafspot, rust	1.8L/Ha		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Potato	Early and late blight, vine rot	4.5-6.0 TBsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Carrot	Alternaria, cercospora leafspot, heminthosporium leaf spot	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Banana	Sigatoka, rust, freekles, hemithosporium leaf spot	1.8L/Ha		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Crucifers	Powdery mildew	4.5-6.0 TBsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Garlic	Purple blotch, bulb rot, neck rot	4.5-6.0 TBsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Pepper	Anthracnose, cercospora leaf spot, early blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Cucurbits	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Melon	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Cucumber	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 TBsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Squash	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Watermelon	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25		Celery	Early and late blight	4.5-6.0 Tbsp/ 16L		7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Corn	Seedling maggot, corn earworm, comborer, armyworm	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Cucumber	Leafworm, squash bug, 28- spotted bettles	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Melon	Leafworm, squash bug, 28- spotted bettles	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Watermelon	Leafworm, squash bug, 28- spotted bettles	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Onion	Thrips, cutworm	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Mungo	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leaffolder	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Soybeans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leaffolder	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
TEAMAGRO TRADING CORPORATION	BPMC+CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24		Beans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leaffolder	25-35 Tbsp/16 L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Eggplant	Fruit borer, aphids, leafhopper, thrips	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Cabbage/Crucifers	Diamond back moth, cabbage worms and aphids, thrips	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	White potato	Thrips, armyworms, cutworm, tubermoth	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Beans	Beanflies, aphids	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Soybeans/Mungbeans	Corn earworm, leafminers	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Cotton	Thrips, bollworms, budworms	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Stringbeans	Bean fly, leaffolder, aphids	1.0-3.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Watermelon	Thrips	3.0-5.0 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Mango	Thrips	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Crucifers	Powdey mildew	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Potato	Early and late blight, vine"	1.0-1.8 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Beans	Rust, anthracnose	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Asparagus	Stem and leaf blight	1.0-1.8 L/ha; 1.8L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Celery	Early and late blight	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Grapes	Downy mildew, powdey mildew, fruit rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-27	-	Banana	Black sigatoka	1.25-1.9 L/ha; 1.38 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries	

MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm		As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORP.	CETYL PYRIDIUM CHLORIDE+CETYL TRIMETHYL AMMONIUM CHLORIDE+BENZALKONIUM CHLORIDE	MEDISEP	10g/L+20g/L+20g/L		OTHERS	2	676-578-5695	31-Dec-27	-	-	Disinfection of animal facilities and equipment	-	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	CARBENDAZIM+TEBUCONAZOLE	MEDENS+250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	621-405-4555	26-Oct-21	SYSTEMIC	Mango	Anthracnose	16-24mL/16L Sprayer	-	55 days after last application	When spray deposits have dried
GRANDIA AGRO MARKETING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	MEDEK 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	445-229-3023	26-Jun-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
GRANDIA AGRO MARKETING CORPORATION	NICLOSAMIDE	MEDEK 25 EC	250 g/L	EC	MOLLUSCICIDE	4	445-229-3346	28-Oct-20	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within two days after spraying
PACIFIC FUMIGATION CO., INC.	METHYL BROMIDE+CHLOROPICRIN	MEBROM	980+20 g/L	-	FUMIGANT	1	255-111-1065	18-Feb-26	-	Soil and space fumigant	Weeds,Nematodes, Fungal and Insect pests	500 kg/ha	-	-	-
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	702-075-5972	18-Jul-27	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	702-075-5972	18-Jul-27	-	Rice (Direct-seeded)	Golden apple snail	4.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	702-075-5972	18-Jul-27	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	702-075-5972	18-Jul-27	-	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	702-075-5972	18-Jul-27	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
ALTACROP PROTECTION CORPORATION	BUTACHLOR+2,4-D IBE	McSHELL	360+240 g/L	EC	HERBICIDE	3	351-152-2467	02-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ALTACROP PROTECTION CORPORATION	BUTACHLOR+2,4-D IBE	McSHELL	360+240 g/L	EC	HERBICIDE	3	351-152-2467	02-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Cucurbits	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Celery	Early blight, late blight	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Pepper	Early and late blight, bulb rot,neck rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.

KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry into treated araes may be done as soon as spray solution has dried on the foliage.
VENTUROSA AGRI TRADING	NICLOSAMIDE ETHANOLAMINE SALT	MAZINTO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	725-229-5738	20-Sep-24	-	Rice	Golden Apple Snail (Kuhol)	10 Tank load/Ha	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE+PROPICONAZOLE	MAXZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	590-325-4403	25-Jul-27	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/16L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
THE LICHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE+PROPICONAZOLE	MAXZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	590-325-4403	25-Jul-27	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/16l water	-	45 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRO IRIS PHILIPPINES, INC.	FLONICAMID	MAXOMID 50 WG	500 g/kg	WG	INSECTICIDE	4	752-442-6008	29-Apr-25	SYSTEMIC	Eggplant	Aphids and leafhopper	5.6-7.2 g/ 16 L water (based on spray volume of 400 L/ha	-	-	-
S&P ENTERPRISES INC.	CLOTHIANIDIN	MAXXILL 20 SC	200 g/L	SC	INSECTICIDE	4	566-379-6040	8-Jun-26	-	Rice	Black bug	4-5 tbsp/ 16L	-	-	Allowed as soon as spray deposits dry up
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-F	06-Aug-27	POST-EMERGENT	Rubber	Annual Grasses, Perennial grasses and broadleaf weeds	215,270,135ml/16 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-F	06-Aug-27	POST-EMERGENT	Oil Palm	Annual Grasses, Perennial grasses and broadleaf weeds	160, 135ml/16 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-F	06-Aug-27	POST-EMERGENT	Non-crop areas	Weeds	160-215ml/16 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-F	06-Aug-27	POST-EMERGENT	Cavendish Banana	Annual Grasses, Perennial grasses and broadleaf weeds	160,135-200ml/16L water	0.2 mg/kg	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	PYRIMETHANIL	MAXIGA 600 SC	600 g/L	SC	FUNGICIDE	4	540-345-5817	12-Aug-25	CONTACT	Banana	Black sigatoka	0.5 L product/ ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
ARIES RNE CHEMICAL CORPORATION	PRETILACHLOR+BUTACHLOR	MAXICHLOR 55 EC	150 g/L	EC	HERBICIDE	4	478-591-5928	15-Jul-25	-	Rice (Direct-Seeded)	Grasses, sedge and broadleaves	10 tbs/ 16L	-	-	-
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-27	-	Mango	Plant growth regulator	-	-	-	-
EVERLAND AGRI CORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-27	-	Durian	Plant growth regulator	5-10 mL; 15-20 mL; 20-40 mL 0.5-1.0 tbsp; 1.5-2.0 tbsp; 2.0-4.0 tbsp	-	-	-
EVERLAND AGRI CORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-27	-	Calamansi	Plant growth regulator	10-20 mL; 1.0-2.0 tbsp	-	-	-
EVERLAND AGRI CORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-27	-	Cacao	Plant growth regulator	2-3 mL; 1/4 tbsp	-	-	-
UNITED AGRO TRADE CORPORATION	PRETILACHLOR+BUTACHLOR	MATSO 55 EC	150 g/L+400 g/L	EC	HERBICIDE	4	210-591-6263	15-Jul-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, broadleaves	10 tbs,/ 16L; 1L prod./ ha	-	-	-
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972-A	24-Jun-27	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/Kg	SP	INSECTICIDE	2	266-164-3972	24-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **MATRIX 40 SP** within 12 hours after application
PLANTMEDS AGRISOLUTIONS CORP.	PRETILACHLOR	MATIC 300 EC	300 g/L	EC	HERBICIDE	4	683-063-5399	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			-
INDOFIL PHILIPPINES INC.	MANCOZEB+METALAXYL	MATCO 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried up.
INDOFIL PHILIPPINES INC.	MANCOZEB+METALAXYL	MATCO 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water	-	14 days	Do not enter treated field until spray deposits have dried up.

INDOFIL PHILIPPINES INC.	MANCOZEB+METALAXYL	MATCO 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water	-	3 days	Do not enter treated field until spray deposits have dried up.
INDOFIL PHILIPPINES INC.	MANCOZEB+METALAXYL	MATCO 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
INDOFIL PHILIPPINES INC.	MANCOZEB+METALAXYL	MATCO 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposits have dried up.
SYNGENTA PHILIPPINES INC.	LUFENURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	28-Jun-27	-	Tomato	Fruitworm,and cutworm	2.0-5.0 Tbsp/16 L water	-		
SYNGENTA PHILIPPINES INC.	LUFENURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	27-Apr-22	-	Corn	Fall armyworm (Drone spray application)	600 mL prod./ ha.; Spray Volume 18.75 L / ha.	-	-	-
SYNGENTA PHILIPPINES INC.	LUFENURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	15-Jun-25	-	Corn	Fall armyworm (Knapsack spraying)	60-800 mL prod./ ha.			
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Citrus	Broadleaves and grasses	16 tbs.p/ 16L water	-	-	As soon as spray solution dries on the foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Coffee	Broadleaves and grasses	16 tbs.p/ 16L water	-	-	As soon as spray solution dries on the foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Cotton	Broadleaves and grasses	10 tbs.p/ 16L water	-	-	As soon as spray solution dries on the foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Sugarcane	Broadleaves and grasses	16 tbs.p/ 16L water	-	-	As soon as spray solution dries on the foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Pineapple	Broadleaves and grasses	8-16 tbsp/ 16L water	-	-	As soon as spray solution dries on the foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	472-021-2930	06-Jul-27	SELECTIVE	Oil palm	Broadleaves and grasses	16-24 tbsp/ 16L water	-	-	As soon as spray solution dries on the foliage
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CYHALOTHRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	15-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	MASSIVE 160 SL	160 g/L	SL	HERBICIDE	4	274-151-5731	09-Mar-25	NON-SELECTIVE	Non-crop areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-
GEM AGROLOGIC, INC.	NICLOSAMIDE ETHANOLAMINE SALT	MASO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	238-229-1018	07-Mar-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water		-	48 hours after spraying.
JEELS MASAGANA FARM SUPPLY, INC.	NICLOSAMIDE ETHANOLAMINE SALT	MASKADA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	487-229-3459	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Mango	Blossom Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Soybeans	Corn, earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Mungbeans	Corn, earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 500 EC	500 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-27	POST-EMERGENCE	Rice	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water	-	-	One day after spraying
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-27	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/ 16L water	-	-	One day after spraying
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-27	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	13.0-26.0 tbsp/ 16L water	-	-	One day after spraying
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries

MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
MARSMAN ESTATE PLANTATION INC.	CHLOROTHALONIL	MARSMAN DACONIL	720 g/L	SC	FUNGICIDE	4	759-118-6090 (088)	24-Apr-26	-	Banana	Black sigatoka	1.00-Kg a.i./ ha 1.38-L prod./ ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 25 ST	250g/kg	ST	INSECTICIDE	2	598-223-4185	30-Oct-26	-	Corn (as seed treatment)	Seedling maggots & corn borer	20-25g/ kg corn seeds	-	-	0 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Tomato	Fruitworm	2-6 Tbsp/16 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Potato	leafminer	4-6 Tbsp/16 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Mango	Cecid, black borer, leafhopper, frutfly, thrips, scale insects, seed borer	30-40 Tbsp/100 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer and ricebug	3-4 Tbsp/16 L water	0.2ppm	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Watermelon	Thrips, leaffolder	4-6 Tbsp/16 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	20-Aug-21	-	Corn	Fall armyworm	133.3 200 mL	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CYHALOTHRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water			As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water			As soon as spray dries

UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTECH CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0 tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Rice	Army worm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp/ 16 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Pineapple	Mealybug	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Garlic	Cutworm	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Onion	Cutworm	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Tobacco	Aphids, katyidid	3.0-6.0 Tbsp/16L Water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26	-	Sorghum	Web worm	3.0 Tbsp/ 16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	MARADI 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	575-504-6253	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rantyum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Celery	Late blight	3-6 Tbsp/16 L water		14 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Lettuce	Downy mildew	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries

C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Chili	Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Papaya	Fruit rot	3-6 Tbsp/16 L water			As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-053-4837	22-Jan-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water			As soon as spray dries
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Celery	Late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-053-0473-A	12-Jan-28	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24		Banana	Black Sigatoka	4-5 L/ha	2 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24		Potato	Late blight	5-6 ½ Tbsp/16Li	0.2 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24		Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li	5 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	0.20 ppm	–	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	0.20 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	2.0 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	0.20 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	–	10 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Stringbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	3.00 ppm	4 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	3.00 ppm	4 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	5.00 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	–	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	0.50 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha	2.00 ppm	–	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	–	66 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	–	–	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	5.00 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	0.60 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/Kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-27	-	Ornamentals	Black spot, blight, anthracnose	-	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries

JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/Kg	WP	FUNGICIDE	4	367-053-1868	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/Kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	535-035-3398	06-May-27	SYSTEMIC	Potato	Late blight	2.5-3.5 Kg/ha	-	14 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	535-035-3398	06-May-27	SYSTEMIC	Tomato	Late blight	2.5-3.5 Kg/ha	-	3 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	535-035-3398	06-May-27	SYSTEMIC	Pineapple	Heart rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	535-035-3398	06-May-27	SYSTEMIC	Asparagus	Spear rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	535-035-3398	06-May-27	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field until spray deposi have dried up.
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Potato	Early and late blight		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Cabbage	Downy mildew, Alternaria Leaf Spot		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Cauliflower	Downy mildew, Alternaria Leaf Spot		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Broccoli	Downy mildew, Alternaria Leaf Spot		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Celery	Late blight		-	14 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Cucumber	Downy mildew, Anthracnose, scab		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Squash	Downy mildew, Anthracnose, scab		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Cotton	Damping off		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Lettuce	Downy mildew		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Beans	Anthracnose, Downy Mildew, Rust		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Peas	Anthracnose, Downy Mildew, Rust		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Mungbeans	Anthracnose, Downy Mildew, Rust		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Pepper	Anthracnose		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Chili	Anthracnose		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Eggplant	Blight, Anthracnose		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Banana	Sigatoka, Black leaf streak		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Grapes	Downy mildew, black rot		-	60 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Mango	Anthracnose and scab		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Papaya	Fruit rot		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Melon	Downy mildew, anthracnose, scab		-	5 days	As soon as spray dries

MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Watermelon	Downy mildew, anthracnose, scab		-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot		-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Peanut	Cercospora leaf spot		-	14 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Soybeans	Leaf rust		-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANCOZEB	MANNAZEB 80WP	800 g/kg	WP	FUNGICIDE	4	778-053-6418	2-Jul-25	-	Ornamentals	Black spot, blight, anthracnose				As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	-			-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Non-crop areas & minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	MANGUARD 300 OD	210+90 g/L	OD	INSECTICIDE	2	385-398-5218	27-Aug-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/100 liters water 50-80 mL prod/200L water		28 Days	No re-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying.
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Potato	Early and late blight	3-6 Tbsp/16 L water			12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Cotton	Damping off	3-6 Tbsp/16 L water			12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/Kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Beans	Anthracnose, downy mildew	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cabbage	Alternaria leaf spot, downy mildew	-		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cauliflower	Alternaria leaf spot, downy mildew	-		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Citrus	Black spot	-			12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Corn	Helminthosporium leaf spot	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cucumber	Downy mildew	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Melon	Downy mildew	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Watermelon	Downy mildew	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Mango	Anthracnose, Scab	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Ornamentals	Black spot	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Onion	Downy mildew, purple blotch	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Garlic	Downy mildew, purple blotch	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Peanut	Cercospora leaf spot	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Potato	Early and late blight	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Rice	Anthracnose, blast, sheath blight	22g/10L of water; 2.2kg/ha	0.02ppm	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Tobacco	Anthracnose, blue mold	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Tomato	Anthracnose, early blight, late blight	22g/10L of water; 2.2kg/ha		-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 420 SC	420 g/kg	SC	FUNGICIDE	4	477-053-3075	02-Feb-22	NON-SYSTEMIC	Banana	Black Sigatoka	40mL/10L of water: 4L/ha		-	12 hours
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPYR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	575-283-5735	02-Sep-25	-	Cabbage	DBM, aphids, cabbage moth	1.5-3.0 Tbsp/ 16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPYR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	575-283-5735	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/ 16L water		Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPYR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	575-283-5735	02-Sep-25	-	Banana	Flower Thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Potato	Early and late blight	3-6 Tbsp/16L			As soon as spray dries

THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Cabbage	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Celery	Late blight	3-6 Tbsp/16L		14 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Cotton	Damping off	3-6 Tbsp/16L			As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Lettuce	Downy mildew	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Beans	Anthracnose,Downy mildew,Rust	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Tomato	Early and late blight,Anthracnose,Septoria leaf spot	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Onion	Purple blotch,Downy mildew,Botrytis leaf blight	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Pepper	Anthracnose	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Banana	Sigatoka,Black leaf streak	3-6 Tbsp/16L		-	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Grapes	Downy mildew,Black Rot	3-6 Tbsp/16L		60 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Mango	Anthracnose and Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Papaya	Fruit rot	3-6 Tbsp/16L		-	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Melon	Downy mildew, Anthracnose Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Watermelon	Downy mildew, Anthracnose Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Chili	Anthracnose	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Garlic	Purple blotch,Downy mildew,Botrytis leaf blight	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Peas	Anthracnose,Downy mildew,Rust	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Mungo	Anthracnose,Downy mildew,Rust	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Broccoli	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Cauliflower	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L		-	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16L		14 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Soybeans	Leaf rust	3-6 Tbsp/16L			As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Ornamentals	Black spot,Blight, Anthracnose	3-6 Tbsp/16L		-	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Leeks	Purple blotch,Downy mildew,Botrytis leaf blight	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Shallots	Purple blotch,Downy mildew,Botrytis leaf blight	3-6 Tbsp/16L		7 days	As soon as spray dries
THAIPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22		Cantaloupes	Downy mildew, Anthracnose Scab	3-6 Tbsp/16L		5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	242-053-1899-A	23-May-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 60 OS	550 g/L	OS	FUNGICIDE	4	242-053-2253	11-Apr-26	-	Banana	Black sigatoka	1.75-2.9 Liters/ha	-	-	Do not re-enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 455 F	455 g/L	F	FUNGICIDE	4	242-053-5487	05-Feb-27	-	Banana	Sigatoka/ black leaf	4-5L per hectare	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23		Banana	Black Sigatoka	120 mL/16L water	-	0 days	Do not enter field area until spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23		Potato	Late blight	50-65 mL/16L water	-	0 days	Do not enter field area until spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23		Tomato	Early blight, late blight, cercospora leaf blight	70-100 mL/16L water	-	0 days	Do not enter field area until spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23		Mango	Anthracnose	60-100mL/16L water	-	0 days	Do not enter field area until spray deposits have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Cotton	Damping off	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Potato	Early and late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing

SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Celery	Late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Chili	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/Kg	WP	FUNGICIDE	4	681-053-5446	18-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray till harvest	Do not enter field within 2 days after sprauing
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FKA AGRI CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	23-Aug-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Potato	Early and late blight	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Cabbage	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Cauliflower	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Broccoli	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Celery	Late blight	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Cucumber	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Squash	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Cotton	Damping off	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	lettuce	Downy mildew	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Beans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Peas	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Pepper	Anthracnose	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries

NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Chili	Anthracnose	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Eggplant	Blight, Anthracnose	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Banana	Sigatoka, Black leaf streak	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Grape	Downy mildew, black rot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Mango	Anthracnose and Scab	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Papaya	Fruit rot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Melon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Watermelon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Soybeans	Leaf rust	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
NEXCHEM CORPORATION	MANCOZEB	MANCONEX 80 WP	800 g/Kg	WP	FUNGICIDE	4	702-053-5611	09-Jun-27	-	Ornamentals	Black spot, blight anthracnose	3.0-6.0 Tbsp/16L Water	-	-	As sson as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANIL+MANCOZEB	MANCOCYM 505 WP	40+465g/Kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 505 WP 24 hours after application
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANIL+MANCOZEB	MANCOCYM 505 WP	40+465g/Kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 505 WP 24 hours after application
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANIL+MANCOZEB	MANCOCYM 505 WP	40+465g/Kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 505 WP 24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/Kg	WP	FUNGICIDE	4	099-053-0836-B	09-Jun-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Garlic	Cutworm	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Onion	Cutworm	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
THE LICHEMPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-27	-	Sorghum	Web worm	3.0Tbsp/16 L water	-	A day after spraying	A day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying

VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	13-Oct-26	-	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROPICONAZOLE	MAKALU 25 EC	250 g/L	EC	FUNGICIDE	3	634-178-6396	19-Dec-26	SYSTEMIC	Banana	Black sigatoka	0.4 L prod./ ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PROPICONAZOLE	MAKALU 25 EC	250 g/L	EC	FUNGICIDE	3	634-178-6396	19-Dec-26	SYSTEMIC	Pineapple	Butt rot	Dip seed in 8 mL/ 100L water solution	-	-	-
KEMISTAR CORPORATION	BPMC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMISTAR CORPORATION	BPMC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMISTAR CORPORATION	BPMC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMISTAR CORPORATION	BPMC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMISTAR CORPORATION	BPMC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Mango	hopper & tip borer	3-3.5 Tbsp/16 L water	-	Do not spray 10 days before harvest	24 hours after each spray
AVC CHEMICAL CORPORATION	FLONICAMID	MAINMAN 50 WG	500 g/Kg	WG	INSECTICIDE	4	060-442-3229	07-Nov-27	SYSTEMIC	Eggplant	Aphids & Leafhoppers	5.6-7.2 g/16 L water	-	3 days	Enter the field as soon as spray dries up
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	ALCOHOL C13 iso,-ETHOXYLATED	MAGNIFY	900g/L	-	OTHERS	4	546-460-4129	09-Mar-22	POST-EMERGENT	-	As surfactant of DRUMLIN 100 SC	25-30mL/16 L of water	-	-	Re-entry to treated field is allowed as soon as spray have deposits
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	MAGNESIUM PHOSPHIDE	MAGNAPHOS 56 P	560g/kg	TAB	FUMIGANT	1	562-294-4124	25-Sep-26	-	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Ornamentals	Black spo, Black rot, powdery mildew	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Pepper	Early and late blight, bulb rot, neck rot	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Mango	Antracnose, Diplodia rot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Grapes	Downy mildedw, powdwery mildew, fruit rot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Eggplant	Early and late blight, cercospora leaf spot, antracnose	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Celery	Early and late blight	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, antracnose, Septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Carrot	Alternaria leaf spot, Cecosporaleaf spot, Helminthosporiumleaf spot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Beans	*Rust, anthracnose*	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 16L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Asparagus	Stem and late blight	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Banana	*Black sigatoka*	1.0-2.0L/ Ha	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	FENAZAQUIN	MAGISTER 20 SC	200 g/L	SC	MITICIDE	2	508-382-3046	05-Jul-25	-	Pineapple	Mites	2.3-4.3 Tbsp/16L water	-	14-28 days	1 day
AGSPEC PHILIPPINES CORPORATION	FENAZAQUIN	MAGISTER 10 EC	100 g/L	EC	MITICIDE	2	508-382-2926	23-Sep-25	-	Pineapple	Mites	4.5-8.5 tbsp./16 L water	-	14 Days	1 day

MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS. ENTERPRISE INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/Kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Eggplant	Fruit borer	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	White Potato	Nematode, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	575-104-5844	1-Feb-27	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
MANUPALI AGRI-DEVELOPMENT CORPORATION	CHLOROTHALONIL	MADC daconil 720 SC	-	SC	FUNGICIDE	4	745-118-5984	9-Jan-26	-	Banana	Black sigatoka	-	-	-	-
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILS., INC.	CARBARYL	MACRO 85 WP	850 g/Kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR	MACHISMO 60 EC	600 g/L	EC	HERBICIDE	4	376-150-2092-B	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR	MACHISMO 60 EC	600 g/L	EC	HERBICIDE	4	376-150-2092-B	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+SAFENER	MACHETE PLUS	600g/L	EC	HERBICIDE	4	432-150-4041	02-Feb-28	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges, & broadleaf weeds	5.0-7.5 Tbsp/16 L sprayload	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+SAFENER	MACHETE PLUS	600+60 g/L	-	HERBICIDE	4	011-150-4041	20-Mar-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges, & broadleaf weeds	5.0-7.5 Tbsp/16 L sprayload	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	432-150-2300	02-Feb-28	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	432-150-2300	02-Feb-28	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	011-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	011-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR	MACH-7 60 EC	600 g/L	EC	HERBICIDE	4	295-150-2776	05-Mar-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	As soon as as spray mist dries up
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR	MACH-7 60 EC	600 g/L	EC	HERBICIDE	4	295-150-2776	05-Mar-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	As soon as as spray mist dries up
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	LYKA 700 EC	350+350 g/L	EC	HERBICIDE	3	596-238-5685	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	LYKA 700 EC	350+350 g/L	EC	HERBICIDE	3	596-238-5685	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
BASF PHILIPPINES, INC.	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	LUTENSOL A8	-	-	OTHERS	2	005-100-0151	31-Dec-25	-	Banana	Sigatoka & Freckles	-	-	0 day	As long as spray deposit has dried up
KCCT AGRO CHEM. CORPORATION	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	LUTENSOL A8	-	-	OTHERS	4	448-100-2427	30-Sep-18		Banana	Sigatoka & Freckles				
GNM AGRIVENTURES INC.	PRETILACHLOR	LUPIT 30 EC	300 g/L	EC	HERBICIDE	4	577-063-4731	01-Apr-22	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Potato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Pepper	Early and Late Blight,Bulb rot, Neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treated areas until spray deposit have dried

PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-28	-	Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treated areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	FLUOPYRAM+PYRIMETHANIL	LUNA TRANQUILITY SC 500	125 g/L+375 g/L	SC	FUNGICIDE	3	284-512-4822	22-Feb-27	-	Banana	Black sigatoka	800 mL product/ha at ground spray volume of 80-100L/ha twice at 7 days	-	0 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Cabbage	Alternaria leaf spot	400-500 mL prod./ ha	1.0 mg/kg Fluopyram 1.5 mg/Kg	7 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Chili/Pepper	Cercospora leaf spot	400-500 mL prod./ ha	Floupyram 3^2 mg/kg	7 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Eggplant	Early blight	400-500 mL prod./ ha	0.5 mg/kg Floupyram 1.0 mg/kg Trifloxystrobin	7 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Mango	Anthracnose	600-1000 mL prod./ ha	1.0 mg/kg Floupyram 0.7 mg/kg Trifloxystobin	14 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Bittergourd	Powdery mildew, cercospora leafspot	400-500 mL prod./ ha	0.5 mg/kg Floupyram 0.1 mg/kg Trifloxystrobin	7 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Tomato	Early blight	400-500 mL prod./ ha	3.0 mg/kg Floupyram 0.1 mg/kg Trifloxystrobin	7 Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Onion	Purple blotch	16-20 mL prod. / 16 L water, 400-500 mL prod./ ha. At spray volume of 400 L	0.07 mg/Kg (Floupyram) 0.08 mg/Kg (Trifloxystrobin)	14 Days	-
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Strawberry	Cercospora leaf spot, and gray molds	16-20 mL prod. / 16 L water; Spray volume 400 L/ ha	0.40 mg/kg Floupyram; 1.00 mg/kg Trifloxystrobin	7 days	
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Watermelon	Leaf spot and Anthracnose	16-20 mL prod. / 16 L water; Spray volume 400 L/ ha	0.02 mg/kg Floupyram; 0.08 mg/kg Trifloxystrobin	7 Days	
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Potato	Early blight	16-20 mL prod. / 16 L water; Spray volume 400 L/ ha	0.15 mg/kg Floupyram; 0.02 mg/kg Trifloxystrobin	14 Days	
BAYER CROPSCIENCE, INC.	FLOUPYRAM+TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	284-530-5135	30-Jun-26	-	Pomelo	Scabs	500-600 mL prod./ ha or 250-300 g AI/ ha	0.40 mg/kg 0.50 mg/kg	140 days	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CHLORANTRANILIPROLE	LUMIVIA 625 FS	625 g/L	FS	INSECTICIDE	4	014-393-5163	20-Jul-26	-	Corn	Cutworm and fall armyworm	28-84 mL FP/ha; 3.2-5.5 mL FP/ kg seed	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CHLORANTRANILIPROLE	LUMIVIA 625 FS	625 g/L	FS	INSECTICIDE	4	014-393-5163	20-Jul-26	-	Rice	Stemborer	4.8-8 mL FP/ kg seed	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	FATTY ALCOHOL POLYGLYCOLETHER AND CALCIUM ALKYL BENZENE SULFONATE	LUCROP BAN	-	-	OTHERS	-	617-472-4290	06-Mar-19	-	Banana	Black Sigatoka	5 L product per hectare	-	-	-
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRO ADVANCED INTERNATIONAL PHILS., INC.	NICLOSAMIDE ETHANOLAMINE SALT	LUCID 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	473-229-2656	17-Sep-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	NICLOSAMIDE ETHANOLAMINE SALT	LUCID 50 WP	500 g/Kg	WP	MOLLUSCICIDE	4	473-229-2658	17-Sep-25	CONTACT	Rice	Golden Snail	50gm (One Sachet) /16L water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	NICLOSAMIDE	LUCID 250 EC	250 g/L	EC	MOLLUSCICIDE	4	473-229-2657	17-Sep-25	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	As soon as solution has dried up
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Asparagus	Armyworm, cutworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Tobacco	Budworm, cutworm, aphids, hornworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Melon	Aphids, Squash beetle , leaffolder	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Tomato	Tomato fruitworm, aphids	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Corn	Corn borer, earworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Sorghum	Corn borer, earworm	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Beans	Leaffolder, flea beetle, beanfly, podborer, aphids	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Mungbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Soybeans	Leaffolder, flea beetle, beanfly, podborer, aphids	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Stringbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	METHOMYL	LTC METOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Banana	Thrips	1.5-2 sachet per 16L sprayer		-	-
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
LTC MORITA CORPORATION	BENOMYL	LTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
R & A AGROFARM PRODUCTS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	LOSCIN 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	450-229-2545	04-Feb-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	35gm (1sachet) product /Load	-	-	At least 48 hours after application
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	_	_	_
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Sugarcane	whitegrubs	80-100 ml per 16L water	_	_	_
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21		Pineapple	Ants & Mealybugs	1-4 L per hectare	_	_	_
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Banana	Thrips,scarring beetle & aphids	20-30 ml(2-3 Tbsp) per 16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Sugarcane	whitegrubs	80-100 ml(8-10 Tbsp) per 16L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21		Pineapple	Ants & Mealybugs	1-4 L per hectare using boom sprayer	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Sugarcane	whitegrubs	80-100 ml per 16L water			
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20		Pineapple	Ants & Mealybugs	1-4 L per hectare			

DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm, rice bug	2.5-3.5 tbsp/16L water	-	-	-	
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-	
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-	
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-	
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	–	–	–	
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	–	–	–	
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	–	–	–	
DU PONT FAR EAST, INC.	CHLORPYRIFOS	LORSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water	–	–	–	
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water				
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water				
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water				
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	LORSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water				
BASF PHILIPPINES, INC.	FLUXAPYROXAD	LONSELOR 300 SC	-	SC	FUNGICIDE	3	005-523-4992	15-Dec-26	SYSTEMIC	Banana	Black sigatoka	0.4-0.5 L per cropping period	-	0 day		As soon as spray droplets dry up
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
JOCANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	non-crop	Annual grasses, broadleaf weeds & sedges					
EDSEL AGRI AND CHEMICAL CORP.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LONG RANGE 200OD	150g/l+50g/L	OD	HERBICIDE	4	597-504-6440	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-		Re-entry to treated field is allowed as soon as spray deposits dry up.
DU PONT FAR EAST, INC.	BENSULFURON METHYL	LONDAX 10 WP	100 g/Kg	WP	HERBICIDE	4	014-179-0373	31-Dec-24	-	Rice	Weeds	500-700 grams/ha	0.1 ppm			-
CYBERTH PHILIPPINES, INC.	BISPYRIBAC SODIUM	LOCK-OUT 100 SC	100 g/L	SC	HERBICIDE	2	216-276-4113	12-Sep-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (lowland)	Grasses, Sedges, & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm			Re-entry to the treated fields is allowed as soon as spray deposits have dried.
ONEGRAIN MARKETING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LOCKDOWN 13 SE	80g/L+50g/L	SE	HERBICIDE	4	723-504-5812	26-May-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges, and broadleaves	10.0 tank load/ ha 16L 12.25 tank load/ ha 16L				
ALBERT JOSEPH AGRO TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LLAMADO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	456-229-2491	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-		Do not enter the treated field within 48 hours after application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/ 16L water	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/ 16L Water	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/ 16L Water	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/ 16L water	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	-	-	-		24 hours, After application
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
LICHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/Kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Non-crop agricultural land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-		Twenty four (24) hours after application.
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Citrus	Annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-		24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Coffee	Annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-		24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Cotton	Annual and perennial broadleaf weeds	8.0 Tbsp/16 L water	-	-		24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Sugarcane	Annual and perennial broadleaf weeds	6.5-13.0 tbsp/16L water	-	-		24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Pineapple	Annual and perennial broadleaf weeds	13.0 tbsp/16L water	-	-		24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/Kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds	20.0-28.0 tbsp/16L water	-	-		24 hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	PROPICONAZOLE	LIRAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Banana	Black Sigatoka	0.4 L product/ ha	-	0 day		Do not enter treated fields until spray has completely dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPICONAZOLE	LIRAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Pineapple	Butt rot	Dip seed in 8-mL/ 100-L water solution	-	No PHI as applied as seed piece dip before planting		Do not enter treated fields until spray has completely dried
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Citrus	Annual and perrenial grasses and broadleaves	13.0-19.0 Tbsp/16 L water	-	-		A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Coffee	Annual and perrenial grasses and broadleaves	13.0-19.0 Tbsp/16 L water	-	-		A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Cotton	Annual and perrenial grasses and broadleaves	8 tbsp/16L water	-	-		A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Sugarcane	Annual and perrenial grasses and broadleaves	6.5-13.0 Tbsp L water	-	-		A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Pineapple	Annual and perrenial grasses and broadleaves	13 tbsp/16L water	-	-		A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-27	-	Non-crop areas	Annual and perrenial grasses and broadleaves	20.0-28.0 tbsp/ 16L water	-	-		A day after application
CROP PROTECTION AGRIVENTURES INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LIPYA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	616-504-6055	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 mL / 15L				As soon as spray dries up.
LICHEMPHIL INTERNATIONAL INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	LINCHOR ULTRA 8.5 EC	25+60g/L	EC	HERBICIDE	3	590-453-4676	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	1.0-1.5L product/ha	-	-		As soon as spray deposit have dried.
THE LICHEMPHIL INTERNATIONAL INC.	PYRIBENZOXIM	LINCHOR 5 EC	50 g/L	EC	HERBICIDE	4	497-387-4637	31-Jan-28	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	5-6 Tbsp/16L	-	-		As soon as spray deposit have dried.
THE LICHEMPHIL INTERNATIONAL INC.	BISPYRIBAC SODIUM	LIMINEE 10 SC	100 g/L	SC	HERBICIDE	2	590-276-4556	08-Nov-27	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded (lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-		As soon as spray deposits dry up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Banana	Blossom thrips	4.5 per L water; 0.5 per L water	-	-		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Cabbage	Diamond back moth	1000 mL prod./ ha; 2.0 tbsp/ 16L water	-	7 Days		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 tbsp/ 16L water	-	-		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod./ ha				Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	3 Days		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Onion	Leafminer, thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 Days		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Potato	Leafminer, thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	14 days		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Tomato	leafminer, thrips, aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 Days		Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Watermelon	Leafminer, thrips, melonworm	500-100 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 Days		Is allowed as soon as spray deposits had dried up

EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Papaya	Mites	150-600 mL prod./ hs; 2.0-5.0 tbdp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	LIGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 Days	Is allowed as soon as spray deposits had dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	135-270 ml/16 L	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135-200 ml/16 L (open)	0.2 mg/kg	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	LIFELINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160 ml/16 L (shaded) 135 ml/16 L (open)	-	-	After spray deposits have dried up
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LICHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	LIDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
THE LICHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	LICONIL 720 SC	720g/L	SC	FUNGICIDE	4	590-118-4561	15-Nov-27	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod./ 16L water; 500 L/ ha	0.60 ppm	3 Days	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water; 600L/ ha	4 ppm	1 day	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water; 240 L/ ha	0.02 ppm	7 Days	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Eggplant	Fruit and shoot, borer cutworm	10-15 mL prod./ 16L water; 800 L/ha	0.3 ppm	1 day	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Rice	Stem borer, leaffolder	20-25 mL prod./ 16L water; 300 L/ ha	2 ppm	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod./ 16L water; 600L/ ha	0.2 ppm	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ ha (27-40 mL prod./ ha)	-	255 days	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water; 240 L/ ha	3 ppm	7 Days	-
LICHEMPHIL INTERNATIONAL INC.	CHLORANTRANILIPROLE	LICHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ prod./ 16L water; 500L/ ha	0.60 ppm	3 Days	-
THE LICHEMPHIL INTERNATIONAL INC.	TRIDEMORPH	LICHEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	590-097-4478	13-Aug-27	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Cabbage and other crucifers	Diamond back moth, cabbage worm, loopers, and aphids	3-5 tbs/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Cotton	Thrips and bollworm	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Eggplant	Fruit borer, aphids, leafhopper, and thrips	1.5-3 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Mungbeans	Corn earworm, leafminer	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Potato	Thrips, armyworm, cutworm, tubemoth	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Soybean	Corn earworm, leafminer	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Stringbeans	Bean fly, leaffolder, aphids, and pod borer	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	PROFENOFOS	LICHEMFOS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Watermelon	Blossom Thrips	3-5 tbsp/ 16L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Mango	Anthracnose, scab, stem-end rot	60-80 mL/ 100 L 2-4 L prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Watermelon	Damping-off, leaf spot, anthracnose, downy mildew, powdery mildew	10-20 mL/ 16L 0.2-0.4 L prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Onion	Basal/bulb rot	10-20 BR/ 16L 0.2-0.4 B prod./ ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Tomato	Late/early blight, powdery mildew	5-10 mL/ 16L	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Asparagus	Stem blight (*Phoma asparagi*), leaf blight (*Cercospora asparagi*), wilt (*Fusarium*)	10-30 mL/ 16L (at spray volume of 400 L/ha)	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN	LICHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Corn	*Rhizoctania* sheath blight, helminthosporium leaf spot, leaf rust, ear rot	20-40 mL prod./ L water	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	CLOTHIANIDIN	LICHEM LINIDIN 200 SC	200 g/L	SC	INSECTICIDE	4	590-379-6156	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Rice	Leafhopper, planthopper, bugs, stemborer	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Tobacco	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Mango	Leafhoppers	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Beans	Aphids, thrips, beanflies, leaffolder	3-5 tbsp/ 16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Eggplant	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cucurbits	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Pineapple	Mealybugs	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Coffee	Berry borers, leaffolders, mealybugs	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 monyhs	Do not enter the treated fields within two days after spraying

LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cacao	Aphids, capsid bugs	3.0-6.4 tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 mpnyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 mpnyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cotton	Aphids, leaffolders, white flies, mites	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest. For banana 3 mpnyhs	Do not enter the treated fields within two days after spraying
LICHEMPHIL INTERNATIONAL INC.	DIMETHOATE	LICHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Banana	Flower thrips	3 mL/L water inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest. For banana 3 mpnyhs	Do not enter the treated fields within two days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LICHEM BISPIRO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	590-504-5893	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves, sedges	500mL-1 L prod./ ha.	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*			Do not enter trated fields within 5 days after application
LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*	-	-	Do not enter trated fields within 5 days after application
LICHEMPHIL INTERNATIONAL INC.	ATRAZINE	LICHEM ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELETIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water *(Based on 1 Tbsp=10g*	-	-	Do not enter trated fields within 5 days after application
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Banana	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Coffee	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Cacao	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Oil palm	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Citrus	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Pineapple	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Corn	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	AMETRYNE	LICHEM AMET 80 WP	800 g/Kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Sugarcane	Annual broadleaves and certain annual grasses	9-15 tbsp 16L water 25 tsnkloads/ ha.	-	-	Enter treated field one day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D IBE	LICHEM 2,4-D ESTER	490g/L	EC	HERBICIDE	2	590-049-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	_	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-27	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	1 Day
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-27	-	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	1 Day
LICHEMPHIL INTERNATIONAL INC.	2,4-D AMINE	LICHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-013-5435	10-May-27	-	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	1 Day
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAIPAN BRAND FARM INC.	CYHALOFOP-BUTYL	LIBERTY 100 EC	100 g/L	EC	HERBICIDE	4	529-257-4354	11-May-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	12,15,10 tankload/ha	-	-	-
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	LGCT CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LFC-DACONIL 720SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	1.00 kg A.I./ ha or 1.38 L prod./ ha	-	-	-

LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LFC-DACONIL 720 SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	-	-	-	-
AGWAY CHEMICALS CORPORATION	PYRIBENZOXIM+CYHALOFOP-BUTYL	LEXOR ULTRA 8.5 EC	25+60 g/L	EC	HERBICIDE	3	075-453-4780	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	-	-	-	As soon as spray deposits dry up.
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX 5 GOLD CROP	CYPERMETHRIN	LEVEL UP 5 EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	4.0-6.0 Tbsp/16L	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 Tbsp/16L	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	4.0-6.0 Tbsp/16L	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4.0-13.0 Tbsp/16L	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	4.0-6.0 Tbsp/16L	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	10.16 Tbsp/16L	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-	90 days	-
EZERTECH CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	14 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	QUIZALOFOP-P-ETHYL	LEOPARD 10 EC	100 g/L	EC	HERBICIDE	4	099-317-2790	30-Jul-26	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water	-	160 days after last application	As soon as the spray mist dries up
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-27	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-27	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-27	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBUZIN	LEGLEG 70 WP	700 g/Kg	WP	HERBICIDE	4	470-022-5548	30-Jul-27	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CLOTHIANIDIN	LEGIT 20SC	200 g/L	SC	INSECTICIDE	4	274-379-6172	31-May-25	-	Rice	Black bug	4-5 tbsp/ 16L	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-27	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Rice	Stemborer, black bug, rice bug, whorl maggots, leafhopper brown plant hopper	1.5-2.0 Tbsp/16L water	2.00 ppm	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Mango	Mango hopper, twig borer, tip borer	1.5-2.0 Tbsp/16L water	1.00 ppm	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Corn	Corn borer	1.5-2.0 Tbsp/16L water	-	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Stringbeans	Podborer, aphids	1.5-2.0 Tbsp/16L water	-	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Eggplant	Shoot/fruit borer, leafhopper	1.5-2.0 Tbsp/16L water	1.00 ppm	7 Days	Do not enter fields without protective clothing and until spray deposits have dried up (Usually within 24 hours)
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	LEBRON 160 SL	160 g/L	SL	HERBICIDE	4	238-151-1536	14-Jul-22	POST-EMERGENT	non-crop areas	common grassy fields	3-6Li/Ha			
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-049-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with LEBLECORP 2,4-d ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Rice	Sedges & Broadleaf weeds	3.5-6.5Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Sugarcane	Sedges & Broadleaf weeds	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Corn	Sedges & Broadleaf weeds	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEBLECORP 2,4-D AMINE can be done after spraying
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	As soon as spray dries up.

VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	658-021-5557	25-Sep-27	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	-	As soon as spray dries up.
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water				
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-27	-	Pineapple	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-27	-	Banana	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-27	-	Mango	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-27	-	Coffee	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ZINC PHOSPHIDE	LEADS ZINC PHOSPHIDE	800 g/kg	P	RODENTICIDE	2	099-173-2426	19-Dec-26	-	Field	Rats and mice	-	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724-A	06-Jun-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	CANOLA OIL METHYL ESTER	LEADS EXIT	819 g/L	-	OTHERS	4	099-411-2654	27-Feb-25	-	Banana (an adjuvant for use in spreading & wetting	Sigatoka	250mL to 1.0/ha	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	ZINC PHOSPHIDE	LEADS EH ZINCPHOS 80 P	-	P	RODENTICIDE	2	645-173-5300	27-Jun-25	-	Agricultural field	Rodents	-	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872-A	30-Sep-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872-A	21-May-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872-A	21-May-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872-A	21-May-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872-A	21-May-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	099-021-2872		SYSTEMIC	non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Mango	Anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/Kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709-A	14-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709-A	14-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	099-049-0709-A	14-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712-A	10-May-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712-A	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712-A	10-May-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-27	-	Sugarcane	White Grubs	80-100 ml per 16L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-27	-	Banana	Thrips,Aphids,Scaring Beetles	20-30 ml per 16L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-27	-	Pineapple	Ants and mealybugs	-	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	13-20, 20-30, 27-40 mL./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	15-25, 25-37.5, 30-50 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	25-30 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Onion	Cutworm	53.3 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	FIPRONIL	LEADPRO 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Eggplant	Shoot borer	30-40 mL./16L	-	Do not apply 7 days before harvest	One day after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854-B	24-Sep-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Watermelon	Squash beetle	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Melon	Squash beetle	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Tobacco	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-27	-	Cotton	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	099-104-2941-A	14-Apr-27	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CLOTHIANIDIN	LAZERKILL 20 SC	200 g/L	SC	INSECTICIDE	4	723-379-5787	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
KCCT AGRO CHEM. CORPORATION	LAURYL ALCOHOL POLYGLYCOL ETHER	LAURYL E08	90 g/L	-	OTHERS	4	448-471-4289	16-Jun-26	-	Cavendish banana	Black sigatoka (as an emulsifier in combination with an FPA registered fungicide)	-	-	-	-
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	LAUDA 250 SC	250g/L	SC	INSECTICIDE	3	075-224-4419-A	05-Jul-27	SYSTEMIC	Mango	Leafhopper	60-80mL/200 L water	-	Do not spray 15 days before harvest	Re-entry into treated field is allowed as soon as spray dries up
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	LAUDA 250 SC	250g/L	SC	INSECTICIDE	3	075-224-4419-A	05-Jul-27	SYSTEMIC	Cavendish banana	Scale insect, mealy bugs and aphids	1.5-2.0 mL/ L water	-	Do not spray 15 days before harvest	Re-entry into treated field is allowed as soon as spray dries up
CORTEVA AGRISCIENCE PHILIPPINES, INC.	PTHALIC GLYCEROL ALKYD	LATRON B-1956	77.0 g/L	L	OTHERS	4	737-360-0237	26-Mar-27	-	-	As spreader-sticker surfactant for insecticides, miticides, fungicides, defoliants, and herbicides	10.5-21, 21-42, 42-84 mL/100 Liters	-	-	-
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Mungbeans	Beanflies, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEJB CORPORATION	LAMBDA-CYHALOTHRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (075)	28-Jun-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL	LASTCARD 10 EC	100 g/L	EC	HERBICIDE	4	248-257-5174	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbs.p./tank load; 12 of tank load/ha (16L capacity)	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	NICLOSAMIDE ETHANOLAMINE SALT	LASER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	376-229-2045-B	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
BAYER CROPSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	284-117-0658	18-May-23	SYSTEMIC	Corn	Seed treatment	250ml LARVIN FS 1 bag (18-20Kgs.) of hybrid seeds	-	-	-
BAYER CROPSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	284-117-0658	18-May-23	SYSTEMIC	Corn	Fall armyworm	50-70 mL product per 16 Liters at spray volume of 500 Liters/hectare		18 days	
P&D MEDIVET DISTRIBUTION INC.	CYROMAZINE	LARVA-GONE	-	-	INSECTICIDE	-	709-331-5665	9-Feb-28	-	Housing facilities	Housefly (*Musca domestica*) larvae in animal	1 kg prod. / 49 kg lime applied at 10 grams mixture/ square meter	-	-	-
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CYHALOTHRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
LTC MORITA CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LARA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	679-229-5319	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	Re-enter fields at least 48 hours after application
CROP PROTECTION AGRIVENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	LAPWA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	616-229-5189	17-Nov-26	-	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water		-	At least 48 hours after application
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
MARTHDAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/Kg	SP	INSECTICIDE	2	409-164-2264	04-Aug-20	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Sorghum	Cornborer,earworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/16 L sprayer			
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16 L sprayer	-	-	-
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Asparagus	Armyworm, cutworm	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	20-35 gram prod./16L	-	-	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Corn	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Sorghum	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Eggplant	Aphids, flea bettle, fruitworm, lady beetle	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Banana	Thrips	35-45 gram prod./16L		0 day	Twelve (12) hours after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/Kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	-
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Glyphosate-tolerant corn	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perrenial grasses, Broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-4061	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perrenial grasses, Broadleaf weeds & sedges				
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	09-Mar-25	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	-
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	-
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Sorghum	Cornborer, earworm	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields treated with LANCET 40 SP within 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L spray	0.01ppm	3 Days	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	01-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L spray	-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE+IMIDACLOPRID	LANCER GOLD 55WG	500 g/kg+50 g/kg	WG	INSECTICIDE	3	099-589-6306	30-Jun-25	-	Mango	Leafhopper	100g-200g /200L drum		Mangoes can be harvest 14 days after treatment	Entry to fields and crops treated with LANCER GOLD 55 WG can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE+IMIDACLOPRID	LANCER GOLD 55 WG	500 g/Kg+50 g/kg	WG	INSECTICIDE	3	562-589-5750	30-Jun-25	-	Mango	Leafhopper	0.50-1.00 kg/ ha 500 L/ ha spray volume	-	-	Entry to fields and crops treated with LANCER GOLD 55 WG can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Banana	Thrips	1.5-2 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	06-Apr-27	-	Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried

UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Banana	Thrips	1.5-2 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25	-	Mango	Hopper, Tipborers	1.5-2 Tbsp/16L water	-	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMZIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151.3434	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	100 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	100 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L		7 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L		3 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L		3 Days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L		90 days	Do not enter treated fields at least 1 Day after application
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMITHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L		14 Days	Do not enter treated fields at least 1 Day after application
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mango	Hoppers	0.75-1.5 Tbsp / L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tomato	Fruitworm, cutworm, aphids	1-5.5 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Onion	Thrips, cutworm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Corn	Cornborer, aphids, seedling maggots	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tobacco	Budworm, Cutworm, Aphids,katydids	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cotton	Bollworm	1-1.5 Tbsp /16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cocoa	Pod borer	1-2 Tbsp/16L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
THAIPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Watermelon	Squash beetle, melon worm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.

SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGLAT, INC.	LAMBDA-CYHALOTHRIN	LAMBO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDANEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704-A	28-Jun-27	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mango	Hoppers	0.75-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Onion	Thrips, cutworm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mungbeans	Bean fly, flea beetle, leafhopper, aphids, mites, pod borer	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Corn	Corn borer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16 L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CYHALOTHRIN	LAMBDAMAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Mango	Hoppers	0.75-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Onion	Thrips, cutworm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Cotton	Bollworm	1.0-1.5 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Cacao	Pod borer	1.0-2.0 t bsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CYHALOTHRIN	LAMBDABEST 2.5EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-27	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELEX AGRITRADE CORPORATION	LAMBDA-CYHALOTHRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	BUPROFEZIN	LAGUNOS 25 SC	250 g/L	SC	INSECTICIDE	3	680-224-6376	28-Nov-26	-	Mango	Leafhopper	60-80 mL/200L water	-	Do not spray 15 days before harvest.	Re-entry to field is allowed as soon as spray dries up
AGSMART CORPORATION	BUPROFEZIN	LAGUNOS 25 SC	250 g/L	SC	INSECTICIDE	3	680-224-6376	28-Nov-26	-	Cavendish banana	Scale insect, mealy bugs and aphids	1.5-2.5 mL prod./ L water	-	Do not spray 15 days before harvest.	Re-entry to field is allowed as soon as spray dries up
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+PROPANIL	LAGARAW 70 EC	350+350 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+PROPANIL	LAGARAW 70 EC	350+350 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
LAPANDAY AGRICULTURAL & DEVELOPMENT CORPORATION	CHLOROTHALONIL	LADC-DACONIL 720SC	-	SC	FUNGICIDE	4	748-118-5992	16-Jan-26	-	Banana	Black sigatoka	1.00 kg A.I./ ha or 1.38 L prod./ ha	-	-	-
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LADC-DACONIL 720 SC	-	SC	FUNGICIDE	4	748-118-5992	16-Jan-26	-	Banana	Black sigatoka				
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Cacao	Podborer	1.0-2.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LABRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LABAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAHA 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-27	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TAIPAN BRAND FARM INC.	BUTACHLOR+2,4-D IBE	LA2 EC	360+240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TAIPAN BRAND FARM INC.	BUTACHLOR+2,4-D IBE	LA2 EC	360+240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	NICLOSAMIDE ETHANOLAMINE SALT	LA NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	735-229-6026	13-Feb-26	-	Rice	Golden apple snails	35 gms or 1 sachet 10 tank load/ hectare	-	-	At least 48 hours after application
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Itch grass, morning glory, dayflower, syndrella, button weed, spindle top, caloggronium, hairy beggarticks, tropic ageratum	2-3 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Coffee	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Cacao	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Rubber	Mutha	2.0 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Oil palm	Paragrass	2.0 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Citrus	Talahib	4.5 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Coconut	Fern (Shade Condition)	2.0 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Sugarcane	Other annual weeds	2.0 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887-A	17-Oct-25	POST-EMERGENT	Vegetables	Other annual weeds	2.0 L Prod./ ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872-A	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Cavendish banana	In-field, shaded-condition: mixed weeds (grasses sedges and broadleaves)	2 L/ Ha and 160 mL/16L of water 1.67 - 10 L/Ha and 135 - 200 mL/16L	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Rubber	Mature, shaded conditions: cogon; Immature, open conditions: cogon; Mixed weeds: paragrass and carabao grass	215 mL/16 L water; 270 mL/16 L water; 135 mL/16 L water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Oil palm	Mature, shaded conditions: mixed weeds (grasses, sedges, broadleaves); Immature, open conditions: mixed weeds (grasses	160 mL/16 L water; 135 mL/16 L water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	non-crop agricultural areas	Mixed weeds (grasses, sedges and broadleaves)	160 - 215 mL/16 L water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Mango	Antracnose,scab, stem-end rot	6-8 tbsp /100L; 2-4 L product/ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Watermelon	Damping off-, leaf spot, antracnose, downy mildew, powdery mildew	1-2 tbsp / 16L; 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Onion	Basal/bulb rot, purple blotch	1-2 tbsp / 16L; 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Tomato	Late/ early blight, powdery mildew	0.5-1 tbsp / 16L; 0.156-0.312 L prod/ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Asparagus	Stem blight (*Phoma asparagi*) leaf blight (Cercospora asparagi), wilt (fusarium)	1-3 tbsp / 16 L (at spray volume of 400 L/ha)	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Banana	Black sigatoka, freckle disease	0.4 L product/ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21	-	Potato	Late Blight	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21	-	Tomato	Late Blight	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-ZYPSY 505 WP	40g+465g/kg	WP	FUNGICIDE	4	659-163-4971	05-Feb-21	-	Grapes	Downy mildew	5 tbsp,/16 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
CORTEVA AGRISCIENCE PHILIPPINES, INC.	FENPICOXAMID	KYVENTIQ 13 SC	130 g/L	SC	FUNGICIDE	4	737-611-5963	15-Dec-25	-	Banana	Sigatoka	0.385 L prod. / ha.(50 g Fenpicoxamid / ha)	-	0 day	4 hours after applciation
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	FENPICOXAMID	KYVENTIQ 13 SC	130 g/L	SC	FUNGICIDE	4	014-611-6265	15-Dec-25	-	Banana	Sigatoka	50 g a.i/ ha; 0.385 L FP/ ha	-	0 day	4 hours after application
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINDS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Okra	Annual grasses, broadleaf weeds & sedges				Do not enter treated area until spray deposit has dried
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application

INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/Kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Asparagus	Armyworm,cutworm	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Tobacco	Budworm,cutworm,aphids,hornworm	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Rice	Green leafhopper,armyworm,caseworm,leaffolder	2-3.5 Tbsp/ L water	0.0ppm	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Melon	Aphids,squash beetle,leaffolder	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Corn	Cornborer,earworm	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Sorghum	Cornborer,earworm	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Eggplant	Aphids,flea beetle,fruitworm,lady beetle	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	659-164-4979-A	02-Dec-25	-	Banana	Thrips	2-3.5 Tbsp/ L water	-	-	Do not enter fields treated with K-VESTER 40 SP WITHIN 12 hours after application
KEMISTAR CORPORATION	GLYPHOSATE IPA	KUTTER 160 SL	160 g/L	SL	HERBICIDE	4	239-151-1767	02-Aug-18	POST-EMERGENT	non-crop areas	common grassy fields				
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Rice	Rice blast, neck rot, black spot	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Banana	Sigatoka	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Mango	Anthracnose	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tomato	Powdery mildew	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tobacco	Frog eye leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orange	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Calamansi	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Citrus	Scab	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wit	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wit	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Strawberry	Powdey mildew, gray molds, cercospora leaf spot	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Papaya	Powdey mildew	1.0-4 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orchids	Powdery mildew, black spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Ornamentals	Powdery mildew, black spots	0.5-1 tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	BISPYRIBAC SODIUM	K-UNINOR 10 SC	104.6 g/L	SC	HERBICIDE	2	659-276-5629	21-Sep-24	-	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as deposit on crops and weeds have dried
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Eggplant	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L prod/ha	-	14 days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L prod/ha	-	7 days	-
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Beans	Downy mildew, powdery mildew	3.5-7 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Citrus	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Cotton	Downy mildew, powdery mildew	-	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Grapes	Powdery mildew	-	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Leafy Vegetables	Powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up

BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Ornamentals	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Papaya	Mites	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Pepper	Downy mildew, powdery mildew	6-7 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Solanaceous crops	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/Kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-28	CONTACT	Pineapple	Mites, heart rot	8.4, 5.0 kg/ha	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUIK 40 SP	400 g/Kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUIK 40 SP within 12 hours after application
RBAV HARVEST TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KUHOLOXIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	772-229-6374	20-Sep-24	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	-
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	274-075-1682	31-Dec-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613-A	20-Feb-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613-A	20-Feb-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613-A	20-Feb-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613-A	20-Feb-27	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMISTAR CORPORATION	METALDEHYDE	KUHOLKIL 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613-A	20-Feb-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUHOL TRAP 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5762	07-Feb-24	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RNE CHEMICAL CORPORATION	METALDEHYDE	KUHOL BUSTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	478-075-3110	18-Jan-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
KUDZU SEEDS TRADING	ETHYL 4-METHYLOCTANOATE	KUDZU RB LURE	-	-	INSECTICIDE	-	675-536-5256	28-Oct-26	-	Coconut	Rhinoceros beetles	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BPMC+CHLORPYRIFOS	KUDOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Stringbeans	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Eggplant	Whiteflies, gGreen leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400/ mL prod./ha;4.0-13.0 mL prod./ 16L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 Days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL prod./ha;10.0-16.0 mL prod./ 16 L	-	3 Days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THIALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496-A	30-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod./ 16 L	-	14 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	PYRACLOSTROBIN	K-TANZENT 25 EC	250 g/L	EC	FUNGICIDE	2	659-396-6397 (672)	19-Dec-26	-	Banana	Black sigatoka, freckles	0.4 L prod./ ha	-	4 days	After drying of spray
HANEARL SCIENCE PHILIPPINES, INC.	PYRACLOSTROBIN	K-TANZENT 25 EC	250 g/L	EC	FUNGICIDE	2	659-396-6397 (672)	19-Dec-26	-	Corn	Leaf spot	0.4 L prod./ ha	-	4 days	After drying of spray
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	80 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	65-130 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	130 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-SUPERON 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod./ 16L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Tobacco	Budworm, aphids	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Eggplant	Fruitborer	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Stringbeans	Aphids	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Tomato	Fruitworm	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Banana	Leafhopper, Tipborer	1.5-2 Tbs p/16L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Watermelon	Aphids, thrips	2-3 Tbsp/16 L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up

HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16 L water	0.02 ppm	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21		Mango	Leafhopper and tip borer	1.5-2 Tbsp/16L water	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGRI VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 / 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Banana	Thrips	1.5-2/ 16L sprayer	-	-	-
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Mango	Anthracnose	40-80 grams prod./ 100 L water 2000 L/ ha	-	30 days	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	12-16 grams prod./ 16 L water 160 L/ ha	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Bittergourd	Powdery mildew, *cercospora* leaf spot and anthracnose	6-8 grams/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Eggplant	*Cercospora leaf spot, early blight*	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Onion	Purple blotch	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Corn	*Helminthosporium* leaf spot, corn rust	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Watermelon	Leafspot, powdery mildew	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
AGRO IRIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Cabbage	Leaf spot	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Banana	Thrips	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Sorghum	Cornborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRISS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	15-Mar-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BIOLIFE SCIENCES SOLUTIONS COMPANY	KRESOXIM-METHYL	KREMET 300 SC		SC	FUNGICIDE	4	581-573-5671	14-Feb-23	-	Banana	Black sigatoka	0.4-0.5 L/ ha.		0 day	After spray deposits have dried

CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KRAPTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
HANEARL SCIENCE PHILIPPINES, INC.	CARBENDAZIM+TEBUCONAZOLE	K-QURAL 250 SC	125+125 g/L	SC	FUNGICIDE	4	659-405-4980	26-Jul-27	-	Mango	Anthracnose (Colletotrichum gloeosporioides	200mL-300mL/200L drum	-	55 Days after last application	When spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Lettuce	Early blight, neck rot	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Cucurbits	Downy mildew, late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Celery	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Beans	Rust	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Potato	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Tomato	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Tobacco	Brown leaf spot	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Coffee	Brown eye spot	65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Citrus	Black spot	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Melon	Downy mildew	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Watermelon	Downy mildew	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Asparagus	Cercospora Leaf Blight	2.5-kgs/ha	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Ornamentals	Black spot, rust	35-50 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Mango	Anthracnose	50-65 g/16L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000 g product/ha)	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROPINEB	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Banana	Sigatoka, freckle disease	2.5-kgs/ha	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	PROFENOFOS	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borers	60 mL/200 L	-	3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ ha.	-	7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ ha.	-	3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Banana	Flower Thrips	1-3 mL/ L	-	90 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-27	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ ha	-	14 days	Do not enter treated field for at least 1 day after application
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	15-30 mL/16 L water	0.2 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Potato	Thrips	5-15 mL/16 Lwater, 1.5-3.0 Tbsp/16L	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Banana	Flower thrips	2-3 ml/ 1 L water	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
ANGELEX AGRITRADE CORPORATION	BUTACHLOR+PROPANIL	KORVANCE 70 EC	350+350 g/L	EC	HERBICIDE	3	491-238-2928	05-Jun-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELEX AGRITRADE CORPORATION	BUTACHLOR+PROPANIL	KORVANCE 70 EC	350+350 g/L	EC	HERBICIDE	3	491-238-2928	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	491-106-3425	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ANGELEX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Celery	Early blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/Kg	WP	FUNGICIDE	3	201-006-0910	15-Jan-28	-	Papaya	Baterial crown rot	4.5-7.0 kg/ha	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	7 days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	7 Days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL+MANCOZEB	KOOLZET 505 WP	40+465g/Kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	7 Days	Do not enter fields treated with KOOLZET 505 WP within 24 hours after application
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Banana	Sigatoka, leaf freckles, rust	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Tomato	Early and late blight, Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Eggplant	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Pepper	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Corn	Helminthosporium leaf spot, rust, downy mildew	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Beans	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Peas	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Celery	Late blight	3.2-4.8 Tbsp/ 16 L water		7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Carrot	Alternaria leaf spot, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		lettuce	Downy mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Cabbage	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Broccoli	Powdery mildew	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Watermelon	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Melon	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Squash	Antracnose, powdery mildew, early and late blight , cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Peanut	Cercospora leafspot	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheatl blight	3.2-4.8 Tbsp/ 16 L water		14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Citrus	Melanose, scab	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/Kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23		Ornamentals	Black spot, powdery mildew, black rot	3.2-4.8 Tbsp/ 16 L water		-	Do not enter treatment areas until spray deposit have dried
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Rice	Whorl maggots, stemborer, rice bug, leafhopper, brown planthopper, leaffolder	4-5mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Corn	Maggots, borer, earworm	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Watermelon	Armyworm, leaffolder, leafroller, aphids, squash beetle	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Stringbeans	Podborer, aphids, cutworm	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Eggplant	Leafhopper, mites, podborer	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Tomato	Fruitworm	2.5- .3.5mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	10-Jun-20		Tobacco	Budworm. Cutworm, aphids	2-3mL/16 water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after sprayingg
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up

UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	606-309-4269	05-Mar-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	–	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Rubber	Annual grasses,sedges and broadleaves	-			
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Oil palm	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Non-crop areas	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Cavendish Banana	Annual grasses,sedges and broadleaves	-	0.2 mg/kg	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Mango	Anthracnose	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Rice (hybrid)	Bacterial leaf blight	4.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cacao	Black pod	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Onion	Purple blotch, downy mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Potato	Early and late blight	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cabbage	Black rot, black leaf spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Carrot	Carrot blight, alternia	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Pepper	Bacterial spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Beans	Rust, bacterial blight	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Watermelon	Anthracnose, fruit rot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Grapes	Black rot, downy and powdery mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Celery	Early and late blight	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Banana	Sigatoka, bacterial fruit rot, finger rot, corn rot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/Kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cauliflower	Downy mildew, alternaria, leaf spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CYPERMETHRIN	KNOCK OUT 5 EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated areas may done as soon as spray solution has dried on the foliage
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GINTONG ANI TRADING CPC	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/Kg	SP	INSECTICIDE	3	471-106-6833	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
HANEARL SCIENCE PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	K-NICLOSA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	659-229-4975-A (672)	20-Dec-27	CONTACT	Rice	Golden Apple Snail	35 gm/16 L water			48 hous after spraying
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/16L water	-	14 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/16L water	-	3 days	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB+METALAXYL	K-MIMOSA 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHYDE	K-METAMAX 6% P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL 5 EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.

HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	K-MANCY 505 WP	40+465g/Kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	-	Do not enter fields treated with K-MANCY 505 WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-		As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTHI 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	05-Jan-28	-	Cabbage	Diamond back moth,aphids & cabbage moth	6.30-12.50,6.30-12.50,10.40-12.50 ml/16 L water			
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	05-Jan-28	-	Potato	Thrips	2.10-6.30,6.30-12.50 ml/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORFENAPYR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	05-Jan-28	-	Banana	Flower thrips	8.30-12.50 ml / 16 L water	-	-	-
EZERTECH CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	648-300-5305	22-Dec-26	PRE-HARVEST/POST HARVEST	Banana	Fungal crown mold/crown rot	2mL/L water		-	-
EZERTECH CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	648-300-5305	22-Dec-26	PRE-HARVEST/POST HARVEST	Pineapple	Butt and crown mold	0.5-1mL/L water	-	-	-
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KLIK 700 EC	350+350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KLIK 700 EC	350+350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
SYNGENTA PHILIPPINES INC.	BRODIFACOUM	KLERAT WAX BLOCKS	0.05 g/kg	-	RODENTICIDE	2	011-228-0789	12-Jan-26	-	Pineapple and banana plantations	Rodents	-	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-

VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-27	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
BERRIS AGRICULTURAL COMPANY, INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges & broadleaves	1.1-1.7 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges & broadleaves	1.7 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Non-crop areas	Grasses, sedges & broadleaves	2.6 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Vegetables under minimum reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	GLYPHOSATE IPA	KLARO 160 SL	160 g/L	SL	HERBICIDE	4	233-151-2007	20-Nov-27	POST-EMERGENT	Non-crop areas	common grassy fields	3-6 L/ha, 24-48Tbsp/16 L water(200 L/ha),12-24 Tbsp/16 L water(400	-	-	-
INDOFIL PHILIPPINES INC.	ACETAMIPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	06-Feb-26	-	Mango	Mango Hopper	1.5-2.0 tbsp./16 L water	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	ACETAMIPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	06-Feb-26	-	Eggplant	leafhoppers & fruit /shoot borer	1.0-2.0 tbsp./16 L water	_	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495-A	22-May-25	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to trated fields is allowed as soon as spray dries up
GREAT HARVEST AGRICHEMICALS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KIX 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	541-229-3299	01-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	15-Jun-27	SYSTEMIC	Potato	Late blight	5-10g/16L water	0.10 ppm	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	15-Jun-27	SYSTEMIC	Tomato	Late blight	5-10g/16L water	2.00 ppm	7 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	15-Jun-27	SYSTEMIC	Pineapple	Root rot, heart rot	60, 30g/16L water	-	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	15-Jun-27	SYSTEMIC	Papaya	Phytophora root and basal rot	4-8g/L	-	3 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-264-3537	15-Jun-27	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds	-	-	24 hours after application
AGRO IRIS PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	KIPERINA 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Transplanted)	*Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and*	-	-	-	After spray deposit has dried up
AGRO IRIS PHILIPPINES, INC.	PENOXSULAM+CYHALOFOP-BUTYL	KIPERINA 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Direct-seeded)	*Echinocloa crusgalli,E.globrescens,C.difformis,I rugosom,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and*	-	-	-	After spray deposit has dried up
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Onion	Thrips	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGRI SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNNSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	KING DAVID 300 OD	210+90 g/L	OD	INSECTICIDE	2	088-393-5644	27-Aug-25	SYSTEMIC	Mango	Mango leafhopper	20-40mL product/100 liters water 50-80 mL prod/200L water	-	-	No re-entry within 48 hours after spray.Appropriate warning signs should be placed before and after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CYHALOTHRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
UPL PHILIPPINES, INC.	CLETHODIM	KINETIK 24 EC	240 g/L	EC	HERBICIDE	4	562-334-4946	16-Jun-27	SYSTEMIC	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. ciliaris	35.00ml/16 L water	-	7 days	Entry to crops and fields sprayed with KINETIK 24 EC may be done 1 day after spraying
BERRIS AGRICULTURAL COMPANY, INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Potato	Late Blight	5 Tbsp/16 L water	-	7 days	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Tomato	Late Blight	5 Tbsp/16 L water	-	7 days	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	CYMOXANIL+MANCOZEB	KIN KIN 505 WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Grapes	Downy Mildew	5 Tbsp/16 L water	-	7 days	Do not entry fields treated with KIN KIN 505 WP 24 hours after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application

ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Cucurbits	Squash beetle	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Tobacco	Aphids, budworm	5-8 Tbsp/16L water			
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Cotton	Aphids, budworm	5-8 Tbsp/16L water			
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
P&J AGRICULTURAL TRADING INC.	FORMALDEHYDE+GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	KILCOVIROGUARD	23g/L+12g/L+10g/L	-	OTHERS	2	736-572-5877	31-Dec-27	-		Disinfection in farm animal facilities and in wheel an foot dips	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 after application
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2-3 L/ ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Dec-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	SAIJA 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-163-6421	5-Feb-27	-	Potato	Late blight	5 tbsp/ 16L water	-	-	Do not enter fields treated with **KICKBACK 505 WP** within 24 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	SAIJA 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-163-6421	5-Feb-27	-	Tomato	Late blight	5 tbsp/ 16L water	-	-	Do not enter fields treated with **KICKBACK 505 WP** within 24 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	SAIJA 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-163-6421	5-Feb-27	-	Grapes	Downy mildew	5 tbsp/ 16L water	-	-	Do not enter fields treated with **KICKBACK 505 WP** within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
INTERSORORA INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	KIAMBA 247 SC	106 g/L+141 g/L	SC	INSECTICIDE	2	664-395-5019	25-Apr-26	-	Mango	Leafhopper and cecid fly	30 mL 100L water; 0.375/ha	-	3 Days	Do not enter treated fields for at least 1 day after application	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	PYMETROZINE	K-HEMIP 50 WG	500 g/Kg	WG	INSECTICIDE	4	659-307-6415	11-Oct-25	-	Mango	Leafhopper	80 g/ 200L water	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fileds until spray deposits have completely dried	
HANEARL SCIENCE PHILIPPINES, INC.	PYMETROZINE	K-HEMIP 50 WG	500 g/Kg	WG	INSECTICIDE	4	659-307-6415	11-Oct-25	-	Corn	Leafhopper, planthopper and aphids	7-16g/ 16L water		No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fileds until spray deposits have completely dried	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Celery	Late Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cucumber	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Squash	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cotton	Damping off	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Lettuce	Downy Mildew	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Pepper	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Chili	Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Grapes	Downy Mildew, Black rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mango	Anthracnose, and scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Corn (sweet and popcorn)	Helminthosphorium leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/Kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/16 L		0 day	Do not enter the field within 2 days after spraying.	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Cabbage	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Broccoli	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Cauliflower	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried	
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Cavendish bnana	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Rubber	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Oil palm	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	659-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				

HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	659-151-4977-A	09-Jan-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	659-212-4983	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-26	-	Cabbage	Diamondback moth	15-25, 25-25, 30-50 mL/16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-26	-	Eggplant	Shoot borer	30-40 mL-16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-26	-	Onion	Cutworm	53-30 mL/16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-26	-	Rice	Stemborer,brown planthopper,leaffolder,rice bug	27-40, 34-52, 40-63 mL/16 L water	0.01 ppm	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	659-244-4973	06-Oct-26	-	Watermelon	Thrips, leaf beetles	25-30 mL/16 L water	-	-	One day after application
S&P ENTERPRISES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 tbsp/ 16L water	-	-	-
S&P ENTERPRISES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL/ 200L L drum	-	-	-
S&P ENTERPRISES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Onion	Anthracnose	2.0-3.5 tbsp/ 16L water	-	-	-
S&P ENTERPRISES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/16L water	-	-	-
S&P ENTERPRISES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	KEVLAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Rice	Rice blast, sheath blighjt	4.0-5.0 tbsp/ 16L water 2.5-5.0 tbsp/ 16L water	-	-	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
S&P ENTERPRISES INC.	DIFENOCONAZOLE	KEVLAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
KEMISTAR CORPORATION	TRIDEMORPH	KEMISTAR TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	239-097-2016	20-Dec-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR SUGARCANE RIPENER	-	-	OTHERS	4	239-151-1776	02-Feb-27	-	Sugarcane	Ripener	2-3 L prod./ 30 L water / ha.	-	-	-
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMISTAR CORPORATION	MANCOZEB	KEMISTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries

KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	GLYPHOSATE IPA	KEMISTAR GLYHPO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	25-Sep-27	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	A day after application
KEMISTAR CORPORATION	DIURON	KEMISTAR DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water				
SANKHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/Kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water				
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENPROPIMORPH	KEENOR 880 OL	880 g/L	OL	FUNGICIDE	2	450-511-5850	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L prod./ ha.		0 day		As soon as spray droplets dries
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Citrus	Annual and perennial broadleaf weeds and grases	13.0-19.0 Tbsp/16 L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Coffee	Annual and perennial broadleaf weeds and grases	13.0-19.0 Tbsp/16 L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Cotton	Annual and perennial broadleaf weeds and grases	8.0 tbsp/ 16L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Sugarcane	Annual and perennial broadleaf weeds and grases	6.5-13.0 tbsp/ 16L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Pineapple	Annual and perennial broadleaf weeds and grases	13.0 tbsp/ 16L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	659-021-6232	21-Jul-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grases	20.0-28.0 tbsp/ 16L water	-	-	-	Entry to fields treated with **K-DIURON 80 WP** can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ha				-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L prod/ha	-	14 days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Stringbeans	Leafspot	0.20-0.30 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold,powdery mildew	0.20-0.30 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 Days		-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-27	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-		-
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978-A	07-Jun-26	-	Banana	Thrips,scaring beetl,aphids	20-30 mL(2-3Tbsp)per 16 L water	-	-		-
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978-A	07-Jun-26	-	Pineapple	Mealy bugs ant	1-4 L per hectare using boom sprayer	-	-		-
HANEARL SCIENCE PHILIPPINES, INC.	CHLORPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978-A	07-Jun-26	-	Sugarcane	White grub	80-100 mL per 16 L water	-	-		-
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	400g/L	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Potato	Early and late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cabbage	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cauliflower	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Broccoli	Downy mildew,Alternaria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Celery	Late blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cucumber	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Squash	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Cotton	Damping off	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Beans	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Peas	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Mungbeans	Anthracnose,downy mildew,rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Tomato	Early and late blight,anthracnose,septoria leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Onion	Purple blutch,downy mildew,Botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Garlic	Purple blutch,downy mildew,Botrytis leaf blight	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Chili	Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Grapes	Downy mildew,black rot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Melon	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest		Soon as the spray has dried.

HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Watermelon	Downy mildew,anthracnose,scab	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-DELICA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21		Ornamentals	Black spot,blight,anthracnose	3-6 Tbsp/16 L water		Allow 7 days from last spray until harvest	Soon as the spray has dried.
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT			OTHERS	4	741-606-5914	25-Oct-25	-	Banana	Marker for use in plantations	-	-	-	-
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT	-	-	OTHERS	4	741-606-5914	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Rice	Sheath blight	250-350 mL product		-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	250-500 mL product	-	45 days	-
JYNNSONS PHILIPPINES, INC.	PYMETROZINE	KAZAM 50 WG	500 g/Kg	WG	INSECTICIDE	4	551-307-4382	27-Dec-26	-	Mango	Mango Leafhopper	80* sachet/ 200L	-	-	Do not enter the treated fields for at least 24 hours after application
JYNNSONS PHILIPPINES, INC.	PYMETROZINE	KAZAM 50 WG	500 g/Kg	WG	INSECTICIDE	4	551-307-4382	27-Dec-26	-	Rice	Brown planthopper and green leafhopper	25-30 sachet / 200L	-	-	Do not enter the treated fields for at least 24 hours after application
JYNNSONS PHILIPPINES, INC.	PYMETROZINE	KAZAM 50 WG	500 g/Kg	WG	INSECTICIDE	4	551-307-4382	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16 sachet/ 200L			Do not enter the treated fields for at least 24 hours after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Pineapple	Mealy bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	DIAZINON	KAYAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water		14 Days	Treated area may be entered 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-27	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
2HJL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGRI-SPROUT PHILS., INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of
AGRI-SPROUT PHILS., INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CYHALOTHRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	_	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries

KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	446-053-4424	22-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Asparagus	Armyworm, cutworm	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Banana	Thrips	1.5-2 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Corn	Cornborer, earworm	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	BUTACHLOR+PROPANIL	KARRAT BUTACHLOR+PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-20	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
KARRAT MARKETING CORPORATION	BUTACHLOR+PROPANIL	KARRAT BUTACHLOR+PROPANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-20	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm		
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water			
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water			
KARPOS CHEMICALS SOLUTIONS CO.	PYMETROZINE	KARPOS-PYMETROZINE 25 SC	250 g/L	SC	INSECTICIDE	4	684-307-5950	29-Nov-24	-	Banana	Aphids, mealy bug scale insect	0.5-2.5 mL product/ L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMEX GOLD	800 g/Kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Rice	Annual grasses, broadleaves and sedges	3-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Sugarcane	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Corn	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Lawns	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Grassland	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs, leaffolder	16-32 mL/16 L water	0.90 ppm	28 days	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Mango	Hoppers, twig/tip borer	32-48 mL/16 L water	0.03 ppm	40 days	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Corn	Seedling maggot, corn borer, earworm	16-32 mL/16 L water	-	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Tomato	Fruitworm	32 mL/16 L water	2.00 ppm	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Eggplant	Shoot/fruit borer, leafhopper	16-32 mL/16 L water	0.50 ppm	-	After spray deposits have dried up.
KEMISTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Mungbean	Pod borers, leafhopper	16-32 mL/16 L water	-	-	After spray deposits have dried up.
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	06-Feb-25	SYSTEMIC	Banana	Aphids	1-2 mL/ 150 mL solution/mat , 1.9-3.8 L prod./ha, 4.5 L/ ha	-	0 day	-
LICHEMPHIL INTERNATIONAL INC.	ISOPROTHIOLANE	KARA-ONE 41.2 EC	412.0 g/L	EC	FUNGICIDE	4	590-248-5431	10-May-27	SYSTEMIC	Rice	Rice blast	4.0-6.0 Tbsp prod/16L water	10ppm	14 Days	Do not enter the field within 48 hours after sprauing.
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	493-204-3665	14-Mar-19	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	3 Days	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANNABIS 40 SP	400 g/Kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-		Do not enter fields treated with KANABIS 40 SP within 12 hours after application
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Coffee	Berry borer	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Citrus	Rind borer	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Soybeans	Pod borer, beanfly, leafminer, aphids	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Cowpea	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Cotton seeds	Bollworm, cutworm	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Tomato	Fruitworm, lady beetle	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/Kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-27	CONTACT	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/ 16L (10 CC/TBSP)	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango	Treated areas may be re-entered immediately after dried on foliage
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer		-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-		
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMIKAZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-		
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Banana	Blossom Thrips	0.5/L water		-	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Cabbage	Diamond back moth	1000 mL prod/ha		7 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Ornamentals	Mites	1.0-1.5 Tbsp/16 L water		-	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Pineapple	Mites	1000-4000 mL prod./ha		-	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Eggplant	Thrips,Leafhopper,Fruit and borer	2.0-5.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Onion	Leafminer,thrips	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Potato	Leafminer,thrips	2.0-3.0 Tbsp/16 L water		14 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Tomato	Leafminer,thrips,aphids	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Watermelon	Leafminer,thrips,melonworm	2.0-3.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L water		14 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976-A	24-Jul-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L water		3 days	Re-enter treated area only after spray has ddried.
HANEARL SCIENCE PHILIPPINES, INC.	OXYFLUORFEN	K-AMARY 24 EC	240 g/L	EC	HERBICIDE	4	659-123-6244	20-May-25	-	Onio (Transplanted)	Pre-emergence and early Post-emergence: Broadleaves, sdeges and grasses	4-8 tbsp/ 16L water (before transplanting); 2-4 tbsp/ 16L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Cucumber	Leaworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Melon	Leaworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Watermelon	Leaworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Munbean	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPMC+CHLORPYRIFOS	KAMANDAG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	457-174-3264	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
BIOLIFE SCIENCES SOLUTIONS COMPANY	ALUMINUM POTASSIUM SULFATE	K-ALUM	990g/L		OTHERS	4	581-465-4098	23-Aug-26	-	Cavendish banana	Processed water coagulant and delatexing agent	0.08-1.50g/L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	BUPROFEZIN	K-ALIUR 25 SC	250 g/L	SC	INSECTICIDE	3	659-224-5393	20-Jan-26	-	Mango	Leafhoppers	60.80 ML/200 L water	-	Do not spray before harvest	Re-entry to treated fields is allowed as soon as spray dries.
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	099-397-3776	15-Jul-25	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L	-	Can be applied 1 day before harvest	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	099-397-3776	15-Jul-25	CONTACT	Beans	Bean rust	1.6-4.8 Tbsp/16L	-	Can be applied 1 day before harvest	-
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	499-397-5333	01-Feb-27	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L			
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/Kg	SP	FUNGICIDE	4	499-397-5333	01-Feb-27	CONTACT	Beans	Rust	1.6-4.8 Tbsp/16L	-	-	-
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-

NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systems	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
NXN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
GREENTHUMB AGRISOLUTIONS,INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–	
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	450-151-2437	25-Jan-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–	
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-	
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-	
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-	
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha; 30-50 mL prod./ 100L	-	14 days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Tomato	Alternaria leaf spot, *cercospora* leaf mold, powdery mildew	0.20-0.30 L/ha	-	7 Days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	7 days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 Days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha; 0.6/L	-	-	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-	
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	15-Feb-25	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L/ha	-	-	-	
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	KAINGIN 160	160 g/L	SL	HERBICIDE	4	487-151-2695	19-Feb-26	POST-EMERGENT	Non-crop areas	Common grassy fields	3-6 Liters/ha	-	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Banana	Leafhopper, Tip borer	15-2 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Eggplant	Fruit borer	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Mango	Leafhopper, Tip borer	15-20 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Rice	Leafhopper, Tip borer	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Tobacco	Budworm, Aphids	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/Kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Watermelon	Whori maggot, Green leafhopper, Brown planthopper, Stemborer, Leaffolder, Rice bug	2-3 Tbsp/16L water	-	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried	
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application	
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application	
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application	
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application	
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application	

IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KABRON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KABOOM 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
EZERTECH CORPORATION	METAMIFOP	KABESA 100 EC	100 g/L	EC	HERBICIDE	4	648-409-6056-A	29-Apr-26	POST-EMERGENCE	Rice (Direct-seeded)	Grasses (*Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum*)	750 mL to 1L 7.5-10 tbsp/16L	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CLOTHIANIDIN	JUSTICE 20 SC	200 g/L	SC	INSECTICIDE	4	603-379-5757	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Citrus	Blanket application on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Coffee	Direct spray on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp / 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Pineapple	Blanket application on broadleaves and annual grasses	13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/Kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Non-crop land	Direct spray on broadleaves and aanual grasses	20-28 Tbsp / 16 L water	-		Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Citrus	Blanket application on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Coffee	Direct spray on broadleaves and annual grasses	13-19 Tbsp/16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Pineapple	Blanket application on broadleaves and annual grasses	13 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	12-Aug-27	SYSTEMIC	Non-crop agricultural areas	Direct spray on broadleaves and annual grasses	20-28 Tbsp/ 16 L water	-	-	Re-enter 1 day after application
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	JUDO 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm		
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	JUDO 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm		
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters /Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Vegetables under minimum reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	AMETRYN+ATRAZINE	JPI LUSH	400 g/kg+400 g/kg		HERBICIDE	4	551-079-6248	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Pineapple	Annual broadleaves and grasses	1.5-2.0 kg prod/ ha; 5.0-6.5 tbsp/ 16L water	-	21 days	Immediately after spray deposits has dried up.
JYNNSONS PHILIPPINES, INC.	AMETRYN+ATRAZINE	JPI LUSH	400 g/kg+400 g/kg		HERBICIDE	4	551-079-6248	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Sugarcane	Annual broadleaves and grasses	2.0-3.0 kg prod/ ha; 6.5-10.0 tbsp/ 16L water	-	21 days	Immediately after spray deposits has dried up.
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	551-395-6170	4-Jan-25	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	551-395-6170	4-Jan-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	551-395-6170	4-Jan-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	551-395-6170	4-Jan-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	551-395-6170	4-Jan-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-	3 Days	Do not enter treated fields at least 1 Day after application

JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	SS1-395-6170	4-Jan-25	-	Corn	Asiatic corn borer, cutworm, leahoppers, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-	3 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	SS1-395-6170	4-Jan-25	-	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	SS1-395-6170	4-Jan-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	14 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Rice	Rice blast, *helminthosporium* , cercospora leaf spot	50-60 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Cacao	Pod rot, brown bark rot, black pod	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Mango	Anthracnose, sooty mold	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Tomato	Early and late blight, fruit rot, *septoria* leaf spot	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Tobacco	Blue mold fusarium, *alternari* a leafspot, frogeye disease	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Banana	Sigatoka	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Pepper	Anthracnose, mildews, blight, fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Potato	Early and late blight	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Watermelon	Anthracnose, mildews, *alternaria* , fruit rot	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Celery	Mildews, early and late blight	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Crucifers	Mildews, cercospora alternaria	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Carrot	Alternaria and cercospora	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	SS1-021-6079	7-Apr-26	-	Melon	Mildews, cercospora, alternaria, anthracnose	55-80 grams/ 16L water	-	24 hours after the last spray.	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	SS1-065-4377	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	_	_	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	SS1-065-4377	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	_	_	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	SS1-065-4377	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	_	_	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	SS1-049-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	SS1-049-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	SS1-049-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with **JPI 2,4-D ESTER** can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	SS1-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	SS1-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	SS1-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	One day after spraying
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Soybeans	Bean fly, grubs, nematodes, other soilinsects	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Cowpea	Bean fly, grubs, neamatode, other soil insects	16.7-33.3 kg prod/ha	-		2 Days
LICHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/Kg	G	INSECTICIDE	2	590-104-5332	01-Feb-27	-	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-		2 Days
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Papaya	Fruit rot	3-6 Tbsp/16 L water			As soon as spray dries

JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm		As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water			As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	JM-CPA	250+450 mL/L	-	OTHERS	4	487-348-3638	04-Feb-25	SELECTIVE (POST-EMERGENT)	-	As a surfactant on lampas	20-30ml/16 L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2.0-4.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Direct-seeded)	Golden Apple Snail (Kuhol)	4.0-8.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JIGSAW 6 GR	60 g/Kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Potted and driftwood	Bush snails, giant african snails and slugs	1.0-2.0 kg prod/ ha	-	-	Do not enter treated treated field within 48 hours after application.
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of JEWEL 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		7 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		3 days	Do not enter unless spray deposits have dried
DCDM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as JEWEL 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
SHELLHOMES CHEMICALS, INCORPORATED	NICLOSAMIDE	JETKILL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	481-229-2653	06-Sep-22		Rice	Golden apple snail	7-10 Tbsp/16L water		-	At least 48 hours after application
DOLE PHILS.,INC. (STANFILCO DIVISION)	KEROSENE	JET A-1	99.9	EC	OTHERS	4	369-474-4311	02-Apr-19	_	Cavendish banana as disinfectant	Moko and Panama disease	30-50ml product/sucker	_	_	_
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Eggplant	Fruitborer	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
JEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	JEELS CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	487-104-2896	28-Sep-17		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Sugarcane	whitegrubs	80-100 ml per 16L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEDI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18		Pineapple	Ants & Mealybugs	1-4 L per hectare			
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARGON 80 WP	800 g/Kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the treated area within 5 days after application
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters./Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Non-crop and minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CYHALOTHRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 200 SC	200 g/L	SC	INSECTICIDE	4	088-379-6127	28-Apr-26	-	Rice	Rice black bug	40-50 mL prod/ 16L water 400-500 mL prod/ ha	-	-	Re-entry is allowed as soon as the spray deposits dry up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 200 SC	200 g/L	SC	INSECTICIDE	4	088-379-6127	24-Nov-25	-	Mango	Leafhoppers, thrips, tip borer, cecid fly	125-300 mL/ 200L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Mango	Hoppers, tip borers, thrips, cecid fly, capsid bug	2.0-2.5 g prod./16L water		10 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, leaffolder, brown/white backed planthopper, stemborer, black bug, rice bug	3.0-3.5 g prod./16L water	0.5 ppm	28 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/Kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Eggplant	leafhopper, aphids	3.0 g prod/16L water		3 days	Enter treated fields only after spray deposits have dried.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	JABBA 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	459-229-2531	21-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	At least 48 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	MANCOZEB	IVAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIOPHANATE METHYL	IVATOP 550 SC	550 g/L	SC	FUNGICIDE	4	088-107-4167	25-Oct-26	SYSTEMIC	Banana	Anthracnose , pitmark & smoky fruit	1 mL/ L of water	-	14 days	Re-entry is allowed as soon as the spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIOPHANATE METHYL	IVATOP 550 SC	550 g/L	SC	FUNGICIDE	4	088-107-4167	25-Jan-25	-	Durian	Anthracnose and stem-end rot (as postharvest fungicide)	2.0 mL prod./ L	-	14 days	Re-entry is allowed as soon
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	IVASTAR 90 SC	69+21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-	-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FENOXAPROP P-ETHYL+ETHOXYSULFURON	IVASTAR 90 SC	69+21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet-Sown)	Annual grasses, sedges and broadleaf weeds	500 mL Dossage Prod./Ha(mL)	-	-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIALKYL DIMETHYL AMMONIUM CHLORIDE+ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE	IVAGARD 800 SL	480+320 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	Cavendish banana	As toli disinfectant for the control of Moko disease caused by *Ralstonia solanacearum*	6-8 mL /1L water	-	-	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIALKYL DIMETHYL AMMONIUM CHLORIDE+ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE	IVAGARD 800 SL	480+320 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	Banana	Fusarium oxysporum f.sp. Cubense (Panama disease)	8-40 mL Prod. / L	-	-	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Cavendish Banana (Post-harvest treatment)	Anthracnose,crown rot,crown mold	1500-400ppm	-	3-7 days	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Banana	Black sigatoka and freckle	-	-	3-7 days	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Pineapple	Butt mold	250-300ppm		3-7 days	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Avocado	Cercospora leaf and fruit spot	0.5-1.0 ml prod./L water 0.5 mL prod./L water	2.00 mg/kg	28 days	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	06-Oct-25	SYSTEMIC	Durian	Postharvest disease (anthracnose and stem-end rot)	1.0 mL/ L	-	-	As soon as spray droplets dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIODICARB	IVACARB 350 FS	350 g/L	FS	INSECTICIDE	4	088-117-2964	21-Feb-21	SYSTEMIC	Corn	Seed treatment	250ml IVACARB 350 FS 1 bag (18-20Kgs.) of hybrid seeds	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	088-021-0695-B (043)	24-May-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	_	_	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare			
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare			
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare			
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare			
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/Kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare			
RAINBOW AGROSCIENCES PHILIPPINES INC.	IPRODIONE	IPRONE 500 SC	500 g/L	SC	FUNGICIDE	3	539-155-6409	21-Dec-26	-	Turf grass	Fairy ring	6.0-12.0 L prod./ ha	-	-	-
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-27	CONTACT	Banana	Black sigatoka, diamond spot, finger rot & freckle	125-150ml/ha; 1-2 mL/L water	-	0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-27	CONTACT	Tomato	Early blight, bacterial spots, bacterial specks & bacterial wilt	300-350, 250-350 ml/ha; 20-30 mL/L water	-	0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-27	CONTACT	Corn	Ear rot	300-400ml/ha; 1.5-2 mL/L water	-	0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-27	CONTACT	Pineapple	Bacterial heart rot and as seed treatment and as seed treatment for the control of phytophthora heart rot and butt rot and as tool	2.0-2.5ml/L water; 4.8-6.0 L/ha	-	0 day	As soon as spray droplets dry up
ENVIREAU PACIFIC INC,	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-27	CONTACT	Rice	Bacterial leaf blight	2-3 mL product/L water		0 day	As soon as spray droplets dry up
ZAGRO CORPORATION	IODINE	IOGUARD-300	34 g/L	-	OTHERS	2	043-449-5946	31-Dec-24	-	-	Disinfection in livestock houses and equipment	-	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	Cry1F, Cry1Ab and CRY2AB2	INTRASECT (TC1507 x MON810 x NK603)	-	-	INSECTICIDE	-	PIP-04-05-11	25-Oct-24	-	Corn	Fall armyworm (PIP)	-	-	-	-
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 Tbsp/ L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 tbsp/ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
NXN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.

UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	115, 145, 72mL/16 water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	86-115mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72-107mL/16L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	HEXAZINONE+DIURON	INTER-HD 600 WG	132g/kg+468g/kg	WG	HERBICIDE	4	664-435-6456	19-Feb-27	-	Sugarcane	Annual grasses, broadleaf weeds and sedges	400-L prod./ ha	-	118 to 137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
INTERSORORA INC.	CLOTHIANIDIN	INTERCADORO 20 SC	200 mL/L	SC	INSECTICIDE	4	664-379-6191	16-Jun-26	-	Rice	Rice black bug	0.08-0.1 kg A.I./ ha 40-50 mL prod./16 L water	-	-	-
AGRI-SPROUT PHILS., INC.	GLYPHOSATE IPA	INTENSE 160 SL	160 g/L	SL	HERBICIDE	4	668-151-5293	09-Mar-25	POST-EMERGENT	non-crop areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	02-Dec-25	SYSTEMIC	Potato	Late blight	4-6 tbs.p. prod/16 L water	0.05 ppm	7 days	After spray deposits dried up
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	02-Dec-25	SYSTEMIC	Tomato	Late blight	4-6 tbs.p. prod/16 L water	1.00 ppm	1 day	After spray deposits dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Potato	Late blight	4-6 tbs.p. prod/16 L water	-	7 days	Do not enter treated fields until spray deposit have completely dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTEGO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Tomato	Late blight	4-6 tbs.p. prod/16 L water	-	1 day	Do not enter treated fields until spray deposit have completely dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 Tbsp/16L water	0.1 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leaffolders	3-5 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Coffee	Berrybores, leaffolder, mealybugs	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Cacao	Aphids, caspid bugs	3.2-6.4 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Cotton	Aphids, leaffolder, whiteflies, mites	2-3 Tbsp/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	DIMETHOATE	INTEGER 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-25	SELECTIVE/SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/L water. Inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	WHITE MINERAL OIL	INT BSO	-	-	OTHERS	4	540-468-4259	24-Jan-25	-	Banana	As adjuvant for the control of black sigatoka	Concentrate of 0.50-5%, i.e 4 to 50mL of product per liter water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE	Cavendish Banana	Annual grasses, perennial grassses and broadleaf weeds	160-135-200mL/L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	rubber	Annual grasses, perennial grassses and broadleaf weeds	215-270mL/16L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grassses and broadleaf weeds	160-135mL/16L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grassses and broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Cavendish banana	Weeds	150 mL/16L water; 136-200 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Rubber	Weeds	215,270,135 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Oil palm	Weeds	160,135 mL/16L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Non-agricultural crop areas	Weeds	160-215 ml/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Cotton	Damping off	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying.
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm		As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ARYSTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/Kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Banana	Thrips	-	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Corn	Cornborer, earworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Sorghum	Cornborer,earworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/16L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field

ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/Kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
SYNGENTA PHILIPPINES INC.	FLUDIOXINIL+METALAXYL-M	INFLUX XL 035 FS	25+10g/L	FS	FUNGICIDE	4	011-454-3670	19-Oct-26	-	Corn	Damping-off (Pythium arrhenomanes) & seeding blight (Fusarium verticilliodes)	20-60ml/20 kg seed	-	-	-
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCI	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Watermelon	Downey mildew	1.2-1.6 Kg product per hectare at spray volume of 400 Liters per hectare	5 mg/kg Propamocarb HCI 0.5 mg/kg Fluopicolide	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCI	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Potato	Late blight	50-60 mL product per 16 Liters water at spray volume of 400 Liters per	0.05 mg/Kg Fluopicolide; 0.3 mg/Kg Propamocarb HCI	7 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUOPICOLIDE+PROPAMOCARB HCI	INFINITO SC 687.5	62.5 g/L+625 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26		Tomato	Late blight (*Phytophthora infestans*)	50-60 mL product per 16 L at spray volume of 400 L / hectare	1 mg/kg Fluopicolide 2mg/kg Propamocarb HCI	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Banana	Flower thrips	Dilute 6.0 mL prod./L of water. Inject 70 mL suspension mix per bud	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Corn	Seedling maggot	Dilute 10-12 mL prod./ kg of seed or 200-250 mL prod./ 20 kg of seeds	-	Do not apply 7 days before harvest	One day after application
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	10 days	
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	10 days	
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA			
JOCANIMA CORPORATION	FIPRONIL	INFILTRATE 0.3 GR	3 g/Kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./HA			
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Cabbage	Diamond back moth	3.0-3.5 grams prod./ 16L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Eggplant	Shoot/ fruit borer	4.0-5.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Bittergourd	Cutworm	4.0-5.0 g prod./ 16L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Stringbeans	Podborer	4.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Rice	Leaffolder	2.0 g prod./ 16L sprayer	-	3 Days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/Kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Tobacco	Cutworm/budworm	4.0 g prod./ 16L sprayer	-	1 day	As soon as the spray has dried
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	CANEVIDA 480 SC	480 g/L	SC	HERBICIDE	3	604-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Sugarcane	Grasses , broadleaf weeds and sedges	1.0 L prod./ha; 400 L/ha	0.2 ppm	-	Do not enter treated area witin one day after treatment unless wearing protective clothing
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	CANEVIDA 480 SC	480 g/L	SC	HERBICIDE	3	604-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Pineapple	Grasses , broadleaf weeds and sedges	1.0-2.08 L prod./ ha	-	-	Do not enter treated area witin one day after treatment unless wearing protective clothing
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	604-053-4246	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Celery	Late Blight	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.

INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Cucumber	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Squash	Downy Mildew, Anthracnose,Scab	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Lettuce	Downy Mildew	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Grapes	Downy Mildew, Black rot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Mango	Anthracnose, and scab	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Corn (sweet and popcorn)	Helminthosphorium leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750 g/Kg	WDG	FUNGICIDE	4	604-053-4242-A	05-Feb-27	-	Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/16 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 600 OS	600 g/L	OS	FUNGICIDE	4	604-053-4505	05-Feb-27	-	Banana	Black sigatoka	-	-	No pre-harvest interval necessary from last spray until harvest	Do not enter treated areas until spray has dried
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 455 F	455g/L	F	FUNGICIDE	4	604-053-4240-A	05-Sep-27	-	Banana	Sigatoka/black leaf	4-5 Liters/ha	-	Do not spray within 7 days before harvest.	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Coffee	Berry borer	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Citrus	Rind borer	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tomato	Fruitworm, leady beetle	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/Kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbs/16 L water		Do not spray within 14 days on rice , 5days on citrus and 1 day on cacao, coffee and mangeo.	Treated areas may be re-entered immediately after spray has dried on foliage
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Eggplant	Whiteflies, aphids, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha; 4-13 mL/16L	-	7 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha; 10-16 mL/16L	-	3 Days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CYHALOTHRIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10.0-30.0 mL/16L	-	14 days	Do not enter treated fields at least 1 day after application.
SYNGENTA PHILIPPINES INC.	ISOCYCLOSERAM	INCIPIO 200 SC	200 g/L	SC	INSECTICIDE	4	011-625-6236	9-Oct-27	-	Rice	Leaffolder and stem borer	100 mL prod./ hectare; 300 mL prod./ ha	0.8 mg/kg	36 days	Do not enter treated area until the spray deposits have dried
DETREX INDUSTRIES INC.	METHYL BROMIDE+CHLOROPICRIN	INBROM	980+20 g/L	-	FUMIGANT	1	525-111-3088	19-Dec-27	-	Soil and space fumigant	Weeds, nematodes, fungal & Insect pests	500 kg/ha	-	-	-
BAYER CROPSCIENCE, INC.	SPIROXAMINE	IMPULSE EC 500	500 g/L	EC	FUNGICIDE	2	284-385-1851	28-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.64 L prod./ha	4 ppm	0 day	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100 mL prod./ 18-20 kgs. Seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 mL prod./ 1 kg seed			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Banana	Blossom thrips	0.5/ L water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Cabbage	Diamond back moth	1000 mL prod/ha			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Pineapple	Mites	1000-4000mL prod/ha			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Papaya	Mites	0.5-1.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water			
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
IAGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Mango	Hoppers	20-25ml/100 L water	-	20 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Banana	Flower thrips, aphids, mealy bugs	0.5ml.prod/liter water,0.5-1.5 ml prod/liter water		(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Watermelon	Thrips, aphids	3-4 ml/16 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Citrus	Rindborer, mealybug, scale insects	1.25-2.50ml/16 L water	-	14 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Cabbage	DBM, Flea beetle	2.0-2.5ml/16 L water	-	28 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Sugarcane	Termites	1.5-2.5ml/16 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Asparagus	Thrips	3 ml/16 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Okra	Leafhopper	0.62-1.25ml/16 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TEXICON AGRI VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4696	22-Mar-25	-	Pineapple	Mealybug	Dip planting materials (seed) in IMARON solution before planting at		30 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	21.5,27,13.5 Tbsp/16 L water	_	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5 Tbsp/16 L water	_	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Weeds	16-21.5 Tbsp/16 L water	_	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5-20.0Tbsp/16 L water	0.2 mg/kg	0 day	After spraying deposits have dried
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGRI-VENTURES, INC.	BPMC+CHLORPYRIFOS	IDOL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22		Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PARAFFINIC MINERAL OIL	IDEMITSU SPRAY AS	99 g/L	AS	OTHERS	4	088-282-4277	05-Mar-19	CONTACT	Banana	Black sigatoka	4-5 L/Ha	-	0 Day	-
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
AGRI CHEMICAL CORPORATION	DIFENOCONAZOLE	ICURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.

INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ICTC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813-A	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CYHALOTHRIN	ICTC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-27	-	Cavendish banana	Weeds	16 tbs/ 16L water; 13.5-20 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-27	-	Rubber	Weeds	21.5 tbsp/ 16L water; 27 tbsp/ 16L water; 13.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-27	-	Oil palm	Weeds	16 tbs/ 16L water; 13.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ICTC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-27	-	Non-crop areas	Weeds	16-21.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	DIURON	ICTC DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	274-021-2688	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with ICTC DIURON 80 WP can be done one day after the application.
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ICTC CARBOFURAN 3G	30g/kg	G	INSECTICIDE/NEMATICIDE	2	274-104-1957	04-Mar-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ICTC BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ICTC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-065-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	274-049-1916	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	274-049-1916	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ICTC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	274-049-1916	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ICTC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ICTC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ICTC 2,4-D AMINE can be done one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying

TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D IBE	IBEX	490 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBEX 400 EC can be one day after spraying
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	MALATHION	IAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
IAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	IAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D IBE	IAGRI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
IAGRI CHEMICAL CORPORATION	2,4-D AMINE	Iagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
DU PONT FAR EAST, INC.	BROMACIL	HYVAR X WEEDKILLER	800 g/Kg	WP	HERBICIDE	4	014-169-0355	26-Mar-18	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water			
AGWAY CHEMICALS CORPORATION	BROMACIL	HYVAR X 80	800 g/Kg	WP	HERBICIDE	4	075-169-3695	05-Jul-27	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
AGWAY CHEMICALS CORPORATION	BROMACIL	HYVAR X 80	800 g/Kg	WP	HERBICIDE	4	075-169-3695	14-Nov-25	-	Pineapple	Annual and perennial weeds (through drone spray application)	2.5-4.5 kg prod./ ha	-	-	
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Rice	Leafhopper, planthopper, caseworm	1.5-3.5 Tbsp/16L water	0.5ppm	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Field Legumes	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Cowpea	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Mungbeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Soybeans	Leaffolder, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Tobacco	Budworm, aphids	1.5-4 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Cotton	Leafhopper	4-7 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Melon	Diamond back moth, cutworm, aphids	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MIPC	HYTOX 50 WP	500 g/Kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-27	-	Cabbage	Cabbage worm	1.5-3.5 Tbsp/16L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	ALUMINUM PHOSPHIDE	HYPHOS FUMIGATION TABLETS	560 g/Kg	TAB	FUMIGANT	1	234-084-2929	17-Nov-26	CONTACT	-	Rust-red beetle, cadelle, khapra beetle, grain moth, Indian-meal moth, grain and rice weevil,saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-27	-	Pineapple	Plant growth regulator for flowering	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-27	-	Banana	Ripener	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-27	-	Mango	Ripener	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMESTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-27	-	Coffee	Ripener	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Mungbeans	cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Beans	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	BENOMYL	HYPER 50 WP	500 g/Kg	WP	FUNGICIDE	4	668-167-5705	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.

JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Celery	Early blight	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peas	Powdery mildew	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-		Do not enter without protective clothing until spray has dried.
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/Kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Papaya	Baterial crown rot	4.5-7.0 kg/ha	-		Do not enter without protective clothing until spray has dried.
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Celery	Early blight	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Citrus	Black apot, scab. Melanose	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Grapes	Anthracnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Watermelon	Anthracnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
KEMISTAR CORPORATION	CYHALOFOP-BUTYL	HUSAY 100 EC	100 g/L	EC	HERBICIDE	4	239-257-5578	21-Oct-27	-	Rice (Direct-seeded)	Grasses	7-9 tbs.p./tank load; 12 of tank load/ha (16L capacity)	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-

MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON SELECTIVE (SYSTEMIC)	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON SELECTIVE (SYSTEMIC)	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU-ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON SELECTIVE (SYSTEMIC)	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	TERBUFOS	HUNTER 10 G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	1	099-181-1253	17-Mar-21	-	Banana	Burrowing nematodes, aphids & corn weevils	8 gram ai/mat/year	-	-	-
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGRI VENTURES, INC.	CARTAP HYDROCHLORIDE	HULK 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4693	06-Mar-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	METAMIFOP	HUGRICE 100 EC	100 g/L	EC	HERBICIDE	4	539-409-5709	29-Apr-25	POST-EMERGENT	Rice (direct-seeded)	Grasses, echinochloa sp., Leptochloa chinesis, ischaemum rugosum	750 ml-1 liter product/Ha	-	-	
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-27	CONTACT	Crucufers (chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6 % PELLET	60 g/Kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HOT SHOT 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	239-229-0999-A	23-Dec-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ORACLE CHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HORNET 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	417-229-2190-A (548)	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 tankload/ha 1 sachet (35gms)/tankload (16L)	-	-	Re-enter fields at least 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Cabbage	Diamond-back moth	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Eggplant	shoot and fruit borer	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Corn	Cornborer and earworm	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Tobacco	Budworm and cutworm	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Stringbeans	Pod borer	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-26	CONTACT	Bittergourd	Cutworm	4.0 Grams/ 16L	-	-	As soon as the spray mist dries up
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-27	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	7 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-27	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L		15 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BUPROFEZIN	HOPPEX	100 g/Kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-27	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha or 26.7 g/16 L water	-	7 days	After spray deposits have dried up.
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BPMC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25		Mango	hopper & tip borer	3-3.5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUPROFEZIN	HOPOVER 250 SC	250g/L	SC	INSECTICIDE	3	539-224-3965	23-Dec-25	SYSTEMIC	Mango	Leafhopper	60-80mL/200 L water		15 days	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUPROFEZIN	HOPOVER 250 SC	250g/L	SC	INSECTICIDE	3	539-224-3965	23-Dec-25	-	Cavendish banana	Scale insects, mealybugs and aphids	1.5-2.5 mL prod./ L water	-	0 Day	Re-entry to treated field is allowed as soon as spray dries up
VAST AGRO SOLUTIONS, INC.	PYMETROZINE	HOPEST 500 WG	500 g/Kg	WG	INSECTICIDE	4	385-063-4523	25-Sep-21	-	Mango	Mango Leafhopper	1 sachet*/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water			
BIOSTADT PHILIPPINES INC.	BPMC	HOPCIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18		Mango	hopper & tip borer	3-3.5 Tbsp/16L water			
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PYMETROZINE	HOPBAN 50 WG	500 g/kg	WG	INSECTICIDE	4	667-307-5909	27-Jan-26	-	Mango	Leafhopper	1 Sachets / 200L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried.
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	0.50 ppm	–	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	0.07 ppm	14 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	0.2 ppm	–	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	–	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	0.60 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	0.6 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	2.00 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	0.20 ppm	7 days	–
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417-A	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	0.02 ppm	7 days	–
NUTRIBASICS CORPORATION	CYROMAZINE	HOKOEX	20g/kg	-	INSECTICIDE	4	695-331-5551	31-Dec-27	-	-	Flies and fly larvae in intensive livestock units, manure heaps and landfill sites	-	-	-	-
BAYER CROPSCIENCE, INC.	TRIBUTYLPENOL-POLYGLYCOTHER+NONYPENOL-POLYGLYCOTHER	HOESTICK	500 g/L	L	OTHERS	4	284-076-0622	28-Dec-25	-	-	Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100 L water; 5-10 mL/16 L (4	-	-	-
TAIPAN BRAND FARM INC.	TRIBUTYLPENOL-POLYGLYCOTHER+NONYPENOL-POLYGLYCOTHER	HOESTICK	500 g/L	L	OTHERS	4	529-076-5153	28-Dec-25	-	-	Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100 L water; 5-10 mL/16 L (4	-	-	-
NUTRIBASICS CORPORATION	PYRETHRINS+PIPERONYL BUTOXIDE	HOCKLEY PY-PRO SUPER	-	-	OTHERS	4	695-553-5550	31-Dec-27	-	-	Houseflies, mosquitoes, rice weevil and cockroaches in animal facilities	-	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Glyphosate tolerant corn	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.0 Liters/Ha	-	-	-

ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Mango	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coconut	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters /Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/Ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLYPHOSATE IPA	HITWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/Ha	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges		-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	HI-TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Non-crop areas	Annual and perennial grasses, broadleaf weeds and sedges				
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-28	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16 L water, Open field: 13.5-2.0 Tbsp/16 L water	0.2 mg/kg	0 Day	After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-28	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	Shaded:21.5 Tbsp/16 L water, Open condition: 27 Tbsp/16 L water. Mixed	-	0 Day	After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-28	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16 L water, Open field: 13.5 Tbsp/16 L water	-	0 Day	After spraying deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HITMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-28	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual and perennial grasses, sedges and broadleaf weeds	Mixed weeds: 16-21.5 Tbsp/116 L water	-	0 Day	After spraying deposits have dried
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-		Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-		Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-		Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-27	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-		Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HIT METALDEHYDE 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-		Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	NICLOSAMIDE ETHANOLAMINE SALT	HIT 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	065-229-1085	16-Jun-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	48 hours after spraying
CROPKING CHEMICALS INC.	NICLOSAMIDE	HIT 25 EC	250 g/L	EC	MOLLUSCICIDE	4	065-229-0866	16-Jun-26	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within 2 days after spraying. Do not re-enter fishpond within 24 hours
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXFERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JYNNSONS PHILIPPINES, INC.	CYHALOFOP-BUTYL	HIGH POINT 10 EC	100 g/L	EC	HERBICIDE	4	551-257-4661	15-Apr-25	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-		
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1½ Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Mango	Hoppers	¾-1½Tbsp/16 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
CFS AGRI-VENTURES, INC.	LAMBDA-CYHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4651	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry.
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Banana	Sigatoka,finger rot,corn rot	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Beans	Rust,bacterial blight	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cacao	Black pod	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Carrot	Carrot blight,alternaria	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Celery	Early and late blight	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Citrus	Melanose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Mango	Anthracnose	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Garlic	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Pepper	Bacterial spot	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Potato	Early and late blight	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Rice	Bacterial blight,rice blast,sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries

ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Watermelon	Anthracnose, fruit rot	2.6-6.0 Tbsp/16L water		7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HIDROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Papaya	Baterial crown rot	4.5-7.0 kg/ha		7 Days	Do not enter treated area without protective clothing until spray dries
FIRST FIL-BIO IMPORT EXPORT CORPORATION	TRIPLE SALT (POTASSIUM MONOPERSULFATE)+MALIC ACID+SULPHAMIC ACID	HI-COP	500 g/kg+120 g/kg+100 g/kg+50	-	OTHERS	3	747-613-6989	11-Jan-25	-	-	Routine disinfection for surfaces and equipment in farm animal facilities	-	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
SANKHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 ttsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 ttsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FIPRONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Corn	Seedling maggot	200-500 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
ZAGRO CORPORATION	HEXACONAZOLE	HEXACON 5 SC	50 g/L	SC	FUNGICIDE	4	043-243-1903	25-May-24	-	Rice	Sheath blight	8 Tbsp/16L water per 200 Spray Volume	0.02ppm	44 days	-
AGRI-SPROUT PHILS., INC.	BUTACHLOR+PROPANIL	HERO 70 EC	350+350 g/L	EC	HERBICIDE	3	668-238-5064	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGRI-SPROUT PHILS., INC.	BUTACHLOR+PROPANIL	HERO 70 EC	350+350 g/L	EC	HERBICIDE	3	668-238-5064	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	481-021-3200	17-Dec-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done ane day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBZINA 80 WP	800 g/Kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	0.1 ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERBTRYN 80 WP	800 g/Kg	WP	HERBICIDE	3	539-068-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds				

G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERBQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Vegetables	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds					
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-		Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-		Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-		Entry to fields and crops treated with **HERBITOX 2,4-D AMINE** can be done one day after spraying
CROPKING CHEMICALS INC.	BUTACHLOR	HERBISTAR 60 EC	600 g/L	EC	HERBICIDE	4	065-150-1313	16-May-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-		-
CROPKING CHEMICALS INC.	BUTACHLOR	HERBISTAR 60 EC	600 g/L	EC	HERBICIDE	4	065-150-1313	16-May-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-		
RAINBOW AGROSCIENCES PHILIPPINES INC.	PRETILACHLOR	HERBISHIELD 300 EC	300 g/L	EC	HERBICIDE	4	539-063-6408	21-Dec-26	PRE-EMERGENCE	Rice (Direct-seeded)	Grasses, sedges, and broadleaf weeds	1.0-1.5 L prod./ ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Itch grass, morning glory, synedrella, buttonweed, spindletop, coloponcrium, hairy beggarticks, tropic ageratum	2.0-4.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Mango	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Banana	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Coffee	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Cacao	Cogon shade conditions, open conditions	3.0-4.5 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Rubber	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha				
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Oil palm	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Citrus	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Coconut	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Sugarcane	Other annual weeds	2.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Other annual weeds	2.0 L/Ha	-	-		-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Non-crop areas	-	-	-	-		-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha				
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges					
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR	HERBARIUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm			
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR	HERBARIUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm			
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Corn	Grasses	15-22.5 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Transplanted)	Grasses & Broadleaf weeds	7.5-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Direct-Seeded)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (lowland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Upland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/16L water	0.2ppm	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Cotton	Grasses & Broadleaf weeds	15-30 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Onion (Transplanted)	Grasses & Broadleaf weeds	11.5-15.0 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Sugarcane	Grasses & Broadleaf weeds	22.5-30 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Tobacco	Grasses & Broadleaf weeds	5.0-10.0 Tbsp/16L water	-	-		Entry to treated fields and crops can be done one day after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	0.2 mg/kg	No restriction-product is applied only once at planting time		Do not enter treated field within 24 hours after spray application
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
KEMISTAR CORPORATION	BPMC+CHLORPYRIFOS	HENERAL 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest		Do not enter the field within 2 days after spraying
ARIELA MARKETING COMPANY INCORPORATED	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	HEMEXOL LIQUID G PLUS	150g/L+100g/L	-	OTHERS	2	734-508-5945	31-Dec-27	-	-	Disinfection for poultry hatcheries, livestock buildings and equipment	-	-	-		-
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.	
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.	
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.	
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.	
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.	

THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/Kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	As soon as spray deposits have dried.
S&P ENTERPRISES INC.	CHLORPYRIFOS+CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL (2-3 tbsp)	-	-	-
S&P ENTERPRISES INC.	CHLORPYRIFOS+CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)	-	-	-
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	BROMACIL	HELIX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-169-4236	11-Jan-27	NON-SELECTIVE	Pineapple	Perennial and annual weeds	4.5kg/ha, 14 Tbsp/16 L water	–	–	–
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	1 day
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	1 day
BAYER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL SL 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	1 day
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Citrus	Annual and perennial broadleaves and grasses	13.0-19.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Coffee	Annual and perennial broadleaves and grasses	13.0-19.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Cotton	Annual and perennial broadleaves and grasses	8 tbsp/ 16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.0 tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Pineapple	Annual and perennial broadleaves and grasses	13 tbs/p/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-27	-	Non-crop land	Annual and perennial broadleaves and grasses	20.0-28.0 tbsp/16 water	-	-	A day after application
LICHEMPHIL INTERNATIONAL INC.	PYRACLOSTROBIN	HEADLINE 25 EC	250 g/L	EC	FUNGICIDE	2	590-396-5268	29-Oct-26	-	Banana	Sigatoka freckles	0.4 L/Ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
LICHEMPHIL INTERNATIONAL INC.	PYRACLOSTROBIN	HEADLINE 25 EC	250 g/L	EC	FUNGICIDE	2	590-396-5268	29-Oct-26	-	Corn	Leaf Spot	0.4 L prod./ ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	12-Sep-26	-	Mango	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	12-Sep-26	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	12-Sep-26	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	12-Sep-26	-	Cacao	Plant growth regulator	½ tbsp./3-5 L water	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER 5EC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-27	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Sorghum	Cornborer, earworm	1 Sachet / 16L sprayer	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-

MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-	
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-	
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet / 16L sprayer	-	-	-	
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet / 16L sprayer	-	-	-	
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/Kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	-	
JOCANIMA CORPORATION	GLYPHOSATE IPA	HARDHIT 160 SL	160 g/L	SL	HERBICIDE	4	241-151-2833	08-Jul-20	POST-EMERGENT	non-crop areas	common grassy fields					
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Cotton	Damping off	3-6 Tbsp/16 L water		-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-		As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/Kg	WP	FUNGICIDE	4	658-053-6107	22-May-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-		As soon as spray dries
LEB LEGACY AGRI CORP.	NICLOSAMIDE ETHANOLAMINE SALT	HAMMER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	666-229-5047	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-		Do not enter the treated field within 48 hours after application
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Cabbage	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Pechay	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Cauliflower	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Mustard	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Cotton	Bollworms	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Tomato	Tomato fruitworm,cutworm	2-4Tbsp/16 L water		Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Tobacco	Tobacco budworm	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Asparagus	Asparagus worms	2-4Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGIENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-27	-	Banana	Slug caterpillars	1.25-2.5 g prod./ L water (0.375 g prod./ mat)	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray		Workers can return to the field as soon as the spray has dried up
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOSPYR PRIME 200 OD	150g/L+50g/L	OD	HERBICIDE	4	001-504-5949	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500-mL to 1-L product/ ha (Using spray volume of 160-192 L water/ha.)	-	-		As soon as spray dries up
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOSPYR 13 SE	80 g/L+50 g/L	SE	HERBICIDE	4	001-504-5072	26-May-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tank load/ ha 16L 12.5 tank load/ ha 16L	-	-		-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	HALORICE PLUS 85 EC	25+60g/L	EC	HERBICIDE	3	539-453-4688	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/16L water	-	-		-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM	HALORICE 50 EC	50 g/L	EC	HERBICIDE	4	497-387-4640	01-Feb-28	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	5.0-6.0 Apply 8-16 DAT	-	-		-
AGSMART CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOBAC 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	680-504-6043	16-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses broadleaves and sedges	500-mL to 1-L Prod./ha 160-192 L/ ha	-	-		As soon as spray dries up.
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tiplorers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days		Do not enter treated fields at least 1 Day after application
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HALINA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days		Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	MESOTRIONE, GLYPHOSATE, S-METACHLOR	HALEX GT 525 ZC	225g/L+250g/L+250 g/L	ZC	HERBICIDE	4	011-475-4321	04-Apr-27	POST-EMERGENCE	Glyphosate tolerant corn	Grass weeds, sedges and brodleaves	4L product/ha applied at about 20 days after planting (can be used with	0.01 ppm(Mesotrione)	-		-
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses & broadleaf weeds	-	-	-		After spray deposits have dried

HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses & broadleaf weeds	-		-	After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Mixed weeds, perennial grasses & broadleaf weeds	-		-	After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5610	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds	-		-	After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Rice	Stemborer, brown planthopper (BPH) leaffolder, rice bug	500-910 mL prod/ ha		Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Cabbage	Diamondback moth (DBM)	500-1000 mL prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Watermelon	Thrips, leaf beetles	500-1000 iL pro,/ ha		Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Onions	Cutworm	1000 mL prod/ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	FIPRONIL	HAISCEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6110	12-Apr-26	STOMACH/CONTACT	Eggplant	Fruit borer	750-1000 mL prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	27-Aug-26	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	27-Aug-26	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	45 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	NICLOSAMIDE ETHANOLAMINE SALT	HAILUSCIDE 70 WP	700g/kg	WP	MOLLUSCICIDE	4	672-229-5324	26-Jan-27	CONTACT	Rice	Golden Apple Snail	35 grams (1 sachet)	-	-	At least 48 hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grases	130-190 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grases	130-190 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grases	80 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grases	65-130 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grases	130 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 80WP	800 g/Kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grases	200-280 g prod,/ 16L water	-	-	Twenty four (24) hours after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 tbsp/16 L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-1330 tbsp/ 16L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/ 16L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	DIURON	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 tbsp/ 16L water	-	-	One day after application
HAILIR PHILIPPINES AGROSERVICE INC.	PYRACLOSTROBIN	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Banana	Black sigatoka and frekles	0.40 L prod.ha	-	4 days	After drying of spray or 24 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	PYRACLOSTROBIN	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Corn	Leafspot	0.40 L prod.ha	-	4 days	After drying of spray or 24 hours after spraying
HERMUSA AGRIVEN CORP.	CHLOROTHALONIL	HAC daconil 720 SC		SC	FUNGICIDE	4	743-118-5981	9-Jan-26	-	Banana	Black sigatoka				
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUSTO 500 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application

UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha 4-6 mL/ 16L water	-	7 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Bitter gourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ ha 6-13 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ ha 10-16 mL/ 16L water	-	3 Days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ ha 10-30 mL/ 16L water	-	14 days	Do not enter treated field for at least 1 day after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borers	20-30 mL/ 100 L	-	3 Days	Do not enter treated field for at least 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Stringbeans	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Eggplant	Whiteflies, gGreen leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400/ mL prod./ha;4.0-13.0 mL prod./ 16L	-	7 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 Days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL prod./ha;10.0-16.0 mL prod./ 16 L	-	3 Days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for atleast 1 day after application
S&P ENTERPRISES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod./ 16 L	-	14 days	Do not enter treated fields for atleast 1 day after application
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Banana	Black Sigatoka	0.3-0.4 L prod/ha	-	-	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCONAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	606-272-4268	05-Mar-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 10 SC	100 g/L	SC	HERBICIDE	4	460-276-2756	21-May-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as the spray droplets have dried.
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 10 SC	100 g/L	SC	HERBICIDE	4	460-276-2756	21-May-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Transplanted)	Grasses, sedges & broadleaves	-	-	-	As soon as the spray droplets have dried.
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWZTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	14-Jun-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	_	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT)-9Tbso+2Tbsp	0.1 ppm	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORP.	BUTACHLOR+PROPANIL	GRIND 700 EC	350+350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	BUTACHLOR+PROPANIL	GRIND 700 EC	350+350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodleaf weeds	9-14 Tbsp. / 16L water	-	-	-
INDOFIL PHILIPPINES INC.	COPPER OXYCHLORIDE+COPPER HYDROXIDE	GRIFON SC	223 g/L+239 g/L	SC	FUNGICIDE	3	604-437-4515	18-Sep-27	-	Cavendish Banana as bunch spray	Diamond fruit spot, finger rot & freckle	10-11 mL/Liter water mixe with 0.7 thiophanate methyl 70 wp	-	7 days from last spray untill harvest	Do not enter treated area untill spray has dried

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	_		As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-053-4358	11-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	_	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one (1)day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	_	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENTHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	_	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	_	_	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	21-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	21-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN 800, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	21-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	10-May-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying

NXN 800, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	653-013-5220	10-May-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops trated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
VAST AGRO SOLUTIONS, INC.	BUTACHLOR+PROPANIL	GRASTOP 70 EC	350+350 g/L	EC	HERBICIDE	3	385-238-1975-A	04-Oct-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
VAST AGRO SOLUTIONS, INC.	BUTACHLOR+PROPANIL	GRASTOP 70 EC	350+350 g/L	EC	HERBICIDE	3	385-238-1975-A	04-Oct-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	GRASSOUT 160 SL	160 g/L	SL	HERBICIDE	4	075-151-1934	13-Jul-24	POST-EMERGENT	non-crop areas	(common grassy fields) for the control of weeds	3-6 Liters/ha			
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BIOSTADT PHILIPPINES INC.	THIOBENCARB+2,4-D IBE	GRASSEDGE 800 EC	600+200 g/L	EC	HERBICIDE	2	097-194-0919	13-Nov-27	-	Rice (Transplanted)	Grasses, sedges & broadleaves	10,8.5,6,5.5 Tbsp/sprayload			Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4531	03-Oct-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
AGRIBASE CHEMICALS, INC.	BUTACHLOR+PROPANIL	GRASSCUTTER 70 EC	350+350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGRIBASE CHEMICALS, INC.	BUTACHLOR+PROPANIL	GRASSCUTTER 70 EC	350+350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	08-Dec-26	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Vegetables under minimumor reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ARIES RNE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	18-Jan-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–

SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
SUNRISE DRAGON JADE AGRI TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	13.5; 21.5; 27 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	13.5; 16 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-agricultural crop areas	Weeds	16-21.5 Tbsp/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
ARIES RNE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	16; 13.5-20 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
RAINBOW AGROSCIENCES PHILIPPINES INC.	CLETHODIM	GRASIDIM	240 g/L	EC	HERBICIDE	4	539-334-5739	06-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D. aegyptium and D. ciliaris)	0.5 L/Ha			
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/Kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GRANTICIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	596-229-5045	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /tankload (16Liters)	-	-	Re-enter fields at least 48 hours after application
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-27	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-27	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-27	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-27	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METALDEHYDE	GRANTICIDE 6% P	60 g/Kg	P	MOLLUSCICIDE	4	596-075-5684	07-Feb-27	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	457-106-3270	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/16L		10-12 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Citrus	Rusetting, greasy spot, black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cucumber	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Mango	Anthracnose, scab	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Melon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Onion	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Ornamentals	Black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Potato	Early & Late blight	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Rice	Blast, Sheath blight, anthracnose	3.0-6.0 Tbsp/16L	0.02ppm	7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Tobacco	Blue mold, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/Kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Watermelon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
AGRI-SPROUT PHILS., INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360+240 g/L	EC	HERBICIDE	3	668-152-5066	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up.
AGRI-SPROUT PHILS., INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360+240 g/L	EC	HERBICIDE	3	668-152-5066	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Mango	leafhopper	1 Sachet/200L	-	-	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Corn	Leafhopper, planthopper & aphids	7-16 g prod/16L; 100-250 g/ha	-	5 days	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/Kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Rice	Leafhopper and green leafhopper	25 g/16 L	-	-	Enter the field when spray deposits have dried
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			

GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	03-Nov-17	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	03-Nov-17	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	GRANDE CARBOFURAN 10G	100g/kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-5508	30-Jul-22	-	Banana	Nematodes, corn weevil, scaring weevil	-	-	Do not apply within thirty (30) days of harvest	Two (2) days
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-5187	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.

KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMISTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/Kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	Do not enter the field within five (5) days after spraying.
CHEMREZ TECHNOLOGIES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	GRAINCARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	529-325-5421	25-Jan-25	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	GRAINCARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	529-325-5421	25-Jan-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1.0-2.0 Tbsp/16l water	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
FARMTECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GRA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	582-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload			
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AP-JAMEG	CYPERMETHRIN	GRABB 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIMATE, INC.	DIDECYDIMETHYLAMMONIUM CHLORIDE+COCO BENZYL-DIMETHYL AMMONIUM CHLORIDE+GLUTARALDEHYDE	GQ PLUS	45.5g/L+45.5g/L+104.6e/l	OTHERS	4	727-594-5822	31-Dec-27	-	-	-	Sanitation and disinfection in poultry and swine premises	-	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters /Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPS 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	0.2 mg/kg	–	–
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	13-Oct-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	–	–	–
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water			
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water			

SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	011-182-4160-B	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
VETMATE FARMA CORPORATION	IMIDACLOPRID+BETA-CYFLUTHRIN	GOLIATH	210 g/L+90 g/L	-	INSECTICIDE	2	658-398-5168	27-Aug-25	SYSTEMIC	Mango	Mango leafhopper	20-40 mL 100L	-	-	No-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying
C.B. ANDREW ASIA, INC.	BIFENTHRIN+CLOTHIANIDIN	GOLDRUSH 370 SC	247 g/L+123 g/L	SC	INSECTICIDE	2	460-609-5951	1-Dec-25	SYSTEMIC	Rice	Green leaf hopper, brown plant hopper, white-backed plant hopper, rice black bug, rice leaf folder, rice semborer	500-750 mL/ prod.	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-6428-A	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
AGRIBASE CHEMICALS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	GOLDEN-K 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	457-229-2586	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220-A	04-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GOLDENCLEAN PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	603-504-6093	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BISPYRIBAC SODIUM	GOLDENCLEAN 10SC	100 g/L	SC	HERBICIDE	2	603-276-4484	20-Aug-21	-	Rice (Direct-seeded lowland)	Grasses, sedges & broadleaves	2.5-3.0 Tbsp/16 L water	0.1 ppm	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare		-	Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare		-	Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDEHYDE	GOLDEN STRIKER 6%	60 g/Kg	P	MOLLUSCICIDE	4	603-075-5242	22-Apr-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare		-	Do not enter treated field within 48 hours after application.
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-26	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-26	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs/ ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kgs/ ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-26	-	Strawberry	Slug, snails	6-8 kgs/ ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6%P	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-26	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kgs/ ha	-	-	Do not enter treated field within 48 hours after application
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	_	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	_	Banana	Banana ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	_	Mango	Mango ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	564-061-4481	21-Jan-25	-	Coffee	Coffee ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
STOLLER PHILIPPINES, INC.	SOYBEAN OIL	GOLDEN NATURAL SPRAY OIL	-	-	OTHERS	4	347-376-1631	24-Mar-24	-	Papaya	Scale Insects	5-10mL/L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	As soon as spray dries

GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Cotton	Damping off	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	_	60 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Papaya	Fruit rot	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	_	_	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CYHALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE	GOLDEN KILL 250 EC	250g/L	EC	MOLLUSCICIDE	4	603-229-4319	03-Apr-21	_	Rice	Golden apple snail	7-10/10-14Tbsp/16 L water	_	_	At least 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR+PROPANIL	GOLDEN BLADE 70 EC	350+350g/L	EC	HERBICIDE	3	603-238-4314	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR+PROPANIL	GOLDEN BLADE 70 EC	350+350g/L	EC	HERBICIDE	3	603-238-4314	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	_	Do not spray within two days before harvest.	Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	_	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-013-4312	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	_	_	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GOLDEN KILL 70 WP	700g/kg	WP	MOLLUSCICIDE	4	603-229-4318	22-Feb-27	CONTACT	Rice	Golden apple snail	35 grams or 1 sachet	_	_	Do not enter the treated field within 48 hours after application
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	7 Days	Re-entry is allowed as soon as the spray deposits dry up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-267-5407	06-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-267-5407	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-267-5407	06-Apr-27	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-267-5407	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CARBENDAZIM	GOLDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	088-267-5407	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application
DCDM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/Kg	SP	INSECTICIDE	2	467-164-3412	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GOLD PRIZE 40 SP** within twelve hours after application

GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	–	–	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	–	–	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–	–	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	24 hours after application
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Mango	Hoppers	3/4-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Onion	Thrips, cutworm	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Cotton	Boilworm	1.0-1 1/2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Cacao	Podborer	1-2Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GINTONG ANI TRADING OPC	LAMBDA-CYHALOTHRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	471-204-6831	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682-B	15-Sep-27	SYSTEMIC	Rice	Rice black bug	500mL/ha	0.5 ppm	Pre-harvest interval must consider at least 6 and 10 weeks from application on aper bud basis for banana cv	
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682	15-Sep-27	SYSTEMIC	Banana	Aphids, mealy bugs, flower thrips	0.5-1.0 mL prod./ L of water	-	Pre-harvest interval must consider at least 6 and 10 weeks from application on aper bud basis for banana cv	
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682	14-Feb-24	SYSTEMIC	Mango	Cecid fly	50-200 mL prod./200 L	-	Pre-harvest interval must consider at least 6 and 10 weeks from application on aper bud basis for banana cv	
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Corn	Helminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-27	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	Do not apply within 7 to 14 days from last spray till harvest	Do not enter treated fields until spray deposits have dried
PRIMESTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	-	-	7-14 days	Enter treated fields until spray deposit have dried
CROPKING CHEMICALS INC.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	065-123-0624	07-Oct-22	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water			Immediately after spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	499-123-5438	14-May-27	SELECTIVE (PRE /POST EMERGENCE)	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Immediately after spray deposits have dried
S&P ENTERPRISES INC.	OXYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	566-123-5697	16-May-27	SELECTIVE (PRE /POST EMERGENCE)	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Do not enter treated area until sparay deposits has dried
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	0 day	After spraying deposits have dried
AKTIV MULTI TRADING CO. PHILS, INC.	GLUFOSINATE AMMONIUM	GLYSINATE 15 SL	150 g/L	SL	HERBICIDE	4	540-182-4503	11-Sep-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	0 day	After spraying deposits have dried
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	-	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–

MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	–	–	–
MISCHA AGRO INDUSTRIAL CORPORATION	GLYPHOSATE IPA	GLYPOTON 480 SL	480g/L	SL	HERBICIDE	4	620-151-4493	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ANGELEX AGRITRADE CORPORATION	GLYPHOSATE IPA	GLYPOKOR 480 SL	480 g/L	SL	HERBICIDE	4	491-151-2743	20-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds sedges				
BEST SEASON AGRIVENTURE CORPORATION	GLYPHOSATE IPA	GLYPO TODO NA BEST	480 g/L	SL	HERBICIDE	4	764-151-6155	24-Apr-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, broadleaf weeds sedges				
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	GLYPHOTEX 480 SL	480 g/L	SL	HERBICIDE	4	242-151-2011	11-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TRIPLE DIAMONDS AGRICULTURE	GLYPHOSATE IPA	GLYPHOSURE 480 SL	480g/L	SL	HERBICIDE	4	605-151-4233	11-Jan-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–		
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TEAMAGRO TRADING CORPORATION	GLYPHOSATE IPA	GLYPHOSEL 480 SL	480 g/L	SL	HERBICIDE	4	248-151-2869	23-Jun-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARTHDAVE CO., LTD.	GLYPHOSATE IPA	GLYPHOS MARTH 480 SL	480 g/L	SL	HERBICIDE	4	409-151-3022	26-Jun-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KARRAT MARKETING CORPORATION	GLYPHOSATE IPA	GLYPHOS 8 480 SL	480 g/L	SL	HERBICIDE	4	446-151-1892	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
DOW AGRO SCIENCES B.V.	GLYPHOSATE IPA	GLYPHOMAX	480 g/L	SL	HERBICIDE	4	013-151-1048	07-Jun-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	GLYPHOSATE IPA	GLYPHOKING 480SL	480 g/L	SL	HERBICIDE	4	755-151-6282	24-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, broadleaf weeds and sedges	-		-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Glyphosate tolerant corn under minimum reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRI BIZ CO. OF GS, INC.	GLYPHOSATE IPA	GLYPHOBEST 480 SL	480 g/L	SL	HERBICIDE	4	580-151-3806	09-Sep-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	GLYPHOSATE IPA	GLYNER 480 SL	480 g/L	SL	HERBICIDE	4	540-151-3306	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha			

ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/Ha				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha				
ARMORY AGRO CHEMICALS COMPANY	GLYPHOSATE IPA	GLYMOR 480 SL	480 g/L	SL	HERBICIDE	4	671-151-5143	03-May-24	POST-EMERGENT	Non-crop	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
BULWARG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLYMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-				
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	GLYKIL 160 SL	160 g/L	SL	HERBICIDE	4	001-151-2055-A (460M)	09-Mar-25	NON-SELECTIVE	Non-crop agricultural areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	GLYFORCE 160 SL	160 g/L	SL	HERBICIDE	4	445-151-2971	20-Mar-24	POST-EMERGENT	non-crop areas	common grassy fields	-				
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum ore reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLY-FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha				
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLYBEC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-				
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO-Z 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-	Workers can re-enter the field after spray deposits have dried.
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Rubber	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Oil palm	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Citrus	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Coffee	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Cacao	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST EMERGENT	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	-	-	-	-	-
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSIMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSIMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSIMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds	160-215ml/16 L water	-	-	-	After spray deposits have dried
TWIN BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSIMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-	After spray deposits have dried
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	-	-	-
TEXICON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Grasses sedges and broadleaves	-				

AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Rubber	Grasses sedges and broadleaves	-	-	-	-	
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Oil palm	Grasses sedges and broadleaves	-	-	-	-	
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGRNT)	Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	-	
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	-	
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-	
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Weeds	-	-	-	-	
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-	
RBAV HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST EMERGENT	Cavendish Banana	Weeds	150 mL/ 16L water; 135-200 mL/ 16L water	-	-	-	
RBAV HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST EMERGENT	Rubber	Weeds	215 mL/ 16L water; 270 mL 16L water; 135 mL/ 16L water	-	-	-	
RBAV HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST EMERGENT	Oil palm	Weeds	160 mL/ 16L water; 135 mL/ 16L water	-	-	-	
RBAV HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SL	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST EMERGENT	Non-agricultural crop areas	Weeds	160-215 mL/16L water	-	-	-	
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	0.2 mg/kg	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-	After spraying deposits have dried
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha; 4-6 mL/ 16L water	-	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha; 4-6 mL/ 16L water	-	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha; 4-6 mL/ 16L water	-	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ ha; 4-13 mL/ 16L water	-	-	7 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Mango	Leafhoppers, tip borers	20-30 mL/ 100L	-	-	3 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha; 10-16 mL/16L	-	-	3 Days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Banana	Flower thrips	1-3 mL/L	-	-	90 days	Do not enter treated field for at least 1 day after application
GENTRADEPHIL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-27	-	Rice	Stemborer, leafhopper, rice bug	100-200 mL/ ha; 10-30 mL/ 16L water	-	-	14 days	Do not enter treated field for at least 1 day after application
VETMATE FARMA CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GLOBONO 70WP	700 g/kg	WP	MOLLUSCICIDE	4	658-229-6146	20-Jul-26	CONTACT	Rice	Golden apple snail	10 tankload/ha ; 1 sachet (35grms)/tankload (16L)	-	-		Re-enter fields at least 48 hours after application
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water			7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water				
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GLITTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water				
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Glyphosate tolerant corn	Itch grass, morning glory, dayflower, syndrella, button weed, spindle top, caloposonium, hairy beggarticks, tropic ageratum	2-3 L Prod./ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Coffee	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Cacao	Cogon (Open Condition)	4.5 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Rubber	Mutha	2.0 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Oil palm	Paragrass	2.0 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Citrus	Talahib	4.5 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Coconut	Fern (Shade Condition)	2.0 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Sugarcane	Other annual weeds	2.0 L Prod./ ha	-	-	-	
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25		Vegetables	Other annual weeds	2.0 L Prod./ ha	-	-	-	
PLANTCARE TRADING CORPORATION	PRETILACHLOR	GLC 30 EC	300 g/L	EC	HERBICIDE	4	495-063-4884	05-Sep-27	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	4-6 mL/16L water	-	Do not apply at least seven (7) days before harvest.		Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	4-6 mL/16L water	-	Do not apply at least seven (7) days before harvest.		Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	4-6 mL/16L water	-	Do not apply at least seven (7) days before harvest.		Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4-13 mL/16L water	-	Do not apply at least seven (7) days before harvest.		Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	20-30/ 100L	-	Do not apply at least seven (7) days before harvest.		Do not enter treated fields at least 1 Day after application

SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	10-16 mL/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3/ L	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 mL/ 16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/Kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **GIZMO 40SP** within twelve hours after application
GIRASOL AGRICHEM INC.	POTASSIUM SILICATE	GIRASIL FORTE	200+100 g/L	-	FUNGICIDE	4	665-492-5027	27-Jan-23	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot,anthracnose, pitmark and black siigatoka	-	-	-	
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GILAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GILAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
EDSEL AGRI AND CHEMICAL CORP.	PRETILACHLOR	GIGAFIT 300 EC	300 g/L	EC	HERBICIDE	4	597-063-5803	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15, 8.5-12.5,7.5-11 tbsp per tankload of 16 L capacity sprayer	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	GF-120 NATURALYTE FRUITFLY BAIT	0.2 g/L	SC	INSECTICIDE	4	737-306-1653	19-Mar-27	-	Mango	Fruit flies	-	-	-	-
CORTEVA ASIA PACIFIC INC.-PHILIPPINE BRANCH	SPINOSAD	GF-120 NATURALYTE FRUITFLY BAIT	0.2 g/L	-	INSECTICIDE	4	014-306-5389	15-Mar-23	-	Mango	Fruit flies	-	-	-	-
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Mango	Anthracnose	40-80 g prod /100 L water	-	30 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/16 L water	-	35 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leaf spot, & leaf anthracose	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Corn	Helminthosporium leaf spot, rust	4-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/Kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Potato	Early and late blight	4-8 g/16L water	-	3 days	As soon as spray deposits have dried
AGREXPLORE CORPORATION	BENZALKONIUM CHLORIDE	GERMX 400 SL	400 g/L	SL	OTHERS	4	528-097-3608	25-Jan-25		Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	-
PLANTCARE TRADING CORPORATION	PYMETROZINE	GERCON 50 WG	500 g/Kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Mango	Leafhopper	80 sachet/ 200L	-	-	Do not enter the treated fields for at least 24 hours after application
PLANTCARE TRADING CORPORATION	PYMETROZINE	GERCON 50 WG	500 g/Kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Rice	Brown planthopper and green leafjopper	25-30 sachet/ 200L	-	Do not spray 36 days before harvest	Do not enter the treated fields for at least 24 hours after application
PLANTCARE TRADING CORPORATION	PYMETROZINE	GERCON 50 WG	500 g/Kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16 sachet/ 200L	-	5 days	Do not enter the treated fields for at least 24 hours after application
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perrenial grasses, Broadleaf weeds & sedges	16-24 200L water/ ha; 8-12 400L water/ ha; 2.0-3.0 L/ ha	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
GENUFLECT CORPORATION	AZADIRACHTIN	GENUFLECT-NEEM OIL	400 ppm	-	INSECTICIDE/FUNGICIDE	4	732-513-5856	5-May-23	-	Banana	Scale insects, mealybugs, aphids, siagatoka	-	-	-	-
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Banana	Marker for use in plantations	-	-	-	-
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-
TLV AGRO SALES ORP.	BENZALKONIUM CHLORIDE	GENTROL 400	400 g/L	SL	OTHERS	4	384-394-2210	25-Nov-26	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	As soon as spray solution has dried up
GENTRADEPHIL INC.	PYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-26	-	Corn	Leaf spot	0.4 L/Ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
GENTRADEPHIL INC.	PYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-26	-	Banana	Sigatoka freckles	0.4 L/Ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
GENTRADEPHIL INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	GENPRO 8.5 EC	60+25 g/L	EC	HERBICIDE	3	660-453-5494	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits dry up
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/16L water	-	-	
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/16l water	-	45 Days	
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GEMTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GEMFOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water	-	-	-
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application

GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GEMEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-049-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GAVEL PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	248-504-6078	24-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L formulated Product per hectare /using spray volumes of 160	-	-	Re-entry to the rice field can be done as soon as spray dries up
TEAMAGRO TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GAVEL 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	248-504-5289	02-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ ha (75 mL/ 16L spray load, 10 spray load/ ha)	-	-	As soon as spray dries up.
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	284-240-2367	28-Dec-25		Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100ml. prod./18-20 kgs. seed	-		
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	284-240-2367	28-Dec-25		Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 ml.product/1 kg. seed	-		
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Corn (as seed treatment)	Seedling maggot, ants, fileds crickets and mole crickets	75-100 mL prod./ 18-20 kgs. Seed	-	-	-
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Rice (as seed treatment)	Rice whorl maggot and green leafhopper	5-10 mL prod./ 1 kg seed	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
AGRI-SPROUT PHILS., INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILS., INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Rice (Direct-seeded)	Golden apple snail	4.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILS., INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILS., INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPROUT PHILS., INC.	METALDEHYDE	GATILLO 6%P	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-27	-	Cabbage	Diamond back moth	20-50 mL (2.5-5.0 tbsp/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-27	-	Banana	Flower thrips	1.0-1.25 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-27	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-27	-	Beans	Podborer	30-50 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-27	-	Bulb onion	Thrips and cutworm	40-100 mL/ 16L water	-	-	Immediately after spray deposits has dried up
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Mungbeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Soybeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC+CHLORPYRIFOS	GAROTE EC	210+105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-27	-	Beans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRICLOPYR	GARLON 4E	480 g/L	E	HERBICIDE	2	737-483-4442	26-Mar-27	-	Non-crop agricultural areas	Broadleaf of weeds	-	-	-	-
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Carrot	Alternaria, cercospora, helminthosporium	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Melon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Cucumber	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Squash	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Watermelon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Banana	Black sigatoka	1.2 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Melon	Anthracnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Corn	Helminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried

GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg		Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm		
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm		
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-		As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-		As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried

CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-27	-	Banana	Black sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADRIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+2,4-D IBE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm		
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+2,4-D IBE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm		
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIFENOCONAZOLE+PROPICONAZOLE	GALTERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	376-325-4203	07-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
UPL PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	GALLEON 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	562-229-4874-A	16-Jun-27	CONTACT	Rice	Golden Apple Snail	1 sachet/tankload, 10 Tankload/ha	-	-	At least 48 hours after application
CORTEVA AGRISCIENCE PHILIPPINES, INC.	HALOXYFOP-R-METHYL ESTER	GALLANT SUPER	108 g/L	EC	HERBICIDE	2	737-351-1139	26-Mar-27	SYSTEMIC (POST-EMERGENCE)	Onion	Annual and Perennial grasses	5 tbsp/ 16L water 500 mLprod./ ha	-	-	Once spray droplets have dried out.
KEMISTAR CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GALING 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	239-504-5102	20-Sep-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	500-750 mL prod.per hec. At spray volume of 160-192L water per	-	-	As soon as spray dries up.
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALILEO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4601	27-Sep-25	-	Mango	Anthracnose & stem-end rot	65-80ml/100 L water	-	Do not spray 14 days before harvest.	As soon as spray solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALILEO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4601	27-Sep-25	-	Rice	Sheath blight	25 mL/16 L	-	Do not spray 14 days before harvest.	As soon as spray solution dries up.
MAGAN AGRO PHILS. ENTERPRISE INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	25-Jul-27	SYSTEMIC	Potato	Leafminer, thrips	6.0-12.0 mL/16L water	-	5 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS. ENTERPRISE INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	25-Jul-27	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leaffolder, Green leafhopper	15.0-25.0 mL/16L water	-	21 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS. ENTERPRISE INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	25-Jul-27	SYSTEMIC	Mango	Mango hoppers, thrips, and cecid fly	40-50 mL prod. / 100 L water	0.2 mg/kg	-	Is allowed as soon as spray deposits had dried up
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray has dried
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			

FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALAB 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	05-Jun-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT)-9Tbsp+7Tbsp	0.1 ppm		
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALAB 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	05-Jun-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm		
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	487-106-3286	26-Nov-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G480 PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Non-crop land	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Sugarcane	Borer, leafhopper, mealybug, scale insects	33.3-66.7 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-27	SYSTEMIC	Potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Cotton	Nematodes, grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Eggplant	Fruit borer	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Field legumes	Grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.4-66.8 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Tobacco	Nematodes, budworm	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Potato	Nematodes, grubs	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES INC.	CARBOFURAN	FUTURA 3G	30 g/Kg	G	INSECTICIDE	2	566-104-6306	31-Oct-27	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod./ ha (kgs/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4598-A	04-Jan-28	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-

PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
PHILIPPINE FARMFIX SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	FUSELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-	
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Eggplant	Fruitbore	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Rice	Stemborer, whorl maggots, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Soybeans	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Sugarcane	Borer, leafhopper, mealybug, scale insects	33.3-66.7 kg prod/ ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURYCIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	719-104-6227	4-Mar-25	-	Cowpea	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-	2 days
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3688-B	17-Dec-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	295-104-2458	13-Oct-27	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Cotton	Nematodes, grubs	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Cowpea	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Eggplant	Fruit borer	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Field legumes	Grubs	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Soybeans	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.3-66.7 pro./ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Tobacco	Nematodes, budworm	16.7-33.3 prod./ ha kg	-	-	-	
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	White potato	Nematodes, grubs	16.7-33.3 prod./ ha kg	-	-	-	
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4193	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nemotodes, white grubs, crickets & root flies	20-40 kg/ha	-	0 day		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4193	02-Nov-20	-	Banana	Nematodes, corn weevil and scarring weevil	25-30 kg/ha	-	0 day		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days		
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4194	02-Nov-20	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-			
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 10 G	100 g/Kg	G	INSECTICIDE/NEMATICIDE	2	598-104-4192	02-Nov-20	-	Banana	Nematodes, corn weevil and scarring weevil	10-15 kg/ha	-			
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g prod./ 16 L water	2 ppm	7 days		As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Eggplant	Hoppers, whiteflies, fruit borer	2.5-5.0 g prod./ 16 L water	2 ppm	7 days		As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g prod./ 16 L water	1 ppm	24 days		As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g prod./ 16 L water	0.5 ppm	16 days		As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Mango	Hopper	1.0-2.0 g prod/ 16L water	-	7 days		As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Coconut	Scale insects	-				As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days		Do not enter treatment areas until spray deposit have dried

VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGUTEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	07-Mar-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Banana	Sigatoka	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Beans	Bacterial blight, rust	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cabbage	Black rot, black leaf spot	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cacao	Black pod	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Carrot	Carrot blight, alternaria	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Celery	Early and late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Citrus	Black apot, scab. Melanose, canker, fruit rot and brown	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Coffee	Leaf rust, coffee berry disease	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Grapes	powdery mildew, black rot, downy	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Mango	Anthracnose	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Onion	Purple blotch, downy mildew	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Pepper	Bacterial spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Potato	Early blight, late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Rice	Rice blast, sheath blight, bacterial leaf streak, bacterial leaf blight	20-50 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Tomato	Early blight, fruity rot septoria, downy mildew, anthracnose	20-60 grams/16Li	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/Kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Watermelon	Anthracnose, fruit rot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Potato	Early blight, late blight, vine rot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Beans	Rust, anthracnose	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Crucifers	Powdery mildew	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Celery	Early blight, late blight	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp/16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Asparagus	Stem and leaf blight	1.8 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25		Banana	Black sigatoka	1.8 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGUFREE PLUS 50 WP	500 g/Kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 80 WP	800 g/Kg	WP	FUNGICIDE	4	385-053-2014	09-Jun-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 600 OS	600 g/L	OS	FUNGICIDE	4	385-053-3547	10-Sep-21	-	Banana	Black sigatoka	0.5-0.8 L/Ha+ 10-15 L/Ha water+ 0.7 L/Ha Oil	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGUFREE 412 F	412 g/Kg	F	FUNGICIDE	4	385-053-3548	10-Sep-21	-	Banana	Sigatoka	2-4 Liters	-	-	Do not enter the spray area with 2 days after spraying
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water	_	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	_	_	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	_	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	_	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	_	_	As soon as spray dries.

118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Legumes	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusariumwilt	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Beans	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusariumwilt	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Strawberry	Powdery mildew, gray molds, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Banana	Sigatoka	1.5-2.0 TBSP/16L Water; 0.7 g product/L water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/Kg	WP	FUNGICIDE	4	031-107-0179-A	12-Jul-27	-	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	29-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGIROEM 70 WP	700 g/Kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			
ALDIZ INCORPORATED	IMAZALIL	FUNGAFLOR 75 SP	750 g/Kg	SP	FUNGICIDE	2	002-203-0395	31-Dec-25	POST-HARVEST	Banana	Crown rot pathogens	40-70 g/100L water	-	-	-
ALDIZ INCORPORATED	IMAZALIL	FUNGAFLOR 50L	500 g/L	L	FUNGICIDE	2	002-203-0394	31-Dec-19	-	Banana	Black Sigatoka /black leaf streak	200-400 mL/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BENOMYL	FUNDAZOL 50 WP	500 g/Kg	WP	FUNGICIDE	4	088-167-1639	21-May-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
GRAINTEC CHEMICAL CO., INC.	ALUMINUM PHOSPHIDE	FUMITOXIN	560 g/Kg	TAB	FUMIGANT	1	073-084-0483	31-Dec-23	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO TABLET	560 g/Kg	TAB	FUMIGANT	1	562-084-4631	17-Jan-28	CONTACT	-	As fumigant for the control of Stored product pest	2-5 tablets per 1000 kilos; 20 tablet per 30 m	-	-	-
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO POWDER	560 g/Kg	TAB	FUMIGANT	1	562-084-4654	17-Jan-28	CONTACT	-	As fumigant for the control of Stored product pest	1 bag/7.5m	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	FULLSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-27	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	25-Jul-17	SYSTEMIC	Banana	Black sigatoka	400mL/ha			
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	25-Jul-17	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	DIURON	FULLGREEN DIURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	BUTACHLOR+PROPANIL	FULL HOUSE 70 EC	350+350 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried up
ACE CROP SOLUTIONS INC.	BUTACHLOR+PROPANIL	FULL HOUSE 70 EC	350+350 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried up
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-013-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			

FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water				
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water				
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water				
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm			
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm			
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/Kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Mango	Leafhoppers	6-7 g prod./ 100L water; 0.96-1.12 g prod./ 16L water		No PHI proposed as the product will be applied at least 20 to 40 days before harvest		Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, rice bug, black bug	0.94-1.41 (0.2-0.3 tbsp prod.) 6-10 g prod./ 16L water	-	28 days		Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Stringbeans	Aphids and leafhoppers	10-30 g prod./ 16L water 1.6-4.8 g prod./ 16L water	-	7 days		Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Eggplant	Aphids and leafhoppers	10-30 g prod./ 16L water 1.6-4.8 g prod./ 16L water	-	3 days		Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Banana	Flower thrips	4-6 g prod./ 1L water (60-80 mL solution/ bud)	-	No PHI as **FULCRUM 250 WG** wil be applied as bud injection		Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Pineapple	Mealy bugs	100-200 g prod./ ha	-	No PHI proposed at last application of **FULCRUM 250 WG** will be 436 days before harvest		Do not enter unless spray deposits have dried
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest		One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest		One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest		One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest		One day after application
CHEMREZ TECHNOLOGIES, INC.	FIPRONIL	FULBLUM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days		
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUJI-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-27	-	Rice	Rice blast	4.0-6.0 Tbsp prod/16L water	10ppm	Do not spray 14 days before harvest		Do not enter the field within 48 hours after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUJI-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-27	-	Banana	Black Sigatoka	8.0-16.0 Tbsp prod/16L water		Do not spray 14 days before harvest		Do not enter the field within 48 hours after spraying
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perrenial grasses, Broadleaf weeds & sedges	16-24 200 L water/ ha; 8-12 400 L water/ ha; 2.0-3.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges	16 (200L water/ ha); 8 (400L water/ha): 2.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges	36 (200L water/ ha); 18 (400L water/ ha): 4.5 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges	24 (200L water/ ha); 12 (400L water/ ha): 3.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges	36 (200L water/ ha); 18 (400L water/ ha): 4.5 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges	16 (200L water/ ha); 8 (400L water/ha): 2.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges	16 (200L water/ ha); 8 (400L water/ha): 2.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perrenial grasses, Broadleaf weeds & sedges	16 (200L water/ ha); 8 (400L water/ha): 2.0 L/ ha	-	-		-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	673-151-5225	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-		-
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24	-	Banana	Fungal crown mold/crown rot, anthracnose, pitmark and smoky fruit	2-4 mL/L water	-	0 day		After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCHLORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24	-	Pineapple	Butt and crown mold and fruit core rot	0.5-1.0 mL/L water;1.0-3.0L/ hectare;1.0-3.0L/hectare; 0.5-1.0 mL/L	-	0 day		After spray deposits have dried
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Tomato	Fruitworm,Armyworm,cutworm	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Eggplant	Fruitborer, aphids, leafhopper, & thrips	15.0-30.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Cabbage	Diamond Backmoth,cabbage worm,aphids	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Watermelon	Thrips	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Potato	Thrips,army worm,cutworm,tubermoth	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Soybeans	Corn earworm, leafminer	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Mungbeans	Corn earworm, leafminer	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Cotton	Thrips,bollworms,budworms	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Stringbeans	Beanfly,leaffolder,aphids	30.0-50.0 mL/16 L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
THAIPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21		Mango	Blossom Thrips	10.0-20.0 mL/ L water		5 days after the last spray		As soon as the spray solution has dried on the foliage
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Potato	Late Blight	1.5-2.0 Tbsp/ 16L water	-	14 Days		Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Onion	Purple Blotch	1.5-2.0 Tbsp/ 16L water	-	7 Days		Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Rice	Sheath blight	2.0-4.0 Tbsp/ 16L water	-	50 Days		Enter the field as soon as the spray dries up
RADISSON AGROCHEMICAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTLINER 200 OD	150+50 g/L	OD	HERBICIDE	4	234-504-5700	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broad leaves and sedges	500- mL to 1-L prod. Ha.; 160-192 L/ha	-	-		Re-entry to the rice field can be done as soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	28-Sep-27	POST-EMERGENT	Rice (Direct-Seeded)	Grsses, sedges and broadleaves	500-1000 mL prod. / ha ; Spray volume 160-192 L / ha	-	-		As soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	25-Apr-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum) broadleaves (Sphenoclea zeylanica, Ludwigia octavalvis)	-	-	-		As soon as spray dries up.
PLANTCARE TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTAGE 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	495-504-6045	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 mL / 15L	-	-		As soon as spray dries up.
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed at last application of FRISK 25 WG will be 436 days before harvest		Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 day before harvest		Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days		Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days		Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days		Do not enter unless spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FRISK 25 WG	250 g/Kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as FRISK 25 WG will be applied as bud injection		Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLONICAMID	FRIENBEE 50 WG	500g/kg	WG	INSECTICIDE	4	539-442-5708	29-Apr-25	SYSTEMIC	Eggplant	Aphids and Leafhoppers	5.6-7.2 grams/16L water (based on spray volume of 400/Ha)				
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries

JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-3.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L/ ha	-	-	-
ALBAUGH PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheatt blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Celery	late blight	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Coconut	Wet-bud rot, nut rot	16 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Rubber	Black strife	3-6 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-27	SYSTEMIC	Coconut	Wet-bud rot	6-12 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-27	SYSTEMIC	Rubber	Black strife	23 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-27	SYSTEMIC	Cacao	Black pod	6 Tbsp/16L	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-27	SYSTEMIC	Orchids	Black rot	6 Tbsp/16L	-	90 days	12-24 hours

EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cabbage	Diamond-back moth, Cabbage worm, aphids	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 16L water	-	14 Days	Do not enter Treated field 24 hours after spraying.
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/Kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90 days	12-24 hours
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Pineapple	Heart rot	50.5 /g16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Coconut	Wet bud	160g/16L water		Do not harvest for 7 days after applciation	
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Orchids	Black rot	50.5g/16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Cacao	Black pod	50.5g/16L water	-	Do not harvest for 7 days after applciation	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/Kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Rubber	Black stripe	220.5g/16L water	-	Do not harvest for 7 days after applciation	-
GEM AGROLOGIC, INC.	BUTACHLOR+PROPANIL	FORWARD 70 EC	350+350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12TbspL/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GEM AGROLOGIC, INC.	BUTACHLOR+PROPANIL	FORWARD 70 EC	350+350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12TbspL/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
NS NORTHERN ORGANIC FERTILIZER INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FORTUNER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	470-504-5997	24-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, broadleaves and sedges	500 mL to 1 Liter Formulated Prod. Per hectare	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA GOLD 430 OD	430g/L	OD	FUNGICIDE	4	233-053-4459	30-Jul-27	-	Banana	Black Sigatoka	2.5-3.5 L/ha	-	-	
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Celery	Late blight	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Pepper	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Chili	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	60 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
UPL PHILIPPINES, INC.	DODINE	FORTIS 400 SC	400 g/L	SC	FUNGICIDE	2	562-418-5061	15-Jun-27	-	Banana	Black Sigatoka	0.8-1.2 L product/ha	-	0 Day	No ground workers allowed during spraying operation. Workers can enter area only after 1-2 hours of application to avoid small droplet
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	FIPRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	CYANTRANILIPROLE	FORTENZA 600 FS	600 g/L	FS	INSECTICIDE	4	011-485-5051	23-Mar-27		Corn	Fall armyworm	175-250 mL prod. / 100 kg seeds	0.01 mg/kg	-	
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Coffee	Berry borer	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Citrus	Rind borer	4-6 tbsp/16 L water		5 days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water			Do not enter treatment areas until spray deposit have dried

PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEIN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16		Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CYPERMETHRIN+TETRAMETHRIN+PIPERONYL BUTOXIDE	FORTEFLY 32 EC	-	EC	INSECTICIDE	2	241-532-6060	20-Sep-25	-	Swine and poultry farms	Adult flies	-		-	48 hours after the last treatment
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSEE 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Pineapple	Heart rot	2.5-5.0 g/L; 6-12 tbsp/ 16L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSEE 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	7 g/L; 6-12 tbsp/ 16L			
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSEE 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Rubber	Black stripe (panel disease)	6-12 tbsp/ 16L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSEE 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Cacao	Black pod	2.5 g/L; 6-12 tbsp/ 16L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSEE 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Orchids	Black rot	2.5 g/L; 6-12 tbsp/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BROMACIL	FORPINE 80 WP	800 g/Kg	WP	HERBICIDE	4	539-169-4525	25-Sep-27	NON-SELECTIVE	Pineapple	Perennial and annual weeds	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/Kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
TEXICON AGRI VENTURES CORPORATION	DIBROMO-3-NITROPROPIONAMIDE	FORMO	200 g/L	AS	OTHERS	2	242-415-2655	09-Sep-25	-	Banana	As tool desinfectant for the control of Fusarium wilt & bacterial wilt	10-60 ml/L	-	-	-
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORP.	FORMALIN+GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	FORMADES	240g/L+40g/L+30g/L	-	OTHERS	2	676-578-5693	31-Dec-27	-	-	Disinfection of animal house of preventing diseases transmission by virus, bacteria, fungi and coccida	-	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Corn (as seed treatment)	Seedling maggot	–	–	–	–
PHILIPPINE FARMFIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Rice	Green leafhopper,brown planthopper & whitebacked planthopper	–	–	–	–
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-28	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	0.5 mg/Kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22		Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer		-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer			Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-		Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
BERRIS AGRICULTURAL COMPANY, INC.	METHOMYL	FORCE 40 SP	400 g/Kg	SP	INSECTICIDE	2	233-164-1826-A	27-Feb-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40 SP within 12 hours after application
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	10-May-27	-	Cabbage	Diamond back moth	25-50 ml (2.5-5.0 tbsp per 16 L water)	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	10-May-27	-	Banana	Thrips	1.0-1.25ml per liter water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	10-May-27	-	Eggplant	Fruit and shoot borer	60-65 ml per 16L water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	10-May-27	-	Beans	pod borer	30-50ml per 16L water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBID 25 SC	25G/L	SC	INSECTICIDE	4	551-306-5726	10-May-27	-	Bulb onion	Thrips, cutworm	40-100ml per 16L water	-	-	Immediately after spray deposit has dried up.
ORACLE CHEM CORPORATION	BUTACHLOR+PROPANIL	FOR D-MO 700 EC	350+350 g/L	EC	HERBICIDE	3	417-238-5530	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
ORACLE CHEM CORPORATION	BUTACHLOR+PROPANIL	FOR D-MO 700 EC	350+350 g/L	EC	HERBICIDE	3	417-238-5530	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	METAMIFOP	FOPCARD 100 EC	100 g/L	EC	HERBICIDE	4	752-409-6010	29-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (*Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum*)	750 mL-1 liter product/ ha	-	-	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Mango	Anthracnose & stem-end rot	50-75 (g/100 liters water)	-	22 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Rice	Sheath Blight	30-50 g/16 liters water	0.05ppm	55 days	When spray deposits have dried

BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Tobacco	Frog eye leaf spot	15-25 g/16 liters water	-	-	When spray deposits have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Crucifers	Powdey mildew	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-Apr-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Pineapple	Heart rot	2.5, 2.5-5 grams product/Liters; 55, 56 - 110 product (e/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Coconut	Wet-bud & nut rot	7 grams product/Liters; 160 product (e/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Rubber	Black strife	Preventive treatment 10, Curative treatment 20 grams product/ Liters;	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Cacao	Black pod	2.5 grams product/Liters; 55 product (e/16L)	-	-	-
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/Kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Orchids	Black rot	2.5 grams product/Liters; 55 product (e/16L)	-	-	-
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN+TETRAMETHRIN+PIPERONYL BUTOXIDE	FLYKILL 32 EC	120+40+160 g/L	EC	INSECTICIDE	3	282-532-5170	20-Sep-25	-	Swine and poultry farms	Adult flies	-	-	-	-
SULI AGROSCIENCE PHILIPPINES INC.	FLUAZINAM	FLYEE 500 SC	500 g/L	SC	FUNGICIDE	4	692-301-6101	30-Mar-26	-	Potato	Late blight	15-20 mL prod/ 16 L water	-	14 days before harvest fpr potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	FLUAZINAM	FLYEE 500 SC	500 g/L	SC	FUNGICIDE	4	692-301-6101	30-Mar-26	-	Onion	Purple blotch	15-20 mL prod/ 16 L water	-	14 days before harvest fpr potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	NOVALURON	FLYCON 10 EC	100 g/L	EC	INSECTICIDE	4	645-349-5912	30-Jul-26	-	Cabbage	Diamond back moth	1-2 tbsp/16L	-	Do not spray FLYCON 10EC at least one week before harvest	Entry to field and crops treated with FLYCON 10 EC can be done one day after spraying
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORP.	DINOTEFURAN	FLY CJECK 0.5 GB	5 g/ kg	GB	INSECTICIDE	4	676-554-5553	31-Dec-24	-	-	Houseflies in animal facilities	-	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	-	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	-	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	-	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-
ZAGRO CORPORATION	FLUAZIFOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	20-30 mL/ 16L water	-	-	-
LTC MORITA CORPORATION	BISPYRIBAC SODIUM	FLORHERB 10 SC	100 g/L	SC	HERBICIDE	2	679-276-5321	08-Nov-27	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	250-300 mL/ha	-	-	As soon as spray deposits dry up
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	459-244-3615	15-Dec-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Cabbage	Diamond backed moth	1.5-2.5, 2.5-3.75, 3.0-5.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGSPEC PHILIPPINES CORPORATION	FIPRONIL	FLIPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BERRIS AGRICULTURAL COMPANY, INC.	NICLOSAMIDE ETHANOLAMINE SALT	FLIP 70 WP	500 g/kg	WP	MOLLUSCICIDE	4	233-229-0987	16-Jun-26	CONTACT	Rice	Golden apple Snail	35 grams (1 sachet) prod/ load	-	-	48 hours after spraying
BAYER CROPSCIENCE, INC.	PROPINEB+TRIFLOXYSTROBIN	FLINT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	284-598-5866	22-Sep-25	-	Potato	Early blight	30-100 grams prod./ tankload 750-2500 grams prod./ ha.	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BAYER CROPSCIENCE, INC.	PROPINEB+TRIFLOXYSTROBIN	FLINT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	284-598-5866	22-Sep-25	-	Cabbage	Alternaria leafspot	30-100 grams prod./ tankload 750-2500 grams prod./ ha.	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BAYER CROPSCIENCE, INC.	PROPINEB+TRIFLOXYSTROBIN	FLINT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	284-598-5866	22-Sep-25	-	Onion	Purple blotch	0.750-2.5 kg prod./ ha	0.5 mg/kg Propineb 0.08 mg/kg Trifloxystrobin	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/Kg	WG	HERBICIDE	4	097-500-4668	23-Jul-27	-	Rice (Direct-Seeded)	Grasses, Sedges & Broadleaf weeds	150-300 g prod. / ha. At 160-200 L / ha. Spray volume	0.1 ppm	71 days	-
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/Kg	WG	HERBICIDE	4	097-500-4668	23-Jul-27	-	Rice (transplanted)	Grasses, Sedges & Broadleaf weeds	100-300g product pre hectare; 7-28 days after transplanting	0.1 ppm	71 days	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	FLEXCIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4627	18-Jan-28	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses,itchgrass,goosegrass,sour paspalum ,crabgrasses,bermuda grass,crowfoot grass & cassava for the control of annual &	30-50ml/16 L water	-	-	-

SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 75 WP	750 g/Kg	WP	FUNGICIDE	4	432-118-3707	03-May-25	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Tomato	Early blight, late blight, vine rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Beans	Rust, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Crucifers	Powdery mildew	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Melon	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Cucumber	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Squash	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Watermelon	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Celery	Early blight, late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Asparagus	Stem and leaf blight	1.80 L/ha or 3.2-4.8 tbsp/16	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	03-May-25	-	Banana	Black sigatoka	1.38 L/ha or 3.2-4.8 tbsp/16	2.0 mg/Kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Tomato	Early blight, late blight, vine rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Beans	Rust, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Crucifers	Powdery mildew	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Cucurbits (Cucumber, melon, squash, watermelon)	Powdery mildew, downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Celery	Early blight, late blight	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Asparagus	Stem and leaf blight	1.80 L/ha or 3.2-4.8 tbsp/16	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Banana	Black sigatoka	1.38 L/ha or 3.2-4.8 tbsp/16	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried
UPL PHILIPPINES, INC.	PYRIMETHANIL	FLEURUS 400 SC	400 g/L	SC	FUNGICIDE	4	562-345-4791	15-Jun-27	-	Cavendish Banana	Black sigatoka	750 mL/ha	-	Do not harvest for 8 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or

WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
WISHCROPS, INC.	BENOMYL	FLAWLESS-G 50 WP	500 g/Kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha		-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH 5 EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Entry to fields and crops treated with FLASH 5 EC can be done as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/Kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
FULL GREEN AGRO CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Banana	Flower thrips	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Cabbage	Diamondbacked moth, aphids, and cabbage moth	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLORFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	687-283-6241	7-Aug-26	-	Potato	Thrips	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/Kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			

FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with FKA 2,4-D ESTER 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-27	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5-6.5 Tbsp/ 16 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
C.B. ANDREW ASIA, INC.	CYHALODIAMIDE	FIXXE 200 SC	200 g/L	SC	INSECTICIDE	4	451-637-6412	21-Dec-24	-	Corn	Fall armyworm, corn earworm	150-350 mL prod./ ha	-	-	-
C.B. ANDREW ASIA, INC.	CYHALODIAMIDE	FIXXE 200 SC	200 g/L	SC	INSECTICIDE	4	451-637-6412	21-Dec-24	-	Cabbage	Diamondback moth, cabbage worm	150-450 mL prod./ ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111-A	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	After spray deposits have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111-A	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	After spray deposits have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111-A	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	After spray deposits have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111-A	29-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	0.2 mg/kg	-	After spray deposits have dried
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL/16L water	-	-	-
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Mango	Mango hopper	25-40 mL/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	17-Mar-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	17-Mar-26	-	Mango	Mango hopper	25-40 mL (2-3 tbsp)/16L water	-	-	-
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
FLAGLEAF AGRI PHILIPPINES, INC.	FIPRONIL	FIPRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-28	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-28	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-28	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
NEXCHEM CORPORATION	FIPRONIL	FIPRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-28	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIPRONIL	FIPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	2.7-4.0, 3.5-5.0, 4.0-6.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	10 days	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	10 days	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA		Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIPRONIL	FIPROL 0.3 GR	3 g/Kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./HA		Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIPRONIL	FIPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-27	CONTACT	Corn	Seedling maggots	200 mL-250 mL 18-20 kg	-	Do not apply 7 days before harvest	One day after application

ANGELEX AGRITRADE CORPORATION	CYHALOFOP-BUTYL	FINISHER 100 EC	100 g/L	EC	HERBICIDE	4	491-257-5930	21-Oct-27	-	Rice (Direct-Seeded)	Grasses	7-9 tbs p per tank load		-		
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	Do not apply 7 days before harvest .	One day after application.	
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	_	Do not apply 7 days before harvest .	One day after application.	
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbs.p./16L	_	Do not apply 7 days before harvest .	One day after application.	
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.	
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbs.p./16L	_	Do not apply 7 days before harvest .	One day after application.	
INDOFIL PHILIPPINES INC.	FIPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	21-May-27	CONTACT	Corn	Seedling maggot	-	-	Do not apply 7 days before harvest .	One day after application.	
BERRIS AGRICULTURAL COMPANY, INC.	CYHALOFOP-BUTYL	FINALE 10 EC	100 g/L	EC	HERBICIDE	4	233-257-3020	09-May-27	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbs.p./tank load; 12 of tank load/ha (16L capacity)	-	-	-	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries	
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-27	SYSTEMIC	Potato	Late blight	5-10g/16L water	-	14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying	
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-27	SYSTEMIC	Tomato	Late blight	5-10g/16L water	-	7 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying	
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-27	SYSTEMIC	Pineapple	Root rot, heart rot	60, 30g/16L water	-	14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying	
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-27	SYSTEMIC	Papaya	Phytophora root and basal rot	4-8g/L	-	3 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying	
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-27	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds	-	-	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	-	-	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water				
AGRO ADVANCED INTERNATIONAL PHILS., INC.	METHOMYL	FIGHTER 40 SP	400 g/Kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	-	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	_	_	_	
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	_	_	_	
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried	
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried	
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried	
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Palm oil	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried	
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried	

ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/Kg	WP	HERBICIDE	3	043-068-0434	09-Sep-27	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water			
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	460 g/L	FW	HERBICIDE	3	043-068-0655	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water			
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Banana	Thrips	3.5-4.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Beans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Mungbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Soybeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Stringbeans	Leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Corn	Cornborer, earworm	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/16L sprayer	-	-	Do not enter fields treated with **METHOMYL 40 SP** within twelve hours after application
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	FERTERRA 0.4 G		G	INSECTICIDE	-	598-393-5367	23-Mar-22		Rice	Leaffolde and stemborer	10-12.5 kg prod. / ha			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Beans	Aphids, leafminer, bean lycaenid	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Cucurbits	Squash beetle	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Tobacco	Aphids, budworm	5-8 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20		Cotton	Aphids, budworm	5-8 Tbsp/16L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	FENPROZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	539-325-4034	07-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Eggplant	Tip borer and fruit borer	6-8 gm/16 L water	-	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tobacco	Budworm and cutworm	5-7.5 gm/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-6 gm/16 L water	0.2mg/kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Ampalaya	Leafroller, cutworm	4-6 gm/16 L water	0.3mg/kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Stringbeans	Podborer, cutworm, armyworm & semi-looper	2-4g prod/16L	0.5mg/Kg	3 Days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Watermelon	Leaffolder, fruitworm, cutworm, armyworm & rindworm	2-4 gm/16L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Onion	Cutworm & armyworm	2-4gm/16L water	0.50 ^{2}mg/Kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Rice	Stemborer, leaffolder	4-8 g/16 L water	0.05 mg/Kg	31 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS WG 24	240g/Kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Corn	Corn borer	4-8 g/16 L water		5 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Eggplant	Tip borer and fruit borer	3-4 ml prod/16 L water	1.5 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tobacco	Budworm and cutworm	3-4 ml prod/16 L water	-	-	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Cabbage	Diamond back moth	3-4 ml prod/16 L water		5 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-5 ml prod /16 L water	0.2 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Watermelon	Melon worm and cutworm	4-5 ml prod /16 L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Onion	Cutworm	4-5 ml prod /16 L water	0.50 mg/kg	1 day	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Ampalaya	Leafroller	4-5 ml prod /16 L water	0.3 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Stringbeans	Podborer, cutworm	3 ml prod/16 L water	0.5 mg/kg	3 days	After spray deposits have dried
BAYER CROPSCIENCE, INC.	FLUBENDIAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Rice (as seed treatment)	Stem borer & leaffolder	2.1-4.2 mL FP/Kg seed; 1.0-2.0g ai/kg seed	0.05 mg/kg	87-94 days after last application	After spray deposits have dried
INDOFIL PHILIPPINES INC.	FENPROPIMORPH	FENOPRO 880 OL	880 g/L	OL	FUNGICIDE	2	604-511-6307	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha		0 day	As soon as spray droplets dries
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Beans	Beanfly, fleabeetle, aphids, leaffolder, podborer	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/16L water			
PHILIPPINE FARMFIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Banana	Flower thrips	2.0 Tbsp/16L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1.5-3.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application

RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (075)	28-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXYFLUORFEN	FENFEN 240 EC	240 g/L	EC	HERBICIDE	4	539-123-5164	04-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	2-40 mL/ 16L water	-	-	-
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOXAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	-	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Potato	Early and late blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cabbage	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cauliflower	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Broccoli	Downy mildew, *alternaria* leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Celery	Late blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cucumber	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Squash	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cotton	Damping off	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		lettuce	Downy mildew	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Beans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peas	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mungbeans	Anthracnose, Downy mildew, Rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Pepper	Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Chili	Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Eggplant	Blight, Anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Banana	Sigatoka, Black leaf streak	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Grape	Downy mildew, black rot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mango	Anthracnose and Scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Papaya	Fruit rot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Melon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Watermelon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Soybeans	Leaf rust	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Ornamentals	Black spot, blight anthracnose	3.0-6.0 Tbsp/16L Water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-enrty to treated field is allowed as soon as spray deposits dry.
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AGCHEM MANUFACTURING CORPORATION	PROPYLENE GLYCOL+POLYALKYLENE OXIDE BLOCK COPOLYMER	FASTER	3.0% w/v+1.5% w/v	-	OTHERS	4	001-542-5387	06-Apr-22	-	As surfactant intended for ZYTOX 10 SC	-	-	-	-	
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Rice	Whorl maggots, stemborer, rice bug, leafhopper, brown planthopper, leaffolder	4-5mL/16 L water	2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Corn	Maggots, borer, earworm	2-3mL/16 L water	0.3 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Watermelon	Armyworm, leaffolder, leafroller, aphids, squash beetle	2-3mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Stringbeans	Podborer, aphids, cutworm	2-3mL/16 L water	0.7 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Eggplant	Leafhopper, mites, podborer	2-3mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Tomato	Fruitworm	2.5-3.5mL/16 L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASTAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-27	-	Tobacco	Budworm. Cutworm, aphids	2-3mL/16 L water		Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			

AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Cabbage	Diamondback moth	3.0-3.5 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Eggplant	Shoot borer and fruit borer	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Bittergourd	Cutworm	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Stringbeans	Pod borer	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Rice	Leaffolder	2.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Tobacco	Cutworm and budworm	4.0 grams prod/ 16L water	-	-	As soon as the spray mist dries up
AKTIV MULTI TRADING CO. PHILS, INC.	PYRACLOSTROBIN	FASCURE 25 EC	250 g/L	EC	FUNGICIDE	2	540-396-5828	29-Oct-26	-	Banana	Sigatoka and freckles	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	PYRACLOSTROBIN	FASCURE 25 EC	250 g/L	EC	FUNGICIDE	2	540-396-5828	29-Oct-26	-	Corn	Leaf spot	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
GOLDEN FARMERS AGRI PRODUCT CORPORATION	PRETILACHLOR	FASCLEAN	300 g/L	EC	HERBICIDE	4	603-063-4720	19-Mar-22	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp./16 L water	0.05ppm	-	-
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCINATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-28	NON-SELECTIVE(POST-EMERGENT)	Corn	Grasses, sedges, and broadleaf weeds	2-3 L ha	-	-	After spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Jul-27	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses and broadleaves	2-3 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Jul-27	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses and broadleaves	2-3 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Jul-27	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses and broadleaves	2-3 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Jul-27	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses and broadleaves	1-1.5 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
PHILIPPINE FARMFIX SOLUTIONS INC.	OXADIAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Jul-27	SELECTIVE (PRE-EMERGENCE)	Cabbage and other crucifers	Grasses and broadleaves	3-4 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by trodding on the
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-27	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-27	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-27	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/Kg	WP	HERBICIDE	4	535-022-5510	30-Jul-27	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas untill spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	60 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-053-4044	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.

PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spraying application.
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	535-021-3189	24-May-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	_	_	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CYPERMETHRIN	FARMFIX CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Banana	Thrips, scarring beetle , Aphids	20-30 ml(2-3Tbsp) per 16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Sugarcane	White Grub	80-100 ml per 16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS	FARMFIX CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Pineapple	Mealy bugs , Ants	1-4 L per hectare using boom sprayer	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMFIX CARTAP	500 g/Kg	SP	INSECTICIDE	3	535-106-3175-A	19-Jun-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	_	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Cabbage/ Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	Citrus	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	Coffee	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water			Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	Pineapple	Broadleaves and annual grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	457-021-3310	17-Dec-27	SYSTEMIC	non-crop areas	Annual and perennial grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	457-065-2512	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	457-065-2512	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	457-065-2512	20-Aug-27	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMFIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	_	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
ENASIA AGRO VENTURES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	FANCUHOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	770-229-6247	23-Apr-27	-	Rice	Golden apple snail	1 sachet (35g)= 16L tankload	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-

FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp 16L water		One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Grapes	Beetles, cut worm, leafhopper, mealybug, scale insects, spider mites	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pineapple	Mealybug	3.0 Tbsp 16L water		One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Garlic	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Onion	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Sorghum	Web worm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Corn	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Sorghum	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE EMERGENT	Sugarcane	Annual broadleaf weeds and annual grasses	8-12 / 16 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 Tbsp 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-013-5767	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp / 16L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 1 day after spraying
VERCA AGRO CHEM, INC.	(Z)-9-TETRADECENYL ACETATE	FALL ARMY-LURE	2 mg/Lure	-	INSECTICIDE	4	647-519-4926	03-Feb-27	-	Corn	Fall armyworm (as pheromone lure)	90 mg A.I./HA or Lures/ha	-	-	-
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
PALMTRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Mango	Anthracnose & stem-end rot	50-75 (g/100 liters water)	-	22 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Rice	Sheath blight	30-50 g/16 liters water	0.05ppm	55 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Jungle rice, goose grass, and bermuda grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Ithcy grass and crabgrass	30-50ml/16 L sprayload	-	-	-

EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Jungle rice, goose grass, and bermuda grass	30-50ml/16 L sprayload	-	-	-	
EZERTECH CORPORATION	FLUAZIFOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206-A	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Jungle rice, goose grass, and bermuda grass	30-50ml/16 L sprayload	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systems	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	16 days after the last spray	As soon as spray solution has dried on the foliage	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	24 days after the last spray	As soon as spray solution has dried on the foliage	
LICHEMPHIL INTERNATIONAL INC.	DINOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	2-5 g/16L water	_	-	As soon as spray solution has dried on the foliage	
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	_	_	Do not enter treated field within 48 hours after application	
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	18-Jul-27	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	18-Jul-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
UNAHCO, INC.	METALDEHYDE	EXPLODER 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	_	-	Do not enter treated field within 48 hours after application	
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	_	_	Do not enter treated field within 48 hours after application	
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
GREENTHUMB AGRISOLUTIONS,INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	_	_	Do not enter treated field within 48 hours after application	
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter the field within 48 hours after application	
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application	
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter the field within 48 hours after application	
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application	
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Cabbage	Diamond back-moth, cabbage moth, worm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Tomato	Tomato,fruitworm, aphids, beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Watermelon	Aphids, thrips, beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Onion	Thrips, cutworm	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Banana	Thrips, scarring beetle	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/ 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24		Corn	Corn borer, earworm	1-4.5 Tbsp 16L		7 days	Entry to field and crops teated with EXODUS 5 EC is allowed as soon as spray deposits dry.	
VERCA AGRO CHEM, INC.	Z,E-9,12- TETRADECADIENYL ACETATE + Z-9 TETRADECENOL	EXIGUA-LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-27		Cotton	Armyworm (pheromone lure)	90 mg A.I. per hectare or 45 lures per hectare	-	-	-	
VERCA AGRO CHEM, INC.	Z,E-9,12- TETRADECADIENYL ACETATE + Z-9 TETRADECENOL	EXIGUA-LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-27		Onion	Armyworm (pheromone lure)	90 mg A.I. per hectare or 45 lures per hectare	-	-		
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as application will be 436 days before harvest	Do not enter unless spray deposits have dried	
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried	
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	_	28 days	Do not enter unless spray deposits have dried	
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	7 days	Do not enter unless spray deposits have dried	
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	_	3 days	Do not enter unless spray deposits have dried	
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXELON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as Exelon will be applied as bud injection	Do not enter unless spray deposits have dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Banana	Blossom thrips	0.5/ L water	-		Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Cabbage	Diamond back moth	1000 mL prod/ha	-	7 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-		Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Pineapple	Mites	1000-4000mL prod/ha	-		Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-		Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 Days	Re-enter treated area only after spray has dried	
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24		Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 Days	Re-enter treated area only after spray has dried	
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	.	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries	
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	.	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries	
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	.	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries	
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	.	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries	
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	.	Celery	Late blight	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries	

EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	60 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL-R EC	360+240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL-R EC	360+240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPANIL	EXCELPRO 70 EC	350+350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPANIL	EXCELPRO 70 EC	350+350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9,7,7,7,11 Tbsp/16L Sprayload	-	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9,7,11,12 Tbsp/16L Sprayload	-	-	-
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPANIL	EXCEED 70 EC	350+350 g/L	EC	HERBICIDE	3	031-238-1424	18-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mist has dried
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPANIL	EXCEED 70 EC	350+350 g/L	EC	HERBICIDE	3	031-238-1424	18-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mist has dried
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL COMPANY, INC.	LAMBDA-CYHALOTHRIN	EXCALIBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DU PONT FAR EAST, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	014-452-4297	27-Nov-24	-	Cabbage	Diamond back moth	1-2 Tbsp/16 L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60 g/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Potato	Thrips and leafminer	400-500 mL prod/hectare 500-600 L / hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60 g/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Onion	Leafminer	500-750 mL pro/ hectare 300 L/ hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Corn	Fall armyworm	500 mL product/ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Mango	Thrips and tip borer	30-40 mL prod. / 100L	-	14 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	21-Apr-25	-	Tomato	Leafminer	600-750 mL FP/ha (500L spray volume/ha)	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	21-Apr-25	-	Eggplant	Fruit and shoot borer	500-750 mL FP/ha (300-1000L spray volume/ha)	-	-	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	013-452-3600	21-Aug-21		Tomato	Leafminer	600-750 mL prod/ Ha	-	-	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	013-452-3600	21-Aug-21		Eggplant	Fruit and shoot borer	500-750 mL prod/ Ha			
JARDINE DISTRIBUTION, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	367-452-3619	12-Jan-19	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/16L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EXACTOSOL A-150K	-	LC	OTHERS	4	274-348-3206	13-Aug-19	-	-	As surfactant on EXACTO SC 100	10 - 30 mL/16 L water; 10 - 20 spray loads			
INTEGRATED CROP TRADING CORPORATION	BISPYRIBAC SODIUM	EXACTO SC 100	105.5 g/L	SC	HERBICIDE	4	274-276-3205	13-Aug-19	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		
INTEGRATED CROP TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	EXACTO PLUS 200OD	150g/L+50g/L	OD	HERBICIDE	4	274-504-6165	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octevalvis)	50-100 mL / 16L	-	-	As soon as spray dries up.
TAIPAN BRAND FARM INC.	FLUOXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	16-Jun-27	SYSTEMIC	Mango	Anthracnose & stem-end rot	75-15mL/200L	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
TAIPAN BRAND FARM INC.	FLUOXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	16-Jun-27	SYSTEMIC	Corn	Gray leaf spot, rust & shealt blight	10-15mL (Low Disease Pressure) 15-25mL (High Disease Pressure)	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPMC+CHLORPYRIFOS	EVICT 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			Do not enter the field within 2 days after spraying
BAYER CROPSCIENCE, INC.	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EVERSOL-A 150 K	285+475 mL/L	LC	OTHERS	4	284-348-3397	21-May-18	-	-	Surfactant on Nomess SC 100	0.25L/Ha			
EVERLAND AGRI CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	EVERSOL A-150K	285+475 mL/L	LC	OTHERS	4	261-348-2274	21-Apr-18			Surfactant on Nomess SC 100	10 - 30 mL/16 L water; 10 - 20 spray loads			

EVERLAND AGRI CORPORATION	CLOTHIANIDIN	EVER SUREBALL 20 SC	200 g/L	SC	INSECTICIDE	4	261-379-6323	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/16 L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/16L		10-12 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Citrus	Rusetting, greasy spot, black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Cucumber	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Mango	Anthracnose, scab	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Melon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Onion	Downy mildew, purple blotch	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Ornamentals	Black spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Potato	Early & Late blight	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Rice	Blast, Sheath blight, anthracnose	3.0-6.0 Tbsp/16L	0.02ppm	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Tobacco	Blue mold, anthracnose	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/Kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23		Watermelon	Downy mildew	3.0-6.0 Tbsp/16L		7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 600 OS	600 g/L	OS	FUNGICIDE	4	261-053-2387	04-Jan-23		Banana	Black sigatoka				
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 412F	412 g/L	F	FUNGICIDE	4	261-053-2364	24-Jan-23		Banana	Black Sigatoka				
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/Kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Citrus	Grasses, annual and perrenial broadleaves	13.0-19.0 Tbsp/ 16 L water	-	-	24 hours after application
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Coffee	Grasses, annual and perrenial broadleaves	13.0-19.0 Tbsp/ 16 L water	-	-	24 hours after application
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Cotton	Grasses, annual and perrenial broadleaves	8.0 Tbsp/ 16 L water	-	-	24 hours after application
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Sugarcane	Grasses, annual and perrenial broadleaves	6.5-13.0 tbsp/ 16L water	-	-	24 hours after application
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Pineapple	Grasses, annual and perrenial broadleaves	13.0 tbsp./ 16L water	-	-	24 hours after application
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	261-021-1905-A	2-Oct-25	-	Non-crop areas	Grasses, annual and perrenial broadleaves	20-28 tbsp/ 16L water			24 hours after application
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Beans	Pod borer,beanfly, leaf miner, aphids, cutworm	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried

EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-27	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-27	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water (Apply 25-30 days after transplanting)	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-27	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 Tbsp/16 L water (Apply when plants are 15-25 cms.	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-27	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	13.0-26.0 tbs/ 16L water Apply when plants are 15-25 cms high	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-013-1225-A	10-May-27	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-013-1225-A	10-May-27	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/ 16L water	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-013-1225-A	10-May-27	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	13.0-26.0 tbs/ 16L water	-	-	One day after spraying
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Rice	Sheath blight	30-50 mL prod/100L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Mango	Anthracnose	30-50 mL prod/100L 0.528-.88 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Stringbeans	Leafspot	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Tomato	*Alternaria* leafspot, *cercospora* leaf mold, powdery mildew	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Eggplant	Leafspot	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Cabbage	Ringspot, *alternaria*	30-50 mL prod/100L 0.20-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Asparagus	Stem and leaf blight	0.6/liter 0.36 L prrod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Onion	Purple blotch	30-50 mL prod/100L 0.40-0.50 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	EUSNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Banana	Black sigatoka	30-50 mL prod/100L 0.30-0.40 L prod./ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ETIAGE SC 300	200 g/L+100 g/L	SC	FUNGICIDE	3	284-438-6082	13-Nov-26	-	Corn	Banded leaf and sheath blight, rusts, northern leaf blight, southern leaf blight (through drone spraying)	500-750 mL prod/ hectare 30 L / hectare	0.09 mg/kg Tebuconazole 0.08 mg/kg Trifloxystrobin	30 days	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ETIAGE SC 300	200 g/L+100 g/L	SC	FUNGICIDE	3	284-438-6082	13-Nov-26	-	Banana	Black sigatoka	750-1250 mL prod/ hectare	0.05 mg/kg Tebuconazole 0.05 mg/kg Trifloxystrobin	0 day	-
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Banana	Banana ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Mango	Mango ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Coffee	Coffee ripening	100-150ml/1000 trees	_	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC	PYRIMETHANIL	ETHPYRI 600 SC	600 g/L	SC	FUNGICIDE	4	539-345-4957	26-Nov-25	-	Cavendish Banana	Black sigatoka	500 - 750 mL/ha	-	Do not harvest for 7 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/ 100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Onion	Basal/ bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
INTERSORORA INC.	AZOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/Kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
CYBERTH PHILIPPINES, INC.	DIURON	ESPADA 80% SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
JS UNION OILS & TRADING INC.	PARAFFINIC MINERAL OIL	ESOL BOIH3	990 g/L	-	OTHERS	4	717-282-5724	18-May-23	-	Banana	Sigatoka	5.0 L/ ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	22-Jul-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-

ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	03-Oct-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
MONARCH AGRICULTURAL PRODUCTS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	ESCARGO N 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	096-229-2945	10-Jan-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water		-	-
JARDINE DISTRIBUTION, INC.	CYHALOFOP-BUTYL	ESCAPE 100 EC	100 g/L	EC	HERBICIDE	4	367-257-4353	11-May-24	SYSTEMIC	Rice (Direct-seeded)	Grasses	12,15,20 tankload/ha		–	–
EZERTECH CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Rice	Rice blast, sheath blight	10 16L tankload/ ha; 2.5-5.0 tbsp/ 16L tankload: 250-500 mL prod./ ha		30 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.
EZERTECH CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	10 tankload/ ha; 5.0-7.5 tbsp/ 16L tankload: 700-750 mL prod./ ha		25 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.
EZERTECH CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Mango	Anthracnose scab , stem and rot	200L drum; 150-200 mL/ 200L		14 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.
EZERTECH CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Onion	Anthracnose	15 16L tankload/ ha.; 2.0-3.5 tbsp/ 16L tankload: 300-500 mL prod./ ha		12 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.
EZERTECH CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Potato	Late blight	20 16L tankload; 2.0-2.5 tbs.p/ 16L tankload: 400-500 mL prod./ ha		14 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.
JARDINE DISTRIBUTION, INC.	PYRAZOSULFURON ETHYL+PRETILACHLOR	EROS GOLD 30.75 WG	7.5 g/Kg +300 g/Kg	WG	HERBICIDE	4	367-518-4924	02-Dec-26	-	Rice (Pre-emergent and Early post-emergent	Grasses, sedges, broadleaves	(1-2) Kg/ha; Pre-emergent herbicide (5 DAS) and post-emergent herbicide (10		-	Re-entry to field is allowed one day after treatment
ASIA GOLD TRADING CORPORATION	BUTACHLOR+PROPANIL	ERASER 70 EC	350+350 g/L	EC	HERBICIDE	3	266-238-3322-A	18-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR+PROPANIL	ERASER 70 EC	350+350 g/L	EC	HERBICIDE	3	266-238-3322-A	18-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CYHALOTHRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L		-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L		-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		-	-
AGWAY CHEMICALS CORPORATION	FIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376-A (539)	09-Feb-27	CONTACT	Corn	Seed treatment	-		-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/Kg	DF	FUNGICIDE	4	014-352-1146	12-Apr-26	-	Tomato	Late blight	1.5-2.0 tbsp./16L water		-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/Kg	DF	FUNGICIDE	4	014-352-1146	12-Apr-26	-	Potato	Late blight	1.5-2.0 tbsp./16 L water		-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420-A	09-Jun-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	0.10 ppm	25 days	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420-A	09-Jun-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	0.05 ppm	-	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420-A	09-Jun-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	0.10 ppm	-	After 24 hours or until spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS	EPSILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420-A	09-Jun-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	0.05-0.10	-	After 24 hours or until spray deposits have dried up.
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Rice	Rice blast, helminthosporium, cercospora leaf spot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Banana	Sigatoka	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Potato	Early blight, late blight	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC 58% WP	580 g/Kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water		24 hours after the last spray.	24 hours after each spray
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN+PYRIPROXYFEN	EPINGLE SE	82.80+36.20 g/L	SE	INSECTICIDE	4	472-597-5855	19-Sep-24	-	Eggplant	Whiteflies, leafhoppers (including jassids), aphids, thrips, fruit and shoot borer	15-40 mL per 16L water	-	3 days	As soon as the spray mist dries up
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with **EON 2,4-D ESTER** can be done one day after spraying
ENVIRO SCOPE SYNERGY, INC.	(Z)-9-TETRADECEN-1-ol)+(Z,E)-9,12-TETRADECADIEN-1-yl ACETATE)	ENVIRO NOMATE	-	-	OTHERS	4	649-551-5545	01-Oct-27	-	Onion	Fall armyworm	10-20 lures/ ha	-	-	-
ENVIRO SCOPE SYNERGY, INC.	(Z)-9-TETRADECENYL ACETATE+(Z)-11-HEXADECENYL ACETATE+ (7)-7 DODECENYL ACETATE	ENVIRO ASTRA	1.74mg/lure+0.25 mg/lure+0.01	-	OTHERS	4	649-550-5544	01-Oct-27	-	Corn	Fall armyworm	10-20 lures/ ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Sorghum	Webworm, army worm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Citrus	Rind Borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Cowpea	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Soybeans	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried

ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/Kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-27	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	As soon as spray deposits have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	POTASSIUM SALTS OF FATTY ACID	ENTOMGARD	-	-	INSECTICIDE	4	581-476-4330	19-Mar-25	-	Cavendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mat spray	-			
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS/OTHERS	4	099-282-1220	21-May-27	CONTACT	Banana	Black sigatoka as spray advujant in combination with the standard fungicide	5.0 Liters/Ha; 20mL/Liter	-	-	To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS/OTHERS	4	099-282-1220	21-May-27	CONTACT	Banana	Scale insects mealybugs	-			To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS/OTHERS	4	099-282-1220	21-May-27	CONTACT	Pineapple	Scale insects mealybugs	15 L prod./ ha., solo or in combination with DIAZOL 60 EC at spray volume of	-	-	To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done.
PHILIPPINE FARMFIX SOLUTIONS INC.	SPIROXAMINE	ENIMAX 50 EC	500g/L	EC	FUNGICIDE	2	535-385-4244	31-Jan-21	SYSTEMIC	Banana	Mycosphaerella fijiensis(Black Sigatoka)	0.64 Liters prod/ha	-	0 day	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha; 4-13 mL/ 16L	-	7 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100 L		3 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha; 10-16 mL/16L	-	3 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Banana	Flower thrips	1-3 mL	-	90 days	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911-A	26-Sep-26	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10-30 mL/16L	-	14 days	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Potato	Early and late blight, and vine rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Tomato	Early and late blight, and vine rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Eggplant	Early and late blight, and *cerospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Pepper	Early and late blight, and *cerospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Onion	Purple blotch, bulb rot, neck rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Garlic	Purple blotch, bulb rot, neck rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Beans	Rust and anthracnose	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Peas	Rust and anthracnose	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Celery	Late blight	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Carrot	*Alternaria* leaf spot and *cercospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Lettuce	Downy mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Cabbage	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Cauliflower	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Broccoli	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Watermelon	Early and late blight, anthracnose, powdery mildew, and *cercospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Melon	Early and late blight, anthracnose, powdery mildew, and *cercospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Squash	Early and late blight, anthracnose, powdery mildew, and *cercospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Mango	Anthracnose and *diplodia* rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Peanut	*Cercospora* leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Rice	*Helminthosporium* leaf spot, rice blast, *cercospora* leaf spot, sheath blight, and stem rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Corn	*Helminthosporium* leaf spot, rust, and downy mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Banana	Sigatoka, freckles and rust	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Citrus	Melanose and scab	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 75 WP	750 g/Kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Ornamentals	Black spot, black rot, and powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Asparagus	Stem and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Banana	Black sigatoka	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Beans	Anthracnose an rust	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Carrot	*Alternaria* leaf spot, *cercospora* leaf spot, and *helminthosporium* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Celery	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Crucifers	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Broccoli	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cabbage	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cauliflower	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cucurbits	Anthracnose, early and late blights, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cucumber	Anthracnose, early and late blights, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Melon	Anthracnose, early and late blights, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Squash	Anthracnose, early and late blights, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Watermelon	Anthracnose, early and late blights, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Eggplant	Anthracnose, early and late blight, and *cercospora* leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Mango	Anthracnose and diplodia rot	3.75-5.6 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Onion	Bulb rot, neck rot, and purple blotch	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Ornamentals	Black rot, black spot, and powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Pepper	Early and late blight, bulb rot, and neck rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Potato	Early and late blight, and vine rot	1.0-1.8 L/ ha; 4.5-5.5 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Tomato	Early and late blight, and vine rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
C.B. ANDREW ASIA, INC.	HEXAZINONE+DIURON	ENERGISTIC 600 WG	132 g/kg+468 g/kg	WG	HERBICIDE	4	460-435-6242	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400 L/ ha	-	-	-
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PALMTRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23-Apr-19	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Tomato	Early and late blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Banana	Sigatoka				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Potato	Early and Late Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cabbage	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cauliflower	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Broccoli	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Celery	Late Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cucumber	Downy Mildew, Anthracnose,Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Squash	Downy Mildew, Anthracnose,Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cotton	Damping off				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Lettuce	Downy Mildew				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Beans	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peas	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mungo	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Tomato	Early and late blight, Anthracnose ,Septoria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Onion	Purple blotch, Downy mildew, Botrytis leaf Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Pepper	Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Eggplant	Blight, Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Banana	Sigatoka, Black leaf streak				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Grapes	Downy Mildew, Black rot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mango	Anthracnose, and scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Papaya	Fruit rot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Corn (sweet and popcorn)	Helminthosphorium leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.02ppm		
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peanut	Cercospora leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Soybeans	Leaf rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Ornamentals	Black spot, Blight, Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 SC	600 G/L	SC	FUNGICIDE	4	466-053-4132	09-Oct-26	-	Banana	Black sigatoka	3-6 Tbsp/16 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 OS	620 g/L	OS	FUNGICIDE	4	466-053-2647	30-Mar-26	-	Banana	Black sigatoka	-	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 455 SC	455 g/L	SC	FUNGICIDE	4	466-053-2646	30-Mar-26		Banana	Sigatoka	3.6-4.6 L/ha		Allow 7 days from last spray until harvest	As soon as spray until harvest
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Banana	Black Sigatoka	4.5 Li/Ha or 12 Tbsp/16Li	-	It is recommended to observe a ?days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Potato	Late blight	5-6 ½ Tbsp/16Li		It is recommended to observe a ?days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried

SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16Li		It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
JRPV SEMICON SUPPLIES, INC.	DIBENZYL BLPHENYL POLYOXYETHYLENE ETHER+ALKYL PHENYL POLYOXYETHYLENE POLYOXYPROPYLENE ETHER+CALCIUM DODECYLBENZENE	EMULSIFYING AGENT OC35	-	-	OTHERS	-	731-596-5848	8-Sep-25	-	As an emulsifier for insecticide formulation	-	-	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	EMPEROR 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	367-239-4421	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	0.10 ppm	25 days	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS+CYPERMETHRIN	EMPEROR 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	367-239-4421	27-Feb-25	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	0.03 ppm	50 days	-
TAIPAN BRAND FARM INC.	CHLOROTHALONIL+TETRACONAZOLE	EMINENT STAR	250+62.5 g/L	SC	FUNGICIDE	3	529-408-8535	07-Sep-18	SYSTEMIC	Mango	Anthracnose	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE	EMERALD 10 EC	100 g/L	EC	FUNGICIDE	4	099-430-3069	30-Sep-27	SYSTEMIC	Cabbage	Diamondback moth	1.0 L prod./ha	-	21 days	-
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	EMBESAFE 160 SL	160 g/L	SL	HERBICIDE	4	701-151-5582	20-Aug-24	-	non-crop areas	common grassy fields	-	-	-	-
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25	-	Pineapple	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25	-	Banana	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25	-	Mango	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25	-	Coffee	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Celery	Late blight	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	60 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod./ 16L water; 500 L/ ha	-	3 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water; 600 L/ha	-	1 day	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water; 30 mL prod./ 16L water	-	7 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Eggplant	Fruit and shoot, borer cutworm	10-15 mL prod./ 16L water; 800 L/ha	-	1 day	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Rice	Stem borer, leaffolder	20-25 mL prod./ 16L water; 300 L/ha	-	-	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod./ 16L water; 600 L/ha	-	-	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ha (1.5-2.0 g prod./ ha)	-	255 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water; 240 L/ha	-	7 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTRANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water; 500 L/ha	-	3 days	12 hours after spraying
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE TIGBAS 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	719-075-6346	12-May-25	-	Rice (Transplanted)	Golden snails	2-4 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE TIGBAS 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	719-075-6346	12-May-25	-	Rice (Direct-seeded)	Golden snails	4-8 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE TIGBAS 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	719-075-6346	12-May-25	-	Potted and driftwood-attached plants such as	Bush snails, giant african snail and slugs	1-2 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	BUTACHLOR	ELITE TAKE ALL 60 EC	600 g/L	EC	HERBICIDE	4	719-150-6361	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Annual grasses and sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	BUTACHLOR	ELITE TAKE ALL 60 EC	600 g/L	EC	HERBICIDE	4	719-150-6361	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Cabbage/wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Cucurbits	Thrips, leafworm, flea beetle, squash beetle	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Potato	Thrips, aphids, cutworm, tuber moth, leafhopper, leafworms	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying

ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot	3.0-5.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Garlic	Cutworm, thrips	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	BUTACHLOR+PROPANIL	ELITE PROPEL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	719-238-6223	18-Feb-26	-	Rice (Transplanted)	Grasses, sedges, and broadleaves	8-12 Tbsp/16 L water			
ELITE AGROCHEMICALS INC.	BUTACHLOR+PROPANIL	ELITE PROPEL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	719-238-6223	18-Feb-26	-	Rice (Direct-seeded)	Grasses, sedges, and broadleaves	8-12 Tbsp/16 L water	-	-	-
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Potato	Early and late blight	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Celery	Late blight	3-6 tbsp/ 16L water		14 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cotton	Damping off	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Lettuce	Downy mildew	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Beans	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Peas	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Mungo	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Pepper	Anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Chili	Anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Eggplant	Blight, anthracnose	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/ 16L water		-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 tbsp/ 16L water		60 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Mango	Anthracnose and scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Papaya	Fruit rot	3-6 tbsp/ 16L water		-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Corn (Sweet and popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 16L water		7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 tbsp/ 16L water		14 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Soybean	Leaf rust	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/ 16L water		5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Grapes	Beetles, cutworm, leafhopper, mealy bug, scale insects, spider mites	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Pineapple	Mealy bugs	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Garlic	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Onion	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-5938	22-Mar-26	-	Sorghum	Web worm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Asparagus	Armyworm. Cutworm	2.0-2.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Banana	Thrips	3.5-4.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Beans	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Mungbeans	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Soybean	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Stringbeans	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Corn	Corn borer, earworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Sorghum	Corn borer, earworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, ladybettle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-27	CONTACT	Tomato	Tomato fruit worm, aphids	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Mango	hoppers	2/4-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Onion	Thrips, cutworm	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Corn	Cornborer, aphids, seedling maggots	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Tobacco	Budworm, cutworm. Aphids, katydids	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up

ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Cotton	Bollworm	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Cacao	Pod borer	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-27	-	Watermelon	Squash beetle, melon worm	1 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	NICLOSAMIDE ETHANOLAMINE SALT	ELITE K.O. KUHOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	719-229-5915	17-Nov-26	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 tbsp/ 16L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Cotton	Annual and Perennial broadleaves and grasses	3-5 Tbsp/16 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Pineapple	Annual and Perennial broadleaves and grasses	13.0 tbsp/ 16L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0 tbsp/ 16L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	CYHALOFOP-BUTYL	ELITE CYBAC 200 OD	150 g/L	OD	HERBICIDE	4	719-504-5916	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500 mL to 1 L Formulated Product per hectare (using spray volumes of 160	-	-	Re-entry to the rice field can be done as soon as spray dries up
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/16L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/16L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Corn	Armyworm, comborer, earworm, seeding maggots	2.5-3.5 Tbsp/16L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-	-	-
ELITE AGROCHEMICALS INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	ELITE BIDASOL	250 g/L+450 g/L	-	OTHERS	4	719-348-6349	5-Mar-25	-	-	As surfactant on ELITE BIDANEE 10 SC	-	-	-	-
ELITE AGROCHEMICALS INC.	BISPYRIBAC SODIUM	ELITE BIDANEE 10 SC	105.5 g/L	SC	HERBICIDE	4	719-276-6317	5-Mar-25	-	Rice (Transplanted)	Grasses, sedges, and broadleaves	-	-	-	As soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	BISPYRIBAC SODIUM	ELITE BIDANEE 10 SC	105.5 g/L	SC	HERBICIDE	4	719-276-6317	5-Mar-25	-	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves	-	-	-	As soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Corn	Armyworm, corn borer, corn earworm, seedling maggots	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	-	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Cucurbits	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Onions	Thrips, cutworm	-	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Legumes	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Mungo	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Soybeans	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	BPMC+CHLORPYRIFOS	ELITE BATAK 31.5 EC	210g/L+105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Beans	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaf weeds	8-12 16L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaf weeds	8-12 16L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaf weeds	8-12 16L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with *ELITE 2,4D ESTER 400EC* can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-26	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp / 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spravin
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-26	POST-EMERGENT	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spravin
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-26	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp / 16L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spravin
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Citrus	Grasses, annual & perennial broadleaves	13.0-19.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Coffee	Grasses, annual & perennial broadleaves	13.0-19.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Cotton	Grasses, annual & perennial broadleaves	8.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Pineapple	Grasses, annual & perennial broadleaves	13.0 Tbsp/ 16 L water		-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/Kg	WP	HERBICIDE	4	562-021-5049	02-Oct-22		Non-crop	Grasses, annual & perennial broadleaves	-		-	24 hours after application
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/16L	-	1 day	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Eggplant	shootborer/fruitborer. Cutworm	10- mL prod/16L	-	1 day	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Stringbeans	Podborer, leaffolder	10- mL prod/16L	-	1 day	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Rice	Stemborer, leaffolder	60 mL prod/16L water	-	45-60 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod/16L	-	3 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Corn	Corn borer, earworm	25-30 mL/16L	-	7 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	7 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/Ha	-	240-300 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	28-Jun-27	-	Bittergourd	Leafhopper, cutworm	20 mL/16L	-	3 days	Twelve hours after spraying.
AGWAY CHEMICALS CORPORATION	CHLORANTRANILIPROLE	ELICOR 5 SC	50 g/L		INSECTICIDE	4	075-393-4877	20-Aug-20	-	Corn	Fall armyworm	(30-40) mL product per 16 Liters water	-	7 days	Twelve hours after spraying.
SHARPHIL, INC.	QUIZALOFOP-P-BUTYL	ELEGANT 10 EC	100 g/L	EC	HERBICIDE	4	402-317-4491	28-Aug-21	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water			As soon as the spray mist dries up.
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application

FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGRI PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	564-075-3792	21-Jul-19	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
KEMISTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water			
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water			
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TAYAMET 25WG will be 436 days before harvest	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 Days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 Days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/Kg	WG	INSECTICIDE	4	478-312-5207	30-Jun-25	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as EL TORO 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
KEMISTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/Kg	WP	HERBICIDE	4	239-021-3741	17-Jun-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Glyphosate tolerant corn	Annual And Perennial, grass and broad-leaved weeds	2.0-4.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Mango	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Banana	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coffee	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Cacao	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters /Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Rubber	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Oil palm	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Citrus	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coconut	Annual And Perennial, grass and broad-leaved weeds	4.5 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Sugarcane	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/Ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Non-crop areas	Annual And Perennial, grass and broad-leaved weeds	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE-P	EL GLUFO 10 SL	100 g/L	SL	HERBICIDE	4	241-616-6081	13-Mar-25	NON-SELECTIVE (POST-EMERGENT	Banana	Grasses sedges and Broadleaves	1-2 L prod/ hectare; 2 L prod/ hectare	-	-	-
EJA AGRITECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	EJA NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	465-229-2514	07-Jul-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	MALATHION	EJA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	LAMBDA-CYHALOTHRIN	EJA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
EJA AGRITECH CORPORATION	GLYPHOSATE IPA	EJA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EJA AGRITECH CORPORATION	CYPERMETHRIN	EJA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Corn	Downy mildew as seed treatment	3.84-4.48g or mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Papaya(Direct seeded)	Root rot and damping off	11.2-44.8g or mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/Kg	SD	FUNGICIDE	4	508-071-3234	03-Feb-26	SYSTEMIC	Papaya (Solo plant)	Root rot and damping off	227.20-456g ot mL/16mL water		Do not apply 7 days before harvest	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
STERIX INCORPORATED	PHOSPHINE	ECO2FUME	2 g/Kg	-	FUMIGANT	1	434-399-2323	27-Oct-26		Stored grain	Stored grain pests specially corn weevil and rice weevil , red flour beetle and lesser grain borer	-	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR	ECHO 800 EC	800 g/L	EC	HERBICIDE	3	590-150-5433	10-May-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	5-7.5 TBsp/16 water	-	-	Do not enter treated fields within two days after spraying
ECD GREENGOLD AGRIVENTURES INC.	PYMETROZINE	ECD PYMETROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	614-307-4431	25-Jul-21	-	Mango	leafhopper	1 Sachet/200L	-	-	Do not enter the treated fields for at least 24 hours after application
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	PROFENOFOS	ECD PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECD GREENGOLD AGRIVENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	ECD NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	614-229-4432	25-Jul-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries

ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECD MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha		–	–
ECD GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECD GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	614-151-4433	25-Jul-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges			–	–
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	DIURON	ECD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	614-021-4429	25-Jul-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water		–	Twenty four (24) hours after application.
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	614-106-4434	25-Jul-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	0.1 ppm	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	-	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECD 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	614-049-4436	25-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5Tbsp/16 L water	-	Do not spray within two days of harvest	Enter to fields and crops treated with ECD 2,4-D ESTER can be done one day after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ECD GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECD 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	614-013-4435	25-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ECD 2,4-D AMINE can be done after spraying
ENVIROCURE BIO RESEARCH INC.	HYDROGEN PEROXIDE	EBR 800	50 g/L	AS	OTHERS	4	610-464-4391	06-Jun-19	-	Banana	Black Sigatoka	3-5 L product/ha			-
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Onion	Thrips	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Eggplant	Fleabeetle, mealybug	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	–	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-059-5231	12-Feb-24	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSTHIAZATE	EAMOZAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Banana	Burrowing nematode	1.0-g A.I./mat or 10-g prod/mat; 2-kg A.I./ha or 20-kg prod./ ha.	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSTHIAZATE	EAMOZAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Potato	Potato cyst nematode	20-kg prod./ ha.			
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT, INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.

EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying.	One (1) day after each spraying.
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	24 hours after application
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	24 hours after application
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 tbsp/16 L water	-	-	24 hours after application
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 Tbsp/ L water	-	-	24 hours after application
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/ 16L water	-	-	24 hours after application
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/Kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20-28 tbsp/16L water	-	-	24 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	18-Jul-27	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/Kg	P	MOLLUSCICIDE	4	456-075-4894	18-Jul-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	DURFLEX 1% PE	-	-	INSECTICIDE	-	075-101-5239	07-Sep-26	-	Banana	mealy bug	-	-	-	
CHEMPLAST PHILIPPINES, INC.	CHLORPYRIFOS	DURFLEX 1% PE	10 g/Kg	EC	INSECTICIDE	2	574-101-5195	07-Sep-26	-	Banana	mealy bug	-	-	-	Not applicable
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Mango	Blossom thrips	-	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Cabbage	Diamond-back moth, cabbage worms, loopers	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Potato	Thrips, armyworm, cutworm, tubermoth	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Stringbeans	Beanfly, leaffolder, budworms	1.5-3.0 Tbsp/ 16L water	-	-	Do not enter treated field one (1) day after application
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500 EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-27	CONTACT	Watermelon	Beanflies, aphids	3.0-5.0 Tbsp/16L water	-	-	Do not enter treated field one (1) day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/Kg	WP	HERBICIDE	4	385-021-3379-A	05-Oct-26	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM+TEBUCONAZOLE	DUOTEMIC 25SC	125 g/L+125 g/L	SC	FUNGICIDE	4	540-405-6136	20-Feb-26	-	Mango	Anthracnose	200 L water; 200-300 mL 16 L water; 16-24 mL	-	-	As soon as spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2-3 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges				
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual grasses, broadleaf weeds & sedges	2.0 L/ ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	non-crop agricultural areas	Annual grasses, broadleaf weeds & sedges	-			
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Banana	Thrips	3.5-4.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
LICHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/ 16L water	-	-	Twelve ours after spraying.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Pineapple	Mealy bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.

ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cotton	Katydids, grasshopper, cutworm, mites	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Mango	Hopper, tip borer	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
DU PONT FAR EAST, INC.	HEXAZINONE+DIURON	DU PONT VELPAR K4	132 g/Kg+468 g/Kg	WG	HERBICIDE	4	014-435-3113	31-Dec-20		Sugarcane	Grasses, sedges & broadleaves	400 Li/ha			
DU PONT FAR EAST, INC.	PENTAPOTASSUIM BIS (PEROXYMONOSULFATE) BIS (SUFATE)	DU PONT MICROFREE	497 g/Kg	P	OTHERS	4	014-433-3089	19-Mar-17	-	Banana	Moko Disease (Raistonia Solanacearum) and Panana Diesease (Fusarium Oxysporum)	20 g/L water	-	0 day	-
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72-107 mL/16L water	-	-	-
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	115 mL/16L water	-	-	-
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72 mL/16L water	-	-	-
S&P ENTERPRISES INC.	GLUFOSINATE AMMONIUM	DRYLINE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	86-115 mL/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064-A	04-Jun-27	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	09-Jan-27	POST-EMERGENT	non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
VERDANT LUSTERCORE CORPORATION	BISPYRIBAC SODIUM	DRUMLIN 100 SC	100 g/L	SC	HERBICIDE	4	446-049-4128	27-Sep-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm		
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with D-RON 80 WG can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-5315-A	29-Dec-26	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
GREAT HARVEST AGRICHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application

JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water		-	24 hours after application
JOCANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water		0 Day	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Banana	Thrips, mealybug, leaffolder (STEM and MAT spray application of mealy bugs)	2.5-4.0 Tbsp/16L Water		14 days; Stem and Mat 0-day	Do not enter treated field for at least 1 day after application
JOCANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
PHIL DREAM AGRO VENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	DREAM KILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	726-229-5792	20-Sep-25	-	Rice	Golden Apple Snail (Kuhol)	-	-	-	No less than 48 hours after spraying
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	589 g/L	EC	HERBICIDE	4	623-150-4537	29-Apr-26	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	Entry to fields are crops treated with **DRAX 60 EC** can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	589 g/L	EC	HERBICIDE	4	623-150-4537	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-	Entry to fields are crops treated with **DRAX 60 EC** can be done one day after spraying
PRIMESTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	589 g/L	EC	HERBICIDE	4	623-150-4537	29-Apr-26	PRE-EMERGENT	Rice (Drill-seeded dryland/Upland rice)	Grasses and Sedges	-			Entry to fields are crops treated with **DRAX 60 EC** can be done one day after spraying
TEAMAGRO TRADING CORPORATION	BUTACHLOR+2,4-D IBE	DRAW 60 EC	360+240 g/L	EC	HERBICIDE	3	248-152-2490	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TEAMAGRO TRADING CORPORATION	BUTACHLOR+2,4-D IBE	DRAW 60 EC	360+240 g/L	EC	HERBICIDE	3	248-152-2490	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	DRAGON PYRA-ULTRA8.5 EC	25+60g/L	EC	HERBICIDE	3	517-453-5223	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	-		-	As soon as spray deposits dry up.
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	16 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	7 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	_	24 days after the last spray	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	DINOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Coconut	Scale insects	2-5 g/16L water	_	-	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm		
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Mango	Leaafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hors after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried

PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Melon	Anthracnose, cercospora leaf spot, downy mildew, leaf blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Corn	Helminthosporium leaf spot, cercospora leaf spot	-	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Eggplant	Anthracnose, cercospora leaf spot, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Peanut	Cercospora leafspot, rust	6.0-8.0 L/ ha; 1.8 L/ha	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	1.25-1.9 L/ ha; 1.8L/ha	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Beans	Rust, anthracnose	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Crucifers	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Ornamentals	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Pepper	Anthracnose, cercospora leaf spot, early blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Cucurbits	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	26-Feb-25	-	Celery	Early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days. Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRIFLUMEZOPYRIM	DPX-RAB55 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Transplanted)	Brown planthopper	175 g prod./ ha at spray volume of 160L / ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRIFLUMEZOPYRIM	DPX-RAB55 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Direct-Seeded)	Green leaf hopper	125g prod./ ha at spray volume of 240-320 L/ ha	-	-	-
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 10 SC	105.5 g/L	SC	HERBICIDE	4	605-276-4234	11-Jan-21	SELECTIVE	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	–	As soon as spray deposits have dried
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 10 SC	105.5 g/L	SC	HERBICIDE	4	605-276-4234	11-Jan-21	SELECTIVE	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	BUPROFEZIN	DOWNLOAD 250 SC	250g/L	SC	INSECTICIDE	3	487-224-5233	05-Jul-24	-	Mango	Leafhopper	60-80mL/200 L water	-	Do not spray 15 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	DOUBLE-UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	19-Oct-26	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	As soon as the spray solution has dried on the foliage.
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	DOUBLE-UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	19-Oct-26	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	-	As soon as the spray solution has dried on the foliage.
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Ampalaya	Leafhoppers, trips, aphids	100-200mL product/ha; 4-13 ml/16L		7 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Mango	Leafhoppers, tip borers	12-24mL/200L		3 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400ml product/ha; 10.0-16.0 mL product/16L		3 Days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Banana	Flower thrips	1-3 ml/L		90 days	Do not enter treated fields at least 1 Day after application
GALDIV AGRI TRADING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L		14 Days	Do not enter treated fields at least 1 Day after application
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Potato	Whiteflies, aphids, thrips	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Eggplant	Green leafhopper, whiteflies, aphids	4.0-6.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Bitter gourd	Leafhopper, aphids, thrips, fruitfly, cutworm	4.0-13.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Corn	Cutworm	10.0-16.0 ml product/16L	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Mango	Mango leafhopper	20-30ml/ 100 ml product/Ha	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Banana	Flower Thrips	1-3ml/L ml product/Ha	-	-	-
AGSMART CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	DOUBLE-BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Rice	Stemborer, leafhoppers	10.0-30.0 ml product/16L	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	*BACILLUS AMYLOLIQUEFACIENS* D747 STRAIN	DOUBLE NICKEL 250 WG	250 g/kg	WDG	FUNGICIDE	4	088-544-5417	27-Apr-27	-	Banana	Crown mold, crown rot and black sigatoka	0.625-2.5 g/L 0.5-1.0 kg/ha	-	0 day	Enter treated fields when spray droplets dries
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGRI VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	21-Feb-27	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	21-Feb-27	-	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE J 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	21-Feb-27	-	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with DOUBLE TOP J 2,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	10-May-27	POST-EMERGENCE	Rice (Transplanted)	Sedges & Broadleaf weeds	3.5-6.5 Tbsp/ 16L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	10-May-27	POST-EMERGENCE	Sugarcane	Sedges & Broadleaf weeds	13-25 Tbsp/16 L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE J 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	10-May-27	POST-EMERGENCE	Corn	Sedges & Broadleaf weeds	5.0-6.5 tbsp/ 16 L water	-	-	Entry to fields and crops trated with DOUBLE J 2,4-D AMINE can be done one day after spraying
VAST AGRO SOLUTIONS, INC.	TRIDEMORPH	DORPHALAN 86 OL	860 g/L	OL	FUNGICIDE	2	385-097-3514	11-Nov-25	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/Ha + 10-15 L/Ha water + 0.7 L/Ha oil	-	-	As soon as solution has dried up

PHILIPPINE FARMFIX SOLUTIONS INC.	PROCHLORAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Banana	Fungal crown mold/crown rot	2 ml/L	5.0 mg/kg	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	PROCHLORAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Pineapple	Butt and crown Fruitlet core rot	0.5-1 mL/L water or 200-400 ppm a.i 1 L/ha	2.0 mg/kg	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	PROCHLORAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	27-May-25	-	Pineapple	Leaf tip dieback (Fusarium sp.)	2-3 L prod./ ha	-	-	-
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Banana	Black Sigatoka	1.0-2.0 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Carrot	Alternaria, crcospora, helminthosporium	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cabbage	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Broccoli	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cauliflower	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucumber	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Melon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Squash	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Watermelon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Celery	Early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Mango	Anthracnose, diplodia	3.75-5.60 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Pepper	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Potato	Early blight, late blight, vine rot	1.0-1.8 L/ ha; 4.5-5.5 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Beans	Rust, anthracnose	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Broccoli	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Cabbage	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Cauliflower	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Celery	Early blight, late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ ha; 4.5-6.9 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Mango	Anthracnose, diplodia rot	3.75-5.6 L/ ha; 4.5-6.0 tbsp/ 16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ ha; 4.5-6.0 tbsp/ 16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Asparagus	Stem and leaf blight	1.8 L/ ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALBAUGH PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Banana	Black sigatoka	1.0-2.0 L/ ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4659	15-Nov-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPYRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPYRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE+CARBENDAZIM	DOMARK PRO	125 g/L+150 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Mango	Anthracnose, Stem-end rot	68-80ml/100 L water	-	14 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE+CARBENDAZIM	DOMARK PRO	125 g/L+150 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Rice	Sheath blight	400ml/ha	Tetraconazole -0.5ppm, Carbendazim-0.5 ppm	14 days	0-1 day
JOCANIMA CORPORATION	DODINE	DODINA 400 SC	400 g/L	SC	FUNGICIDE	2	241-418-5729	12-Nov-24	-	Banana	Black Sigatoka	One (1) Liter per hectare	-	0 Day	No ground workers are allowed during the spray operation. Works can enter the treated area only after 1-2 hours of application to avoid
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Beans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cabbage	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or

DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Ginger	*Cercospora* leaf spot	1-2 Tbsp/16L water		7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Pepper	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16 L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Strawberry	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	BENOMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours afte spraying. The treated field maybe entered only with the use of an appropriate personal protective equipment (PPE) or
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DOCARMI PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMITHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EZERTECH CORPORATION	TRIDEMORPH	D-MORPH 86 OL	860 g/L	OL	FUNGICIDE	2	648-097-4798	21-May-20	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/Ha + 5-10 L/Ha Oil+Emulsifier (0.53% oil	-	Harvesting may be done right after spraying	As soon as spray solution has dried on foliage
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D AMINE	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	001-013-0083	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-28	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
MAGAN AGRO PHILS. ENTERPRISE INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3616	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 days	-
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g/16 water; 15.62-31.25 g/100 L water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMFIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	5g/Tree (Trunk Injection)	-	-	As soon as spray solution has dried on the foliage
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	3-5 Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6½-13.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 WP	800 g/Kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	Entry to fields treated with DIUTEX 80 WP can be done one day after application
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16L water	–	–	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 Tbsp/16L water	–	–	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/16L water	–	–	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/16L water	–	–	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/16L water	–	–	Twenty four (24) hours after application.
TEXICON AGRI VENTURES CORPORATION	DIURON	DIUTEX 80 SC	800 g/Kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	-	–	–	Twenty four (24) hours after application.
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DIURON	DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	043-021-0447-A	09-Mar-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Enter the field 1 day after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application

MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	DIUREX 80 WP	800 g/Kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	24 hours after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Citrus	Grasses, annual and perennial broadleves	13.0-19.0 Tbsp/16 L water	-	-	-	A day after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Coffee	Grasses, annual and perennial broadleves	13.0-19.0 Tbsp/16 L water	-	-	-	A day after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Cotton	Grasses, annual and perennial broadleves	8.0 tbsp/16 L water	-	-	-	A day after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Sugarcane	Grasses, annual and perennial broadleves	6.5-13.0 Tbsp L water	-	-	-	A day after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Pineapple	Grasses, annual and perennial broadleves	13 tbsp/16L water	-	-	-	A day after application
RBAV HARVEST TRADING CORPORATION	DIURON	DIURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-27	-	Non-crop	Grasses, annual and perennial broadleves	20.0-28.0 tbsp/ 16L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	DIUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
DCDM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	-	Twenty four (24) hours after application.
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	0.80ppm	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	24 hours after spraying
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water				As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Cotton	Damping off	3-6 Tbsp/16 L water				As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-		As soon as spray dries
TROPI-CUKE, INC.	MANCOZEB	DITHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-053-0633	28-Mar-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days		As soon as spray dries

CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/Kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE F-448	430 g/L	F	FUNGICIDE	4	737-053-0385	19-Dec-26	-	Banana	Black sigatoka	5 L/Ha in sufficient (30-38liters) water aerial application using Micronair	-	-	-
TROPI-CUKE, INC.	MANCOZEB	DITHANE F-448	430 g/L	F	FUNGICIDE	4	091-053-0634	02-Jun-22	-	Banana	Black sigatoka	5 L/Ha in sufficient (30-38liters) water aerial application using Micronair	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE 600 OS	600 g/L	OS	FUNGICIDE	4	737-053-0936	19-Dec-26	-	Banana	Black sigatoka	-	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	MANCOZEB	DITHANE 600 OS	600 g/L	OS	FUNGICIDE	4	014-053-5886	31-Jul-25	-	Banana	Black Sigatoka	-	-	-	-
TROPI-CUKE, INC.	MANCOZEB	DITHANE 600 OS	600 g/L	OS	FUNGICIDE	4	091-053-0971	17-Nov-24	-	Banana	Black Sigatoka	1.05-1.75Kg ai or 2.90 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DISTAR 325 SC	200+125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Rice	Rice blast, sheath blight, sheath rot	4.0-5.0 tbsp/ 16L water; 2.5-5.0 tbsp/ 16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DISTAR 325 SC	200+125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/16L water; 500-750 mL prod/ ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DISTAR 325 SC	200+125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Mango	Anthracnose scab stem and rot	150-200 mL / 200 L drum	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DISTAR 325 SC	200+125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Onion	Antracnose	2.0-3.5 Tbsp/16L water; 300-500 mL prod/ ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DISTAR 325 SC	200+125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/16L water; 400-500 mL prod/ ha	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	HYDRAMETHYLNON	DISTANCE ANT BAIT	7.3 g/Kg	B	INSECTICIDE	4	472-292-4736	01-Apr-22	-	Pineapple	Ants	Moderate infestation: 1.0-1.5 Kg/Ha Heavier Infestation: 1.5-3.0 Ke/ha	-	Do not harvest within thirty (30) days after last application	Re-entry into treated areas is allowed after 12 hours
JYNNSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-27	-	Cavendish banana	Weeds	16 tbsp/ 16L water 13.5-20 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JYNNSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-27	-	Rubber	Weeds	21.5 tbsp/ 16L water 27 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JYNNSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-27	-	Oil palm	Weeds	16 Tbsp/ 16L water 13.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JYNNSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-27	-	Non-crop areas	Weeds	16-21.5 tbsp/ 16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	GLUTARALDEHYDE+DEDICYL DIMTETHYL AMMONIUM CHLORIDE+FORMALDEHYDE	DISKOL-ES	150 g/L+50 g/L+150 g/L		OTHERS	2	714-603-5885	19-Oct-27	-	-	Disinfection in hatcher/setter and vehicle; and final disinfection in animal house	-	-	-	-
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	FLUOXASTROBIN	DISARM 480 SC	480 g/L	SC	FUNGICIDE	4	562-479-5260	16-Jun-27	-	Mango	Anthracnose & stem-end rot	50-100 mL/ 200L drum	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
UPL PHILIPPINES, INC.	FLUOXASTROBIN	DISARM 480 SC	480 g/L	SC	FUNGICIDE	4	562-479-5260	16-Jun-27	-	Corn	Gray leaf spot, rust & sheaIt blight	75-150 mL/ 200L drum	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	DIREK 800	800 g/L	EC	HERBICIDE	3	432-150-2301	02-Feb-28	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	5-7.5 Tbsp/16L sprayload	0.1 ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	DIREK 800	800 g/L	EC	HERBICIDE	3	011-150-2301	20-Mar-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	5-7.5 Tbsp/16L sprayload	0.1 ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	432-325-3966	28-Dec-25	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	432-325-3966	28-Dec-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1.0-2.0 Tbsp/16l water	-	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-3966	28-Dec-25	SYSTEMIC	Rice	Sheath blight	25-35 ml prod/16 L water,21-29 ml prod/16 L water,18-25 ml prod/16 L	-	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-3966	28-Dec-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	10-20 Tbsp/16l water	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIPLOMAT 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	673-325-5425	25-Jul-21	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/16L water	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIPLOMAT 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	673-325-5425	25-Jul-21	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/16l water	-	45 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Cabbage	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Mustard	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Cauliflower	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Pechay	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Tomato	Tomato fruitworm	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Tobacco	Tobacco budworm	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Cotton	Cotton bollworm	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Asparagus	Asparagus worm	2-4 Tbsp/16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	099-094-2965	20-Dec-26	-	Corn	Fall army worm	1250 grams prod,/ ha.	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cabbage	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Mustard	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cauliflower	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Pechay	Diamond-back moth,cabbage worm,cabbage looper	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Tomato	Tomato fruitworm	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Tobacco	Tobacco budworm	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cotton	Cotton bollworm	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Asparagus	Asparagus worm	2-4 Tbsp/16 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up

SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/Kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Corn	Fall armyworm	50 grams or 5 tbsp prod. ; 1250 g prod. / ha	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cabbage	Diamond-back moth, cabbage worm	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Mustard	Diamond-back moth, cabbage worm	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cauliflower	cabbage looper	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Pechay	cabbage looper	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Tomato	Tomato fruitworm	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Tobacco	Tobacco budworm	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cotton	Cotton bollworm	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/Kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Asparagus	Asparagus worms	0.6-1.2 gram/16L water	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.	Workers can return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cabbage	Diamond-back moth,cabbage worm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Mustard	Diamond-back moth,cabbage worm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cauliflower	cabbage looper	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Pechay	cabbage looper	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Tomato	Tomato fruitworm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Tobacco	Tobacco budworm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cotton	Cotton bollworm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/Kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Asparagus	Asparagus worm	1-2 Tbsp/ 16 L water	-	Leaves no harmful residue and can be harvest twenty four hours after the last spray	Workers can be return to the field as soon as the spray has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS subsp.KURSTAKI STRAIN	DIPEL ES-NT	-	-	INSECTICIDE	4	472-094-5854	19-Sep-24	-	Cavendish banana	Slug Caterpillar	300-600 mL prod./ hectare	-	Not required when using **Dipel ES-NT alone.** It is exempt from MRL establishment. It can be applied 1	Workers can return to the field as soon as the spray deposits have dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200 g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Eggplant	hoppers, whiteflies, fruit borer	2.5-5.0 g prod./ 16L water	2 ppm	7 Days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200 g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, rice bug	2.5-5.0 g prod./ 16L water	1 ppm	24 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200 g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g prod./ 16L water	2 ppm	7 Days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200 g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g prod./ 16L water	0.5 ppm	16 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200 g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Mango	Hopper	1.0-2.0 g prod./ 16L water	-	7 Days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Mango	Anthracnose	0.528-88 L prod/ Ha	-	14 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-27	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
JOCANIMA CORPORATION	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Potato	Late blight	8-10 Tbsp (80-100g)/16L water	-	14 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Tomato	Late blight	6-10 Tbsp (60-100g)/16L water	-	3 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Pineapple	Heart rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Asparagus	Spear rot	2 kg product/ha	-	-	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Orchids	Black rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried
ALBAUGH PHILIPPINES, INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Potato	Late blight	1 Sachet/16L	-	14 days	Do not enter treated field until spray deposits have dried
ALBAUGH PHILIPPINES, INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Tomato	Late blight	1 Sachet/16L	-	3 days	Do not enter treated field until spray deposits have dried
ALBAUGH PHILIPPINES, INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-	21 days	Do not enter treated field until spray deposits have dried
ALBAUGH PHILIPPINES, INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-	-	Do not enter treated field until spray deposits have dried
ALBAUGH PHILIPPINES, INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field until spray deposits have dried
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIFURE PRO	150 g/L+150 g/L	EC	FUNGICIDE	3	075-325-5411	20-Apr-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIFURE PRO	150 g/L+150 g/L	EC	FUNGICIDE	3	075-325-5411	20-Apr-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1-2 Tbsp/16 L water	-	-	-
NUTRIBASICS CORPORATION	DIFLUBENZURON	DIFLOX FLOW 48% SC	480 g/L	SC	INSECTICIDE	4	695-549-5533	2-Dec-27	-		Houseflies (Musca domestica) at larval stage animal facilities	Few number of adults flies inside the building (0-30 adults flies attached on		-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Rice	Sheath Blight	0.25-0.30 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Mango	Anthracnose	0.528-0.88 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Stringbeans	Leaf spot	0.20-0.30 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Eggplant	Leaf spot	0.20-0.30 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Cabbage	Ringspot,alternaria	0.20-0.30 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Onion	Purple blotch	0.40-0.50 L prod./ ha	-	-	-
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Banana	Black sigatoka	0.3-0.4 L prod/ha	-	-	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	0.50 ppm	-	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	0.07 ppm	14 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	0.20 ppm	-	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	0.60 ppm	7 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	0.60 ppm	7 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	2.00 ppm	7 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	0.20 ppm	7 days	-
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	0.02 ppm	7 days	-
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/16 water	–	7 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water	–	16 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water	–	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water	–	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water	–	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Coconut	Scale insects	5g/Tree (Trunk Injection)	–	–	As soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ Ha			

HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Mango	Anthracnose	0.528-88 L prod/ Ha	-	14 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-
HAILIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Watermelon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Melon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Cucumber	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Squash	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Tobacco	Aphids, Budworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	White potato	Thrips	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Tomato	Fruitworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Mango	Thrips,capsid bugs,leafhoppers	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-22	-	Banana	Flower thrips	Dilute 3-5 g product /L water. Inject 60-80ml of the solution per bud	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Watermelon	Thrips, Mites	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Melon	Thrips, Mites	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Cucumber	Thrips, Mites	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Squash	Thrips, Mites	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Tobacco	Aphids, Budworm	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		White potato	Thrips	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCl	DICARZOL 20 SP	200 g/Kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20		Tomato	Fruitworm	40-80 g/16 L water		7 days	1 day or when spray droplets have dried up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leaf folder, whorl maggot	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 tbsp/16L	-	14 days	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Cotton	Katydids, grasshopper, cutworm, mites	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	White potato	Aphids, leaf folder, cutworm	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 tbsp/16L	-	0 day	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZUDIN 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 tbsp/16L	-	-	Soon as solution dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	30-Jul-26	CONTACT	Pineapple (drone and boom spray application)	Mealybugs (VALID ONLY FOR USE BY Del Monte Philippines, inc.)	-	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900-A	03-Apr-27	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Pineapple	Mealybug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	3.5-5.5 TBsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Banana	Thrips, mealybug, leaffolder (STEM and MAT spray application of mealy bugs)	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIAZINON	DIAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-27	CONTACT	Mango	Hopper, tip borer	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BIFENTHRIN+NOVALURON	DIAMONA PLUS 100 SC	50g/L+50G/L	SC	INSECTICIDE	2	539-484-5906	27-Oct-25	-	Cabbage	Diamond back moth	1.5-2.0 Tbsp/16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	NOVALURON	DIAMONA 100 EC	100 g/L	EC	INSECTICIDE	4	539-349-5974	20-Dec-25	-	Cabbage	Diamondback moth	1-2 tbsp/16L	-	Do not spray DIAMONA 100 EC at least one week before harvest	Entry to field and crops treated with DIAMONA 100 EC can be done one day after spraying
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.

VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Pineapple	Mealy bug	2.5-4.0 Tbsp/16L Water		14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DIAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated fields for at least 1 day after application.
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0612	10-Feb-23	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nemotodes, white grubs, crickets & root flies	20-40 kg/ha			
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0612	10-Feb-23	-	Banana	Nemotodes, corn weevil and scarring weevil	25-30 kg/ha	-		
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha		Do apply within 30 days of harvest	
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	-	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0380	17-Sep-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 10 G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	038-104-0638	23-May-27	-	Banana	Corm weevil and nematodes	10-15kg prod./ha	–	Do not apply within 30 days of harvest	–
STERIX INCORPORATED	S-METHOPRENE	DIACON IGR	33.6 g/L	-	INSECTICIDE	4	434-612-5988	11-Jan-25	-	Corn (Field corn, sweet corn, popcorn, seed corn, silage),	*Sitophilus spp., Rhyzopertha dominica, Tribolium castaneum, and Cryptolestes ferrugineus*	10-20 mL product / L water; 1 L cubic meter of grains	-	-	
TRANS WORLD TRADING CO., INC.	BPMC	DIACARB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC	DIACARB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC	DIACARB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC	DIACARB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC	DIACARB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Mango	hopper & tip borer	3-3.5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	–	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	–	–	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND 3G	30g/kg	G	INSECTICIDE/ NEMATICIDE	2	505-104-4251	04-Mar-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	–	–	2 days
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0-4.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Mango	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Banana	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Coffee	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Cacao	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Rubber	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Oil palm	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Citrus	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Coconut	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	4.5 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Sugarcane	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	Vegetables	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435-A	09-Jun-27	POST-EMERGENT	non-crop areas	Cogon,mutha,paragrass,talahib,fern and other annual weeds.				
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			Do not enter treated field within 12 hours after application

ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter treated field within 12 hours after application
DIVERSIFIED AGROCHEM TRDG.	ALUMINUM PHOSPHIDE	PHOSTOXIN PELLET	570 g/Kg	P	FUMIGANT	1	208-084-0779	11-Dec-27	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
DIVERSIFIED AGROCHEM TRDG.	ALUMINUM PHOSPHIDE	DETIA GAS EX-T	570 g/Kg	TAB	FUMIGANT	1	208-084-0777	11-Dec-24	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	
DIVERSIFIED AGROCHEM TRDG.	ALUMINUM PHOSPHIDE	PHOSTOXIN BAG/BAG BLANKET	570 g/L	P	FUMIGANT	1	208-084-0778	11-Dec-27	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY 5 EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cotton	Leafhopper (jassids), bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cacao	Podborer, aphids	1.0Tbsp/16L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DESISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	-	-	-	24 Hours after each spray
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CYHALOTHRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	-	Corn	Fall armyworm	10-15 mL / L	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Rice	Sheath blight	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Mango	Anthracnose	0.528-88 L pro./ha; 30-50 mL prod./100L	-	14 days	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Stringbeans	Leafspot	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, powdery mildew	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Eggplant	Leaf spot	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Cabbage	Ringspot, alternaria	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ha; 0.6L	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Onion	Purple blotch	0.40-0.50 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Banana	Black sigatoka	0.30-0.40 L prod./ha	-	-	-
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	10 days	48 hours after application

TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/Kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	10 days	48 hours after application
LICHEMPHIL INTERNATIONAL INC.	PRETILACHLOR	DENOFIT 300 EC	300 g/L	EC	HERBICIDE	4	590-063-4807	25-Jun-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05ppm	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systerm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X	160 g/L	SL	HERBICIDE	4	385-151-1961	12-May-20	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	
ACE CROP SOLUTIONS INC.	BISPYRIBAC SODIUM	DEMOLISH 100 SC	105.5 g/L	SC	HERBICIDE	4	530-276-3244	04-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Direct seeded)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ACE CROP SOLUTIONS INC.	BISPYRIBAC SODIUM	DEMOLISH 100 SC	105.5 g/L	SC	HERBICIDE	4	530-276-3244	04-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Transplanted)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528-A	28-Jun-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELLUXE 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-3528-A	28-Jun-27	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINO-MONSANTO OIL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	DELLUBYO NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	624-229-5485	29-Apr-24	-	Rice	Golden apple snail	35 grams (1 sachet)	-	-	48 hours after spraying
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	-	-	-
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELLUBYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELLUBYO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24		Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELLUBYO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Rice	Annual broadleaves and sedges	3.5-6.5 Tbsp / 16 L water; Apply 25-30 days after transplanting	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELLUBYO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.Tbsp/ 16 L water; Apply when plants are 15-25 cms. High	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELLUBYO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13.0-26.0 Tbsp/ 16 L water; Apply when plants are 15-25 cms. high	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELLUBYO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Rice	Annual brodleaves and sedges	3.5-6.5 Tbsp/ 16 L water	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELLUBYO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/16 L water	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELLUBYO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13.0-26.0 Tbsp/ 16 L water	-	-	One day after spraying.
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 Hours after each spray

UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	24 Hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Tobacco	Budworm, armyworm, cutworm	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, thrips, podborer, semi-looper, bean lycaenid	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, thrips, podborer, semi-looper, bean lycaenid	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Tomato	Fruitworm (heliothis)	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cotton	Leafhopper (jassids), bollworm , weevil	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Agricultural crops (horticultural and agronomic	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
S&P ENTERPRISES INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water			
FKA AGRI CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18		Cacao	Podborer, aphids	0.1 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water			
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Cacao	Podborer, aphids	0.1 Tbsp/16L water			
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	_	7-10 (Do not spray at 29 -35 days after budbreak	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	_	7 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	_	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	_	for pre-flowering insects,7-10 days are sufficient	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	_	for pre-flowering insects,7-10 days are sufficient	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	_	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	_	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	_	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	_	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	_	_	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-27	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	_	2-4 days	24 hours after each spray
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilooper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilooper, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Eggplant	Thrips, flea beetle	0.1 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Banana	Aphids , flower thrips	1.0 Tbsp/16L water	-	-	
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water		24 hours after last spray	Enter treated area 24 hours after each spray

PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbs/ 16L water		24 hours after last spray	Enter treated area 24 hours after each spray
PALMTRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbs/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGCHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Banana	Flower thrips, aphids	1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha; 50-75 mL prod./ 16L water; 160-192 L/ha	0.01 ppm 0.01 ppm	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Onion	Anthracnosse	300-500 mL prod./ ha; 20-35 mL prod./ 16L water; 200-500 L/ha	0.01 ppm 0.01 ppm	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Potato	Late blight	400-500 mL prod./ ha; 20-25 mL prod./ 16L water; 300-500 L/ha	0.05 ppm 0.1 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Rice	Rice blast sheath blight	250-500 mL prod./ ha; 20-50 mL prod./ 16L water; 160-200 L/ha	0.6 ppm 0.4 ppm	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod/ ha;150-200 mL prod/ 200 L water; 2.4040-3.472 L/ha	0.02 ppm 0.07 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Cabbage	Leaf spot	300-500 mL prod./ ha; 400-600 L/ha	0.01 ppm 0.01 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZOXYSTROBIN+DIFENOCONAZOLE	DEGRAZO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Tomato	Early bligh and late blight	400-500 mL prod./ ha; 400-600 L/ha	0.3 ppm 0.3 ppm	0 day	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
DIVERSIFIED AGROCHEM TRDG.	MAGNESIUM PHOSPHIDE	DEGESCH PLATE/STRIP	560 g/kg	-	FUMIGANT	1	208-294-0781	11-Dec-27	-	-	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle.	-	-	-	-
DIVERSIFIED AGROCHEM TRDG.	ALUMINUM PHOSPHIDE	PHOSTOXIN TABLET	560 g/Kg	TAB	FUMIGANT	1	208-084-0782	11-Dec-27	-	-	Rust-red grain beetle, cadelle, khapra beetle, grain moth, indian-meal moth, grain and rice weevil, saw toothed grain beetle, lesser	1 bag/7.5m			
DIVERSIFIED AGROCHEM TRDG.	MAGNESIUM PHOSPHIDE	MAGTOXIN TABLET	560 g/Kg	TAB	FUMIGANT	1	208-294-0780	11-Dec-27	-	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle.	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer			
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Banana	Sigatoka	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Potato	Early blight, late blight	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water	-	24 hours after last spray	24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221-A	07-May-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha			
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DEFCON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha			
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Banana	Banana flower thrips	4.5 / L water; 0.5/ L water	-	-	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Cabbage	Diamond-back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Ornamentals	Mites	10-15 mL/ 16L; 1.0-1.5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Pineapple	Mites	1000-4000 mL proid./ ha	-	-	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ l water; 1500 mL prod / L water	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Onion	Leafminer, thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Potato	Leafminer, thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	14 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Tomato	Leafminer, thrips, aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Watermelon	Leafminer, thrips, melonworm	500-1000 mL prod./ ha; 50-1500 mL prod./ ha	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Papaya	Mites	150-600 mL prod./ha; 0.5-1.0 tbsp/ 16L water	-	14 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	ABAMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-27	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHRIN	DEDPUL 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	DEDKOL 70 WP	830g/kg	WP	MOLLUSCICIDE	4	529-229-5286	26-May-24		Rice	Golden apple snail	1 sachet(35gm)/tankload (16L)			
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod./ ha	-	-	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Cabbage	*Alternaria* leafspot and ring spot	0.20-0.25 L prod./ ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Eggplant	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Mango	Anthracnose	0.528-0.880 L prod./ ha	-	14 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod./ ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod./ ha	-	-	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCONAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, mpowdery mildew	0.40 L prod./ ha	-	7 days	-
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water		24 Hours after last spray	24 hours after each spray

BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	8-10 ml/16 L water	1.0ppm	24 Hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECIS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 Hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECIMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	10-Nov-19		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Banana	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Cacao	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Coffee	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Citrus	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Cotton	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Oil palm	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Onion	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Pineapple	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Ramie	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Rubber	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Soybeans	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECIDE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-27	SELECTIVE/SYSTEMIC	Tomato	Grass; itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 16L spray load	-	-	-
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Cotton	Katydids, grasshopper, cutworm, mites	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPI-CUKE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	160/ml/16 L water,135-200 ml/16 L water	-	-	After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial, grass and broad-leaved weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water			After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	160ml-215ml/16 L water			After spray deposits have dried

VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-27	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6% PELLET	60 g/Kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 Hours after application
BIOSTADT PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	DEADBOL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	097-229-1013	21-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			Do not enter the treated field within 48 hours after application
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-23		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/Kg	WP	FUNGICIDE	4	284-118-1672	12-May-20		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Banana	Sigatoka	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Potato	Early blight, late blight	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water			
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water			
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	470-035-3784	25-Sep-25	SYSTEMIC	Potato	Late blight	1 Sachet/16L	-	14 days	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	470-035-3784	25-Sep-25	SYSTEMIC	Tomato	Late blight	1 Sachet/16L		3 days	Do not enter treated field unit spray deposits have dried up

NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	470-035-3784	25-Sep-25	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha		21 days	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	470-035-3784	25-Sep-25	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-	1 day	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/Kg	WP	FUNGICIDE	4	470-035-3784	25-Sep-25	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field unit spray deposits have dried up
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	LAMBDA-CYHALOTHRIN	D-DESTROYER 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 Day after application
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Potato	Early and late blight	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Celery	Late blight	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cucumber	Downy mildew, anthracnose, scab	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Squash	Downy mildew, anthracnose, scab	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cotton	Damping off	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	lettuce	Downy mildew	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Beans	Anthracnose, Downy Mildew, Rust	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Peas	Anthracnose, Downy Mildew, Rust	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Mungo	Anthracnose, Downy Mildew, Rust	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Tomato	Early and late blight, athracnose, septoria leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight,	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight,	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Pepper	Anthracnose	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Chili	Anthracnose	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Eggplant	Blight, Anthracnose	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Banana	Sigatoka, black leaf streak	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Grapes	Downy mildew, black rot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Mango	Anthracnose and scab	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Papaya	Fruit rot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Melon	Downy mildew, anthracnose, scab	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Corn (sweet corn)	Helminthosporium leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Peanut	Cercospora leaf spot	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Soybeans	Leaf rust	-	-	-	-
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Ornamentals	Black spot, blight, athracnose	-	-	-	-
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application

DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Non-crop ares	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-049-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying.
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-049-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying.
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-049-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying.
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with DCMD 2,4-D AMINE can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to field and crops treated with DCMD 2,4-D AMINE can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to field and crops treated with DCMD 2,4-D AMINE can be done one day after spraying
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	16-Feb-25	-	Mango	Blossom thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/16/25	-	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/Kg	WP	FUNGICIDE	4	476-053-2609	17-Sep-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Rice	Green leafhopper,brown plant hopper,stem borer,whorl maggot & leaf folder	2-4Tbsp/100 L	0.05ppm	7 Days after the last spray	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Mango	Mango Hopper, cecid fly,capsid bug, fruit fly & seed borer	2-4 Tbsp/100 L ,7-14 Tbsp/100L	2.0 mg/kg	7 Days after the last spray	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Banana	Scarring beetle	2.5-10.0 Tbsp/100L	2.0 mg/kg	77 days	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCICIDE	4	529-075-3246	09-Dec-22	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCICIDE	4	529-075-3246	09-Dec-22	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCICIDE	4	529-075-3246	09-Dec-22	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCICIDE	4	529-075-3246	09-Dec-22	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCICIDE	4	529-075-3246	09-Dec-22	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCICIDE	4	529-075-5205	28-Sep-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCICIDE	4	529-075-5205	28-Sep-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCICIDE	4	529-075-5205	28-Sep-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCICIDE	4	529-075-5205	28-Sep-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCICIDE	4	529-075-5205	28-Sep-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/Kg	WSG	INSECTICIDE	4	472-379-2590	18-May-25	SYSTEMIC/CONTACT	Mango	Hoppers, tip borers, thrips, cecid fly, capsid bug	2.0-2.5 g prod./16L water	-	40 days	Enter treated fields only after spray deposits have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/Kg	WSG	INSECTICIDE	4	472-379-2590	18-May-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, leaffolder, brown/white backed planthopper, stemborer, black bug, rice bug	3.0-3.5 g prod./16L water	0.5 ppm	28 days	Enter treated fields only after spray deposits have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/Kg	WSG	INSECTICIDE	4	472-379-2590	18-May-25	SYSTEMIC/CONTACT	Eggplant	leafhopper, aphids	3.0 g prod/16L water	-	3 days	Enter treated fields only after spray deposits have dried.
JARDINE DISTRIBUTION, INC.	CLOTHIANIDIN	DANTOP 16 WSG	160 g/kg	WSG	INSECTICIDE	4	367-379-1714	18-May-25	SYSTEMIC	Mango	Hoppers, tip borers, thrips, cecid fly, capsid bug	2.0-2.5 g/16 L	1 ppm	40 days	Enter treated fields only after spray deposits have dried.
JARDINE DISTRIBUTION, INC.	CLOTHIANIDIN	DANTOP 16 WSG	160 g/kg	WSG	INSECTICIDE	4	367-379-1714	18-May-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, leaffolder, brown/white backed planthopper, stemborer, black bug, rice bug	3.0-3.5 g/16 L	0.5 ppm	28 days	Enter treated fields only after spray deposits have dried.
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Cucurbits	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884-A	15-Dec-27	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLISH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
GEM AGROLOGIC, INC.	CYHALOFOP-BUTYL	DAMOLIS 10 EC	100 g/L	EC	HERBICIDE	4	238-257-3706	17-May-22	SYSTEMIC	Rice (Direct-Seeded)	Grass weeds	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Glyphosate tolerant corn	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Mango	Annual & perrenial grasses, Broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Banana	Annual & perrenial grasses, Broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Coffee	Annual & perrenial grasses, Broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Cacao	Annual & perrenial grasses, Broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Rubber	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Oil palm	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Citrus	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Coconut	Annual & perrenial grasses, Broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Sugarcane	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	Vegetables under minimum or reduced tillage system	Annual & perrenial grasses, Broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	GWAPOSATE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	01-Aug-26	-	non-crop areas	Annual & perrenial grasses, Broadleaf weeds & sedges	-	-	-	-
MEGA BOOSTER AGRI TRADING CO.	TRIDEMORPH	DAMASCUS 86 OL	860 g/L	OL	FUNGICIDE	2	531-097-3438	07-Jul-18	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil	-	-	-
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Corn	Cornborer, earworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Sorghum	Cornborer,earworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-2.5 Tbsp/16L sprayer	0.01ppm	3 Days	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/Kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/16L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Glyphosate tolerant corn	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0-4.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Mango	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Banana	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Coffee	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Cacao	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters /Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Rubber	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Oil palm	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Citrus	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Coconut	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	4.5 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Sugarcane	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Vegetables	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/Ha	-	-	-
GLYCORN CORPORATION	GLYPHOSATE IPA	DALTAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	non-crop	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	-	-	-	-
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Eggplant	Early and late blight, *cercospora* , anthracnose	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Celery	Early and late blight	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Crucifers	Powdery mildew	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried

KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Potato	Early and late blight, vine rot	4.5-6.0 tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Asparagus	Stem and leaf blight	1.00 L/ha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 72SC	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	DAGGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCDM MARKETING INCORPORATED	CHLORPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
DCDM MARKETING INCORPORATED	CHLORPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
DCDM MARKETING INCORPORATED	CHLORPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
DCDM MARKETING INCORPORATED	CHLORPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	21-Dec-27	-	Banana (Drone spray application)	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	D-10 600 OS	600 g/L	OS	FUNGICIDE	4	233-053-2773	04-Jan-23	-	Banana	Black sigatoka	-	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	MANCOZEB	D-10 412 SC	412 g/L	SC	FUNGICIDE	4	233-053-2830	14-Jun-26	-	Banana	Sigatoka	5.0 Liters/ha in sufficient (30-38 liters) water	-	-	-
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYPERMETHRIN	CYRUX 5 EC	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Chrysanthemum	Leafminer	4.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Garden peas	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Onion	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Potato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Stringbeans	Leafminer	5.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Tomato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	566-331-6478	21-Dec-26	-	Watermelon	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
VETREMIDICA CORPORATION	CYROMAZINE	CYROCARE		-	OTHERS	4	700-331-5575	31-Dec-27	-	-	Housefly larvae in animal facilities	-	-	-	-
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

AGREXPLORE CORPORATION	CYPERMETHRIN	CYPRO 5 EC	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYPERMETHRIN	CYPREN 5 EC	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Entry to field and crops treated with CYPREN 5 EC is allowed as soon as spray deposits dry.
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	CYPEX 50 EC	50 g/L	EC	INSECTICIDE	4	043-037-0596	31-Dec-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Mango	Leafhoppers, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle,cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SANKHEM CORPORATION	CYPERMETHRIN	CYPERSUN 5 EC	50 g/L	EC	INSECTICIDE	4	515-037-3626	25-Jan-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	CYPERMETHRIN	CYPERNEX 5 EC	50 g/L	**EC**	INSECTICIDE	4	702-037-5620-A	29-Nov-27	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNITED AGRO TRADE CORPORATION	CYPERMETHRIN	CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	264-037-0815	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Rice	Planthopper, green leafhopper, leaffolder, stemborer, rice bug, armyworm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Corn	Borers, Earworms	1.0-4.5 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Mango	Hopper, twig borer, tip borer, fruitfly	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Beans	Aphids, podborer, beanfly, leafminer, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Tomato	Fruitworm, cutworm, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
THE LICHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-27	CONTACT	Cotton	Leafhoppers, bollworm, cutrworm, leafworm aphids, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	Do not spray 7 Days before harvest	As soon as spray deposits have dried.
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 tbs/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1-3 tbs/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1-3 tbs/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry

LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Tomato	Tomato fruitworm, aphids, beetle	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Watermelon	Aphids, thrips, beetle	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Onion	Thrips, cutworm	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Banana	Thrips,	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-27	-	Corn	Corn borer, earworm	1-4.5 tbsp/ 16L	-	Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GS, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	580-037-4614	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-27	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368 ©	28-Jun-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARIES RNE CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	CYMOXZEB FUNGICIDE 505 WP	40 g/Kg 465 g/Kg	WP	FUNGICIDE	4	478-163-5749	05-Feb-27	-	Potato	Late blight	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 505 WP within 24 hours after application.
ARIES RNE CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	CYMOXZEB FUNGICIDE 505 WP	40 g/Kg 465 g/Kg	WP	FUNGICIDE	4	478-163-5749	05-Feb-27	-	Tomato	Late blight	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 505 WP within 24 hours after application.
ARIES RNE CHEMICAL CORPORATION	CYMOXANIL+MANCOZEB	CYMOXZEB FUNGICIDE 505 WP	40 g/Kg 465 g/Kg	WP	FUNGICIDE	4	478-163-5749	05-Feb-27	-	Grapes	Downy Mildew	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 505 WP within 24 hours after application.
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL/ 16L water	-	-	-

VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	-	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	-	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	-	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; itch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowffot grass	30-50 mL/ 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	20-30 mL/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN	CYLO 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	PENOXSULAM+CYHALOFOP-BUTYL	CYHALOPEN 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	735-383-6288	5-Oct-26	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosum,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	PENOXSULAM+CYHALOFOP-BUTYL	CYHALOPEN 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	735-383-6288	5-Oct-26	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I rugosum,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	-	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	CYHALOBIS 200OD	150 g/L+50 g/L	OD	HERBICIDE	4	735-504-6044	16-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges and Broadleaves	500-mL to 1-L Prod./ha 160-192 L/ ha	-	-	As soon as spray dries up.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	_	Twenty four (24) hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	_	Twenty four (24) hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	_	Twenty four (24) hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	_	Twenty four (24) hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	04-Jan-28	SYSTEMIC	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	_	Twenty four (24) hours after application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYPERMETHRIN	CYCLONE 5 EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	04-Nov-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Very short or no to harvest interval is necessary when applied at recommended
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS+CYPERMETHRIN	CYCHLOR EC	250+25 g/L	EC	INSECTICIDE	2	535-239-3891	25-Jul-22		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS+CYPERMETHRIN	CYCHLOR EC	250+25 g/L	EC	INSECTICIDE	2	535-239-3891	25-Jul-22		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPMC+CHLORPYRIFOS	CYCARB 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYBEST 5 EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
DCDM MARKETING INCORPORATED	BPMC+CHLORPYRIFOS	C-WINNER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TROPI-CUKE, INC.	GLYPHOSATE IPA	CUTDOWN 160 SL	160 g/L	SL	HERBICIDE	4	091-151-2075	20-Nov-27	POST-EMERGENT	Non-crop areas	Common grassy fields	3-6 Liters/ha			
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN+TEBUCONAZOLE	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4045	11-Jul-26	SYSTEMIC	Mango	Anthracnose , Scab, Stem-end rot	3.52 L/Ha	Azoxystrobin-1.0ppm	30 days	Re-entry to treated field is allowed as soon as spray deposits dry up.
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN+TEBUCONAZOLE	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4045	11-Jul-26	SYSTEMIC	Cabbage	Cercospora leaf spot	0.6-0.8 L/Ha	Azoxystrobin-5.0 ppm Tebuconazole-1.0ppm	5 days	Re-entry to treated field is allowed as soon as spray deposits dry up.
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN+TEBUCONAZOLE	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4045	11-Jul-26	SYSTEMIC	Potato	Late blight	0.6-0.8 L/Ha	Azoxystrobin-1.0ppm	15 days	Re-entry to treated field is allowed as soon as spray deposits dry up.
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-163-0348	18-Nov-26	-	Potato	Late blight	50 grams prod./ 16L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-163-0348	18-Nov-26	-	Tomato	Late blight	50 grams prod./ 16L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-163-0348	18-Nov-26	-	Grapes	Downy mildew	50 grams prod./ 16L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/Kg	WP	FUNGICIDE	4	014-163-0348	18-Nov-23	SYSTEMIC/CONTACT	Potato	Late Blight	5 Tbsp/16Li sprayer	-	-	Do not enter fields treated within 24 Hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/Kg	WP	FUNGICIDE	4	014-163-0348	18-Nov-23	SYSTEMIC/CONTACT	Tomato	Late Blight	5 Tbsp/16Li sprayer	-	-	Do not enter fields treated within 24 Hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/Kg	WP	FUNGICIDE	4	014-163-0348	18-Nov-23	SYSTEMIC/CONTACT	Grapes	Downy mildew	5 Tbsp/16Li sprayer	-	-	Do not enter fields treated within 24 Hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-163-6304	18-Nov-26	-	Potato	Late blight	50 g prod./ 16L	-	7 days	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-163-6304	18-Nov-26	-	Tomato	Late blight	50 g prod./ 16L	-	7 days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-163-6304	18-Nov-26	-	Grapes	Downy mildew	50 g prod./ 16L	-	7 days	
NAC UNITED CROP SOLUTIONS CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	CUREGOLD 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	687-438-5805	3-Aug-25	SYSTEMIC	Mango	Anthracnose	40-80 g/ 100 L water	-	30 days	As soon as spray deposits have dried.
NAC UNITED CROP SOLUTIONS CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	CUREGOLD 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	687-438-5805	3-Aug-25	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	12-16g/ 16 L water	-	35 days	As soon as spray deposits have dried.
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Corn	Northern corn leaf blight , white spot, gray leaf spot, brown spot	500-750 mL prod./ ha: 50-75 mL prod/ 16L water	Azoxystrobin 0.01ppm Difenoconazole 0.01ppm	28 days	Do not enter or allow workers to enter treated areas untill spray deposits have dried up or unless a protective clothing is worm
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Onion	Anthracnose	300-500 mL prod/ ha; 20-35 mL prod/ 16 L water	Azoxystrobin 0.01ppm Difenoconazole 0.01ppm	12 days	Do not enter or allow workers to enter treated areas untill spray deposits have dried up or unless a protective clothing is worm
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Potato	Late blight	400-500 mL prod/ ha; 20-25 mL prod./ 16L water	Azoxystrobin 0.05ppm Difenoconazole 0.1ppm	14 days	Do not enter or allow workers to enter treated areas untill spray deposits have dried up or unless a protective clothing is worm
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Rice	Rice blast and sheath blight	250-500 mL prod./ ha; 20-50 mL prod./ 16L water	Azoxystrobin 0.6ppm Difenoconazole 0.4ppm	30 days	Do not enter or allow workers to enter treated areas untill spray deposits have dried up or unless a protective clothing is worm
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod./ ha; 150-200 mL prod./ 200 L water	Azoxystrobin 0.2ppm Difenoconazole 0.07ppm	14 days	Do not enter or allow workers to enter treated areas untill spray deposits have dried up or unless a protective clothing is worm
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha		14 days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha		-	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha		7 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha		7 Days	-
BERRIS AGRICULTURAL COMPANY, INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha		7 Days	-
UPL PHILIPPINES, INC.	BORDEAUX MIXTURE	CUPROFIX WG	20g/Kg	WG	FUNGICIDE	4	562-440-3211	06-Sep-27	-	Pineapple	Bacterial heart rot	1.0-4.0 kg prod./ ha; spray volume 160-200 L/ ha.	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to field is allowed as soon as spray dried
UPL PHILIPPINES, INC.	BORDEAUX MIXTURE	CUPROFIX WG	20g/Kg	WG	FUNGICIDE	4	562-440-3211	06-Sep-27	-	Rice	Bacterial leaf blight, rice blast and sheath blight	0.5 kg prod./ ha. At volume rates of 160-200 L / ha., 45 and 60 days after	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to field is allowed as soon as spray dried
BASF PHILIPPINES, INC.	BOSCALID	CUMORA 50 SC	500 g/L	SC	FUNGICIDE	4	005-413-2598	11-Jun-27	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	0.6 ppm	0 day	After drying of spray or 24 hours after spraying
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CULTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-27	-	Mango	Plant growth regulator	1-2 tbs.p./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CULTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-27	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CULTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-27	-	Calamansi	Plant growth regulator	1-2 tbs.p./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CULTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-27	-	Cacao	Plant growth regulator	¼ tbsp./3-5 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	BUPROFEZIN	CUBE 25 SC	250g/L	SC	INSECTICIDE	4	242-224-4346	06-Aug-24	SYSTEMIC	Mango	Leafhopper	60-80mL/200 L	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Bittergourd	Leafhopper, cutworm	20 mL/16L water; 500 L/ ha	-	3 days	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Cabbage	Diamond backmoth, cutworm, cabbage worm	10-15 mL/ 16L water; 600 L/ ha	-	1 day	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Corn	Corn borer, earworm	25-30 mL/16 L water; 240 L/ha	-	7 days	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Eggplant	Shoot and fruitborer, cutworm	10 ml/16 L water; 800 L/ha	-	1 day	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Rice	Stemborer, leafborer	20-25 mL/ 16L water	-	45-60 days	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Stringbeans	Podborer	10 ml/16 L water; 800 L/ha	-	1 day	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod./ ha; 600-800 L/ha	-	240-300 days	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL/16 L water; 240 L/ha	-	7 days	-
S&P ENTERPRISES INC.	CHLORANTRANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	566-393-6350	31-Aug-26	-	Tomato	Cutworm, fultworm	27-40 mL/16 L water; 500 L/ha	-	3 days	-
TEXICON AGRI VENTURES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CRUSHER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	242-229-1010-A	26-May-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
TEXICON AGRI VENTURES CORPORATION	NICLOSAMIDE	CRUSHER 250 EC	250 g/L	EC	MOLLUSCICIDE	4	242-229-1074	26-Aug-26	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within two days after spraying
ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22		Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22		Potato	Thrips	0.5-1.5 Tbsp/16L water		Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying

ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22		Banana	Flower thrips	2-3 mL/ L water		Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	CRUISER 350 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	15-Aug-26	-	Corn (as seed treatment)	Seedling maggot	-	-	-	-
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	CRUISER 350 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	20-Oct-24	SYSTEMIC	Corn	Maggot field ants, leafhoppers & aphids	192-200 L/ha spray volume,50 ml product/16-20 kg bag of seeds 200-25 ml /40 kg sack of seeds	-	26 days (maximum 3-4 applications)	-
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	CRUISER 350 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	15-Aug-26	SYSTEMIC	Rice	Green Leafhopper, brown planthopper & whitebacked planthopper				-
JYNNSONS PHILIPPINES, INC.	PRETILACHLOR+BUTACHLOR	CROSSFIRE PLUS 55 EC	150 g/L+400 g/L	EC	HERBICIDE	4	551-591-5923	15-Jul-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	10 tbs/ 16L	-	-	-
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	CROSSFIRE 70 EC	350+350 g/L	EC	HERBICIDE	3	551-238-4021	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		As soon as the spray mist dries up.
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	CROSSFIRE 70 EC	350+350 g/L	EC	HERBICIDE	3	551-238-4021	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up.
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	043-124-1820	23-Feb-27	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges & Broadleaves	60-100 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	043-124-1820	23-Feb-27	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	50-60 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	043-124-1820	23-Feb-27	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	60-100 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	043-124-1820	23-Feb-27	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges & Broadleaves	40-50 gm./16 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Mango	Mangp leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	16 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	24 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DINOTEFURAN	SEKKIL 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-27	SYSTEMIC	Coconut	Scale insects	-	-	-	As soon as the spray solution has dried on the foliage
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17		Cavendish Banana	Black Sigatoka , leaf freckle	5-7L,100L Spray Vol ,/ha (ground app.) 16.67-23.33L 30 L spray			
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17		Okra	Leafhopper , cotton stainer	6-8Tbsp/16 L			
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17		Sugarcane	Weeds	6-8Tbsp/16 L			
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17		Tomato	Cutworms, Leafhopper, whiteflies, fruitworm	6-8Tbsp/16 L			
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17		Mango	Leafhopper , Scale insects	6-8Tbsp/16 L			
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Cavendish Banana	Black Sigatoka , leaf freckle	5-7L,100L Spray Vol ,/ha	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Okra	Leafhopper , cotton stainer	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Sugarcane	Weeds	8-9 Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Tomato	Cutworms, Leafhopper, whiteflies, fruitworm	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Mango	Leafhopper , Scale insects	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Rice	Stem borer	32-96 mL product/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Eggplant	Coccinelid beetle, leafhoppers, aphids, shoot and and fruit borers, arthropods and white flies	32-96 mL/ 16L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Ampalaya	Coccinelid beetle, leafhoppers, aphids, webworms, flea beetles and fruit flies	32-96 mL/ 16L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Stringbeans	Coccinelid beetle, leafhoppers, aphids, shoot and fruit borers, arthropods and white flies	32-96mL/ 16L ; 500L/ha	-	-	-
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	24 hours after application
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	–	–	24 hours after application
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	–	-	24 hours after application
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	–	–	24 hours after application
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	–	–	24 hours after application
CROPEVO PHILIPPINES,INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	–	–	24 hours after application
MIGHTY AGRICULTURAL TRADING CORPORATION	HYDROGEN PEROXIDE+ACETIC ACID	CROP SHIELD	-	-	OTHERS	2	733-493-5879	19-Nov-25	-	Banana	Crown rot and and crown mold	-	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	HYDROGEN PEROXIDE+ACETIC ACID	CROP SHIELD	-	-	OTHERS	2	733-493-5879	19-Nov-25	-	Pineapple	Crown and butt molds, bacterial heart rot and fruitlet core rot	-	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	BISPYRIBAC SODIUM	CROP SAVER 10 SC	100 g/L	SC	HERBICIDE	2	655-276-5764	08-Nov-27	-	Rice (Direct-Seeded (paylang)	Grasses, sedges & broadleaves	25-30,20-25, 20, 15 ML/16L water	-	-	As soon as spray deposits dry up
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 Days	Do not enter treated field 1 Day after application
VERDANT LUSTERCORE CORPORATION	BUTACHLOR+PROPANIL	CRIMSON 70 EC	350+350 g/L	EC	HERBICIDE	3	546-238-3587	22-Oct-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the productis allowed after the mist has dried up
VERDANT LUSTERCORE CORPORATION	BUTACHLOR+PROPANIL	CRIMSON 70 EC	350+350 g/L	EC	HERBICIDE	3	546-238-3587	22-Oct-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the productis allowed after the mist has dried up
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL prod./ L water (at 80-100 mL spray volume/ bunch)		7 Days	
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Mango	Anthracnose	10-20 mL prod./ 16L	-	-	-
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Cucurbits	Downy mildew	10-20 mL prod./ 16L	-	-	-
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Garden Peas	Powdery mildew	10-20 mL prod./ 16L	-	-	-
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Sugarcane	Pineapple disease caused by *Ceratocystis paradoxa*	50-100 mL prod./ 200L water	-	-	-
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Pineapple	*Fusarium* spp., *Phytophthora* spp., *Phythium* spp.	1-4 L prod./ ha	-	0 day	-
ARYSTA LIFESCIENCE PHILIPPINES INC.	CYHALOFOP-BUTYL	CRANSTAN 100 EC	100 g/L	EC	HERBICIDE	4	083-306-2397	18-Jun-18	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)			
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS+CYPERMETHRIN	CPP KILLER 275 EC	250+25 g/L	EC	INSECTICIDE	2	590-239-5022	27-Jan-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30mL (2-3Tbsp)/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS+CYPERMETHRIN	CPP KILLER 275 EC	250+25 g/L	EC	INSECTICIDE	2	590-239-5022	27-Jan-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	-	-
CROP PROTECTION AGRIVENTURES INC.	2,4-D IBE	CPAI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	616-049-5475	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with CPAI 2,4-D ESTER can be done one day after spraying
CROP PROTECTION AGRIVENTURES INC.	2,4-D IBE	CPAI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	616-049-5475	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CPAI 2,4-D ESTER can be done one day after spraying
CROP PROTECTION AGRIVENTURES INC.	2,4-D IBE	CPAI 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	616-049-5475	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CPAI 2,4-D ESTER can be done one day after spraying
CROP PROTECTION AGRIVENTURES INC.	2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	616-013-5474	31-Dec-26	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with CPAI 2,4-D AMINE can be done one day after spraying
CROP PROTECTION AGRIVENTURES INC.	2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	616-013-5474	31-Dec-26	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with CPAI 2,4-D AMINE can be done one day after spraying
CROP PROTECTION AGRIVENTURES INC.	2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	616-013-5474	31-Dec-26	POST-EMERGENT	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with CPAI 2,4-D AMINE can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	COVERT 200 OD	150g/L+50g/L	OD	HERBICIDE	4	551-504-5999	29-Nov-25	POST-EMERGENT	Rice (direct-seeded)	Grasses, broadleaves and sedges	50-100 mL/ 16L		-	As soon as spray dries up.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.

AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Eggplant	Early and late blight, *cercospora* , anthracnose	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	0 day	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Pepper	Early and late blight. Bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Celery	Early and late blight	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-27	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	As soon as pray solution has dried on the foliage, re-entry into treated areas may be done.
RAINBOW AGROSCIENCES PHILIPPINES INC.	METSULFURON METHYL+CHLORIMURON ETHYL	COURON 20 WP	100 g/Kg+100 g/Kg	WP	HERBICIDE	4	539-298-5429	05-May-27	POST-EMERGENCE	Rice (Direct-Seeded)	Broadleaf weeds & sedges	5-10 Tankloads/ha (16L sprayer); 1-2 of sachet/Tankload	-	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	METSULFURON METHYL+CHLORIMURON ETHYL	COURON 20 WP	100 g/Kg+100 g/Kg	WP	HERBICIDE	4	539-298-5429	05-May-27	POST-EMERGENCE	Rice (Transplanted)	Broadleaf weeds & sedges	5-10 Tankloads/ha (16L sprayer); 1-2 of sachet/Tankload	-	-	As soon as the spray mist dries up
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Pineapple	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Banana	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Mango	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Coffee	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
FKA AGRI CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	COUNTER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	399-238-6393	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
FKA AGRI CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	COUNTER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	399-238-6393	19-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Citrus	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Coffee	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Pineapple	Broadleaves and annual grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/Kg	WP	HERBICIDE	4	551-021-3956-A	09-Dec-27	SYSTEMIC	Non-crop agricultural land	Annual and perennial grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Citrus	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Coffee	Broadleaves and annual grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Pineapple	Broadleaves and annual grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-27	SYSTEMIC	Non-crop land	Annual and perennial grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
BAYER CROPSCIENCE, INC.	TEFURYLTRIONE+TRIAFAMONE	COUNCIL COMPLETE SC 300	200g/L+100g/L	SC	HERBICIDE	3	284-487-4512	17-Sep-27	PRE-EMERGENT	Rice	Grasses, sedges and broadleaf weed	75-100mL product/ha applied at 2-4 days after transplanting with spray of	0.01 mg/kg(Tefuryltrione) 0.01 mg/kg(Triafamone)	-	As soon as spray deposit have dried
BAYER CROPSCIENCE, INC.	ETHOXYSULFURON & TRIAFAMONE	COUNCIL ACTIV WG 30	200 g/Kg+100 g/Kg	WG	HERBICIDE	4	284-517-4905	18-Sep-22	SELECTIVE	Rice (Transplanted)	Grasses sedges and broadleaf weeds	(15-17) grams product/16 Liters water applied at spray volume of 160	Triafamone: 0.01 mg/Kg Ethoxysulfuron: 0.1 mg/Kg	-	As soon as spray deposits have dried
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Potato	Early and Late Blight	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cabbage, Cauliflower & Broccoli	Downy mildew, Alternaria Leaf Spot	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cucumber & squash	Downy mildew, Anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Beans, peas & mungbean	Anthracnose	3-6 Tbsp/16 L water	-	5 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Tomato	Early & late blight, Anthracnose, Septia, Leaf spot	3-6 Tbsp/16 L water	-	5 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Onion & Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Pepper & chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Mango	Anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Melon & watermelon	Downy mildew, Anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	-
MGB TRADING CORP.	MANCOZEB	COSTZEB 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Beans	Downly mildew, powdery mildew	3.5-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Ornamentals	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Pepper	Downly mildew, powdery mildew	6.0-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Tomato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Eggplant	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Cotton	Downly mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/Kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Pineapple	Mites, Heart rot	5.0Tbsp/16 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORYWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Pineapple	Heart rot and root rot caused by Phytophthora spp. And white leaf spot caused by chalara (Thielaviopsis) paradoxa	6-12 tbsp/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORYWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 tbsp/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORYWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Rubber	Black stripe (panel disease)	6-12 tbsp/ 16L	-	-	-

RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORYWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Cacao	Black pod	6-12 tbsp/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORYWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Orchids	Black rot	6-12 tbsp/ 16L	-	-	-
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Cotton	Leafhopper, bollworms & aphids	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Mango	Mango hoppers, twig borer, tip borer & fruitflies	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Tobacco	Budworm, leafworm & aphids	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Cabbage	Diomand back moth, cabbage moth cutworm & aphids	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Crucifers	Diomand back moth, cabbage moth cutworm & aphids	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Beans	Flea beetle, aphids, bean fly & pod borer	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Mango	Flea beetle, aphids, bean fly & pod borer	1-3 Tbsp /16 water	-	Harvest is generally 4-7 days	One day after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PYRACLOSTROBIN	COROPYR 250 EC	250 g/L	EC	FUNGICIDE	2	466-396-5299	18-Dec-26		Corn	Leafspot	0.4 Dose rate (L/HA)	-	4 days	After drying of spray or 24 hours after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PYRACLOSTROBIN	COROPYR 250 EC	250 g/L	EC	FUNGICIDE	2	466-396-5299	18-Dec-26		Cavendish Banana	Black sigatoka and freckles	0.4 Dose rate (L/HA)	-	4 days	After drying of spray or 24 hours after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCHLORAZ	COROPROZ SUPER 450 EW	450 g/L	EW	FUNGICIDE	3	466-300-5884	6-Oct-25	-	Banana	Fungal crown mold/ crown rot	2 mL/L	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCHLORAZ	COROPROZ SUPER 450 EW	450 g/L	EW	FUNGICIDE	3	466-300-5884	6-Oct-25	-	Pineapple	Butt and crown mold and fruit core rot	0.5-1 mL/L water; 1L/ha	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCHLORAZ	COROPROZ 450 EC	450 g/L	EC	FUNGICIDE	2	466-300-5430	05-May-27	POST-HARVEST	Banana	Fungal crown/crown rot	2 ml/L	5.0 mg/kg	-	-
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field 1 day after application.
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Tomato	Early blight, fruit rot *septoria* , downy mildew	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Mango	Anthracnose	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Rice	Rice blast, sheath blight, bacterial leaf streak	2.0-5.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Cacao	Black pod	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Onion	Purple blotch, downy mildew	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Cabbage	Black rot, black leaf streak	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Carrot	Carrot blight, *alternaria*	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Beans	Rust, bacterial blight	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Banana	Sigatoka	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGCHEM MANUFACTURING CORPORATION	BPMC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPMC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Mango	hopper & tip borer	3-3.5 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
JYNNSONS PHILIPPINES, INC.	CARBENDAZIM	CONVEX 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	06-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILIPPINES, INC.	CARBENDAZIM	CONVEX 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILIPPINES, INC.	CARBENDAZIM	CONVEX 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	06-Apr-27	SYSTEMIC	Green Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILIPPINES, INC.	CARBENDAZIM	CONVEX 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILIPPINES, INC.	CARBENDAZIM	CONVEX 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MISCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CYHALOTHRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CONTROL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	234-229-0976	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	NICLOSAMIDE	CONTROL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	234-229-0957	18-Oct-26	-	Rice	Golden apple snail	7-10 /10-14Tbsp/16L water	-	-	Entry to field and crops treated with CONTROL 250 EC can be done 48 hours after spraying
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Rice	Stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth,and aphids	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
JYNNSONS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/Kg	SP	INSECTICIDE	3	551-106-3804	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated-field 48 hours after spraying.
PLANTCARE TRADING CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	CONSOL A - 150K	285+475 ml/L	LC	OTHERS	4	495-348-3390	07-Jan-22	-	-	Surfactant on Yield Master SC 100	sprayloads 10,20-30 ml/16 L water: sprayloads 15,15-20 ml/16 L water:	-	-	-
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha	-	7 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Stringbeans	Green Leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter trated fields for at least 1 day after application

FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 m/L ha	-	7 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Mango	Leafhoppers, tip bores, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 m/L ha	-	3 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Banana	Flower thrips	1-3 mL/L		90 days	Do not enter trated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter trated fields for at least 1 day after application
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, flea beetle, aphids	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, tuber moth, leafminer	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp./ 16 L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3-5 Tbsp/16L water			
INTEGRO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Garlic	Thrips, cut worm	1.5-2 Tbsp./ 16 L water			
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUEROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	CONQUER 160 SL	160 g/L	SL	HERBICIDE	4	376-151-2071	19-Apr-19	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Mango	Hoppers	20-25ml/100 L water,800-2500 spray volume Liters/ha	0.2 ppm	20 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Banana	Flower thrips, aphids, mealy bugs	0.5-1.0 mL prod./L water(100-160 spray volume Liters/ha) 0.5-	0.05 ppm	0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Watermelon	Thrips, aphids	3-4 ml/16 L water(400 spray volume L/ha)		7 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Citrus	Rindborer, mealybug, scale insects	1.25-2.50ml/16 L water,2500 spray volume L/ha		14 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Cabbage	DBM, Flea beetle	2.0-2.5ml/16 L water,1000 spray volume L/ha		28 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Sugarcane	Termites	1.5-2.5ml/16 L water,1000 spray volume L/ha			In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Asparagus	Thrips	3 ml/16 L water,400 spray volume L/ha	0.7 ppm	0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Okra	Leafhopper	0.62-1.25ml/16 L water,160-500 spray volume L/ha	0.1 ppm	3 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
BAYER CROPSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Pineapple	Mealybug	before planting at the rate of 0.85 liter prod in 568 liters of water,2-3 months	0.01 ppm		In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Mango	Hoppers	20-25 MI100 L water		20 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Banana	Flower thrips, aphids, mealy bugs	0.5-1.0mL 0.5-1.5mL prod/liter water		0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Watermelon	Thrips, aphids	3-4 mL16 L water		-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Citrus	Rindborer, mealybug, scale insects	1.25-2.50 mL16 L water		14 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Cabbage	DBM, Flea beetle	2.0-2.5 mL/16 L water		28 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Sugarcane	Termites	1.5-2.5 mL/16 L water		-	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Asparagus	Thrips	3 mL		0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Okra	Leafhopper	0.62-1.25 mL/16 L water		0 day	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Pineapple	Mealybug	before planting at the rate of 0.85 liter prod in 568 liters of water,2-3 months		30 days	In banana(bud injection),enter the treated area immediately after bud injection.In other crops (including banana as foliar application),enter
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water		-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	24 hours after application
KEMISTAR CORPORATION	PROPICONAZOLE	CONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	239-178-1732	26-Jul-26	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	-	-
KEMISTAR CORPORATION	PROPICONAZOLE	CONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	239-178-1732	26-Jul-23	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	-
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Corn	Helminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.

UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-28	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
FARM EDGE AGRO TRADING CORPORATION	PYMETROZINE	COMRADE 50 WG	500 g/Kg	WG	INSECTICIDE	4	618-307-4461	27-Dec-26	-	Mango	Mango Leafhopper	1 sachet*/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
FARM EDGE AGRO TRADING CORPORATION	PYMETROZINE	COMRADE 50 WG	500 g/Kg	WG	INSECTICIDE	4	618-307-4461	27-Dec-26	-	Rice	brown planthopper and green lafhopper	-	-	-	Do not enter the treated fields for at least 24 hours after application
FARM EDGE AGRO TRADING CORPORATION	PYMETROZINE	COMRADE 50 WG	500 g/Kg	WG	INSECTICIDE	4	618-307-4461	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	-	-	-	Do not enter the treated fields for at least 24 hours after application
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/Kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7-14 days	Do not enter treated fields until spray deposits have dried
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	50g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-013-3267	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-013-3267	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-013-3267	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Stringbeans	Aphids	2-3 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Tomato	Fruitworm	2-3 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Banana	Thrips	1.5-2 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 Tbsp/16L water	0.02 ppm	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	ACEPHATE	COMPETE 75 SP	750 g/Kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-27	SYSTEMIC	Mango	Hopper, Tiploborers	1.5-2 Tbsp/16L water	-	Crop sprayed with COMPETE 75 SP can be harvest 2 weeks after treatment	Entry to fields and crops treated with COMPETE 75 SP can be done as soon as foliage of the sprayed plant have dried
ZAGRO CORPORATION	TEBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-259-5592	28-Oct-24	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 Day	After spray deposits have dried.
ZAGRO CORPORATION	TEBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-259-5592	28-Oct-24	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	After spray deposits have dried.
ZAGRO CORPORATION	TEBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-259-5592	28-Oct-24	SYSTEMIC	Mango	Anthracnose	35-45mL/100 L water	-	22 days	After spray deposits have dried.
FMC AGRO PHILIPPINES INC.	CLOMAZONE+PROPANIL	COMMAND PLUS 600 EC	200+400 g/L	EC	HERBICIDE	2	598-330-4190	02-Nov-26	POST-EMERGENT	Rice	Grasses, broadleaves & sedges	8-10 Tbsp/16L water	-	-	-
FMC AGRO PHILIPPINES INC.	CLOMAZONE	COMMAND 3 ME	336 g/L	ME	HERBICIDE	4	598-285-4189	02-Nov-26	PRE-EMERGENT/POST-EMERGENT	Rice (Direct-Seeded)	Grasses	3 Tbsp/16L Spray Load	-	-	-
FMC AGRO PHILIPPINES INC.	CLOMAZONE	COMMAND 3 ME	336 g/L	ME	HERBICIDE	4	598-285-4189	02-Nov-26	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Grasses	3-4 Tbsp/16L Spray Load	-	-	-
NEXCHEM CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	COMBONEX 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	702-504-6326	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
GRANDIA AGRO MARKETING CORPORATION	BISPYRIBAC SODIUM	COMBEE 100 SC	100 g/L	SC	HERBICIDE	4	445-276-5079	09-Mar-23	SELECTIVE(POST-EMERGENT)	Rice(Direct seeded lowland)	Grasses, Sedges and Broadleaves	-	-	-	As soon as spray deposits dru up.
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	COLUMBIA 600 SC	600 g/L	SC	FUNGICIDE	4	470-053-5222	16-Nov-22		Banana	Black Sigatoka	1.5-2.0 L/ha	-	-	As soon as spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	COLUMBIA 600 SC	600 g/L	SC	FUNGICIDE	4	470-053-5222	16-Nov-22		Potato	Late blight	5-6 tbsp.16L water	-	-	As soon as spray has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day afterapplication or after the spray has dried;do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Citrus	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Coffee	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Cotton	Annual and perrenial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Sugarcane	Annual and perrenial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Pineapple	Annual and perrenial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Non-crop	Annual and perrenial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Citrus	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Coffee	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Cotton	Annual and perrenial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Sugarcane	Annual and perrenial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Pineapple	Annual and perrenial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing

SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Non-crop	Annual and perrenial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Citrus	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Coffee	Annual and perrenial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Cotton	Annual and perrenial broadleaves and grasses	8.0Tbsp/16 L water			-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Sugarcane	Annual and perrenial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Pineapple	Annual and perrenial broadleaves and grasses	13.0Tbsp/16 L water				
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/Kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Non-crop land	Annual and perrenial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	
SYNGENTA PHILIPPINES INC.	MANCOZEB	COLONEL 600 OS	606.43 g/L	OS	FUNGICIDE	4	011-053-6083	5-Feb-27	-	Banana	Black sigatoka	1.75--2.90 L/ha	-	No-pre-harvest interval necessary from last spray until harvest	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with ppl) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tiporers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application	
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Pineapple	White grubs, scale insect, mealy bug, mites, aphids (through drone application)	1.5-2.5 L prod./ ha	-	150 days	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/ ha 600-800 L/ha	-	240-300	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Bittergourd	Leafhopper, cutworm	20 mL prod/ha 500 L/ha	-	3	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/ 16L 600 L/ha	-	1	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Eggplant	Shoot borer, fruit borer, cutworm	10-15 mL prod/ 16L 800 L/ha	-	1	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Stringbeans	Pod borer, leaffolder	10-15 mL prod/ 16L 600 L/ha	-	-	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Rice	Stem borer, leaffolder	20-25 mL prod/ 16L 300 L/ha	-	-	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Tomato	Cutworm, fruitworm	27-40 mL prod/ 16L 500 L/ha	-	3	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Tobacco	Cutworm, budworm	25-30 mL prod/ 16L 240 L/ha	-	7	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-25	-	Corn	Corn borer, earworm	25-30 mL prod/ 16L 240 L/ha	-	7	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORANTRANILIPROLE	COGENT 20 SC	200 g/L	SC	INSECTICIDE	4	733-393-6176	25-Apr-25	-	Pineapple	White grubs, scale insect, mealy bug, mites, aphids (through drone application)	0.4-1.0 L prod/ ha 1,800-3,800 L/ha	-	150 days	After spray deposits have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Cucurbits	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22		Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried	
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	POTASSIUM SALTS OF FATTY ACID	COCHIGARD	40 g/L	-	INSECTICIDE	4	639-476-4708	18-Mar-25	CONTACT	Cavendish banana as insecticidal soap	Mealy bugs and scale insects and aphids through stem and mat spray	30-40 mL/L H2O; 20-30 mL/L H2O	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/Ha				
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Vegetables	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-	
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	non-crop	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-	
AGSMART CORPORATION	CLOTHIANIDIN	CLOTINUM 200 SC	200 g/L	SC	INSECTICIDE	4	680-379-6467	19-Feb-27	-	Rice	Rice black bug	0.08-0.1 kg/ ha; 40-50 mL prod/ 16L water; 400-500 mL prod./ ha	-	-	-	
AGCHEM MANUFACTURING CORPORATION	CLOTHIANIDIN	CLOTHIACHEM 20 SC	200 g/L	SC	INSECTICIDE	4	001-379-5728	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	

UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-27	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	SULFOXAFLOR	CLOSER 500 WG	500 g/Kg	WG	INSECTICIDE	4	737-528-5032	23-Aug-26	-	Rice	Green leafhopper	(125-150) grams product per hectare at spray volume of 192 Liters per	6 mg/Kg	21 days	-
AGCHEM MANUFACTURING CORPORATION	PROPICONAZOLE	CLIPPER 25 EC	250 g/L	EC	FUNGICIDE	4	001-178-4584	18-Jan-27	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	PROPICONAZOLE	CLIPPER 25 EC	250 g/L	EC	FUNGICIDE	4	001-178-4584	04-Jan-22	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	CYHALOFOP-BUTYL	CLINCHER 100 EC	100 g/L	EC	HERBICIDE	4	014-257-4292	19-Mar-27	SYSTEMIC	Rice (Direct-seeded)	Grasses	12 tankload/ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CYHALOFOP-BUTYL	CLINCHER 100 EC	100 g/L	EC	HERBICIDE	4	737-257-0601	25-Mar-27	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
EZERTECH CORPORATION	PYRIMETHANIL	CLIMAX 600 SC	600 g/L	SC	FUNGICIDE	4	648-345-5113	26-Nov-22	SYSTEMIC	Cavendish Banana	Black sigatoka	500-750 L prod./ Ha	-	Harvest can be done 8 days after application.	Do not enter treated area until sprayed plants dry up.
PLANTCARE TRADING CORPORATION	CYHALOFOP-BUTYL	CLIFF 10 EC	100 g/L	EC	HERBICIDE	4	495-257-4846	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Bittergourd	Cutworm leafhopper	20 mL prod/ha 500 L/ha	0.60 ppm	3 Days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water 600 L/ ha	4 ppm	1 day	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 mL prod./ 16L water; 30 mL prod./ 16L water	0.02 ppm	7 Days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Eggplant	Fruit and shoot borer cutworm	10-15 mL prod./ 16L water 800 L/ ha	0.3 ppm	1 day	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Rice	Stem borer, leaffolder	20-25 mL prod./ 16L water 300 L/ ha	2 ppm	-	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod./ 16L water 600 L/ ha	0.2 ppm	-	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0 g prod/ ha)	-	255 days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water 240 L/ ha	3 ppm	7 Days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTRANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16Lwater 500 L/ ha	0.60 ppm	3 Days	12 hours after spraying
LICHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	05/18/25		Cabbage	Diamond-back moth	8-13ml/16L water		1 Day	Twelve hours after spraying
LICHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	05/18/25		Bittergourd Ampalaya"	Leaffolder, cutworm	8-10ml/16L water		1 Day	Twelve hours after spraying
LICHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	05/18/25		Eggplant	Shootborer/fruitborer	8-10ml/16L water		1 Day	Twelve hours after spraying
LICHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	05/18/25		Stringbeans	Podborer	8-10ml/16L water		1 Day	Twelve hours after spraying
EZERTECH CORPORATION	CLETHODIM	CLETO-D 24 EC	240 g/L	EC	HERBICIDE	4	648-334-5039	18-Feb-26	SYSTEMIC	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. ciliaris	50 mL / ha	-	Do not spray 14 days before harvest	Entry to fields may be done 1 day after application
AGSMART CORPORATION	CLETHODIM	CLETHOXONE 240 EC	240 g/L	EC	HERBICIDE	4	680-334-6469	20-Feb-27	-	Onion	*E.colona, Eleusine indica, D. aegyptium & D. ciliaris*	500 mL prod./ ha	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with **CLETHOXONE 240 EC** may be done 1 day after spraying
S&P ENTERPRISES INC.	CLETHODIM	CLETHOMAX 240 EC	240 g/L	EC	HERBICIDE	4	566-334-5892	9-Sep-27	-	Onion	Echinocloa colona Eleusine indica, Dactylotenium aegyptium and Digitaria ciliaris	0.5 L / ha	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with **CLETHOMAX 240 EC** may be done 1 day after spraying
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	_	_	_
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Glyphosate tolerant corn under minimum or reduced	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	ATRAZINE+TOPRAMEZONE	CLEARMORE 31 SC	300 g/L+10 g/L	SC	HERBICIDE	4	451-626-6237	18-Aug-25	SYSTEMIC (POST-EMERGENT)	Corn	Grasses sedges, broadleaves	2L prod./ hectare; 192 L/ha	-	30 days	As soon as the spray droplets have dried on the foliage
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Glyphosate tolerant corn under minimum reduced	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Mango	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Banana	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-

C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Oil Palm	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	07-Feb-27	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	09-Jun-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	09-Jun-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	09-Jun-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	09-Jun-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-	-
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEARDIU 80 WP	800 g/Kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Glyphosate tolerant corn under minimum reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	23-Jun-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
ACE CROP SOLUTIONS INC.	CARBENDAZIM	CLEARAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-267-3512	24-Aug-18	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-	-
ACE CROP SOLUTIONS INC.	CARBENDAZIM	CLEARAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-267-3512	24-Aug-18	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-	-
ACE CROP SOLUTIONS INC.	CARBENDAZIM	CLEARAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-267-3512	24-Aug-18	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	-	-
ACE CROP SOLUTIONS INC.	CARBENDAZIM	CLEARAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-267-3512	24-Aug-18	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-	-
ACE CROP SOLUTIONS INC.	CARBENDAZIM	CLEARAZIM 50 WP	500 g/Kg	WP	FUNGICIDE	4	530-267-3512	24-Aug-18	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPCARE CHEMICAL CORPORATION	GLYPHOSATE IPA	CLEAR GROUND 480 SL	480 g/L	SL	HERBICIDE	4	556-151-3703	12-May-25	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Vegetables under minimum reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
CROPKING CHEMICALS INC.	GLYPHOSATE IPA	CLEANZONE IPA 480 SL	480 g/L	SL	HERBICIDE	4	065-151-1997	20-Nov-27	NON-SELECTIVE	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	BENZALKONIUM CHLORIDE	CLEANZER 400	400 g/L	SL	OTHERS	4	295-394-3231	25-Nov-26	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	-	As soon as solution has dried up.
LICHEMPHIL INTERNATIONAL INC.	PENOXSULAM+CYHALOFOP-BUTYL	CLEANSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	590-383-4950	07-Nov-25	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I nagossm,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5, 7.0 Tbsp/tank load	-	-	-	As soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	PENOXSULAM+CYHALOFOP-BUTYL	CLEANSHOT 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	590-383-4950	07-Nov-25	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I nagossm,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10.0, 8.5 Tbsp/tank load	-	-	-	As soon as spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Melon	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried

RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Cucumber	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Squash	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Watermelon	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Pepper	Early and late blight, bulb rot,neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Corn	Helminthosporium leaf spot, rust, downy mildew, cercospora leaf spot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.0 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Potato	Early and late blight, vine rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Carrot	Alternaria, helminthosporium leaf spot, cercospora leaf spot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2.0 L/ha	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Beans	Anthracnose, rust	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Crucifers	Powdery mildew	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Melon	Anthracnose, cercospora leaf spot, downy mildew, leaf blight	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Cucumber	Anthracnose, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Squash	Anthracnose, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Watermelon	Anthracnose, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	07-Mar-26	-	Celery	Early and late blight	6.0-8.5 / 16 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEANCUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Sorghum	Cornborer,earworm	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 per 16L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/Kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 per 16L sprayer	-	-	-
ELITE AGROCHEMICALS INC.	CLOTHIANIDIN	CLAUDIN 200 SC	200 g/L	SC	INSECTICIDE	4	719-379-6111	7-Sep-25	-	Rice	Rice black bug	40-50 mL	-	-	-
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-enrty to treated field is allowed as soon as spray deposits dry.
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-enrty to treated fields is allowed as soon as spray deposits dry

EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Mungbeans	Beanflies,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheatl blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Celery	late blight	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-27	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+DIFENOCONAZOLE	CITEENGOLD 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	500-750 mL prod/ ha; 50-75 mL prod/ 16L water; 160-192 L/ha	Azoxystrobin 0.01ppm Difenoconazole 0.01ppm	28 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+DIFENOCONAZOLE	CITEENGOLD 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Onion	Anthracnose	300-500 mL prod/ ha; 20-35 mL prod/ 16L water; 200-500 L/ha	Azoxystrobin 0.01ppm Difenoconazole 0.01ppm	12 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+DIFENOCONAZOLE	CITEENGOLD 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Potato	Late blight	400-500 mL prod/ ha; 20-25 mL prod/ 16 L water; 300-500 L/ha	Azoxystrobin 0.05ppm Difenoconazole 0.1ppm	14 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+DIFENOCONAZOLE	CITEENGOLD 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Rice	Rice blast, sheath blight	250-500 mL prod/ha; 20-50 mL prod/ 16L water; 160-200 L/ha	Azoxystrobin 0.06ppm Difenoconazole 0.4ppm	30 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
LICHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+DIFENOCONAZOLE	CITEENGOLD 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod/ ha; 150-200 mL prod/ 200 L water; 2.040-3.472 L/ha	Azoxystrobin 0.2ppm Difenoconazole 0.07ppm	14 Days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	CYPERMETHRIN	CIPO 5 EC	50 g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Banana	Blossom thrips	0.5 / L water	-	0 day	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Cabbage	Diamond back moth	2-3 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Ornamentals	Mites	1-1.5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Pineapple	Mites	-	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2-5 tbsp/ 16L water; 5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Onion	Leafminer, thrips	2-3 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Potato	Leafminer, thrips	2-3 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Tomato	leafminer, thrips, aphids	2-3 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried

FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Watermelon	Leafminer, thrips, melonworm	2-3 tbsp/ 16L water	-	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Papaya	Mites	-	-	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Srawberry	Mites	2-4 tbsp/ 16L water	-	-	-	Re-enter treated area only after spray has dried
MONARCH AGRICULTURAL PRODUCTS, INC	DAZOMET	CIMOZOMID-G	980 g/Kg	G	OTHERS	3	096-095-5370	24-Mar-27	-	Soil fumigant	nematodes, root disease, soil insects & weeds	-	-	Non Pre-harvest Interval is necessary from fumigation to harvest	-	-
MONARCH AGRICULTURAL PRODUCTS, INC	OXAMYL	CIMOXAMATE 240 SL	240 g/L	SL	NEMATICIDE	1	096-172-4063-B	31-Dec-26	SYSTEMIC	Banana	Nemotodes and *com weevils	7-10 mL/mat	-	14 Days		Do not enter fields treated with CIMOXAMATE 240 SL within 12 hours after application
MONARCH AGRICULTURAL PRODUCTS, INC	SPIROTETRAMAT	CIMOTETRAVEN 240 SC	240 g/L	SC	INSECTICIDE	3	096-419-6022	8-Feb-26	-	Banana	Flower thrips	30-40 mL/1L water	-	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC	SPIROTETRAMAT	CIMOTETRAVEN 240 SC	240 g/L	SC	INSECTICIDE	3	096-419-6022	8-Feb-26	-	Pineapple	Mealy bugs, scale insects, white grubs and mites	30-40 mL/1L water	-	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC	PROCHLORAZ	CIMOPROMEG 45 EW	450 g/L	EW	FUNGICIDE	3	096-300-5990	12-Jan-26	-	Banana	Fungal crown mold/ crown rot	2-4 L prod./ha	-	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC	PROCHLORAZ	CIMOPROMEG 45 EW	450 g/L	EW	FUNGICIDE	3	096-300-5990	12-Jan-26	-	Pineapple	Butt and crown mold	0.5 mL Prod/ L water	-	-	-	-
ALDIZ INCORPORATED	NICLOSAMIDE ETHANOLAMINE SALT	CIMARRON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	002-229-2448	23-Dec-26	CONTACT	Rice	Golden apple snail	35g or 1 sachet	-	-	-	Do not enter the treated field within 48 hours after application
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CIMARRON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	239-229-3036	30-Mar-21	CONTACT	Rice	Golden apple snail	35g or 1 sachet	-	-	-	Do not enter the treated field within 48 hours after application
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA 5 EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry
PRIMESTOCKS CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CHUN-UP 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	623-229-4595-A	04-Jan-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams product/ load (1 sachet)	_	_		48 hours after spraying
DCDM MARKETING INCORPORATED	PYMETROZINE	CHOSEN 50 WG	500 g/Kg	WG	INSECTICIDE	4	467-307-4341	27-Dec-26	-	Mango	Leafhopper	80 sachet / 200L	_	-		Do not enter the treated fields for at least 24 hours after application.
DCDM MARKETING INCORPORATED	PYMETROZINE	CHOSEN 50 WG	500 g/Kg	WG	INSECTICIDE	4	467-307-4341	27-Dec-26	-	Rice	brown planthopper and green lafhopper	25-30 sachet/ 200L	-	-		Do not enter the treated fields for at least 24 hours after application.
DCDM MARKETING INCORPORATED	PYMETROZINE	CHOSEN 50 WG	500 g/Kg	WG	INSECTICIDE	4	467-307-4341	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16 sachet/ 200L	-	-		Do not enter the treated fields for at least 24 hours after application.
BERRIS AGRICULTURAL COMPANY, INC.	IPRODIONE	CHORALE 50 WP	500 g/Kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-27	SELECTIVE	Rice	Sheath blight	0.4-0.8 product kg/ha	3ppm	14 Days		Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL COMPANY, INC.	IPRODIONE	CHORALE 50 WP	500 g/Kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-27	SELECTIVE	Banana	Sigatoka & crown rot & mold	1.0-1.5 product kg/ha	10.0 mg/kg	0 Day		Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL COMPANY, INC.	IPRODIONE	CHORALE 50 WP	500 g/Kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-27	SELECTIVE	Cabbage	Black leg	-	-	-		Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL COMPANY, INC.	IPRODIONE	CHORALE 50 WP	500 g/Kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-27	SELECTIVE	Turf grass	Fairy ring	6.0-12.0 product kg/ha	-	-		Do not enter treated areas without protective clothing until sprays have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Rice	Green leafhopper, caseworm, ricebug	4-6 tbsp/16 L water	1ppm	14 Days		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cotton seed	Silkworm, cutworm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER 85 S	850 g/Kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cucurbits	Squash beetle, lady beetle,aphids	4-6 tbsp/16 L water	-	-		Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	BISPYRIBAC SODIUM	CHOICE 10 SC *	105.5 g/L	SC	HERBICIDE	2	234-276-4210	21-Dec-23	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Transplanted and Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-		As soon as spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	BISPYRIBAC SODIUM	CHOICE 10 SC *	105.5 g/L	SC	HERBICIDE	4	234-276-2558	05-Mar-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded and transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-		As soon as spray deposit have dried.
ZAGRO CORPORATION	PROCHLORAZ	CHLORZAC 450 EW	450 g/L	EW	FUNGICIDE	3	043-300-4801	27-May-25		Banana	Fungal crown mold/crown rot	2 ml/L	5.0 mg/kg	-		-
ZAGRO CORPORATION	PROCHLORAZ	CHLORZAC 450 EW	450 g/L	EW	FUNGICIDE	3	043-300-4801	27-May-25		Pineapple	Butt & crown rot	200-400 ppm ai	2.0 mg/kg	-		-
FKA AGRI CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR-PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water				
FKA AGRI CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR-PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water				
FKA AGRI CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR-PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water				
FKA AGRI CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR-PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water				
SANKHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	09-Jun-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-		-
SANKHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	09-Jun-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-		-
SANKHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	09-Jun-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-		-
SANKHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	09-Jun-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-		-
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL+MANCOZEB	CHLOROZEB WP	-	WP	FUNGICIDE	2	581-531-5148	02-Jul-21	-	Banana	Sigatoka & leaf speckle	1.5-2.5 L/ ha	-	-		-
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Garlic	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 Days		Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried

BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Peanut	Cercospora leaf spot,rust	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 Days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEK 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-28	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Grapes	Downy and powdery mildew, fruit rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Potato	Early and late blight, vine rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Banana	Sigatoka, rust, freckles, *helminthosporium* leaf spot	2.0 Liters/Ha	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Beans	Rust, anthracnose	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Crucifers	Powdery mildew	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Watermelon	Powdery mildew, anthracnose, early and late blight, *cercospora* , septoria fruit rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Melon	Powdery mildew, anthracnose, early and late blight, *cercospora* , septoria fruit rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Cucumber	Powdery mildew, anthracnose, early and late blight, *cercospora* , septoria fruit rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Squash	Powdery mildew, anthracnose, early and late blight, *cercospora* , septoria fruit rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Corn	*Helminthosporium* leaf spot, rust, downy mildew, *cercospora* leaf spot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Celery	Early and late blight	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Eggplant	Early and late blight, *cercospora* , leaf spot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Mango	Anthracnose, *diplodia* rot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Peanut	*Cercospora* leaf spot, rust	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Pepper	Anthracnose, *cercospora* leaf spot, early blight	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
AGRO IRIS PHILIPPINES, INC.	CHLOROTHALONIL	CHLOROTAC 500 SC	500 g/L	SC	FUNGICIDE	4	752-118-6132	10-Dec-24	-	Carrot	Alternaria, *cercospora* leaf spot, *heminthosphorium* leaf spot	6.0-8.5 / 16L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Banana	Black sigatoka	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Celery	Early and late blight	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 Tbsp/16L water	-	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
PHILAGROW INC.	CHLOROTHALONIL	CHLOROPHIL 720 SC	720g/L	SC	FUNGICIDE	4	372-118-4402	18-Jun-24	-	Asparagus	Black spot, powdery mildew, black rot	-	_	_	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried

ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, shealt blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water			Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jun-27	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jun-27	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jun-27	-	Pineapple	Ants & Mealybugs; White grubs symphylids	1-4 L per hectare; 8L/ha (pre-plant)	0.05 ppm	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16L	-	-	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Potato	Thrips	0.5-1.5, 1.5-3.0 Tbsp/16L			
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Banana	Flower thrips	2-3 ml/ 1L water			
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod./ 16L water; 500 L/ ha	-	3 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water; 600 L/ha	-	1 day	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 mL prod./ 16L water; 30 mL prod./ 16L water	-	7 Days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water; 800 L/ha	-	1 day	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Rice	Stem borer, leaffolder	300 L/ha	-	-	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod./ 16L water; 600 L/ha	-	-	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0 g prod./ ha)	-	255 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water; 240 L/ha	-	7 Days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTRANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water; 500 L/ha	-	3 days	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod./ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	10-15 mL prod/ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 mL prod./ 16L water; 30 mL prod./ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod/ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Rice	Stem borer, leaffolder	20-25 mL prod./ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod/ 16L water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Sugarcane	Sugracane borer	800 L/ha (1.5-2.0 g prod./ ha)	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16l water	-	-	12 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CHLORANTRANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16l water	-	-	12 hours after spraying
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs, leaffolder	16-32 mL/16L water	0.90 ppm	28 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Mango	Hoppers, twig/tip borer	32-48 mL/16 water	0.03 ppm	40 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Corn	Seedling maggot, corn borer, earworms	16-32 mL/16L water	-	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Tomato	Fruitworms	32 mL/16 water	2.00 ppm	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Eggplant	Shoot/fruit borers, leafhoppers	16-32 mL/16L water	0.50 ppm	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Mungbeans	Pod borers, leafhoppers	16-32 mL/16L water	-	-	After spray deposits have dried up.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs, leaffolder	16-32 mL/16L water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Mango	Hoppers, twig/tip borer	32-48 mL/16 water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Corn	Seedling maggot, corn borer, earworms	16-32 mL/16L water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Tomato	Fruitworms	32 mL/16 water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Eggplant	Shoot/fruit borers, leafhoppers	16-32 mL/16L water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHIX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-28	-	Mungbeans	Pod borers, leafhoppers	16-32 mL/16L water	-	Crop sprayed with **CHIX 2.5 EC** can be harvested 2 weeks after treatment	Entry to fields and crops treated with **CHIX 2.5 EC** can be done as soon as spray deposits have dried
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiloopers, bean lycaenid	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	-	1.0ppm	-	24 hours after last spray
THE LICHEMPHIL INTERNATIONAL INC.	CYHALOFOP-BUTYL+ETHOXYSULFURON	CHIEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	590-540-5354	29-Nov-27	POST-EMERGENT	Rice (Direct-Seeded)	(Echinochloa sp., Leptochloa chinesis), sedges (Cyperus difformis, Cyperus iria, Fimbristylis miliacea) and broadleaves (Ludwigia	0.5L prod./ hectare	-	-	As soon as spray deposits have dry.

THE LICHEMPHIL INTERNATIONAL INC.	CYHALOFOP-BUTYL+ETHOXYSULFURON	CHIEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	590-540-5354	29-Nov-27	POST-EMERGENT	Rice (Transplanted)	(Echinochloa sp., Leptochloa chinesis), sedges (Cyperus difformis, Cyperus iria, Fimbristylis milliacea) and broadleaves (Ludwigia	500-750 mL prod./ ha	-	-	As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	CYHALOFOP-BUTYL+ETHOXYSULFURON	CHIEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	011-540-5744	29-Nov-27	POST-EMERGENCE	Rice (Transplanted)	(Echinochloa sp., Leptochloa chinesis), sedges (Cyperus difformis, Cyperus iria, Fimbristylis milliacea) and broadleaves (Ludwigia	10-12 tankloads/ ha	-	-	As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	CYHALOFOP-BUTYL+ETHOXYSULFURON	CHIEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	011-540-5744	29-Nov-27	POST-EMERGENCE	Rice (Direct-Seeded)	Major weeds	500-750 ml/Ha			As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/Kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Mango	leafhopper	80 g prod or 1 Sachet/200L	-	No PHI	Do not enter treated fields until spray deposit have completely dried
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/Kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Corn	Leafhopper, planthopper & aphids	7-16 g prod/16L	0.02 ppm	5 days	Do not enter treated fields until spray deposit have completely dried
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/Kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Rice	Leafhopper and green leafhopper Rice black bug and brown planthopper	25-30 gms/16L 0.25-0.30 kg prod./ ha, (0.125-0.150	0.02 mg/kg	36 days	Do not enter treated fields until spray deposit have completely dried
CHEMI-SOURCE UNLIMITED CORPORATION	PYMETROZINE	CHEMI-PYMETROZINE 25 SC	250 g/L	SC	INSECTICIDE	4	674-307-6004	23-Jan-24	-	Banana	Scale insects, mealybugs, aphids	0.5-2.5 mL product/ L water	-	0 day	After spray deposits have dried.
CHEMI-SOURCE UNLIMITED CORPORATION	PROCHLORAZ	CHEMI-PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	674-300-5384	5-May-24	-	Banana	Fungal crown mold/crown rot, anthracnose, pitmark, and smoky fruit	2-4 mL/L water	-	0 day	After spray deposits have dried
CHEMI-SOURCE UNLIMITED CORPORATION	PROCHLORAZ	CHEMI-PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	674-300-5384	5-May-24	-	Pineapple	Butt and crown mold/ Butt and crown rot	0.5-1.0 mL/L water: 1.0-3.0 L/ hectare	-	0 day	After spray deposits have dried
CHEMI-SOURCE UNLIMITED CORPORATION	IMIDACLOPRID	CHEMI-IMIDACLOPRID 70 WG	700 g/kg	WG	INSECTICIDE	-	674-240-5349	17-May-22	-	Banana	Scale insects, mealybugs, aphids	1.5-2.0 g prod./ L awater	-	-	-
CHEMI-SOURCE UNLIMITED CORPORATION	IMIDACLOPRID	CHEMI-IMIDACLOPRID 70 WG	700 g/kg	WG	INSECTICIDE	-	674-240-5349	19-Oct-22	-	Banana	Corm weevils, white grubs	100-250 prod. / ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	PYMETROZINE	CHEK 50 WG	500 g/Kg	WG	INSECTICIDE	4	264-307-4897	27-Dec-26	-	Mango	Leafhopper	80 sachet / 200L	-	-	Do not enter the treated fields for at least 24 hours after application
UNITED AGROSCIENCE PHILS., INC.	PYMETROZINE	CHEK 50 WG	500 g/Kg	WG	INSECTICIDE	4	264-307-4897	27-Dec-26	-	Rice	brown planthopper and green lafhopper	25-30g/ 16L	0.02 mg/kg	36 days	Do not enter the treated fields for at least 24 hours after application
UNITED AGROSCIENCE PHILS., INC.	PYMETROZINE	CHEK 50 WG	500 g/Kg	WG	INSECTICIDE	4	264-307-4897	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16g prod./ 16L 100-250g prod./ ha	0.02 mg/kg	5 days	Do not enter the treated fields for at least 24 hours after application
LICHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHEESTAR 50 WG	500 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Mango	Mango Leafhopper	80 g Dose rate per 200 L water	-	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter treated fields until spray deposit have completely dried
LICHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHEESTAR 50 WG	500 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Corn	Leafhopper, planthopper and aphids	7-16 g prod/ 16L water 100-250 g prod/ ha	0.02 ppm	5 days	Do not enter treated fields until spray deposit have completely dried
LICHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHEESTAR 50 WG	500 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Rice	brown planthopper and green lafhopper	25-30 g prod/ 16L water	0.02 ppm	36 days	Do not enter treated fields until spray deposit have completely dried
ARIES RNE CHEMICAL CORPORATION	PYMETROZINE	CHEERS 50 WG	500 g/Kg	WG	INSECTICIDE	4	478-307-5351	27-Dec-26	-	Mango	Leafhopper	80 g/16L	-	-	Do not enter the treated fields for at least 24 hours after application.
ARIES RNE CHEMICAL CORPORATION	PYMETROZINE	CHEERS 50 WG	500 g/Kg	WG	INSECTICIDE	4	478-307-5351	27-Dec-26	-	Rice	brown planthopper and green lafhopper	25-30 g/16L	-	Do not spray 36 days before harvest	Do not enter the treated fields for at least 24 hours after application.
ARIES RNE CHEMICAL CORPORATION	PYMETROZINE	CHEERS 50 WG	500 g/Kg	WG	INSECTICIDE	4	478-307-5351	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-16 g/16L	-	5 days	Do not enter the treated fields for at least 24 hours after application.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp/16L water	0.5 mg/kg	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-27	-	Banana	Black sigatoka	1.2 L/ha	2.0 mg/Kg	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPROUT PHILS., INC.	METHOMYL	CHECKMATE 40 SP	400 g/Kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
GENTRADEPHIL INC.	CHLORFENAPYR	CHARLEE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
GENTRADEPHIL INC.	CHLORFENAPYR	CHARLEE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
GENTRADEPHIL INC.	CHLORFENAPYR	CHARLEE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Banana	Flower thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
C.B. ANDREW ASIA, INC.	PYRACLOSTROBIN	CHARGECORE 250 EC	250 g/L	EC	FUNGICIDE	2	460-396-4954	29-Oct-26	SYSTEMIC	Banana	Black sigatoka and freckles	0.4 L/Ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
C.B. ANDREW ASIA, INC.	PYRACLOSTROBIN	CHARGECORE 250 EC	250 g/L	EC	FUNGICIDE	2	460-396-4954	29-Oct-26	-	Corn	Leaf spot	0.4 L/ ha	-	4 days	After drying of spray or 24 hours after spraying
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR+PROPANIL	CHARGE 70 EC	350+350 g/L	EC	HERBICIDE	3	295-238-2775	05-Sep-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as sthe spray mist dries up
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR+PROPANIL	CHARGE 70 EC	350+350 g/L	EC	HERBICIDE	3	295-238-2775	05-Sep-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as sthe spray mist dries up
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried

R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	450-118-2521	19-Sep-20		Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Banana	Sigatoka	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Beans	Rust, bacterial blight	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cabbage	Black rot, black leaf spot	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cacao	Black pod	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Carrot	Carrot blight, alternaria cercospora	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Celery	Early and late blight	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Citrus	Melanose scab, canker fruit rot, brown spot, black spot	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Coffee	Leaf rust, coffee berry disease	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cucumber	Anthracnose, septoria cercospora, fruit rot, downy mildew	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Grapes	Black rot, downy mildew, powdery mildew	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Mango	Anthracnose	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Onion	Purple blotch, downy mildew	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Pepper	Bacterial spot	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Potato	Early and late blight	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Tomato	Early blight, fruit rot, septoria	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/Kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Watermelon	Anthracnose, fruit rot	-	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Banana	Sigatoka	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Beans	Rust, bacterial blight	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Cabbage	Black rot, black leaf spot	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Cacao	Black pod	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Carrot	Carrot blight, alternaria cercospora	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Cauliflower	Downy mildew, alternaria leaf spot	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Celery	Early and late blight	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Citrus	Melanose scab, canker fruit rot, brown spot, black spot	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Coffee	Leaf rust, coffee berry disease	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Cucumber	Anthracnose, septoria cercospora, fruit rot, downy mildew	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Grapes	Black rot, downy mildew, powdery mildew	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Mango	Anthracnose	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Onion	Purple blotch, downy mildew	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Pepper	Bacterial spot	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Potato	Early and late blight	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Tomato	Early blight, fruit rot, septoria	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/Kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-27	-	Watermelon	Anthracnose, fruit rot	0.5-1.5 kg/ ha; 2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray untill harvest	Spray area may be entered as soon as the spray has dried
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Mungbeans	Beanflies, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-B	06-Jul-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Banana	Black sigatoka	0.30.0.40 L prod./ ha			
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Cabbage	*Alternaria* leaf blight	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Eggplant	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Mango	Anthracnose	0.528-0.880 L prod./ ha	-	14 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Onion	Purple blotch	0.40-0.50 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Rice	Sheath blight	0.25-0.30 L prod./ ha	-	-	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCONAZOLE	CHAINKLINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, mpowdery mildew	0.40 L prod./ ha	-	7 days	-
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/Ha	-	-	-

CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters /Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/Ha	-	-	-
CFS AGRI-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4650	09-Mar-25	POST-EMERGENT	Non-crop areas		-	-	-	
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	CERTACOR 35 WG	350 g/Kg	WG	INSECTICIDE	4	598-393-4527	18-Mar-25	-	Rice	Stemborer	85.7 gms. prod/ha, (8.57 gms.prod/16L). Spray volume at	2.0 mg/kg	70 days	-
JOEPABS AGRICHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CENTURION 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	638-229-4721	19-Mar-25	CONTACT	Rice	Golden Apple Snail	1 sachet(35 gm)/16 L water; 10 tankload/ha			At least 48 hours after application
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-27	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELERITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIELA MARKETING COMPANY INCORPORATED	POTASSIUM PEROXYMONOSULPHATE	CEKOCIDE	900 g/kg	-	OTHERS	2	734-601-5870	31-Dec-27	-	-	Disinfection in livestock farms	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Cabbage	Clubroot	10 mL/ galion 4L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Potato	Late blight	25-30 mL/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Tomato	Late blight	25-30 mL/ 16L	-	-	-
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	460-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 40 EC can be done one day after spraying
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	460-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 40 EC can be done one day after spraying
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	460-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 40 EC can be done one day after spraying
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying.
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying.
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying.
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/16L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS. ENTERPRISE INC.	CHLOROTHALONIL	CAVALRY 500 SC	500 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Mango	Hopper, Tip borer, twig borer	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbs/ 16L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21		Cacao	Podborer, aphids	0.1 Tbsp/16L water			24 hours after last spray
CROWN AGRI-TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CAT NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	438-229-2867	27-Jul-20	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries

CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGRI-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Banana	Black sigatoka	280 g/ha			
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			
CROWN AGRI-TRADING CORPORATION	2,4-D IBE	CAT 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	438-049-2873	22-Aug-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm		
CROWN AGRI-TRADING CORPORATION	2,4-D IBE	CAT 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	438-049-2873	22-Aug-17	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
CROWN AGRI-TRADING CORPORATION	2,4-D IBE	CAT 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	438-049-2873	22-Aug-17	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water			
CROWN AGRI-TRADING CORPORATION	2,4-D AMINE	CAT 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	438-013-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with CAT 2,4 D AMINE can be done one day after spraying
CROWN AGRI-TRADING CORPORATION	2,4-D AMINE	CAT 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	438-013-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with CAT 2,4 D AMINE can be done one day after spraying
CROWN AGRI-TRADING CORPORATION	2,4-D AMINE	CAT 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	438-013-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with CAT 2,4 D AMINE can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water		7 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Coffee	Berry borer	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water		1 Day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Citrus	Rind borer	4-6 tbsp/16 L water		5 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water		14 Days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-27	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water		-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	BPMC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165-A	13-Dec-27	-	Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPMC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165-A	13-Dec-27	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPMC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165-A	13-Dec-27	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPMC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165-A	13-Dec-27	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPMC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165-A	13-Dec-27	-	Mango	Leafhopper and tip borer	3-3.5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS+CYPERMETHRIN	CARTEL 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	481-239-3429	29-Jun-18	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS+CYPERMETHRIN	CARTEL 27.5 EC	250+25 g/L	EC	INSECTICIDE	2	481-239-3429	29-Jun-18	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-		
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCDM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500 g/Kg	SP	INSECTICIDE	3	467-106-2762	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.

LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500 g/Kg	ES	INSECTICIDE	3	099-106-0716-C	13-Nov-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	10 days	Do not enter treated field within 2 days after spraying.
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500 g/Kg	SP	INSECTICIDE	3	702-106-5621	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800 g/Kg	WP	HERBICIDE	4	539-021-4524	25-Sep-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Rice	Stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Potato	Thrips, aphids, cutworm, tubermoth, leafhopper	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500 g/Kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500 g/Kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Soybeans	Beanfly, grubs, nematode, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOFURAN	CARBOMAX 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	385-104-2119-A	17-Sep-25	-	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/Kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ZAGRO CORPORATION	CARBENDAZIM	CARBENSAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	CARBENDAZIM	CARBENSAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	CARBENDAZIM	CARBENSAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	CARBENDAZIM	CARBENSAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Sugarcane	Pineapple disease(*Cercospora hayii*)	5-10/200L water cane dipping	-	-	-
ZAGRO CORPORATION	CARBENDAZIM	CARBENSAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Banana	Diamond fruit spot(*Cercospora hayii*), anthracnose(*Colletotrichum musae*)	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	-	-
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Mango	Antracnose	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Cucurbits	Downy mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Garden peas	Powdery mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Sugarcane	Pineapple disease	5-10 per 200 L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up
zHENGBANG CROP PROTECTION (PHILIPPINE) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Banana	Diamond fruit spot, antracnose	0.5-1.0 mL per L water	-	7 days	Re-entry is allowed as soon as the spray deposits dry up
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-		Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried

ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZEAL 85 WP	850 g/Kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-27	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-80 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Rice	Green leafhopper, armyworm, caseworm, rice bug	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Cowpea and other beans	Podborer, beanfly, leaf miner, cutworm, aphids	40-80 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Soybeans	Podborer, beanfly, leaf miner, aphids	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Cucurbits	Squash beetle,lady beetle, aphids	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Tomato	Fruit worm, lady beetle	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Cotton	Bollworm, cutworm	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Corn	Corn borer, corn earworm, armyworm	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Sorghum	Web worm, armyworm, cutworm, headworm	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Tobacco	Budworm, cutworm, aphids	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Citrus	Rindborer	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Cacao	Pod borer, aphids, capsid bug	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Coffee	Berry borer	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	13-Aug-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 g/16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, cofee and mango	Treated areas maybe re- entered immediately after spray has dried on foliage
ACE CROP SOLUTIONS INC.	CLOTHIANIDIN	CARAXES 20 SC	200 m/L	SC	INSECTICIDE	4	530-379-599	29-Jul-25	-	Rice	Rice black bug	4-5 tbsp/16 L	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2616	05-Aug-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-		-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	-	0.2 mg/kg	-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-182-4499	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Avocado	Black spots	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Beans	Anthracnose, rust, downy mildew	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Celery	Damping-off, pink rot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Citrus	Brown spots, melanose black spots, scab	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Corn	Diplodia rot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Cucumber	Mildew, anthracnose, cercospora, septoria	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Eggplant	Anthracnose, fruit rot, early blight, phomopsid blight	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Garlic	Downy mildew, leaf blight, purple blotch	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Grapes	Deam arm disease	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Mango	Anthracnose, scab	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Melon	Cercospora leaf spot, mildew	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Onion	Downy mildew, purple blotch, leaf blight	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Ornamentals	Black spots, phytophthora	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Oil palm	Anthracnose, seeding blight, diplodia leaf spot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Pepper	Anthracnose, stem end rot, fruit rot, cercospora, leaf spot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Pineapple	Heart rot, root rot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Potato	Early and late blight	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Squash	Mildew, cercospora, anthracnose, septoria	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Strawberry	Botrytis rot. Grey molds	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Tomato	Anthracnose, early and late blight, septoria leaf spot	4-8 tbsp./16 L water			
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20		Watermelon	Mildew, alternaria and cercospora leaf spot	4-8 tbsp./16 L water			

TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Avocado	Black spots	4-8 tbs.p./16 L water		0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Beans	Anthracnose, rust, downy mildew	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Celery	Damping-off, pink rot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Citrus	Brown spots, melanose black spots, scab	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Corn	Diplodia rot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Cucumber	Mildew, anthracnose, cercospora, septoria	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Eggplant	Anthracnose, fruit rot, early blight, phomopsid blight	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Garlic	Downy mildew, leaf blight, purple blotch	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Grapes	Deam arm disease	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Mango	Anthracnose, scab	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Melon	Cercospora leaf spot, mildew	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Onion	Downy mildew, purple blotch, leaf blight	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Ornamentals	Black spots, phytophthora	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Oil palm	Anthracnose, seeding blight, diplodia leaf spot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Pepper	Anthracnose, stem end rot, fruit rot, cercospora, leaf spot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Pineapple	Heart rot, root rot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Potato	Early and late blight	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Squash	Mildew, cercospora, anthracnose, septoria	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Strawberry	Botrytis rot. Grey molds	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Tomato	Anthracnose, early and late blight, septoria leaf spot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24		Watermelon	Mildew, alternaria and cercospora leaf spot	4-8 tbs.p./16 L water	-	0 day	After spray deposits have dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Avocado	Black spots	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Beans	Anthracnose, rust, downy mildew	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Celery	Damping-off, pink rot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Citrus	Brown spots, melanose black spots, scab	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Corn	Diplodia rot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Cucumber	Mildew, anthracnose, cercospora, septoria	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Eggplant	Anthracnose, fruit rot, early blight, phomopsid blight	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Garlic	Downy mildew, leaf blight, purple blotch	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Grapes	Deam arm disease	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Mango	Anthracnose, scab	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Melon	Cercospora leaf spot, mildew	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Onion	Downy mildew, purple blotch, leaf blight	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Ornamentals	Black spots, phytophthora	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Oil palm	Anthracnose, seeding blight, diplodia leaf spot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Pepper	Anthracnose, stem end rot, fruit rot, cercospora, leaf spot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Pineapple	Heart rot, root rot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Potato	Early and late blight	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Squash	Mildew, cercospora, anthracnose, septoria	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Strawberry	Botrytis rot. Grey molds	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Tomato	Anthracnose, early and late blight, septoria leaf spot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/Kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-27	-	Watermelon	Mildew, alternaria and cercospora leaf spot	4-8 tbs.p./16 L water	-	When applied of recommended rates, very shrort or no harvest interval will be normaly necessary	After spray has dried up
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Banana	Thrips, scarring beetles	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/Kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries

ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
C.B. ANDREW ASIA, INC.	NICLOSAMIDE ETHANOLAMINE SALT	CANON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	460-229-4749-D (735)	21-Sep-27	CONTACT	Rice	Golden apple snail	35g or 1 sachet	–	–	–
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	CANE RIPENER 48 SL	480g/L	SL	INSECTICIDE	4	367-151-5210	02-Feb-27	-	Sugarcane	Ripener	2-3 L Prod. Per 30L water per hectare	-	6-8 weeks before harvesting	-
BERRIS AGRICULTURAL COMPANY, INC.	BISPYRIBAC SODIUM	CANDIDATE 10 SC	106.4 g/L	SC	HERBICIDE	2	233-276-2443	09-Jun-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Tomato	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Eggplant	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Vegetables	Powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Cotton	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Grapes	Powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Beans	Downy mildew, powdery mildew	3.5-7 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Pepper	Downy mildew, powdery mildew	6-7 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Ornamentals	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Papaya	Odium	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Citrus	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUFRE 800 WG	800 g/Kg	WG	FUNGICIDE	4	604-083-4667	25-Mar-27	-	Pineapple	Mites, heart rot	-	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	HYDRAMETHYLNON	CAMPAIGN ANT BAIT	7.3 g/Kg	B	INSECTICIDE	4	099-292-3991	17-Feb-26	-	Pineapple (Product is restricted for institutional	Ants	1.75 kg/ha		Do not harvest within thirty (30) days after last application	Re-entry into treated areas is allowed after 12 hours
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	CALIYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
BASF PHILIPPINES, INC.	TRIDEMORPH	CALIXIN 86 OL	860 g/L	OL	FUNGICIDE	2	005-097-1179	29-Jul-17	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/Ha Tridemorph + 5.0 L/Ha Oil			
PHILAGROW INC.	CYHALOFOP-BUTYL	CALIBRE 100 EC	100 g/L	EC	HERBICIDE	4	372-257-3580	21-Oct-18		Rice (Direct-Seeded)	Grasses	12 tankload/ha;80ml/16 L,15 tankload/ha:60ml/16 L 20	-	-	-
AGCHEM MANUFACTURING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CALIBER 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	001-229-1134	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (001M & 239F)	15-Jun-27	CONTACT	Mango	Thrips	1-2 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
VETREMIDICA CORPORATION	ETHANOL+DIDECYLDIMETHYLAMMONIUM CHLORIDE+GLYCOLIC ACID+CITRIC ACID MONOHYDRATE	CAL CLEAN	250g/L+100g+25g +25g		OTHERS	2	700-557-5570	31-Dec-27	-	-	Disinfection of swine, poultry drinking systems and water lines	-	-	-	-
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Tobacco	Budworm, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Coffee	Berry borer,bark borer	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Melon	Squash beetle,squash bug,leafworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Watermelon	Squash beetle,squash bug,leafworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Garlic	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Mungo	Bean podborer,beanfly,armyworm,cutworm, leafminer ,leaffolder	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Lanzones	Berry borer,bark borer	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPMC+CHLORPYRIFOS	CAGE 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		Beans	Bean podborer,beanfly,armyworm,cutworm, leafminer ,leaffolder	2.5-3.5 Tbsp/16L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
BASF PHILIPPINES, INC.	IMAZAPIC	CADRE 240 SL	240 g/L	SL	HERBICIDE	3	005-507-4773	01-Jul-26	-	Sugarcane	Grasses and broadleaves	0.3-0.4 L/ ha.	-	No PHI	As soon as spray droplets dries or 12 hours after spraying
BIOSTADT PHILIPPINES INC.	ETOFENPROX	CADET 2.5 EC	25 g/L	EC	INSECTICIDE	4	097-208-3348	16-Nov-24	CONTACT	Rice	Green leafhopper,brown plant hopper,stem borer,whorl maggot & leaf folder	4-8 Tbsp/16L water	0.05ppm	7 Days	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	CADET 2.5 EC	25 g/L	EC	INSECTICIDE	4	097-208-3348	16-Nov-24	CONTACT	Mango	Mango Hoppers	4-8 Tbsp/16L water	2.0 mg/kg	7 Days	As soon as the spray solution has dried on the foliage
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries

TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Celery	Late blight	3-6 Tbsp/16L water		14 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cotton	Damping off	3-6 Tbsp/16L water		-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		lettuce	Downy mildew	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Pepper	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Chili	Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water		-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16L water		60 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Mango	Anthracnose and Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Papaya	Fruit rot	3-6 Tbsp/16L water		-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water		5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water		7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16L water		14 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Soybeans	Leaf rust	3-6 Tbsp/16L water		-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water		-	As soon as spray dries
BASF PHILIPPINES, INC.	METIRAM + PYRACLOSTROBIN	CABRIO TOP 60 WG	550 g/kg+50 g/kg	WG	FUNGICIDE	3	005-522-4991	01-Apr-25	-	Mango	Anthracnose	0.75-1.5 kg/ha	-	-	-
BASF PHILIPPINES, INC.	METIRAM + PYRACLOSTROBIN	CABRIO TOP 60 WG	550 g/kg+50 g/kg	WG	FUNGICIDE	3	005-522-4991	01-Apr-25	-	Tomato	Early Blight	1.0-1.5 kg/ha	-	-	-
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	005-396-2202	21-Mar-20	SYSTEMIC	Banana	Sigatoka freckles	0.4 L/Ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	005-396-2202	21-Mar-20	SYSTEMIC	Corn	Rust, Leaf blight and Corn eyespot	0.4 L/Ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	005-396-2202	01-Apr-25	SYSTEMIC	Cavendish banana	Black sigatoka	0.4 L/Ha	-	-	As soon as spray droplets dry
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	005-396-2202	01-Apr-25	SYSTEMIC	Corn	Leaf spot	0.4-0.6 L/ ha	-	-	As soon as spray droplets dry
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Non-crop agricultural areas	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	NICLOSAMIDE	C.B ANDREW NICLOSAMIDE 25 EC	250 g/L	EC	MOLLUSCICIDE	4	460-229-5175	18-Aug-26	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	At least 48 hours after application
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B ANDREW METALDEHYDE 60 PELLET	60 g/Kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare		_	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B ANDREW METALDEHYDE 60 PELLET	60 g/Kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare		_	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B ANDREW METALDEHYDE 60 PELLET	60 g/Kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare		_	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B ANDREW METALDEHYDE 60 PELLET	60 g/Kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-27	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare		_	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B ANDREW METALDEHYDE 60 PELLET	60 g/Kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare		_	Do not enter treated field within 48 hours after application.
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Cabbage	Diamond-back moth, cabbage worms, loopers	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Potato	Thrips, armyworms, cutworm, tubermoth	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Soybean	Corn earworm, leafminers	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Mungbeans	Corn earworm, leafminers	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Cotton	Thrips, bollworms, budworms	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Stringbeans	Beanfly, leaffolder, aphids, podborer	1.5-3.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Watermelon	Thrips	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Mango	Blossom thrips	3-5 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	BYTER TOP 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	738-438-6269	18-Sep-26	SYSTEMIC	Mango	Anthracnose	40-80 g/ 100L water; 2,000 L/ha	0.01 ppm 0.07 ppm	30 days	As soon as spray deposit have dried.
BYTER PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	BYTER TOP 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	738-438-6269	18-Sep-26	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	120-160 g prod/ ha; 12-16g/ 16L water; 160 L/ha	0.01 ppm 2.0 ppm	35 days	As soon as spray deposit have dried.
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Glyphosate tolerant corn	Itch grass, morning glory, day flower, button weed, spindletop, colopogonium, hairy beggarticks, tropic ageratum	2-3 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Mango	Cogon (Shade Condition)	3.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Banana	Cogon (Shade Condition)	3.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Coffee	Cogon (Open Condition)	4.5 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Cacao	Cogon (Open Condition)	4.5 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Rubber	Mutha, Paragrass, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Oil palm	Mutha, Paragrass, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Citrus	Mutha, Paragrass, Talahib, Fern (Shade Condition)	4.5 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Coconut	Mutha, Paragrass, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Sugarcane	Other annual weeds	2.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Vegetables	Other annual weeds	2.0 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST EMERGENT	Cavendish Banana	Grasses, sedges and broadleaves	160 mL/ 16L water; 135-200 mL/ 16L water	-	-	After spray deposits have dried.
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST EMERGENT	Rubber	Grasses, sedges and broadleaves	215 mL/ 16L water; 270 mL 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried.
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST EMERGENT	Oil palm	Grasses, sedges and broadleaves	160 mL/ 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried.
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST EMERGENT	Non-agricultural crop areas	Grasses, sedges and broadleaves	160-215 mL/16L water	-	-	After spray deposits have dried.

NEXCHEM CORPORATION	BUTACHLOR	BUTHANEX 60 EC	600 g/L	EC	HERBICIDE	4	702-150-5720	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9,7,7,7,11 Tbsp/16L Sprayload	-	-	-
NEXCHEM CORPORATION	BUTACHLOR	BUTHANEX 60 EC	600 g/L	EC	HERBICIDE	4	702-150-5720	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9,7,11,18 Tbsp/16L Sprayload	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolders, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CYHALOTHRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223-A	06-Jul-27	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries
KEMISTAR CORPORATION	BUTACHLOR	BUTASTAR 60 EC	600 g/L	EC	HERBICIDE	3	239-150-2260	05-Jun-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
KEMISTAR CORPORATION	BUTACHLOR	BUTASTAR 60 EC	600 g/L	EC	HERBICIDE	3	239-150-2260	05-Jun-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
AGSMART CORPORATION	BUTACHLOR+PROPANIL	BUTAPROP 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	680-238-6387	4-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves weeds	-	-	-	-
AGSMART CORPORATION	BUTACHLOR+PROPANIL	BUTAPROP 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	680-238-6387	4-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves weeds	-	-	-	-
LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR+PROPANIL	BUTANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	590-238-5030	03-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR+PROPANIL	BUTANIL 70 EC	350+350 g/L	EC	HERBICIDE	3	590-238-5030	03-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ZAGRO CORPORATION	BUTACHLOR	BUTAKILL 600 EC	600 g/L	EC	HERBICIDE	4	043-150-1344	12-Aug-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9; 7(BUTAKILL 600 EC) FOLLWED BY 11(2,4-D EC); 18; (**Tbsp/16Li water**)	0.1 ppm	-	-
ZAGRO CORPORATION	BUTACHLOR	BUTAKILL 600 EC	600 g/L	EC	HERBICIDE	4	043-150-1344	12-Aug-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	Old 9 dapog; 7(BUTAKILL 600 EC) + 7(2,4-D EC); 7(BUTAKILL 600 EC)	0.1 ppm	-	-
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR	BUTAGRAND 60 EC	600 g/L	EC	HERBICIDE	4	445-150-3465	24-Jul-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR	BUTAGRAND 60 EC	600 g/L	EC	HERBICIDE	4	445-150-3465	24-Jul-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR	BUTACLEAN 60 EC	600 g/L	EC	HERBICIDE	4	428-150-2641	01-Sep-19	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm		
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR	BUTACLEAN 60 EC	600 g/L	EC	HERBICIDE	4	428-150-2641	01-Sep-19	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm		
UNITED AGRO TRADE CORPORATION	BUTACHLOR	BUTACHLOR 600 EC	600 g/L	EC	HERBICIDE	4	264-150-1032	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
UNITED AGRO TRADE CORPORATION	BUTACHLOR	BUTACHLOR 600 EC	600 g/L	EC	HERBICIDE	4	264-150-1032	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR	BUTACHEM 60 EC	600 g/L	EC	HERBICIDE	4	001-150-1960	26-Jun-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR	BUTACHEM 60 EC	600 g/L	EC	HERBICIDE	4	001-150-1960	26-Jun-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
R & A AGROFARM PRODUCTS, INC.	CHLORPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	450-101-2522	19-Sep-20	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/16L water	-	-	-
R & A AGROFARM PRODUCTS, INC.	CHLORPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	450-101-2522	19-Sep-20	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/16L water	-	-	-
R & A AGROFARM PRODUCTS, INC.	CHLORPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	450-101-2522	19-Sep-20	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 mL/16L water	-	-	-
R & A AGROFARM PRODUCTS, INC.	CHLORPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	450-101-2522	19-Sep-20	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16L water	-	-	-
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWHACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Mango	Leafhopper, twig borer, tip borer, fruitfly	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, army worm, rice bug	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Tomato	Tomato fruit worm, aphids, beetle	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boil weevil	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-27	-	Corn	Corn borer, earworm	1.0-4.5 tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/Kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/Kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/Kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GNM AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SURE CROP SCIENCE AGRIVENTURES, INC.	PYMETROZINE	BURST 50 WG	500 g/Kg	WG	INSECTICIDE	4	640-307-4718	19-Mar-26	-	Mango	Leafhopper	1 sachet*/200 L	-	7 days	Do not enter the treated fields for at least 24 hours after application

AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	–	–	–
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN-OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		–	–	–
TEXICON AGRI VENTURES CORPORATION	GLYPHOSATE IPA	BURNER 160 SL	160 g/L	SL	HERBICIDE	4	242-151-2173	25-Nov-26	POST-EMERGENT	Non-crop areas	Common grassy fields	3-6 L/ hectare; 24-48 200L/ ha; 12-24 400L/ ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha		-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR	BURADO 60 EC	600 g/L	EC	HERBICIDE	4	266-150-3970	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Annual grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR	BURADO 60 EC	600 g/L	EC	HERBICIDE	4	266-150-3970	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-	-
PHILAGROW INC.	BUPROFEZIN	BUPROZEN 25 SC	250g/L	SC	INSECTICIDE	3	372-224-4401	23-Dec-25	SYSTEMIC	Mango	Leafhopper	60-80ml/200L water	–	Do not spray 15 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	BUTACHLOR+PROPANIL	BUPROTECT 70 EC	350+350 g/L	EC	HERBICIDE	3	667-238-5282-A	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	BUTACHLOR+PROPANIL	BUPROTECT 70 EC	350+350 g/L	EC	HERBICIDE	3	667-238-5282-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm		
THE LICHEMPHIL INTERNATIONAL INC.	BUPROFEZIN	BUPROKILL 25 SC	250 g/L	SC	INSECTICIDE	3	590-224-5604	23-Nov-27	-	Mango	Leafhopper	60-80mL/200 L water	-	Do not spay within 15 days before harvest	Immediately after spray deposit has dried up
UPL PHILIPPINES, INC.	BUPROFEZIN	BUPRO 25 SC	250g/L	SC	INSECTICIDE	3	562-224-3990	14-Feb-26	SYSTEMIC	Mango	leafhoppers	60-80mL/200 L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785-A	05-Jul-26	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	0 day	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785-A	25-Jul-26	SYSTEMIC	Pineapple	Butt rot, *Fusarium sp.*	8 ml / 100 L, 2-4 L product/ha,	-	No PHI since the product is applied as seed piece dip before planting	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785	21-Feb-25	-	Pineapple	Leaf dieback caused by *fusarium sp.*	2-4 L prod./ ha.			
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Citrus	Annual and perrenial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Coffee	Annual and perrenial broadleaf weeds and grasses	130-190 mL prod./ 16L water			Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Cotton	Annual and perrenial broadleaf weeds and grasses	80 mL prod./ 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Sugarcane	Annual and perrenial broadleaf weeds and grasses	65-130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Pineapple	Annual and perrenial broadleaf weeds and grasses	130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Non-crop agricultural areas	Annual and perrenial broadleaf weeds and grasses	200-280 mL prod./ 16L water	-	-	Twenty four (24) hours after application
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Do not enter treated area until spray has dried
OLD TOWN AGRICULTURAL KINDS CORP.	NICLOSAMIDE ETHANOLAMINE SALT	BULLDOZER	700 g/Kg	WP	MOLLUSCICIDE	4	499-229-2802	15-Apr-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	At least 48 hours after application
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Tobacco	Budworm	10-20 mL/16 L	-	7 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Corn	Seeding maggot, corn borer	25-50 mL/16 L	-	13 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Rice	Leafhopper, stemborer, black bug, whorl maggot	40-50 mL/16 L ,25-40 mL/16 L, 15-20 mL/16 L	0.0603 µg/q	18 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Mango	Mango hopper	30-65 mL/16 L	-	28 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Eggplant	Fruit borer, tip borer, whiteflies, aphids, leaf hoppers	15-20 mL/16 L	-	3 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROCHLORAZ	BUHAMAT 450 EW	450 g/L	EW	FUNGICIDE	3	539-300-5956	7-Dec-25	-	Banna	Fungal crown mold/ crown rot	2 mL / L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROCHLORAZ	BUHAMAT 450 EW	450 g/L	EW	FUNGICIDE	3	539-300-5956	7-Dec-25	-	Pineapple	Butt and crown mold and fruitlet core rot	0.5-1 mL / L water or 200-400 ppm a.i.	-	-	-
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BUGSEEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725-B	12-Feb-28	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	_	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry.
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGRI-COMMUNITY CORPORATION	CYPERMETHRIN	BUG+ 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	03-Oct-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARIES RNE CHEMICAL CORPORATION	CLOTHIANIDIN	BUG WIPER 20 SC	200 g/L	SC	INSECTICIDE	4	478-379-5754	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
RBAV HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Non-crop agricultural areas and minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer		_	_
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer		_	_
EZERTECH CORPORATION	BUTACHLOR+PROPANIL	BUENO PRO 70 EC	350g/L+350g/L	EC	HERBICIDE	3	648-238-5882	29-Apr-26	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and broadleaves	8-12 tbsp/ 16L	-	-	-
EZERTECH CORPORATION	BUTACHLOR+PROPANIL	BUENO PRO 70 EC	350g/L+350g/L	EC	HERBICIDE	3	648-238-5882	29-Apr-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and broadleaves	8-12 tbsp/ 16L			
EZERTECH CORPORATION	BUTACHLOR	BUENO 60 EC	600 g/L	EC	HERBICIDE	4	648-150-5146	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
EZERTECH CORPORATION	BUTACHLOR	BUENO 60 EC	600 g/L	EC	HERBICIDE	4	648-150-5146	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbs.p(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
GIRASOL AGRICHEM INC.	POTASSIUM SALTS OF FATTY ACID	BT-CURE	400 g/L	-	INSECTICIDE	4	665-476-5029	27-Jan-23	CONTACT	Cavendish banana as insecticidal soap	Mealybugs and scale insects	30-40 mL/L H2O; 20-30 mL/L H2O	-	-	-
SYNGENTA PHILIPPINES INC.	Cry1Ab, Vip3Aa20, Cry1A.105 and Cry2Ab2	BT11 x MIR162 x MON89034 X GA21	-	-	OTHERS	-	PIP-01-06-07	28-Oct-25	-	Corn	Fall armyworm (PIP)	-			
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0 tbsp/16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 tbsp/16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 tbsp/16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 tbsp/16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 tbsp/16L water	-	-	Twenty four (24) hours after application
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaffolders,black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CYHALOTHRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Rice	Leafhopper, planthopper, stemborer, armyworm, caseworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Mungo	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Soybeans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BPMC+CHLORPYRIFOS	BRONEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	702-174-5616	27-Dec-27	-	Beans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	BROMACIL	BROMIRAGE 80 WP	800 g/Kg	WP	HERBICIDE	4	535-169-3365	22-Dec-27	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BROMACIL	BROMAX 800 WP	800 g/Kg	WP	HERBICIDE	4	088-169-3213	25-Sep-24	-	Pineapple	Annual & Perennial grasses	4.5kg/ha, 14 Tbsp/16 L water	-	Do not apply within 7 to 14 days from last spray till harvest.	Entry into treated fields may be done as soon as a spray solution has dried on the foliage.
C.B. ANDREW ASIA, INC.	BROMACIL	BROMACLEAR 80 WP	800 g/Kg	WP	HERBICIDE	4	460-169-3374-A	25-Sep-27	NON-SELECTIVE	Pineapple	Annual & Perennial grasses	4.5kg/ha, 14 Tbsp/16 L water	-	-	-
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC+CHLORPYRIFOS	BROGEM 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BROFLANILIDE	BROFREYA 20 SC	-	SC	INSECTICIDE		099-548-5511	12-Nov-27	-	Eggplant	Fruit and shoot borer, aphids and hoppers	-	-	As soon as spray dries up	As soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BROFLANILIDE	BROFREYA 20 SC	-	SC	INSECTICIDE		099-548-5511	12-Nov-27	-	Cabbage	Diamond-back moth	5 mL prod./ 16L 25 g AI/ ha or 125 mL prod./ ha		As soon as spray dries up	As soon as spray dries up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPMC+CHLORPYRIFOS	BRODAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	031-174-0162	15-Oct-21	-	Corn	Fall armyworm	25-35 mL / L	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Mungo	Bean podborer, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Soybeans	Bean podborer, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	BPMC+CHLORPYRIFOS	BROADTEX 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Beans	Bean podborer, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	HEXAZINONE+DIURON	BROADLAST 600 WG	132 g/kg+468 g/kg	WG	HERBICIDE	4	540-435-6195	23-Jun-26	-	Sugarcane	Annual grasses, broadleaf weeds and sedges	400-L prod/ ha	-	118 to 137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
MONARC CROP SOLUTIONS PROVIDER CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	BRO 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	550-229-3584	07-Mar-23	-	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application.
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CYPERMETHRIN	BRITTANICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	33.4-66.8 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-1552	09-Aug-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application

TEXICON AGRI VENTURES CORPORATION	CARBOFURAN	BRIFUR 10G	100 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	242-104-2056	13-Mar-25	-	Banana	Cornweevils, scarring beetles and nematodes	10-15 kg/ha	-	0 day	0 day
C.B. ANDREW ASIA, INC.	BUTACHLOR+PROPANIL	BRIDGE 70 EC	350+350 g/L	EC	HERBICIDE	3	460-238-5137-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp./16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR+PROPANIL	BRIDGE 70 EC	350+350 g/L	EC	HERBICIDE	3	460-238-5137-A	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp./16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	POLYETHER-POLYMETHYLSILOXANE COPOLYMER	BREAK-THRU S 240	100 g/L	-	OTHERS	2	096-289-0769	27-Sep-26	-	Banana	Black sigatoka	50ml/5Liters of banole in 30Liters of water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PEG OLEATE(MONO-ESTER)+PEG 300 DI-OLEATE(DI-ESTER)+PEG-300	BREAK-THRU EM 07	705 g/L + 160 g/L + 135 g/L	L	OTHERS	4	096-439-3192	11-Mar-27	-	Banana	Black sigatoka (as emusilfier in the preparation of fungicides solutions to be used black sigatoka spray program in the banana	50ml/5Liters of banole in 30Liters of water	-	-	-
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPMC+CHLORPYRIFOS	BREAKER 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	385-174-2095	31-Oct-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
MEL-JAY AGRI BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Corn	Cornborer, aphids, seedling maggots	1-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Mango	Hoppers	3/4-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Onion	Cutworms, Thrips	1 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Rice	Green leafhopper, armyworm rice bug, leaffolder, black bug	1-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Cotton	Bollworm	1-1 1/2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Mungbean	Beanfly, flea, beetles, leafhoppers	1 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Cocoa	Aphids, mites, pod borer	1-2 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
LICHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Watermelon	Squash beetle, melon worm	1 tbsp/16L	-	Do not spray three days before harvest	Re-entry to trated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4591-A	04-Jan-28	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	_	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges & Broadleaves	2-3 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried ip. It is recommended to keep from disturbing the soil, even by trodding on the
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	1-1.5 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried ip. It is recommended to keep from disturbing the soil, even by trodding on the
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	2-3 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried ip. It is recommended to keep from disturbing the soil, even by trodding on the
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges & Broadleaves	1-1.5 L prod./ ha	-	-	Re-entry can be done after the spray droplets have dried ip. It is recommended to keep from disturbing the soil, even by trodding on the
TEXICON AGRI VENTURES CORPORATION	BUTACHLOR	BOTACO 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT),9Tbsp+7Tbsp	0.1 ppm	-	-
TEXICON AGRI VENTURES CORPORATION	BUTACHLOR	BOTACO 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS),11Tbsp.(30 DAS)	0.1 ppm	-	-
TEXICON AGRI VENTURES CORPORATION	BUTACHLOR	BOTACO 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (drill seeded dryland)	Grasses and Sedges	18 Tbsp /16L sprayload	-	-	-
TEXICON AGRI VENTURES CORPORATION	BUTACHLOR	BOTACO 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (drill seeded upland)	Grasses and Sedges	18 Tbsp /16L sprayload	-	-	-
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
FLAGLEAF AGRI PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Rice	Annual grasses, broadleaves and sedges	3-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries.
FLAGLEAF AGRI PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Sugarcane	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries.
FLAGLEAF AGRI PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Corn	Annual grasses, broadleaves and sedges	5-6 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries.
FLAGLEAF AGRI PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Lawns	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries.
FLAGLEAF AGRI PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Grassland	Annual grasses, broadleaves and sedges	2 Tbsp/16L water	-	-	Re-entry to field is allowed as soon as spray dries.
SABERO ORGANICS PHILIPPINES ASIA INC.	BOSCALID	BOSCORO 50 SC	500 g/L	SC	FUNGICIDE	4	466-413-5097	08-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	-	o day	After drying of spray or 24 hours after spraying
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	15-Feb-28	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	15-Feb-28	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	_	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	15-Feb-28	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	_	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	15-Feb-28	CONTACT	Onion	Cutworm	5.33 tbsp./16L	_	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	15-Feb-28	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	_	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FIPRONIL	BOREX 5 SC	50 g/L	SC	INSECTICIDE	3	385-244-3508-A	21-May-27	CONTACT	Corn	Seedling maggot	-	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Sugarcane	White grubs	80-100 ml/16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Banana	Thrips, aphids, scarring beetle	20-30 ml/16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Pineapple	White grubs, symphylids, ants and mealybugs	4000 L/Ha	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Rice	Stemborer, armyworm, leahopper, caseworm, planthopper, cutworm, rice bug	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Corn	Armyworm, corn borer earworm, seedling maggot	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LICHEMPHIL INTERNATIONAL INC.	CHLORPYRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CLOMAZONE+PROPANIL	BOOTMIDY 600 EC	200 g/L+400 g/L	EC	HERBICIDE	2	539-330-6353	7-Nov-26	POST-EMERGENT	Rice	Grasses, broadleaf weeds, sedges	1-L prod./ ha	-	-	-
PHILAGROW INC.	FIPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest .	One day after application.
PHILAGROW INC.	FIPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
PHILAGROW INC.	FIPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
PHILAGROW INC.	FIPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
PHILAGROW INC.	FIPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	_	Do not apply 7 days before harvest .	One day after application.
MEL-JAY AGRI BUSINESS	NICLOSAMIDE ETHANOLAMINE SALT	BOND 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	415-229-2358	15-Apr-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 grams)/Tankload(16L)	-	-	At least 48 hours after application
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	0 day	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	14 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	03-Oct-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	14 days	12 hours
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Cabbage	Diamondback moth	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Eggplant	Shoot and fruit borer	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Stringbeans	Podborer	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Bittergourd	Leaffolder and cutworm	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Corn	Corn borer, earworm	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-26	CONTACT	Tobacco	Cutworm and budworm	4.0 grams/16L sprayer	-	-	As soon as the spray mist dries up
ZAGRO CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	BOMBARD 275 EC	250+25 g/L	EC	INSECTICIDE	2	043-239-1420	14-Nov-21		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water			
ZAGRO CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	BOMBARD 275 EC	250+25 g/L	EC	INSECTICIDE	2	043-239-1420	14-Nov-21		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water			
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/Kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGRO IRIS PHILIPPINES, INC.	PYMETROZINE	BOLEZIN 50 WG	500 g/L	WP	INSECTICIDE	4	752-307-6064	7-Jan-26	-	Mango	Leafhoppers	80 g/ 200L	-	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter treated fields until spray deposits have completely dried
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Beans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mungbeans	Powdery mildew, *cercospora* leaf spot	1-2 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Cabbage	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Cucumber	Powdey mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Ginger	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Grapes	Powdey mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Orange	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Pepper	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Strawberry	*Cercospora* leaf spot	1-2 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or

VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 Days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/Kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	CONTACT	Banana	Black sigatoka	280g/ha	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	200 g/Kg	WG	OTHERS	4	099-444-3250	26-Dec-19	-	Pineapple	Bacterial heart rot caused by Erwina Chrysanthemi	4.7-18.8kg/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Rice	Bacterial leaf blight	0.5-1.25 kg prod./ ha. At volume rate of 160 L/ ha. Using knapsack spray	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Mango	Anthracnose	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Cacao	Black pod	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Coffee	Leaf rust, coffee berry disease	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Tomato	Early blight, fruit rot, downey mildew, *Septoria*	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Cabbage	Black rot, black leaf spot	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Carrot	Carrot blight	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Onion	Purple blotch, downey mildew	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Garlic	Purple blotch, downey mildew	5.5-16.38 Tbsp/16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/Kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Beans	Rust, bacterial blight	5.5-16.38 Tbsp/16L water	-	-	-
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	4 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	10-12 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BLUZATE 800	800 g/Kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Cucumber	Downy mildew, athracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Squash	Downy mildew, athracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Pepper	Anthranose	3-6 Tbsp/16 L water	-	7 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Chili	Anthranose	3-6 Tbsp/16 L water	-	7 Days	-

PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	3-6 Tbsp/16 L water	-	7 Days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MANCOZEB	BLUEMER 80WP	800 g/Kg	WP	FUNGICIDE	4	495-053-6070	27-Feb-26	-	Ornamentals	Black spot, blight anthracnose	3-6 Tbsp/16 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Mungbean	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BPMC+CHLORPYRIFOS	BLUDAN PLUS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLORPYRIFOS	BLUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLORPYRIFOS	BLUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLORPYRIFOS	BLUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water			
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLORPYRIFOS	BLUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Banana	Sigatoka,finger rot,corn rot	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Beans	Rust,bacterial blight	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Carrot	Carrot blight,alternaria	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Celery	Early and late blight	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Citrus	Melanose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Garlic	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Pepper	Bacterial spot	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Potato	Early and late blight	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Rice	Bacterial blight,rice blast,sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL COMPANY, INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4620	15-Jan-28	-	Watermelon	Anthracnose, fruit rot	2.6-6.0 Tbsp/16L water	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/Kg	SP	INSECTICIDE	2	680-164-5603	27-Dec-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with LANNATE within 12 hours after application
ZAGRO CORPORATION	BUTACHLOR+2,4-D IBE	BLOG 60 EC	360+240 g/L	EC	HERBICIDE	3	043-152-2435	02-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ZAGRO CORPORATION	BUTACHLOR+2,4-D IBE	BLOG 60 EC	360+240 g/L	EC	HERBICIDE	3	043-152-2435	02-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries

MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	60 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	5 days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	14 Days	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/Kg	WP	FUNGICIDE	4	571-053-4082	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BLIZZARD 50 SP	500 g/Kg	SP	INSECTICIDE	3	011-106-2549-A	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0Tbsp/16 L water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Mungo	Bean podborer,aphids, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Soybeans	Bean podborer,aphids, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGRI PHILIPPINES, INC.	BPMC+CHLORPYRIFOS	BLITZKRIEG 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	564-174-3676	31-Mar-22		Beans	Bean podborer,aphids, beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
C.B. ANDREW ASIA, INC.	METAMIFOP	BLISS 100 EC	100 g/L	EC	HERBICIDE	4	460-409-6231	18-Jul-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, echinochlora sp., Leptochloa chinesis, ischaemum rugosum	750 mL to 1 L prod/ ha 7.5 tbsp (75 mL to 10 tbsp or 100 mL		-	
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS+CYPERMETHRIN	BLINK EC	250+25 g/L	EC	INSECTICIDE	2	083-239-2353	08-Jan-18		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water			
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLORPYRIFOS+CYPERMETHRIN	BLINK EC	250+25 g/L	EC	INSECTICIDE	2	083-239-2353	08-Jan-18		Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water			
ACE CROP SOLUTIONS INC.	THIODIAZOLE COPPER	BLIGHT STOP 20 SC	200g/L	SC	FUNGICIDE	4	530-371-3152	26-Feb-27	-	Rice	Bacterial leaf blight	6 Tbsp. or 1/2 bottle (Tbsp/16 L or 1 tankload)	-	Stop spraying 20 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
SL BIOTECH CORPORATION	THIODIAZOLE COPPER	BLB STOPPER 20 SC	200 g/L	SC	FUNGICIDE	4	488-371-3005	26-Apr-27	-	Rice	Bacterial leaf blight	6 Tbsp/16L	-	Stop spraying 20 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR	BLADE 60 EC	600 g/L	EC	HERBICIDE	4	099-150-0718	15-Nov-27	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	Entry to field and crops treated with BLADE 60 EC can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR	BLADE 60 EC	600 g/L	EC	HERBICIDE	4	099-150-0718	15-Nov-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS),7Tbsp(2-4DBS).11Tbsp.(30 DAS)	0.1 ppm	-	Entry to field and crops treated with BLADE 60 EC can be done one day after spraying.
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (001-239)	13-Aug-25	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	_	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
TEAMAGRO TRADING CORPORATION	CLOTHIANIDIN	BLACKSPADE 200 SC	200 g/L	SC	INSECTICIDE	4	248-379-5888	7-Sep-25	-	Rice	Rice black bug	40-50 mL		-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.

SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/Kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
AGRIBASE CHEMICALS, INC.	CLOTHIANIDIN	BLACK JACK 20SC	200 g/L	SC	INSECTICIDE	4	457-379-6216	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Tobacco	Budworm, aphids	8-14 Tbsp/16 L water (200L of water/ha)	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Eggplant	Fruitborer	8-14 Tbsp/16 L water (200L of water/ha)	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Stringbeans	Aphids	8-14 Tbsp/16 L water (200L of water/ha)	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Tomato	Fruitworm	8-14 Tbsp/16 L water (200L of water/ha)	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Banana	Thrips	2.5-3.5 Tbsp/16L water	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Watermelon	Aphids, thrips	8-14 Tbsp/16 L water (200L of water/ha)	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	8-14 Tbsp/16 L water (200L of water/ha)	0.02 ppm	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561-A	04-Jan-28	SYSTEMIC	Mango	Hopper, Tipborers	2.5-3.5 Tbsp/16L water	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
TOP AGRO PRODUCTS COMPANY	CLOTHIANIDIN	BLACK DIAMOND 20 SC	200 g/L	SC	INSECTICIDE	4	210-379-5753	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	BIFENTHRIN	BITILENE 0.1% PE BANANA BAG	-	-	INSECTICIDE	-	361-328-6443	30-Jan-25	-	Banana	Mealy bugs and scale insects	-	-	-	-
EZERTECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-27	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ha	-	-	Do not enter treated field within 48 hours after application
EZERTECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-27	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
EZERTECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-27	-	Potted and driftwood attached plants	Bush snails, giant african snails and slugs	1-2 kgs/ha	-	-	Do not enter treated field within 48 hours after application
EZERTECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-27	-	Strawberry	Slug snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
EZERTECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-27	-	Chinese Cabbage	Slug snails	6-8 kgs/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	BISPYRIBAC SODIUM	BISPYRINEX 10 SC	100 g/L	SC	HERBICIDE	2	702-276-5615-B	21-Jan-28	-	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to fields treated with BISPYRINEX SC is allowed as soon as spray deposits on crops and weeds have dried
UPL PHILIPPINES, INC.	BISPYRIBAC SODIUM	BISPYN 400 SC	400 g/L	SC	HERBICIDE	4	562-276-4065	07-Aug-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BISPYRIBAC SODIUM	BISPYDEX 10 SC	100 g/L	SC	HERBICIDE	2	595-276-5278	08-Nov-27	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
MISCHA AGRO INDUSTRIAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	BISPY TON 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	620-504-5302	02-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ hectare (75mL/ 16L spray load; 10 spray load/ hectare)	-	-	As soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	NICLOSAMIDE ETHANOLAMINE SALT	GVC NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	596-229-5514	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gms/ Tank load 16L	-	-	Re-enter fields at least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	BISPYRIBAC SODIUM	BISIG 100 SC	100 g/L	SC	HERBICIDE	4	432-276-3527-A	09-Mar-26	-	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BISPYRIBAC SODIUM	BISIG 100 SC	100 g/L	SC	HERBICIDE	4	011-276-3527	09-Mar-26	-	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BIFENTHRIN	BISECT 10 WP	10 g/Kg	WP	INSECTICIDE	2	562-328-4480	13-Aug-27	-	Banana	Flower thrips	4-6 grams prod/L water	_	0 day	As soon as the spray mist dries-up
GEM AGROLOGIC, INC.	BPMC	BIPEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Rice	Green leafhopper, brown plant hopper & leaffolder	3-5 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC	BIPEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC	BIPEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC	BIPEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPMC	BIPEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Mango	hopper & tip borer	3-3.5 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 600 SC	600 g/L	SC	FUNGICIDE	4	096-053-3829	12-Jan-27	-	Banana	Black Sigatoka	1.5L-2.0L/ ha	-	No pre-harvest interval necessary from last spray until harvest	As soon has the spray has dry
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 600 SC	600 g/L	SC	FUNGICIDE	4	096-053-3829	12-Jan-27	-	Potato	Late blight	5-6 tbsp/ 16L water	0.2 mg/Kg	No pre-harvest interval necessary from last spray until harvest	As soon has the spray has dry
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 600 OS	600 g/L	OS	FUNGICIDE	4	096-053-1399	12-Jan-27	-	Banana	Sigatoka, Black leaf streak	2.5-2.90 L/ ha	-	No pre-harvest interval necessary from last spray until harvest	-
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 455 SC	455 g/L	SC	FUNGICIDE	4	096-053-1516	12-Jan-27	-	Banana	Black Sigatoka	2.5-5 L/ha	-	Allow 7 days from last spray until harvest.	As soon as spray has dried.
CAMDEN INDUSTRIES, INC.	PENTAPOTASSIUM-BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)	BIOVX	450 g/kg	-	OTHERS	-	730-433-5834	31-Dec-27	-	-	Disinfection of livestock housing surfaces, equipment, foot dips and wheels mats	-	-	-	-
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.

BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water(cane dipping)	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	3.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying
SUPERIORVET, INC.	POTASSIUM MONOPERSULFATE	BIOSAN STERIDET	500 g/kg	-	OTHERS	3	724-556-5788	31-Dec-27	-		Disinfection in animal farms, veterinary equipment and facilities	-			
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-26	POST-HARVEST	Banana	Fungal crown mold/crown rot	2 ml/L	5.0 mg/kg	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-26	POST-HARVEST	Pineapple	Butt & crown mold	200-400 ppm ai	2.0 mg/kg	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-26		Pineapple	Fruitlet core rot	1L product per hectare	-	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Apr-24	POST-HARVEST	Durian	Stem end rot, molds, anthracnose	0.25 mL prod / L solution	7 mg/kg	-	-
VANN HAWK AGRO CHEMICALS, INC.	(Z9,E12)9,12-TETRADECADIEN-1-ol ACETATE	BIOPHERO	-	-	OTHERS	4	295-521-4958	17-Jul-21	-	Corn	Fall armyworm	5 pcs. Lures per hectare	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	(Z9,E12)9,12-TETRADECADIEN-1-ol ACETATE	BIOPHERO	-	-	OTHERS	4	295-521-4958	19-Jan-28	-	Onion	Army worm (as pheromone lure)	5 lures per ha.	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	(Z9,E12)9,12-TETRADECADIEN-1-ol ACETATE	BIOPHERO	-	-	OTHERS	4	295-521-4958	27-May-21	-	Onion	Fall armyworm	-	-	-	-
KARPOS CHEMICALS SOLUTIONS CO.	AZADIRACHTIN	BIO-NEEM 400	-	-	INSECTICIDE/FUNGICIDE	-	684-513-5463	26-May-22	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Eggplant	Fruitborer	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha			
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/NEMATICIDE	2	476-104-2961	25-Jun-18		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha			
BIOLIFE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE+BRONOPOL	BIO-MICROGARD	100 g/L+200 g/L	-	OTHERS	2	581-456-3826	10-Nov-25	-	Banana	As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) &	10-30 mL/L water	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE+BRONOPOL	BIO-MICROGARD	100 g/L+200 g/L	-	OTHERS	2	581-456-3826	08-Jan-20	-	Pineapple	*Phytophthora* sp. and *Fusarium* spp.	10-30 mL/L water	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Ornamentals	Black spot, Black rot, Powdery mildew	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Pepper	Early and late blight, bulb rot, neck rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Onion	Purple blotch, bulb rot, neck rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Mango	Anthracnose, diplodia rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Grapes	Downy mildew, powdery mildew, fruit rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Eggplant	Early and late blight, Cercospora, leafspot, anthracnose	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Celery	Early and late blight	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Crucifers	Powdery mildew	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Carrot	Alternaria leafspot, cercospora leafspot, helminthosporium leaf spot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Beans	Rust, anthracnose	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Tomato	Early and late blight, vine rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Potato	Early and late blight, vine rot	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Asparagus	Stem and leaf blight	-			
BIOLIFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIOLIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23		Banana	Black sigatoka	-			
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-27	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-27	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-27	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-27	-	Crucifers (Chinese Cabbage)	Slugs ,Snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-27	-	Strawberry	Slugs ,Snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
BIOLIFE SCIENCES SOLUTIONS COMPANY	IMIDACLOPRID	BIO-IMIDACLOPRID 70 WP	700 g/kg	WP	INSECTICIDE	-	581-240-5443	17-May-22	-	Banana	Corm weevils, white grubs, scale insects, mealy bugs and aphids	0.2-0.4 kg prod./ ha.(Soil broadcast), 2-4 g prod./ L (Inject 80 mL to the	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	BUPROFEZIN	BIO-FEZIN 25 SC	250g/L	SC	INSECTICIDE	3	581-224-5177	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 mL prod. /L water (stem and mat spray)	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	DIMETHOMORPH	BIO-DIMETHOMORPH 48 SC	480 g/L	SC	FUNGICIDE	2	581-264-5366	19-Oct-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	1.0-2.5 L/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	096-104-0993	22-Oct-24		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	096-104-0993	22-Oct-24		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	096-104-0993	22-Oct-24		Eggplant	Fruitborer	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	096-104-0993	22-Oct-24		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/NEMATICIDE	2	096-104-0993	22-Oct-24		Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within 30 days prior to harvest	2 days

MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	096-104-0993	22-Oct-24		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha		Do not apply within 30 days prior to harvest	2 days
FKA AGRI CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	BIOCIT 40 SL	400 g/L	SL	OTHERS	4	399-394-2329	14-Sep-26	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	As soon as solution has dried up
ZOETIS PHILIPPINES, INC.	IODINE	BIOCID-30	33.2 g/L	-	OTHERS	-	705-449-5656	28-Feb-25	-	-	As disinfectaant for dairy and livestock hygience to control animal diseases	-	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	CALCIUM HYPOCHLORITE	BIO-CHLON	650g/kg		OTHERS	2	581-466-4125	26-Sep-23		Cavendish Banana	Crown rot and crown mold	0.025-0.10 mg/L of water			
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	BUPROFEZIN	BIO-BUPROFEZIN 25 SC	250g/L	SC	INSECTICIDE	3	674-224-5383	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 mL prod. /L water (stem and mat spray)	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	608-065-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter fields within (5) days after application
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	608-065-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter fields within (5) days after application
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	608-065-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			Do not enter fields within (5) days after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	459-151-2573-A	29-Apr-26	POST-EMERGENCE	non-crop and minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
FKA AGRI CHEMICAL CORPORATION	BIFENTHRIN+NOVALURON	BI-NOVAL 100 SC	50 g/L+50 g/L	SC	INSECTICIDE	2	399-484-6392	27-Oct-25	-	Cabbage	Diamond back moth	1.5-2.0 tbsp/ 16L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	METHOMYL	BINNATE 400 SP	400 g/Kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer	-	-	Do not enter fields treated with **BINNATE 400 SP** within 12 hours after application
LICHEMPHIL INTERNATIONAL INC.	CARBENDAZIM+TEBUCONAZOLE	BIMSTAR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	590-405-5023	20-Feb-26	-	Mango	Anthracnose	200-300 mL/ 200L drum	-	55 days ater last application	When spray deposits have dried.
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CYHALOTHRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
IAGRI CHEMICAL CORPORATION	BENOMYL	BIGBEN 50 WP	500 g/Kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	22-Aug-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16L water	-	1 day	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Coffee	Berry borer	4-6 tbsp/16L water	-	1 day	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16L water	-	1 day	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Citrus	Rind borer	4-6 tbsp/16L water	-	5 days	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Rice	Green leafhopper, caseworm, rice bug	4-6 tbsp/16L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHDAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/Kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIZ INCORPORATED	LAMBDA-CYHALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	As soon as the spray has dried
INTERSORORA INC.	PYRIMETHANIL	BFF 400 SC	400 g/L	SC	FUNGICIDE	4	664-345-5875	3-Oct-25	-	Cavendish banana	Black sigatoka	0.5 L prod./ ha		0 day	Do not allow entry into treated areas until spray deposits have dried . When prior entry is necessary, wear cotton coveralls and PVC gloves.
JARDINE DISTRIBUTION, INC.	TOLFENPYRAD	BEXAR 15 SC	150 g/L	SC	INSECTICIDE	2	367-490-4733	15-Nov-27	CONTACT	Cabbage	Cutworm, diamond back moth, semi-looper, flea beetle and aphids	2.2-3.2 Tbsp/16L water with spray volume of 500L/ha	0.3 mg/kg	7 days	The spray should be allowed to dry before re-entry
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, leaffolders, rice bugs, rice black bugs	16-32 mL/16 L water	0.90 ppm	28 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Mango	Hoppers, twig/tip borer	32-48 mL/16 L water	0.03 ppm	40 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Corn	Seedling maggot, corn borers, earworms	16-32 mL/16L water	-	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Tomato	Fruitworm	32 mL/16 water	2.00 ppm	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Eggplant	Shoot/fruit borer, leafhoppers	16-32 mL/16L water	0.50 ppm	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Mungbeans	Pod borers, leafhoppers	16-32 mL/16L water			After spray deposits have dried up.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BESTIDEA 325 SC	200+125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Rice	Rice blast, sheath blight and sheat rot	4.0-5.0 ; 2.5-5.0 tbsp/ 16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BESTIDEA 325 SC	200+125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BESTIDEA 325 SC	200+125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Mango	Anthracnose, scab stem and rot	150-200 mL / 200 L drum	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BESTIDEA 325 SC	200+125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Onion	Anthracnose	2.0-3.5 Tbsp/16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BESTIDEA 325 SC	200+125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/16L water	-	-	-
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Potato	Early and late blight			-	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Cabbage	Downy mildew, alternaria leaf spot			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Cauliflower	Downy mildew, alternaria leaf spot			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Broccoli	Downy mildew, alternaria leaf spot			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Celery	Late blight			14	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Cucumber	Downy mildew, Anthracnose, Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Squash	Downy mildew, Anthracnose, Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Cotton	Damping off			-	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Lettuce	Downy mildew			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Beans	Anthracnose, Downy mildew, Rust			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Peas	Anthracnose, Downy mildew, Rust			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Mungbeans	Anthracnose, Downy mildew, Rust			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot			5	As soon as spray dries

INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Onion	Purple blotch, downy mildew, botrytis leaf blight			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Pepper	Anthracnose			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Chili	Anthracnose			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Eggplant	Blight, Anthracnose			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Banana	Sigatoka, black leaf streak				As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Grapes	Downy mildew black rot			60	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Mango	Anthracnose and Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Papaya	Fruit rot			-	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Melon	Downy mildew, Anthracnose, Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Watermelon	Downy mildew, Anthracnose, Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Cantaloupe	Downy mildew, Anthracnose, Scab			5	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Corn(sweet and popcorn)	Helminthosporium leaf spot			7	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot			-	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Peanut	Cercospora leaf spot			14	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Soybean	Leaf rust			-	As soon as spray dries
INTEGRO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21		Ornamentals	Black spot, blight, Anthracnose			-	As soon as spray dries
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Citrus	Annual and perennial grasses and broadleaves	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Coffee	Annual and perennial grasses and broadleaves	13.0-19.0Tbsp/16 L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Cotton	Annual and perennial grasses and broadleaves	8.0 tbsp/ 16L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13.0 tbsp/ 16L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Pineapple	Annual and perennial grasses and broadleaves	13.0 tbsp/ 16L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Non-crop land	Annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	24 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/16 L water ,Apply 25-30 DAT	0.1 ppm	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/16 L water, Apply when plants are 15-25 cms high	-	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-26.0 Tbsp/16 L water, Apply when plants are 15-25 cms high	-	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
TRANS WORLD TRADING CO., INC.	BISPYRIBAC SODIUM	BESPA 10 SC	100 g/L	SC	HERBICIDE	2	038-276-4383	09-Jun-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Re-entry is allowed as soon as spray dries up.
BERRIS AGRICULTURAL COMPANY, INC.	BUTACHLOR	BERRIS 60 EC	600 g/L	EC	HERBICIDE	4	233-150-1563	16-May-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp.(2-4 DAT)9Tbsp(0-4 DAT).9Tbsp+7Tbsp	0.1 ppm	-	-
BERRIS AGRICULTURAL COMPANY, INC.	BUTACHLOR	BERRIS 60 EC	600 g/L	EC	HERBICIDE	4	233-150-1563	16-May-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp.(2-4DBS),7Tbsp(2-4DBS)-11Tbsp.(30 DAS)	0.1 ppm	-	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1-1½ Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Mango	Hoppers	½-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Cotton	Boilworm	1-1½ Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CAVILLA AGRI VENTURES, INC.	LAMBDA-CYHALOTHRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
SUMITOMO CHEMICAL PHILIPPINES INC.	GIBBERELLIC ACID	BERELEX TABLETS	-	TAB	OTHERS	4	472-139-2703	07-Oct-19		Strawberry	Plant growth regulator	3-5 Tbsp/200L water	-	7 days before harvest	1 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	GIBBERELLIC ACID	BERELEX TABLETS	-	TAB	OTHERS	4	472-139-2703	07-Oct-19		Grapes seedling	Plant growth regulator	20-40 tsbp/1000L water	-	7 days before harvest	1 day after application
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Rice	stemborer, armyworm, leafhopper, planthopper, caseworm	2.5-3.5 Tbsp/16L water		Spray seedlings	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Cucurbits (Cucumber, melon, watermelon)	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	BERDAN 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24		Legumes (Mongo, Soybean, Beans)	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENOMYL	BENZYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Banana	Black sigatoka	280 g/ha			Do not enter treated fields within 24 hours after application .Be sure that spray deposits have dried up before entering the treated fields.
POLARA CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	BENZON BKC 50 SL	500 g/Kg	SL	OTHERS	2	654-097-4889	27-Aug-25	-	Banana	As tool disinfectant, foot bath, wheel bath for the control of moko disease or bacterial wilt (*Ralstonia solanacearum*) and fusarium	20-50 mg/L	-	-	-
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	001-065-1464-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	001-065-1464-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water			Do not enter the field within 5 days after application.
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	001-065-1464-A	20-Aug-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
SHARPHIL, INC.	BENTAZONE	BENTA 48 SL	480 g/L	SL	HERBICIDE	4	402-098-5359	23-Feb-24	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-13Tbsp/16 L water		30 days before harvest	Immediately after spray deposit has dried up

SHARPHIL, INC.	BENTAZONE	BENTA 48 SL	480 g/L	SL	HERBICIDE	4	402-098-5359	23-Feb-24	SELECTIVE (POST-EMERGENT)	Soybeans	Perennial sedges, annual broadleaves and weeds	-	-	30 days before harvest	Immediately after spray deposit has dried up
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Mango	Anthracnose	1-2 Tbsp/16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2 Tbsp/16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Green peas (legumes)	Powdery mildew	1-2 Tbsp/16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/ 200L water cane diiping	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Banana	Diamond fruit spot and anthracnose	0.5-1.0 mL per l water (80-100 mL spray volume)	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
ALBAUGH PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Banana	Diamond fruit spot and anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
SAVEWELL AGRI-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500 g/Kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying ,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
PHILAGROW INC.	BENOMYL	BENOPHYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or

BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
BIOAGRO AGRICULTURAL PRODUCTS, INC.	BENOMYL	BEN-ON-TIME	500 g/Kg	WP	FUNGICIDE	4	608-167-4303	26-Mar-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
NEXCHEM CORPORATION	BENOMYL	BENOMEX 50 WP	500 g/Kg	WP	FUNGICIDE	4	702-167-5617	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BENOMYL	BENOMAX 50 WP	500 g/Kg	WP	FUNGICIDE	4	376-167-2407	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGRIBASE CHEMICALS, INC.	BENOMYL	BENOLATE 50 WP	500 g/Kg	WP	FUNGICIDE	4	457-167-2551	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
VANN HAWK AGRO CHEMICALS, INC.	BENOMYL	BENLAKI 50 WP	500 g/Kg	WP	FUNGICIDE	4	295-167-1617	20-Oct-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	05-Sep-25	-	Cabbage	Diamondback moth, cabbage worm, cutworm, aphids, thrips, whitefly	30-40 mL product per 16L water with spray volume of 500L/ha	2.0 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	05-Sep-25	-	Eggplant	Shoot/Fruit borer, cutworm, leafhopper, aphids, leafminer, thrips, whitefly	30-40 mL product per 16L water with spray volume of 500L/ha	1.5 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	05-Sep-25	-	Stringbeans	Podborer, cutworm, leaffolder, aphids, thrips, whitefly	30-40 mL product per 16L water with spray volume of 500L/ha	1.5 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	05-Sep-25	-	Tomato	Fruitworm, cutworm, aphids, thrips, whitefly	30-40 mL product per 16L water with spray volume of 500L/ha	1.5 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	05-Sep-25	-	Mango	Mango hopper, tipborer, thrips	200 mL product/100 mL water spray volume of 40-100 mL/Tree	4.0 ppm	14 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	02-Jul-21	-	Mango	Cecid fly	-	-	-	-
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	02-Aug-22	-	Onion	Leafminer, Thrips, Armyworms	1-1.25 Liter product/ha			Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CYANTRANILIPROLE	BENEVIA	100 g/L	OD	INSECTICIDE	4	598-485-4577	20-Aug-20	-	Corn	Fall armyworm	67 mL product/16 Liters water, Spray volume 240 Liters (15 tankloads)/ha			
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-223-4118	18-Sep-26	-	Tomato	Fruitworm	2-6 Tbsp/16 L water	-	14 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-223-4118	18-Sep-26	-	Potato	Leafminer	4-6 Tbsp/16 L water	-	14 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-223-4118	18-Sep-26	-	Mango	Cecid, black borer, leafhopper, fruitfly, thrips, scale insects, seed borer	30-40 Tbsp/100 L water	-	14 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-223-4118	18-Sep-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer & rice bug	3-4 Tbsp/16 L water	0.2ppm	14 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-223-4118	18-Sep-26	-	Watermelon	Thrips, leaffolder	4-6 Tbsp/16 L water	-	14 days	1 day
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	06-Apr-27	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	0 day	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	0 day	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	06-Apr-27	SYSTEMIC	Green Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	0 day	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	0 day	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	0 day	Re-entry is allowed as soon as the spray deposits dry up.
AGRO IRIS PHILIPPINES, INC.	IMIDACLOPRID+BETACYFLUTHRIN	BEMID 300 OD	210 g/L	OD	INSECTICIDE	2	752-398-6013	27-Aug-25	SYSTEMIC	Mango	Mango Leafhopper	20-40 mL 100 L 50-80 mL 200 L	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying
ELI LILLY PHILIPPINES, INC.	BENZOXONIUM CHLORIDE	BELORAN	400 g/L	SL	OTHERS	3	583-333-3948	02-Dec-19		Banana	Moko disease as disinfectant tool				
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400 g/Kg	WP	FUNGICIDE	4	097-367-2369	05-Feb-21	-	Banana	Diamond fruit spot	8.8-10.0 Tbsp/16 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400 g/Kg	WP	FUNGICIDE	4	097-367-2369	05-Feb-21	-	Mango	Anthracnose, scab, stem-end rot	10.0-12.0 Tbsp/ 16 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400 g/Kg	WP	FUNGICIDE	4	097-367-2369	05-Feb-21	-	Onion (Bulb/green)	Purple blotch, twister diseas/anthracnose/stem/ bulb rot	7.0-12.0 Tbsp/16 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400 g/Kg	WP	FUNGICIDE	4	097-367-2369	05-Feb-21	-	Carrot	Leaf blight	4.4-8.8 Tbsp/16 L water	-	14 days	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/Kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Banana	Diamond fruit spot	8.8-10.0 Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/Kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Mango	Anthracnose, scab, stem-end rot	10.0-12.0 Tbsp/ 16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/Kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Onion (Bulb/green)	Purple blotch, twister diseas/anthracnose/stem/ bulb rot	7.0-12.0 Tbsp/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/Kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Carrot	Leaf blight	4.4-8.8 Tbsp/16 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/ 16 L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16 L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Cabbage	Diamondback moth, Cabbage worms, aphids, thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Potato	Thrips, armyworm, cutworm, tubermoth	1.5-3.0 Tbsp/16 L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Cotton	Thrips, bollworm, budworms	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Stringbeans	Beanfly, leaffolder, aphids	1.5-3.0 Tbsp/16 L water	-	14 days	Do not enter treated field 1 day after application.
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water			within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water			Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/Kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE)or
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	367-075-0842	24-Oct-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	367-075-0842	24-Oct-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	367-075-0842	24-Oct-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	367-075-0842	24-Oct-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6% PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	367-075-0842	24-Oct-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
BAYER CROPSCIENCE, INC.	NICLOSAMIDE ETHANOLAMINE SALT	BAYLUSCIDE WP 70	700 g/Kg	WP	MOLLUSCICIDE	4	284-229-1153	28-Dec-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-		
BAYER CROPSCIENCE, INC.	NICLOSAMIDE	BAYLUSCIDE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	284-229-0477	21-Nov-26		Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	At least 48 hours after application
BAYER CROPSCIENCE, INC.	NICLOSAMIDE	BAYLUSCIDE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	284-229-0477	05-Nov-22	-	Pineapple	Semi-slug (Pamarion martens)	5.31 mL prod. / kg mixture / 1,800 mL per ha	-	-	-
BAYER CROPSCIENCE, INC.	TRIADIMEFON	BAYLETON 25 WP	250 g/Kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Pineapple	Fruit rot, heart rot & root rot	8-16grams/16 L water			
BAYER CROPSCIENCE, INC.	TRIADIMEFON	BAYLETON 25 WP	250 g/Kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Soybeans	Rust	15-30grams/16 L water			
BAYER CROPSCIENCE, INC.	TRIADIMEFON	BAYLETON 25 WP	250 g/Kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Mungbeans	Cercospora	7.5-15grams/16 L water			
BAYER CROPSCIENCE, INC.	BITERTANOL	BAYCOR DC 300	300g/L	DC	FUNGICIDE	4	284-003-0004	26-Dec-16		Banana	Sigatoka, freckle disease, black spot	0.50-0.65 product/Ha			
BAYER CROPSCIENCE, INC.	BITERTANOL	BAYCOR DC 300	300g/L	DC	FUNGICIDE	4	284-003-0004	26-Dec-16		Asparagus	Stem & Leaf blight, phoma blight	0.3-0.5 product/Ha			
VAST AGRO SOLUTIONS, INC.	BISPYRIBAC SODIUM	BAXPROL 10 SC	100 g/L	SC	HERBICIDE	4	385-276-3621	23-Jul-27	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to fields treated with BAXPROL 10 SC is allowed as soon as spray deposits on crops and weeds have dried
VAST AGRO SOLUTIONS, INC.	BISPYRIBAC SODIUM	BAXPROL 10 SC	100 g/L	SC	HERBICIDE	4	385-276-3621	23-Jul-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to fields treated with BAXPROL 10 SC is allowed as soon as spray deposits on crops and weeds have dried
UNAHCO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002-A	10-May-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
UNAHCO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002-A	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
UNAHCO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002-A	10-May-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
FMC AGRO PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	BATTALION 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	598-299-4174	29-Apr-27	CONTACT	Rice	Apple Snail	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	3.0-6.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	White potato	Aphids, leaffolder, cutworm	3.0-6.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Citrus	Mites, aphids, stink bug	6.0-8.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-3.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASUDIN 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 Days	Do not enter treated field for at least 1 day after application
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	20-Dec-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	Shaded: 215ml/16 L water, Open condition: 270ml/ 16 L water, Mixed	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	20-Dec-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	Shaded: 160ml/16 L water, Open field: 135 ml/16 L water	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	20-Dec-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	Mixed weeds: 160-215 ml/16 L water	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	20-Dec-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	Shaded: 160ml/16 L water, Open field: 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASISTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL COMPANY, INC.	PROPICONAZOLE	BASIC 25 EC	250 g/L	EC	FUNGICIDE	3	233-178-4040	19-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha	-	-	Do not enter treated fields until spray has completely dried
BERRIS AGRICULTURAL COMPANY, INC.	PROPICONAZOLE	BASIC 25 EC	250 g/L	EC	FUNGICIDE	3	233-178-4040	19-Jun-26	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L		-	Do not enter treated fields until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha		7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha		7 days	

SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha		7 days	
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.35 L/Ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Mango	Anthracnose	0.528-88 L prod/ha	-	14 Days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Rice	Sheath Blight	0.25-0.30 L prod/ha		7 Days	
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Stringbeans	Leaf spot	0.20-0.30 L prod/ha	-	7 Days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Eggplant	Leaf Spot	0.20-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L prod/ha	-	7 Days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Cabbage	Ringspot,alternaria	0.20-0.30 L prod/ha	-	7 Days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 Days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	28-Dec-25	-	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 Days	-
TRANS WORLD TRADING CO., INC.	DAZOMET	BASAMID-G	980 g/Kg	G	OTHERS	3	038-095-1769	11-Jul-27	-	Soil fumigant	Nematodes, root disease, soil insects & weeds	-			
BASF PHILIPPINES, INC.	BENTAZONE	BASAGRAN 48 SL	480 g/L	SL	HERBICIDE	4	005-083-4012	23-Mar-26	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-13Tbsp/16 L water	0.1 ppm	30 days before harvest	Immediately after spray deposit has dried up
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Mango	Mango hoppers, tip borer, twig borer, fruitfly, mealy bug	4-8 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Rice	Green leafhopper, case worm, rice bug	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cowpea	Pod borer, beanfly, leafminer, cutworm, aphids	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Soybean	Pod borer, beanfly, leafminer, cutworm, aphids	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Tomato	Fruitworm, lady beetle	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cotton	Bollworm, cutworm	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Corn	Corn borer, corn earworm, armyworm	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Sorghum	Web worm, armyworm, cutworm, headworm	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Tobacco	Budworm, Cutworm, Aphids	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Citrus	Rind borer	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cacao	Pod borer, aphids, capcid bug	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Coffee	Berry borer	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMISTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbs/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
FMC AGRO PHILIPPINES INC.	GAMMA-CYHALOTHRIN	BARRICADE 15 CS	15 g/L	CS	INSECTICIDE	4	598-372-4175	30-Oct-20	CONTACT	Rice	Green leafhopper, stemborer	2-3 tbs.,/16 L water	0.2ppm		
FMC AGRO PHILIPPINES INC.	GAMMA-CYHALOTHRIN	BARRICADE 15 CS	15 g/L	CS	INSECTICIDE	4	598-372-4175	30-Oct-20	CONTACT	Mango	Mango hopper, tip hopper, twig borer	4-5 tbs.,/16 L water			
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	7 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-	3 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-	3 Days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	14 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	BARREL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	075-229-4006	01-Jul-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	No less than 48 hours after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	BITERTANOL	BARRAGE 300 EC	300g/L	EC	FUNGICIDE	4	540-003-4830	31-Oct-27	SYSTEMIC	Banana	Black sigatoka, black leaf streak and freckle disease	0.50-0.65 L prod./ ha	-	-	0 day or as soon as excess solution dries up
AKTIV MULTI TRADING CO. PHILS, INC.	BITERTANOL	BARRAGE 300 EC	300g/L	EC	FUNGICIDE	4	540-003-4830	31-Oct-27	SYSTEMIC	Asparagus	Phoma blight, stem and leaf blight	0.3-3.5 L prod./ ha	-	-	0 day or as soon as excess solution dries up
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-27	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	21.5, 27, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5-20 Tbsp/16L water	0.2 mg/kg	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	16, 13.5 Tbsp/16L water	-	-	After spray deposits have dried
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying

TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
EVERLAND AGRI CORPORATION	BUTACHLOR+PROPANIL	BARBER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	261-238-6211	3-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water			
EVERLAND AGRI CORPORATION	BUTACHLOR+PROPANIL	BARBER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	261-238-6211	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids and thrips	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Potato	Thrips, armyworm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Cotton	Thrips, bollworm, budworms	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder, aphids	1.5-3.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-27	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/16l water	-	-	Do not enter treated field 1 day after application
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	15-Jun-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Ornamentals	Black spo, Black rot, powdery mildew				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Pepper	Early and late blight, bulb rot, neck rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Onion	Purple blotch, bulb rot, neck rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Mango	Antracnose, Diplodia rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Grapes	Downy mildedw, powdwery mildew, fruit rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Eggplant	Early and late blight, cercospora leaf spot, antracnose				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Celery	Early and late blight				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Cucurbits	Powdery mildew, downy mildew, cercospora, antracnose, Septoria, fruit rot, early and late blight				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Crucifers	Powdery mildew				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Carrot	Alternaria leaf spot, Cecosporaleaf spot, Helminthosporiumleaf spot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Beans	*Rust, anthracnose*				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Tomato	Early and late blight, vine rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Potato	Early and late blight, vine rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Asparagus	Stem and late blight				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Banana	*Black sigatoka*				
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-282-0714	12-May-24	CONTACT	Banana	Black sigatoka as spray adjuvant in combination with the standard fungicides used for sigatoka control	15 L/ha	-	-	To treated fields is dependent on the pesticide product that was used. When crops were solely treated with EnSpray N, re-entry could be done
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-282-0714	28-Sep-26	-	Banana	Black sigatoka (as adjuvant)	15 L/ha	-	-	-
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-282-0714	28-Sep-26	-	Pineapple	Heart rot caused by *Phytophthora* spp.	15-20 L/ hectare	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BERRIS AGRICULTURAL COMPANY, INC.	AZOXYSTROBIN	BANKSTAR 25% SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-28	SYSTEMIC	Banana	Sigatoka,Black Leaf Streak	0.4 L product in 30-40 L water/ ha	-	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water			Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheatl blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Mango	Anthracnose, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg		Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	Do not enter treatment areas until spray deposit have dried

ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	Do not enter treatment areas until spray deposit have dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/Kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water			Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Cavendish Banana (Post-harvest treatment)	Anthracnose,crown rot,crown mold	1500-400ppm	-	No harvest interval is necessary	Treated areas should not be entered into before spray deposits on the leaf surfaces has dried unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Banana	Black sigatoka and freckle	-	-	No harvest interval is necessary	Treated areas should not be entered into before spray deposits on the leaf surfaces has dried unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Pineapple	Butt mold	250-300ppm	-	No harvest interval is necessary	Treated areas should not be entered into before spray deposits on the leaf surfaces has dried unless protective clothing is worn
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Discontinue spraying at least 3 day before harvest	Enter treated fields as soon as spray deposits have dried up
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Banana	Black sigatoka & freckle	2.5 kg/ha	-	0 Day	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Pineapple	Phytophthora heart rot & fruitlet rot	7.5-11.25kg/ha	-	7-30 days	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Celery	Leafspot & blight	-	-	7-10 days	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Mango	Scab & anthracnose	4 Tbsp/ha	-	14-21 days	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Avocado	Cercospora	2.5-3.5 gmsprod/L water	-	0 Day	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Rice	Sheath blight	2-4 gms. Product/liter water	5.0 mg/Kg	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/Kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-27	-	Potato	Late Blight	1-4 gms. Product/liter water	0.02 mg/Kg	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 420 SC	42 g/L	SC	FUNGICIDE	3	075-337-4265	01-Oct-25	-	Banana	Black sigatoka & freckle disease	2.5-3.0 kg/ha; Spray Volume 80 Liters/ha using Martignani sprayer	2.0 ppm	0 Day	Re-enter treated areas as soon as the spray deposit has dried
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGIZ 40 SP	400 g/Kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	DAZIG 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	506-229-3222	22-Feb-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
JARDINE DISTRIBUTION, INC.	TRIDEMORPH	BANEX 86 OL	860 g/L	OL	FUNGICIDE	2	367-097-2060	20-Dec-24	SYSTEMIC/CONTACT	Banana	Sigatoka and freckles	0.5 L/Ha Banex 86 OL + 5.0 L/Ha Oil	0.07 ppm	0 day	Until the spray deposit has dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Potato	Early blight, late blight, vine rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Beans	Rust, anthracnose	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Crucifers	Powdery mildew	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Celery	Early blight, late blight	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	0.5 mg/kg	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Asparagus	Stem and leaf blight	4.5-6.0 tbsp/ 16L (10 cct/tbs)	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-27	-	Banana	Black sigatoka	1.0-2.0 L / ha	2.0 mg/Kg	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
GREEN AND NATURAL LINKS PHILIPPINES CORP.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	BANANE ECO-OIL	-	-	OTHERS	4	637-282-4707	18-Jul-25	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
GREEN AND NATURAL LUBES PHILIPPINES CO.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	BANANE ECO-OIL	-	-	OTHERS	4	630-282-4641	04-Feb-20	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	BIFENTHRIN+BUFROFEZIN/BANAFLEX 21% MB	BANAFLEX TREEBAG 2.1%	20 g/kg+1 g/kg	-	INSECTICIDE	4	075-455-5240	07-Sep-26	-	Banana	Flower thrips, mealybugs & aphids	-	-	-	-
CHEMPLAST PHILIPPINES, INC.	BIFENTHRIN+BUFROFEZIN/BANAFLEX 21% MB	BANAFLEX TREEBAG 2.1%	20 g/kg+1 g/kg	-	INSECTICIDE	4	574-455-5196	07-Sep-26	-	Banana	Flower thrips, mealybugs & aphids	-	-	-	-
JOCANIMA CORPORATION	CONDENCED OLIGOSACCHARIDES	BANADAK	16.5 g/L	L	OTHERS	4	241-450-3442	04-Sep-26	SYSTEMIC	Cavendish Banana	Black sigatoka	1.0 Liter/ha	-	-	-
GREEN THUMB EXFERT VENTURES, INC.	BISPYRIBAC SODIUM	BALMOND 10 SC	100 g/L	SC	HERBICIDE	2	596-276-5250	08-Nov-21	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded Lowland)	Grasses, sedges & broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
JYNNSONS PHILIPPINES, INC.	CLOTHIANIDIN	BALLISTIC 20 SC	200 g/L	SC	INSECTICIDE	4	551-379-5752	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treated areas until spray deposit have dried

ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Garlic	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Potato	Early blight, late blight, vine rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Tomato	Early blight, late blight, vine rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Beans	Rust, anthracnose	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Crucifers	Powdery mildew	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Cucumber	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Squash	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Watermelon	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 16L	2.0 mg/Kg	-	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Melon	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 16L	0.5 mg/kg	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Celery	Early blight, late blight	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Pepper	Early and late blight, cercospora leaf spot, anthracnose	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Mango	Anthracnose, diplodia rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Ornamentals	Black spot, powdery mildew, black rot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Banana	Black sigatoka, rust, freckles, helminthosporium leaf spot	6.0-8.5 tbsp/ 16L	-	0 day	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0989	06-Apr-25	-	Corn	Helminthosporium leaf spot, Cercospora leaf spot	6.0-8.5 tbsp/ 16L	-	7-14 days	Do not enter treated field until spray deposits have dried
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Banana	Thrips	3 ¼-4 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Corn	Cornborer, earworm	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Sorghum	Cornborer,earworm	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2-3 ½ Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3 ½ Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3 Tbsp/16 L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGRI VENTURES CORPORATION	METHOMYL	BAGYO 40 SP	400 g/Kg	SP	INSECTICIDE	2	242-164-1716	07-Nov-25	CONTACT	Okra	Leafhopper	Dillution: 1.5-4.0 tbsp[1] prod./16L 1-2 spraying cup/ 16L tank load	-	5 days	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
TROPI-CUKE, INC.	COPPER OXYCHLORIDE+COPPER HYDROXIDE	BADGE 20 SC	200 g/Kg	SC	FUNGICIDE	3	091-437-3140	02-Sep-20	-	Cavendish Banana	Diamond fruit spot, finger rot & freckle	10-11 mL/Liter water	-		
BIOLIFE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE	BACTIGARD FORTE	800 g/L	-	OTHERS	2	581-097-3832	01-Dec-25	-	Banana	As tool disinfectant,foot bath,tire bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) and	10-30 mL/L water	-	-	-
KARPOS CHEMICALS SOLUTIONS CO.	BENZALKONIUM CHLORIDE+BRONOPOL	BACTIGARD	100 g/L+200 g/L	-	OTHERS	2	684-456-5408	10-Nov-25	-	Banana	As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (*Ralstonia solanacearum*) &	-	-	-	-
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			

B.M. CUSIPAG AGRI TRADE	GLYPHOSATE IPA	BACKHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
BRIDUEN PHILIPPINES CORP.	BENZALKONIUM CHLORIDE	BAC40 400 SL	400 g/L	SL	OTHERS	4	704-097-5650	25-Jan-25	-	Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZOXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Cabbage	Diamondback moth armyworm and armyworm	2 tbsp./16 L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Mustard	Diamondback moth armyworm and armyworm	2 tbsp./16 L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Cauliflower	Diamondback moth armyworm and armyworm	2 tbsp./16 L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Broccoli	Diamondback moth armyworm and armyworm	2 tbsp./16 L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Pechay	Diamondback moth armyworm and armyworm	2 tbsp./16 L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Cavendish Banana	Slug caterpillars	1.25g/L water		0 day	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Pineapple	Pink scavenger moth, asian cornborer, cutworm, armyworm and footman moth	1.0-2.5 Kg/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	02-Dec-23		Pineapple (drone and boom spray application)	Anatrachyntis larvae (VALID ONLY FOR USE BY Del Monte fresh produce (Phils), Inc. and Delmonte philippines, Inc.)	1 kg	-	-	Do not enter treated areas without protective clothing until sprays have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. AIZAWAI	AZTRON WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-27		Corn	Fall army worm	1 kg product/ ha.	-	-	Do not enter treated areas without protective clothing until sprays have dried	
PHILAGROW INC.	AZOXYSTROBIN	AZTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2978	14-Jun-25	SYSTEMIC	Banan /Cavendish Banana (Post-harvest treatment)	Black sigatoka and freckle disease as post harvest; Anthracnose, crown mold and crown rot	1500-400ppm	_	No harvest interval is necessary	_	
PHILAGROW INC.	AZOXYSTROBIN	AZTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2978	14-Jun-25	SYSTEMIC	Pineapple	Butt mold	250-300ppm	_	No harvest interval is necessary	_	
EZERTECH CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	648-065-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Corn	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application	
EZERTECH CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	648-065-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application	
EZERTECH CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	648-065-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application	
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days		
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/Kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer				
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of AZOPRIM 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried	
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried	
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water		28 days	Do not enter unless spray deposits have dried	
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		7 days	Do not enter unless spray deposits have dried	
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water		3 days	Do not enter unless spray deposits have dried	
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as AZOPRIM 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
SABERO ORGANICS PHILIPPINES ASIA INC.	AZOXYSTROBIN	AZOGRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	_	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.	
ISIDORE AGROCHEMICALS, INC.	POLYOXYETHYLENE SORBITAN MONOOLEATE+POLYOXYETHYLENE ALKYL ETHER	AZIRO AJ 1000	290+490 mL/L		OTHERS	4	576-348-4771	03-May-25	-	-	As surfactant on ORYZA 10 SC (ai: Bispyribac Sodium)	10 spray loads: 20-30mL/16L water.12 spray loads: 20-25mL/16L water. 15	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L				
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	-	-	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI as last application will be 436 days before harvest	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI since applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 Days	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 Days	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/Kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried.	
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	AWARDEE 200 OD	50 g/l + 150 g/L	OD	HERBICIDE	4	088-504-5781	21-Jul-25	POST-EMERGENT	Rice	grasses, broadleaves and sedges	500ml to 1 Liter product/Ha	-	-	As soon as spray dries up.	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Banana	Blossom thrips	0.5/ L water	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Cabbage	Diamond back moth	2.0-3.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Ornamentals	Mites	1.0-1.5 Tbsp/ 16L water	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Pineapple	Mites	N/A	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying	
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying	

EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTECH CORPORATION	ABAMECTIN	AVOMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-27	CONTACT	Mango	Cecid fly	250-500mL/200L water	-	14 days	Do not enter treated field 24 hours after spraying
AGWAY CHEMICALS CORPORATION	SPIROTETRAMAT	AVID 240 SC	240 g/L	SC	INSECTICIDE	4	075-419-5782	4-Nov-27	-	Banana	Flower thrips	3.3-4.17 mL prod. L water	-	84 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon as spray deposits have dried completely
AGWAY CHEMICALS CORPORATION	SPIROTETRAMAT	AVID 240 SC	240 g/L	SC	INSECTICIDE	4	075-419-5782	4-Nov-27	-	Pineapple	Nematodes, mealybugs, scale insect, white grubs and mites	4.17 L prod./ ha; 0.45-1.20 L prod./ ha		120 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon as spray deposits have dried completely
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	-
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	80-160 Ml prod. / 16L water (80-100 mL solution per bunch)	-	-	-
TEXICON AGRI VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/Kg	WP	FUNGICIDE	4	242-267-1512	12-May-22	SYSTEMIC	Okra	Damping off, stem rot, leafhopper and aphid	2-2.5 Tbs in 16 L water			
AGRO ADVANCED INTERNATIONAL PHILS., INC.	BENZALKONIUM CHLORIDE	AVENGERMS 40 SL	400 g/L	SL	OTHERS	4	473-097-2678	08-Sep-27	-	Banana	*Ralstonia solanacearum and fussarium oxysporum f.sp cubense* as toll disinfectant	10-20ml/L water	-	-	As soon as solution has dried up
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CYHALOTHRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	29-Jul-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CYHALOTHRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FMC AGRO PHILIPPINES INC.	SULFENTRAZONE	AUTHORITY 480 SC	480 g/L	SC	HERBICIDE	3	598-392-4176	30-Oct-26	PRE-EMERGENT	Pineapple	Nutsedge Broadleaves	1.5L/ ha; 167mL/ 200L; 1800L/ ha	-	-	0 day
FMC AGRO PHILIPPINES INC.	SULFENTRAZONE	AUTHORITY 480 SC	480 g/L	SC	HERBICIDE	3	598-392-4176	30-Oct-26	PRE-EMERGENT	Sugarcane	Sedge (*Cyperus rotondus*) Grasses broadleaves	1.0L/ ha; 0.5L/ 200L; 400L/ha	-	-	0 day
EZERTECH CORPORATION	CLOTHIANIDIN	AURO 20 SC	200 g/L	SC	INSECTICIDE	4	648-379-5755	12-May-26	SYSTEMIC	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	Allowed as soon as pray deposits dry up
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366-A	30-Jul-27	CONTACT	Banana	Flower thrips	-	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	21-May-27	CONTACT	Corn	Seedling maggot	200-250 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Banana	Flower Thrips	-	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FIPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Corn	Seedling maggot	200-250 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FIPRONIL	AUGER 200 FS	200 g/L	FS	INSECTICIDE	3	432-244-4904	30-Jul-27	CONTACT	Corn (as seed treatment)	Seedling maggot, ants, white grub and field crickets	50-75 (mL), Mix the required rate plus 100 mL water and mix per 9 Kg of corn	-	One day after application	Do not apply 7 days before harvest
ALTACROP PROTECTION CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	ATTACK PLUS	250+25 g/L	EC	INSECTICIDE	2	351-239-3284	17-Mar-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-
ALTACROP PROTECTION CORPORATION	CHLORPYRIFOS+CYPERMETHRIN	ATTACK PLUS	250+25 g/L	EC	INSECTICIDE	2	351-239-3284	17-Mar-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)/16L water	-	-	-
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK 5R	50 g/L	EC	INSECTICIDE	4	351-037-2018	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application

PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water		14 days	Do not enter treated field 1 day after application
PALMTRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water		14 days	Do not enter treated field 1 day after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters		21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/Kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/16 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/Kg	WP	HERBICIDE	4	099-065-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	5 Days
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/Kg	WP	HERBICIDE	4	099-065-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water		-	5 Days
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/Kg	WP	HERBICIDE	4	099-065-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	5 Days
TEAMAGRO TRADING CORPORATION	METALDEHYDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter tretaed field within 48 hours after application
TEAMAGRO TRADING CORPORATION	METALDEHYDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter tretaed field within 48 hours after application
TEAMAGRO TRADING CORPORATION	METALDEHYDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter tretaed field within 48 hours after application
TEAMAGRO TRADING CORPORATION	METALDEHYDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter tretaed field within 48 hours after application
TEAMAGRO TRADING CORPORATION	METALDEHYDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter tretaed field within 48 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Asparagus	Armyworm, cutworm	2.5 Tbsp/16L water	0.20-2.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Banana	Thrips	3.75-5 Tbsp/16L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.5 Tbsp/16L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Corn	Cornborer, earworm	2.5 Tbsp/16L water	0.10 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.5 Tbsp/16L water	0.20-2.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.5 Tbsp/16L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.5 Tbsp/16L water	0.01ppm	3 Days	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.5 Tbsp/16L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/Kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.5 Tbsp/16L water	1.0 mg/kg	-	12 hours after application
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	08-Aug-26	-	Tobacco	Budworms, thrips, aphids	1.0-1.5 Tbsp/ 16L water	-	-	
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Rice	Rice blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Mango	Antracnose	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Legumes	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Beans	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Cabbage	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Cauliflower	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Lettuce	Shot hole disease, *cercospora* leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/Kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24		Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LICHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	590-075-4300	18-Jul-27	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
LICHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	590-075-4300	18-Jul-27	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
LICHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	590-075-4300	18-Jul-27	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
LICHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	590-075-4300	18-Jul-27	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
LICHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6% PELLET	60g/kg	P	MOLLUSCICIDE	4	590-075-4300	18-Jul-27	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	–	–	Do not enter treated field within 48 hours afte rapplication
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ATEMI 247 ZC	106 g/L+141 g/L	SC	INSECTICIDE	2	535-395-4371	25-Jan-27	-	Mango	Leafhopper	20-30 mL/100L mL prod. Ha	-	-	Do not enter treated fields for at least 1 day after application.
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Cabbage	Diamond back-moth, cabagge moth and cutworm	20 mL/16L water		7 days	–

AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Eggplant	Fruit & shoot borer, cutworm	20-25 mL/16L water	-	7 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Watermelon	Melon worm, leafminer and whiteflies	20-25 mL/16L water	-	7 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Okra	Cutworm,army worm	20-25 mL/16L water	2.0 ppm	3 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Onion	Cutworm,Fruit worm,Fruit borer	20-25 mL/16L water	2.0 ppm	3 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	17-Sep-20	-	Corn	Fall armyworm	(20-40) mL/16L water; (0.5-1.0)/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
BIOSOLUTIONS INTERNATIONAL CORP.	SAPONIN	ASTIG KUHOL TERMINATOR	100 g/L	DP	MOLLUSCICIDE	4	SBS-458-3967	07-Mar-26	-	Rice	Golden apple snails	15-20 Kg	-	7 days after the last application	As soon as the product has settled on the soil surface
CYBERTH PHILIPPINES, INC.	FIPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	
CYBERTH PHILIPPINES, INC.	FIPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FIPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FIPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FIPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE+PROPICONAZOLE	ASSERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	038-325-4348	20-Feb-27	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 tbsp/16L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE+PROPICONAZOLE	ASSERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	038-325-4348	20-Feb-27	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	45 days	-
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGRI VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 10 SC TWIN	100 g/L	SC	HERBICIDE	4	242-276-4632	24-Jan-22	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload,20-25ml/16Lwater.	0.1 ppm	-	-
TEXICON AGRI VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 10 SC TWIN	100 g/L	SC	HERBICIDE	4	242-276-4632	24-Jan-22	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload,20-25ml/16Lwater.	0.1 ppm	-	-
TEXICON AGRI VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 10 SC SOLO	100 g/L	SC	HERBICIDE	4	242-276-4632	02-Sep-27	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload,20-25ml/16Lwater.	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
TEXICON AGRI VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 10 SC SOLO	100 g/L	SC	HERBICIDE	4	242-276-4632	02-Sep-27	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10sprayload,25-30ml/16Lwater; 12sprayload,20-25ml/16Lwater.	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
TEXICON AGRI VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 10 SC	106.4 g/L	SC	HERBICIDE	4	242-276-3102	02-Sep-21	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	2,4-D IBE	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-049-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC van be done 1 day after spraying.
AGRI-SPROUT PHILS., INC.	2,4-D IBE	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-049-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC van be done 1 day after spraying.
AGRI-SPROUT PHILS., INC.	2,4-D IBE	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-049-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC van be done 1 day after spraying.
AGRI-SPROUT PHILS., INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to the fields sprayed with the product is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to the fields sprayed with the product is not allowed within one day after application
AGRI-SPROUT PHILS., INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to the fields sprayed with the product is not allowed within one day after application
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	27-40, 34-52, 40-63 mL/16L water	0.01ppm	10 days	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Cabbage	Diamond backed moth	15-25, 25-25, 30-50 mL/16L water	-	-	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Watermelon	Thrips, leaf beetles	25-30 mL/16L water	-	-	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Onion	Cutworm	53.30 mL/16L water	-	-	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Eggplant	Shoot borer	30-40 mL/16L water	-	-	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Corn (as seed treatment)	Seedling maggot	200-250 mL/20 kg seed	-	-	-
BASF PHILIPPINES, INC.	FIPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Banana	Flower thrips	-	-	-	-
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			

ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
ZAGRO CORPORATION	BPMC+CHLORPYRIFOS	ARVUZ 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water			
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS S EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CYHALOTHRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	ARMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-0951	07-Apr-27	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm		-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE+PROPICONAZOLE	ARMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-0951	07-Apr-27	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1.0-2.0 Tbsp/16l water	-	45 days	-
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Potato	Early and late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Celery	Late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Cotton	Damping off	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	.	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying

ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Tomato	Early and late blight, athracnose, septoria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight,	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight,	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Banana	Sigatoka, black leaf streak	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Corn (sweet corn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/Kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-27	-	Ornamentals	Black spot, blight, athracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	PYMETROZINE	ARMADO 50 WG	500 g/Kg	WG	INSECTICIDE	4	603-307-4313	03-Apr-21	-	Mango	Mango Leafhopper	1 sachet*/200 L	–	–	Do not enter the treated fields for at least 24 hours after application.
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itch grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass.	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARILOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grasses weeds	30-50 mL 16L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Mango	Anthracnose, scab, stem-end rot	6-8/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Onion	Basal/ bulb rot	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Tomato	Late/ early blight, powdery mildew	0.5-1 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers	20-30mL/100L	-	3 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha	-	3 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves and Cyperaceous weeds	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with **ARIES HEAD-ON 2,4-D AMINE** can be done one day after spraying.
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves and Cyperaceous weeds	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with **ARIES HEAD-ON 2,4-D AMINE** can be done one day after spraying.
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639-A	24-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves and Cyperaceous weeds	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with **ARIES HEAD-ON 2,4-D AMINE** can be done one day after spraying.
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots,fall armyworm	1.0-1.5Tbsp/16 L of water 4.0mL/ 1L water of 64mL 16L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGRI VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215ml/16 L water	-	-	After spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	0.01ppm	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Onion	Cutworm	5.33 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FIPRONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Corn	Seedling maggot	-	-	Do not apply 7 days before harvest	One day after application.
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	14 days	
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Mango	Anthracnose	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/16L Water			
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/Kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water			
JYNNSONS PHILIPPINES, INC.	CHLORPYRIFOS	ARCANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Banana	Thrips, scarring beetle aphids	20-30 mL (2-3 tbsp) per 16L of water	-	-	
JYNNSONS PHILIPPINES, INC.	CHLORPYRIFOS	ARCANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Sugarcane	Whitegrubs	80-1000 mL (8-10 tbsp) per 15L of water	-	-	-
JYNNSONS PHILIPPINES, INC.	CHLORPYRIFOS	ARCANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Pineapple	Mealy bugs ants	1-4.0L/ ha Using boom sprayer	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 mL/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135mL/16L water	-	-	After spray deposits have dried

AGRI-BIO PHILIPPINES, INC.	HYDRO PEROXIDE+SILVER CHLORIDE	AQUAZIX PLUS	500 g/kg+33 g/kg	-	OTHERS	2	703-562-5634	31-Dec-27	-	-	Disinfection of water tanks, ponds, water wells in animal facilities	-	-	-	-
AGRI-BIO PHILIPPINES, INC.	HYDROGEN PEROXIDE	AQUAZIX E-52	500 g/kg	-	OTHERS	2	703-464-5632	31-Dec-27	-	-	Disinfection of surfaces for the treatement of water from animal and industrial waste	-	-	-	-
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-27	CONTACT	Mango	Blossom thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	BENZALKONIUM CHLORIDE SOLUTION IP+CITRIC ACID IP	AQUAQUAT SUPER	60 g/L+80 g/L	-	OTHERS	2	714-583-5712	31-Dec-27	-	-	Disinfection and descaling of water lines in poultry farms	-	-	-	-
PLANTERS PRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	AQUADIN 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	031-229-1022-A	10-Jan-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	No less than 48 hours after spraying
VETREMIDICA CORPORATION	HYDROGEN PEROXIDE	AQUA-CLEAN	500 g	-	OTHERS	2	700-464-5569	31-Dec-27	-	-	Disinfection of swine, poultry drinking systems and water lines	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AQUACIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	564-229-3677	31-Mar-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
MAGAN AGRO PHILS. ENTERPRISE INC.	AZOXYSTROBIN+PROPICONAZOLE	APROPO 200 SE	75g/L+125g/L	SE	FUNGICIDE	4	461-501-4675	22-Feb-25	SYSTEMIC	Rice	Sheath blight	500-750mL product/ha	Azoxystrobin 0.20ppm Tebuconazole 0.10ppm	Do not spray within 21 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
SYNGENTA PHILIPPINES INC.	METALAXYL-m	APRON XL 350 ES	350 g/L	ES	FUNGICIDE	4	011-384-1793	19-Oct-26	SYSTEMIC	Seed treatment	Corn Downy Mildew	143-268mL/100kg seeds	-	-	-
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 25 SC	250 g/L	SC	INSECTICIDE	4	367-224-1865	07-Apr-27	-	Mango	Hoppers	60-80mL/200 L water	0.90 ppm	15 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 25 SC	250 g/L	SC	INSECTICIDE	4	367-224-1865	07-Apr-27	-	Cavendish banana	Scale insects, aphids and mealybugs	1.5-2.0 mL	-	-	Re-entry to treated fields is allowed as soon as spray dries up
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 10 WP	100 g/Kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.50 ppm	7 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 10 WP	100 g/Kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L	-	15 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 10 WP	100 g/Kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha	-	7 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 10 WP	100 g/Kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Banana	Mealybugs and scale insects	0.5-0.7 Kg prod/ha (mat spray)	-	28 days	Re-entry to field allowed as soon as spray dries
AGSMART CORPORATION	SPIROTETRAMAT	APOLINATU 240 SC	240 g/L	SC	INSECTICIDE	4	680-419-6025	10-Feb-26	-	Banana	Flower thrips	3.3-4.17 mL prod/L water	-	77 days	Treated areas may be re-entered immediately after bud injection
AGSMART CORPORATION	SPIROTETRAMAT	APOLINATU 240 SC	240 g/L	SC	INSECTICIDE	4	680-419-6025	10-Feb-26	-	Pineapple	Mealybugs,nematodes, scale insects, white grubs and mites	0.45-1.20 L prod/ha; 4.17 L prod/ ha	-	120 days	Treated areas may be re-entered immediately after bud injection
PRIMESTOCKS CHEMICAL CORPORATION	BISPYRIBAC SODIUM	APOCALYPSE 10 SC	105.5 g/L	SC	HERBICIDE	4	623-276-4609	04-Jan-28	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10 spray load/ha,25-30ml/16 L water; 12 spray load/ha 20-25 ml/16 L	0.1 ppm	-	Entery is permitted only after 24 hours of application
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	APO 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
SYNGENTA PHILIPPINES INC.	PYRIFTALID+BENSULFURON-METHYL	APIRO FORTE 550 SC	366+184.8 g/L	SC	HERBICIDE	3	011-545--5418	27-Apr-24	POST-EMERGENT	Rice	Grasses sedges, Broadleaves	33 mL prod./ tankload,10 tank loads/ ha ; 330 mL prod./ha. With minimum	0.02 mg/ kg Pyriftalid 0.02 mg/kg Bensulfuron-methyl	77	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 200 CS	200 g/L	CS	NEMATICIDE	3	598-226-4178	30-Oct-26	-	Pineapple	Reniform and root-knot nematodes	-	-	-	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 100 ME	100 g/L	ME	NEMATICIDE	3	598-226-4179	30-Oct-26	-	Pineapple	Nematodes	-	-	-	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/Kg	G	NEMATICIDE	3	598-226-4180	30-Oct-26	-	Banana	Nematodes	25-30 grams/mat twice per year or 20 grams/mat 3 to 1 time a year	-	0 day	0 day
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/Kg	G	NEMATICIDE	3	598-226-4180	30-Oct-26	-	Sugarcane	Nematodes	10 kg/ha	-	0 day	0 day
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/Kg	G	NEMATICIDE	3	598-226-4180	30-Oct-26	-	Pineapple	Nematodes	11.2-16.8 kg ai/ha	-	0 day	0 day
AGSMART CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	A-ONE 700 WP	700 g/kg	WP	MOLLUSCICIDE	4	680-229-5419	29-Apr-27	-	Rice	Golden apple snail	35 gm or 1 sachet(per 16 L of water)	-	-	48 hours after spraying
JARDINE DISTRIBUTION, INC.	HEXACONAZOLE	ANVIL 5 SC	50 g/L	SC	FUNGICIDE	4	367-243-2292	11-Apr-19	-	Rice	Sheath blight	8 Tbsp/16L water per 200 Spray Volume	0.02ppm	44 days	-
SYNGENTA PHILIPPINES INC.	HEXACONAZOLE	ANVIL 5 SC	50 g/L	SC	FUNGICIDE	4	011-243-0914	11-Apr-25	-	Rice	Sheath blight	8 Tbsp/16L water per 200 Spray Volume	0.02ppm	44 days	-
TAIPAN BRAND FARM INC.	HEXACONAZOLE	ANVIL 5 SC	50 g/L	SC	FUNGICIDE	4	529-243-6252	11-Apr-25	-	Rice	Sheath blight	8 Tbsp/16L water per 200 Spray Volume	-	44 days	Re-entry to treated fields is allowed as soon as spray dries up
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM+TEBUCONAZOLE	ANTRACURE 250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	535-405-4454	26-Jul-27	SYSTEMIC	Mango	Anthracnose	200mL-300mL/200L drum		55 days after last application	When spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM+TEBUCONAZOLE	ANTRACURE 250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	535-405-4454	26-Jul-27	SYSTEMIC	Rice	Sheath blight	16-25 mL 16L sprayer	-	55 days after last application	When spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Asparagus	Cercospora leaf blight	1.75 g propineb / ha. 2.5 kg prod. / ha.	-	7 Days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Banana	Sigatoka, freckle disease	1.75 g propineb / ha. 2.5 kg prod. / ha.	-	0 day	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Rice	Dirty panicle disease complex, brown leaf spot	0.35-0.70 g propineb / ha. 0.5-1.0 kg prod. / ha.	-	7 Days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Lettuce	Early blight, neck rot	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Cucurbits	Downy mildew, late blight	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Celery	Early and late blight	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Beans	Rust	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Potato	Early and late blight	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Tomato	Early and late blight	50-65 g/16L water	-	3 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Tobacco	Brown leaf spot	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Coffee	Brown eye spot	65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Citrus	Black spot	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Melon	Downy mildew	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Watermelon	Downy mildew	50-65 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Ornamentals	Black spot, rust	35-50 g/16L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Mango	Anthracnose	65-812.50 g/ 200 L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Lettuce	Early blight, neck rot	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Cucurbits	Downy mildew, late blight	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Celery	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Beans	Rust	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Potato	Early and late blight	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Tomato	Early and late blight	50-65 g/16L water		3 days	Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Tobacco	Brown leaf spot	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Coffee	Brown eye spot	65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Citrus	Black spot	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Melon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Watermelon	Downy mildew	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Asparagus	Cercospora Leaf Blight	2.5-kgs/ha			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Ornamentals	Black spot, rust	35-50 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Mango	Anthracnose	50-65 g/16L water			Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000 g product/ha)	0.05 ppm	18 days	Immediately after spray deposits have dried
BAYER CROPSCIENCE, INC.	PROPINEB	ANTRACOL 70 WP	700 g/Kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25		Banana	Sigatoka, freckle disease	2.5-kgs/ha	-	0 day	Immediately after spray deposits have dried
VANN HAWK AGRO CHEMICALS, INC.	METOMINOSTROBIN	ANTHRAVANN 20 SC	200 g/L	SC	FUNGICIDE	2	295-424-5107	12-May-27	SYSTEMIC	Mango	Anthracnose	0.8-1.2 tbsp prod/16L water	-	7 days	Do not enter treated fields until spray deposit have completely dried
VANN HAWK AGRO CHEMICALS, INC.	METOMINOSTROBIN	ANTHRAVANN 20 SC	200 g/L	SC	FUNGICIDE	2	295-424-5107	12-May-27	SYSTEMIC	Onion	Anthracnose/twister bulb rot	0.8-2.0 tbsp prod/16L water	-	14 days	Do not enter treated fields until spray deposit have completely dried
BIOSTADT PHILIPPINES INC.	HYDRAMETHYLNON	ANTENNULE 0.73 G	7.3 g/Kg	B	INSECTICIDE	4	097-292-2820	12-May-20		Pineapple	Ants	1.7 kg/ha			
JYNNSONS PHILIPPINES, INC.	BUPROFEZIN	ANNEX 25 SC	250 g/L	SC	INSECTICIDE	3	551-224-5134	27-Nov-25	-	Mango	Leafhopper	60-80 mL/200L water			Re-entry to treated fields is allowed as soon as spray dries up
LICHEMPHIL INTERNATIONAL INC.	AMETRYN+ATRAZINE	ANIMEX 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	590-079-6094	24-Mar-26	SELECTIVE (PRE-EMERGENT)	Pineapple	Annual broadleaves and grasses	50-65 g prod./ 16L water 1.5-2.0 kg prod./ ha	-	21 days	Immediately after spray deposits has dried up
LICHEMPHIL INTERNATIONAL INC.	AMETRYN+ATRAZINE	ANIMEX 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	590-079-6094	24-Mar-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaves and grasses	65-100 g prod./ 16L water 2.0-3.0 kg prod./ ha	-	21 days	Immediately after spray deposits has dried up
JARDINE DISTRIBUTION, INC.	HEXACONAZOLE	ANGLE 50 SC	50 g/L	SC	FUNGICIDE	4	367-243-4104	04-Sep-26	-	Rice	Sheath blight	4-8 Tbsp/16L water per 200 Spray Volume	0.02ppm	44 days	After spray deposits have dried up
ANGELEX AGRITRADE CORPORATION	2,4-D IBE	ANGELSTAR 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	491-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with ANGELSTAR 2,4-D ESTER can be done one (1) day after spraying
ANGELEX AGRITRADE CORPORATION	2,4-D IBE	ANGELSTAR 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	491-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ANGELSTAR 2,4-D ESTER can be done one (1) day after spraying
ANGELEX AGRITRADE CORPORATION	2,4-D IBE	ANGELSTAR 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	491-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ANGELSTAR 2,4-D ESTER can be done one (1) day after spraying
ANGELEX AGRITRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
ANGELEX AGRITRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
ANGELEX AGRITRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
GOLDENMAN MARKETING CORPORATION	BUTACHLOR+PROPANIL	ANDARI 700 EC	350+350 g/L	EC	HERBICIDE	3	400-238-5687	23-Aug-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
GOLDENMAN MARKETING CORPORATION	BUTACHLOR+PROPANIL	ANDARI 700 EC	350+350 g/L	EC	HERBICIDE	3	400-238-5687	23-Aug-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	PYRIBENZOXIM+CYHALOFOP-BUTYL	ANCHOR SUPRA 8.5 EC	25 g/L + 60 g/L	EC	HERBICIDE	3	234-453-5786	26-Jul-25	-	Rice (Direct-seeded)	grasses, broadleaves and sedges	1.0-1.5 L/Ha	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	FLUAZIFOP-P-BUTYL	AMZIPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	ALCOHOL C13 iso,-ETHOXYLATED	AMPLIFY	900g/L	-	OTHERS	4	461-460-3995	13-Aug-27	POST-EMERGENT		Surfactant for Narkis 100 SC	25-30 ml/16 L water	-	-	As soon as spray have deposits dried up

KEMISTAR CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	AMOREE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	239-325-4262	20-Feb-27	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	Difenoconazole 0.5ppm Propiconazole 0.5ppm	-	-
KEMISTAR CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	AMOREE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	239-325-4262	20-Feb-27	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/16 L water	-	45 days	-
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-27	CONTACT	Cabbage	Diamond back moth	8-13 ml product/16 Li	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-27	CONTACT	Bittergourd	Leaffolder/cutworm	8-10 ml product/16 Li	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-27	CONTACT	Stringbeans	Podborer	8-13 ml product/16 Li	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-27	CONTACT	Eggplant	Shoot/Fruitborder	6-10 ml product/16 Li	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Corn	Fall armyworm	50 mL per 16L	-	-	-
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMISTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest; 14 days for corn	Re-entry to treated field is allowed as soon as spray dries up
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	AMISOL A 150-K	250.5+450 mL L		OTHERS	4	376-284-2272	02-Jun-24	-	-	As surfactant in Dominate 100 SC	-	-	-	-
BAYER CROPSCIENCE, INC.	POLYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	AMISOL A 150-K	285+475 mL/L	LC	OTHERS	4	284-348-3815	15-Nov-22	-	-	As surfactant in Dominate 100 SC				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	AMISOL	250.5+450 mL L		OTHERS	4	376-348-2272	15-Jun-24	SELECTIVE (POST-EMERGENT)	-	As surfactant in Dominate 100 SC				
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	no PHI proposed as last application will be 436 days before harvest	Enter as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Enter as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Enter as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Enter as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Enter as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMIRA 25 WG	250 g/Kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI proposed as X-TARA 25 WG will be applied as bud injection	Enter as soon as spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with AMINE SPRAY 400 SL can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with AMINE SPRAY 400 SL can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with AMINE SPRAY 400 SL can be done one day after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves and Cyperaceous weeds	3.5-6.5Tbsp/16 L water	0.10 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves and Cyperaceous weeds	13-25 Tbsp/16 L water	0.5 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves and Cyperaceous weeds	5-6.5 Tbsp/16 L water	0.5 ppm	-	24 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Cotton	Boilworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMIHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	AMIDE-PRIME 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	399-229-4796	21-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/Kg	WP	HERBICIDE	3	460-068-2547	12-Jul-27	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Banana	Sigatoka	0.300-0.400 L/Ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARIELA MARKETING COMPANY INCORPORATED	2-PHENYLPHENOL+BENZALKONIUM CHLORIDE+GLUTARALDEHYDE	AMCITROL	-	-	OTHERS	2	734-602-5871	31-Dec-27	-	-	Disinfection for poultry hatcheries, livestock buildings and equipment	-	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaves and sedges	2.0-4.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Mango	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters /Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Banana	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters /Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Coffee	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters /Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Cacao	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters /Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Rubber	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Oil palm	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Citrus	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Coconut	Annual and perennial grasses, broadleaves and sedges	4.5 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Sugarcane	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/Ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	Non-areas	Annual and perennial grasses, broadleaves and sedges	-	-	-	-
AGRO IRIS PHILIPPINES, INC.	CLETHODIM	AMBULUS 240 EC	240 g/L	EC	HERBICIDE	4	752-334-6063	6-Jun-25	-	Onion	Grasses *(E. colona, Eleusine indica, D. aegyptium and D. ciliaris)*	0.5 L/ ha 50 mL or 5 Tbsp	-	-	-
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GNM AGRIVENTURES INC.	BPMC+CHLORPYRIFOS	AMAZING 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22		Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXICON AGRI VENTURES CORPORATION	AMETRYNE	AMATEX 80 WP	800 g/Kg	WP	HERBICIDE	3	242-068-1779	24-Nov-26	-	Pineapple	Grasses and broadleaf weeds	8-12 tbsp/ 16L water	-	-	Do not enter field within 5 days after application
TEXICON AGRI VENTURES CORPORATION	AMETRYNE	AMATEX 80 WP	800 g/Kg	WP	HERBICIDE	3	242-068-1779	24-Nov-26	-	Sugarcane	Grasses and broadleaf weeds	8-12 tbsp/ 16L water	-	-	Do not enter field within 5 days after application
NAC UNITED CROP SOLUTIONS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	AMAG BUSTER 300 EC	150g/L+150g/L	EC	FUNGICIDE	3	687-325-5841	2-Sep-25	SYSTEMIC	Rice	Sheath blight	250-350 mL/ ha	-	No PHI is needed since last application of the product is at 45 days after planting for rice and at 60 days after	-
NAC UNITED CROP SOLUTIONS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	AMAG BUSTER 300 EC	150g/L+150g/L	EC	FUNGICIDE	3	687-325-5841	2-Sep-25	SYSTEMIC	Corn	Banded leaf and sheath blight, ear rot, leaf blight, rust	350-500 mL/ha	-	No PHI is needed since last application of the product is at 45 days after planting for rice and at 60 days after	-
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Pineapple	Heart rot	56-110, 55 product (gms/16L)		90 days	12-24 hours
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Coconut	Wet-bud rot, nut rot	160 product (gms/16L)		90 days	12-24 hours
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Rubber	Black strife	225-455 product (gms/16L)		90 days	12-24 hours
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Cacao	Black pod	55 product (gms/16L)		90 days	12-24 hours
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Orchids	Black rot	55 product (gms/16L)		90 days	12-24 hours
LICHEMPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALUMINY 80 WP	800 g/Kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Asparagus	Crown & Spear rot	120-140 product (gms/16L		90 days	12-24 hours
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Pepper	Early and late blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Mango	Anthracnose, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Banana	Black sigatoka	1-2 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Enter the treated-field 48 hours after spraying
BAYER CROPSCIENCE, INC.	CHLORANTRANILIPROLE	ALTACOR 35 WG	350 g/Kg	WG	INSECTICIDE	4	284-393-4858	18-Mar-25	-	Rice	Stemborer	85.7 gms. prod/ha (8.57 gms prod/16L)	-	70 days	-
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Banana	Blossom thrips	4.5 / L water	-	-	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Cabbage	Diamond back moth	1000 mL prod./ ha	-	7 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Ornamentals	Mites	10-15 mL/ 16L	-	-	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Pineapple	Mites	4.5 / L water	-	-	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ ha	-	3 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Onion	leafminer, thrips	500-1000 mL prod./ ha	-	3 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Potato	leafminer, thrips	500-1000 mL prod./ ha	-	14 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Tomato	leafminer, thrips, aphids	500-1000 mL prod./ ha	-	3 days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Watermelon	Leafminer, thrips, melonworm	500-1000 mL prod./ ha; 50-1500 mL prod./ ha	-	3 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Papaya	Mites	150-600 mL prod./ ha	-	14 Days	Re-enter treated area only after spray has dried.
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4658	07-Jun-27	-	Strawberry	Mites	600-1200 mL prod./ ha	-	3 days	Re-enter treated area only after spray has dried.
BIOSOLUTIONS INTERNATIONAL CORP.	ALPHA-CYPERMETHRIN	ALPHAMAX 10 EC	100 g/L	EC	INSECTICIDE	2	585-274-5715	19-May-23	-	Rice	Whorl maggots, stemborer, rice bug, leaf hopper, brown planthopper, and leaffolder	12.5 mL prod. / 16 L or 125 mL prod. / ha	-	Crops treated with Alphamax can be harvested three (3) days after spray application	Entry to field and crops treated with Alphamax may be done 24 hours after spray application
VANN HAWK AGRO CHEMICALS, INC.	PYRACLOSTROBIN	ALPHAHAWK 25 EC	250 g/L	EC	FUNGICIDE	2	295-396-6164 (694)	17-May-26	-	Corn	Leaf spot	0.4 L/ha	-	4 days	As soon as solution has dried up
VANN HAWK AGRO CHEMICALS, INC.	PYRACLOSTROBIN	ALPHAHAWK 25 EC	250 g/L	EC	FUNGICIDE	2	295-396-6164 (694)	17-May-26	-	Banana	Black sigoka freckles	0.4 L/ha	-	4 days	As soon as solution has dried up
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Pineapple	Heart rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Rubber	Black strife	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Cacao	Black pod	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Orchids	Black rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALOUETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Asparagus	Crown & Spear rot	-	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	METSULFURON METHYL+CHLORIMURON ETHYL	ALMIX 20 WP	100 g/Kg+100 g/Kg	WP	HERBICIDE	4	014-298-0793	01-Mar-27	POST-EMERGENT	Rice (Direct-Seeded)	Broadleaf weeds & sedges	5-10 Tankloads/ha (16L sprayer); 1-2 of sachet/Tankload	-	-	As soon as the spray mist dries up
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	METSULFURON METHYL+CHLORIMURON ETHYL	ALMIX 20 WP	100 g/Kg+100 g/Kg	WP	HERBICIDE	4	014-298-0793	01-Mar-27	POST-EMERGENT	Rice (Transplanted)	Broadleaf weeds & sedges	5-10 Tankloads/ha (16L sprayer); 1-2 of sachet/Tankload	-	-	As soon as the spray mist dries up
INTERSORORA INC.	DIFENOCONAZOLE+PROPICONAZOLE	ALLWIN 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	664-325-5375	26-Nov-26	SYSTEMIC	Rice	Sheath Blight	250-350 mL prod.	-	-	-
INTERSORORA INC.	DIFENOCONAZOLE+PROPICONAZOLE	ALLWIN 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	664-325-5375	26-Nov-26	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	250-500 mL prod.	-	-	-
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Mango	Anthracnose, scab, stem-end rot	6-8/ 100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Onion	Basal/ bulb rot	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Tomato	Late/ early blight, powdery mildew	0.5-1 TBsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/Ha	-	14 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-	7 Days	-
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CYHALOTHRIN	ALLGROW KATIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-

VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	–	–
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLCIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	18-Jan-28	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	–	–
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	–	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	–	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grasses and broadleaf weeds	160-215ml/16 L water	–	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	–	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	–	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	–	After spray deposits have dried .
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347-A	28-Aug-27	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water,135ml/16 L water	–	–	After spray deposits have dried .
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Potato	Early and late blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Celery	Late blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Cotton	Damping off	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Lettuce	Downy mildew	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Pepper	Anthracnose	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Chili	Anthracnose	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Papaya	Fruit rot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm		
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Soybeans	Leaf rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Crucifers/Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application

ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each application	One (1) day after each application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-065-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaves	8-12Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-065-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaves	8-12Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-065-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaves	8-12Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-013-2254	24-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-013-2254	24-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-013-2254	24-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	376-049-4204-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with **ALJAY 2,4-D ESTER** can be done one day after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	376-049-4204-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with **ALJAY 2,4-D ESTER** can be done one day after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	376-049-4204-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with **ALJAY 2,4-D ESTER** can be done one day after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha 4.0-6.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ha 4.0-6.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Eggplant	Green leafhopper, whiteflies, aphids	100-200 mL prod./ha 4.0-6.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Bittergourd	Leafhopper, thrips, fruit fly, cutworm	100-400 mL prod./ha 4.0-13.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Corn	Asiatic corn borer, earworms, cutworm, leafhopper, aphids	250-400 mL prod./ha 10.0-16.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruit fly, cecid fly	20-30 mL/100	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Banana	Flower Thrips	1-3mL/L	-	-	Do not enter treated fields for at least 1 day after application
HAILIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIXAM 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Rice	Stemborer	100-200 mL prod./ha 10.0-30.0 mL prod./16L	-	-	Do not enter treated fields for at least 1 day after application
TEAMAGRO TRADING CORPORATION	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	ALISOL	250-450 mL/L	-	OTHERS	4	248-348-3648	19-Feb-25	SELECTIVE (POST-EMERGENT)	Surfactant on Razer 10 SC		25-30ml/16 L water			
BAYER CROPSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/ CONTACT	Banana	Grasses, sedges and broadleaf weeds	100-150 ml product/ha	-	0 day	May enter treated areas immediately after spray deposits have dried.
BAYER CROPSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/ CONTACT	Oil palm	Grasses, sedges and broadleaf weeds	50-150 mL product/ha	0.01ppm	0 day	May enter treated areas immediately after spray deposits have dried.
BAYER CROPSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/ CONTACT	Rubber	Grasses, sedges and broadleaf weeds	50-150 mL product/ha	-	0 day	May enter treated areas immediately after spray deposits have dried.
BAYER CROPSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT	Sugracane	Grasses, sedges and broadleaf weeds	50-100 mL prod./ ha	0.01 mg/kg	90 days	May enter treated areas immediately after spray deposits have dried.
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	15-Aug-26	SYSTEMIC/CONTACT	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	27-Apr-22	-	Rice	Rice bug (Drone spray application)	100 mL prod./ ha; 15-30 L/ ha.	-	-	-
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALIGN 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Weeds	160 mL/ 16L water; 135-200 mL/ 16L water	-	-	-
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALIGN 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	215 mL/ 16L water; 270 mL/ 16L water; 135 mL/ 16L water	-	-	-
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALIGN 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	160 mL/ 16L water; 135 mL/ 16L water	-	-	-
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALIGN 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Non-crops areas	Weeds	160-215 mL/ 16L water	-	-	-
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90 days	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 Tbsp/16L	-	-	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Rubber	Black strife	3-6 Tbsp/16L	-	-	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	-	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L	-	-	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Asparagus	Crown & Spear rot	12-16 g/16L	-	-	Do notenter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	ALIETTE 80 WP	800 g/Kg	WP	FUNGICIDE	4	284-154-0338	04-Aug-26	SYSTEMIC	Rice	Bacterial leaf blight	1.5-2.0kg product/ha	0.05 µg/g	-	Do notenter treated area before the spray deposits have dried completely
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900 (539)	25-Sep-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	

C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-	
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	451-151-3754	09-Sep-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Citrus	Grasses, annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-	-	Twenty four (24) hours after application
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Coffee	Grasses, annual and perennial broadleaf weeds	13.0-19.0 Tbsp/16 L water	-	-	-	Twenty four (24) hours after application
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Cotton	Grasses, annual and perennial broadleaf weeds	8.0 tbsp/16 L water	-	-	-	Twenty four (24) hours after application
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Sugarcane	Grasses, annual and perennial broadleaf weeds	6.0-13.0 tbsp/ 16L water	-	-	-	Twenty four (24) hours after application
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Pineapple	Grasses, annual and perennial broadleaf weeds	13.0 tbsp/ 16L water	-	-	-	Twenty four (24) hours after application
ALDIZ INCORPORATED	DIURON	ALDI 80 WP	800 g/Kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Non-crop agricultural areas	Grasses, annual and perennial broadleaf weeds	20.0-28.0 tbsp/ 16L water	-	-	-	Twenty four (24) hours after application
CARGILL PHILIPPINES INC.	GLUTARALDEHYDE+BENZYL-(C12-C16)-ALKYLDIMETHYL AMMONIUM CHLORIDE+FORMALDEHYDE	ALDEKOL DES 03	250g/L+25g/L+185 g/L	-	OTHERS	2	708-572-5664	31-Dec-27	-	-	Disinfection of surfaces and foot/ wheel dips in livestock facilities	-	-	-	-	
CARGILL PHILIPPINES INC.	GLUTARALDEHYDE+BENZYL-(C12-C16)-ALKYLDIMETHYL AMMONIUM CHLORIDE+DIDECYLDIMETHYL AMMONIUM CHLORIDE	ALDEKOL DES 01	112g/L+74g/L+46g /L	-	OTHERS	2	708-571-5663	31-Dec-27	-	-	Disinfection of surfaces and equipment in livestock facilities	-	-	-	-	
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-		
GNM AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/Kg	SP	INSECTICIDE	3	577-106-3764	01-Jul-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-		
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Banana	Thrips	1.5-2 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Corn	Cornborer, earworm	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Sorghum	Cornborer,earworm	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/16Li Sprayer	0.01ppm	3 Days		
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Li Sprayer				
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/Kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Li Sprayer				
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ALTACROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/Kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha		-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Potato	Whiteflies, aphids and thrips	100-200 mL/ha	-	7 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha	-	7 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha	-	3 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days		Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days		Do not enter treated fields at least 1 day after application.
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/Kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or

GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water			Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	01-Jul-22	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPMC+CHLORPYRIFOS	ALAKDAN 300 EC	210+105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	SORBITAN MONOOLEATE+POLYOXYETHYLENE SORBITAN TROPLEATE	AL-100 TS	-	-	OTHERS	4	011-324-0942	25-Apr-25		Banana	Black sigatoka	0.2-0.4 L/ha			
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Potato	Early and late blight	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Celery	Late blight	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Cotton	Damping off	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Pepper	Anthracnose	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Chili	Anthracnose	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-065-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AKTIV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-065-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AKTIV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-065-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTIV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-049-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to field and crops treated with AKTIV 2,4-D ESTER can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTIV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-049-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with AKTIV 2,4-D ESTER can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTIV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-049-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with AKTIV 2,4-D ESTER can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTIV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812-A	10-May-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 Lwater	0.1 ppm	-	Entry to fields and crops treated with AKTIV 2,4-D AMINE can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTIV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812-A	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25Tbsp/16 L water	-	-	Entry to fields and crops treated with AKTIV 2,4-D AMINE can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTIV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812-A	10-May-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5.0-6.5Tbsp/16 L water	-	-	Entry to fields and crops treated with AKTIV 2,4-D AMINE can be done one day after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+PROPANIL	AKTACHLOR 70 EC	350+350 g/L	EC	HERBICIDE	3	540-238-3593	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
AKTIV MULTI TRADING CO. PHILS, INC.	BUTACHLOR+PROPANIL	AKTACHLOR 70 EC	350+350 g/L	EC	HERBICIDE	3	540-238-3593	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
AKTIV MULTI TRADING CO. PHILS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AKSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	540-229-3596	29-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water			Do not enter the treated field within 48 hours after application
AKTIV MULTI TRADING CO. PHILS, INC.	FIPRONIL	AKPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	540-244-3592	25-Nov-24	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
AKTIV MULTI TRADING CO. PHILS, INC.	FIPRONIL	AKPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	540-244-3592	25-Nov-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L		Do not apply 7 days before harvest	One day after application

AKTIV MULTI TRADING CO. PHILS, INC.	FIPRONIL	AKPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	540-244-3592	25-Nov-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
AKTIV MULTI TRADING CO. PHILS, INC.	FIPRONIL	AKPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	540-244-3592	25-Nov-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AKTIV MULTI TRADING CO. PHILS, INC.	FIPRONIL	AKPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	540-244-3592	25-Nov-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & Perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Mango	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters /Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Banana	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters /Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters /Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Cacao	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters /Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Oil palm	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses, broadleaf weeds & sedges	-			
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597-A	29-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTIV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	540-037-3597	29-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Banana	Blossom thrips	0.5 per L water	-	-	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Cabbage	Diamond back moth	1000 mL prod./Ha	-	7 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Ornamentals	Mites	1.0-15 Tbsp/ 16L of water	-	-	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Pineapple	Mites	1000-4000 mL prod./ Ha	-	-	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Onion	Leafminer, Thrips	2.0-3.0 Tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Potato	Leafminer, Thrips	2.0-3.0 Tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Tomato	Leafminer, Thrips, aphids	2.0-3.0 Tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Papaya	Mites	2.0-5.0 Tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up.
LICHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKKA 1.8 EC	18 g/L	EC	INSECTICIDE	2	590-234-5033	29-Jan-26	-	Strawberry	Mites	2.0-4.0 Tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up.
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	DIURON	AKIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	540-021-3595-A	17-Dec-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with AKIURON 80 WP can be done one day after the application
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Mungo	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Soybeans	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPMC+CHLORPYRIFOS	AKFOS 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Beans	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	16-May-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKBENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Mango	Anthracnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKBENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKBENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Garden Peas (Legumes)	Powdery milew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKBENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKBENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	7 days (Banana)	Re-entry is allowed as soon as the spray deposits dry up.
THE LICHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-27	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	Immediately after spray deposits have dried
THE LICHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-27	-	Banana	Flower thrips	1.0-1.25 ml/L of water	-	-	Immediately after spray deposits have dried

THE LICHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-27	-	Eggplant	Fruit borer	60-65ml/16L of water	-	-	-	Immediately after spray deposits have dried
THE LICHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-27	-	Beans	Podborer	30-50mL/16L of water	-	-	-	Immediately after spray deposits have dried
THE LICHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-27	-	Bulb Onion	Thrips & Cutworm	40-100ml/16L of water	-	-	-	Immediately after spray deposits have dried
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47 5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Stringbeans	Beanfly, leaffolder & aphids	1.5-3.0 Tbsp/16l water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least 1 day after application
GREEN THUMB EXFERT VENTURES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AIM 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	596-229-4116	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Stringbeans	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Eggplant	Whiteflies, gGreen leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mL prod./16L	-	7 days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400/ mL prod./ha;4.0-13.0 mL prod./ 16L	-	7 days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 Days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL prod./ha;10.0-16.0 mL prod./ 16 L	-	3 Days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Banana	Flower thrips	1-3 mL/L	-	90 days	-	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFIX SOLUTIONS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AIKIDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod./ 16 L	-	14 days	-	Do not enter treated fields for atleast 1 day after application
ARIES RNE CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	AHEAD 70 EC	350 g/L+350 g/L	WP	HERBICIDE	3	478-238-2635	7-Nov-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-	-
ARIES RNE CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	AHEAD 70 EC	350 g/L+350 g/L	WP	HERBICIDE	3	478-238-2635	7-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-	-
AGWAY CHEMICALS CORPORATION	HEXAZINONE+DIURON	AGWAY TELAR 60 WG	132 g/kg+468 g/kg	WG	HERBICIDE	4	075-435-6299	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400 L/ ha	-	-	-	-
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-B	12-Feb-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	1 day after each spraying	-	1 day after each spraying
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	-	Do not enter treated field within 2 days after spraying

AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	075-106-3667	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGWAY CHEMICALS CORPORATION	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	AGWAY BANANA ECO OIL		-	OTHERS	4	075-282-4860	18-Jul-22	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-065-4698	08-Mar-28	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaves	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-065-4698	08-Mar-28	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaves	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-065-4698	08-Mar-28	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaves	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGUIPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16 L	0.1 Thiamethoxam; 0.1 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16 L	0.5 Thiamethoxam; 0.2(with pod) Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16 L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2 Lambdacyhalothrin	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2 Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha; 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	3 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	1.0ppm Thiamethoxam; 0.50ppm Lambdacyhalothrin	90 days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGUILA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.5ppm Lambdacyhalothrin	14 Days	Do not enter treated fields at least 1 Day after application
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Rice	Blast, neck rot, black spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Mango	Anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Banana	Sigatoka disease	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying

AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/Kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-27	-	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray within 14 days of harvest	Do not enter the treated field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Corn	Seedling maggot, corn borer, corn earworm, armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Tobacco	Budworm, grasshopper, aphid, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Cucumber	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Melon	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Watermelon	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Mungbeans	Bean pod borer, aphid, beanfly armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Soybean	Bean pod borer, aphid, beanfly armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPMC+CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Beans	Bean pod borer, aphid, beanfly armyworm, cutworm, leafminer, leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cacao	Pod borer, aphids, capsid bug	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Citrus	Rind borer	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Coffee	Berry borer	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Corn	Corn borer, corn earworm, army worm	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cotton seeds	Silkworm, cutworm	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cowpea and other beans	Pod borer, beanfly, leafminer, aphids	40-80 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Mango	Mango hoppers, tip borer, twig borer, fruitfly, mealy bug	40-80 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Rice	Green leafhopper, caseworm, rice bug	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Sorghum	Armyworm, cutworm, headworm, webworm	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Soybeans	Pod borer, beanfly, leafminer, aphids	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Tobacco	Aphids, budworm, cutworm	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL 85 WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Tomato	Fruitworm, lady beetle	40-60 mL prod./ 16L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	MANCOZEB	AGSMART CAVENZEB 420 SC	420 g/L	SC	FUNGICIDE	4	680-053-5952	2-Dec-25	-	Banana	Black sigatoka	4-5 L/ha or 12 tbsp/16L	-	It is recommended to observe a 7-days pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Pineapple	Mealy bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Cotton	Katydids, grasshopper, cutworm, mites	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
LICHEMPHIL INTERNATIONAL INC.	DIAZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Mango	Hopper, tip borer	2.5-3.5 Tbsp/16L Water	-	14 Days	Soon as spray has dried.
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	264-053-0927	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MCPA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Rice	Annual grasses, broadleaves & sedges	3-6 Tbsp/16 L water		-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCPA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Sugarcane	Annual grasses, broadleaves & sedges	5-6 tbsp/16L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCPA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Corn	Annual grasses, broadleaves & sedges	5-6 tbsp/16L water		-	Re-entry to fields is allowed as soon as spray dries

JARDINE DISTRIBUTION, INC.	MCPA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Lawns	Annual grasses, broadleaves & sedges	2 tbsp/ 16L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCPA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Grassland	Annual grasses, broadleaves & sedges	2 tbsp/ 16L water	-	-	Re-entry to fields is allowed as soon as spray dries
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	25-Sep-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AGROW CROP CARE CORPORATION	PROCHLORAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24		Banana	Fungal crown mold, crown rot, anthracnose, pitmark, and smoky fruit	2-4 ml/L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLORAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24		Pineapple	Butt & crown mold and butt rot	0.5 -1.0 mL / L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLORAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24		Pineapple	Fruitlet core rot	1.0-3.0mL / ha	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLORAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	25-Apr-23		Pineapple	Pineapple black rot (Thielaviopsis rot)	1.0-3.0 L prod./ ha; 0.5-1.0 mL prod./ L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	AZADIRACHTIN	AGROW-NEEM	-	-	INSECTICIDE	4	718-513-5741	05-May-23		Banana	Scale insects, mealybugs, aphids, siagatoka	2.0-3.5ml/L water; 2-4L/Ha	-	-	-
AGROW CROP CARE CORPORATION	BUPROFEZIN	AGROW-FEZIN 25 SC	250g/L	SC	INSECTICIDE	3	581-224-5177	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 mL prod. /L water (stem and mat spray)	-	0 days	After spray deposits have dried.
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BIFENTHRIN	AGROWFEN			INSECTICIDE	4	755-328-6230	14-Jul-26	-	Banana	Mealybugs and scale insects	-	-	-	-
VETMATE FARMA CORPORATION	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	658-182-5327	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	-
VETMATE FARMA CORPORATION	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	658-182-5327	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-
VETMATE FARMA CORPORATION	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	658-182-5327	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	-
VETMATE FARMA CORPORATION	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	658-182-5327	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FIPRONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FIPRONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Cabbage	Diamond back moth	1.3-2.5, 2.5-3.75, 3.0-5.0 Tbsp/ 16L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FIPRONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FIPRONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FIPRONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	non-crop & minimum tillage system	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Mango	Hoppers	0.75-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Onion	Thrips, cutworm	1.0 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Cacao	Podborer	1.0-2.0 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDACYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-27	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soos as spray deposits dry
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16 L water,270ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop land	Annual & Perennial grasses, sedges & broadleaf weeds		-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water,135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Banana	Blossom thrips	0.5/ L water	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Cabbage	Diamond back moth	1000 mL Prod./ Ha		7 days	
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Ornamentals	Mites	1.0-1.5 Tbsp/ 16L water	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Pineapple	Mites	1000-4000 mL Prod./ Ha	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Eggplant	Thips,leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Onion	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Potato	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	14 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Papaya	Mites	0.5-1.0 Tbsp/ 16L water	-	14 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	15-Apr-27	-	Strawberry	Mites	2.0-4.0 Tbsp/ 16L water	-	3 days	-

AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses, itchgrass, goosegrass,sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-27	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	-	-	-	-	-
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Citrus	Grasses, annual and perennial broadleves	6.5-13 tbs/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Coffee	Grasses, annual and perennial broadleves	13 tbsp/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Cotton	Grasses, annual and perennial broadleves	13-19 tbsp/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Sugarcane	Grasses, annual and perennial broadleves	8 tbsp/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Pineapple	Grasses, annual and perennial broadleves	13-19 tbsp/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DIURON	AGROTECHNO DIURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	9-Jun-26	SYSTEMIC	Non-crop land	Grasses, annual and perennial broadleves	20-28 tbsp/16L water	-	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	370-106-5558	27-Dec-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	-	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-013-6383	10-May-27	POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water	-	-	-	Entry to field and crops treated with **AGROTECHNO 2,4-D AMINE** can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-013-6383	10-May-27	POST-EMERGENT	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/ 16L water	-	-	-	Entry to field and crops treated with **AGROTECHNO 2,4-D AMINE** can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-013-6383	10-May-27	POST-EMERGENT	Sugarcane	Sedges and broadleaf weeds	13.25 tbsp/ 16L water	-	-	-	Entry to field and crops treated with **AGROTECHNO 2,4-D AMINE** can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	PYRIBENZOXIM+CYHALOFOP-BUTYL	AGROTECH PYRIFOP 8.5 EC	25 g/L+60 g/L	EC	HERBICIDE	3	370-453-6401	20-Dec-26	-	Rice (Direct-seeded)	Grasses, broadleaf weeds, sedges	1.0-1.5 L prod./ ha (Applied at 12-16 days after seeding	-	-	-	As soon as spray deposits dry up
AGRO TECHNOPRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	AGROTECHNO NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	370-229-6330 (672)	24-Oct-26	-	Rice	Golden apple snail	35 grams (1 sachet); 10 tank load/ ha	-	-	-	At least 48 hours after application
AGRO TECHNOPRODUCTS INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha; 50-75 mL prod./ 16L water; 160-192 L/ha	0.01 ppm 0.01 ppm	28 days	-	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod./ ha; 150-200 mL prod./ 200L water; 2,040-3,3,472 L/ ha	0.02 ppm 0.07 ppm	14 days	-	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Onion	Anthracnose	300-500 mL prod./ ha; 20-35 mL prod./ 16L water; 200-500 L/ha	0.01 ppm 0.01 ppm	12 days	-	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Potato	Late blight	400-500 mL prod./ ha; 20-25 mL prod./ 16L water; 300-500 L/ha	0.05 ppm 0.1 ppm	14 days	-	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Rice	rice blast, sheath blight	250-500 mL prod./ ha; 20-50 mL prod./ 16L water; 160-200 L/ha	0.6 ppm 0.4 ppm	30 days	-	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE+PROPICONAZOLE	AGROTECH DIFEPRO 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	370-325-6297 (672)	9-Oct-26	-	Rice	Sheath blight	250-350 mL prod.	-	-	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE+PROPICONAZOLE	AGROTECH DIFEPRO 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	370-325-6297 (672)	9-Oct-26	-	Corn	Ear rot, leaf blight, rust, banded leaf, and sheath blight	250-500 mL prod.	-	45 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Cabbage	*Alternaria* leaf spot and ring spot	0.20-0.25 L prod./ ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Eggplant	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Mango	Anthracnose	0.528-0.880 l prod./ ha	-	14 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Rice	Sheath blight	0.25-0.30 L prod/ Ha	-	-	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, and powdery mildew	0.40 l prod./ ha	-	7 days	-	-
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 Days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 Days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 Days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Bitter gourd	Leafhoppers, thrips, aphids	100-400 mL prod./ ha; 4.0-13.0 mL prod./ 16L	-	7 Days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Mango	Leafhoppers, tipborers	20-30mL/ 100L	-	3 days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL prod./ ha; 10.0-16.0 ml prod./ 16L	-	3 days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Banana	Flower thrips	1-3 mL/ L	-	90 days	-	Do not enter treated fields for at least 1 day after application
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGROTECH ALITA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-27	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL prod./ ha; 10.0-30.0 mL prod./ 16L	-	14 days	-	Do not enter treated fields for at least 1 day after application
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm			
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water				
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water				
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	264-106-1333	26-Nov-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	-	Do not enter field within 48 hours after spraying
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Asparagus	Stem and leaf blight	1.0-2.0 L/Ha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	-	Do not enter unless spray deposits have dried.

INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Banana	Black sigatoka	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Beans	Rust, Anthracnose	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Carrot	Alternaria, Cercospora, helminthosporium	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Celery	Early and late blight	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Crucifers	Powdery mildew	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Mango	Anthracnose, diplodia rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Potato	Early and late blight, vine rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-Apr-27	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tsbp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Melon	Anthracnose,Cercospora leaf spot, downy mildew, Leaf blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Corn	Helminthosporium leaf spot, Cercospora leaf spot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Eggplant	Anthracnose, Cercosporaleaf spot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Peanut	Cercospora leaf spot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Potato	Early and late blight, vine rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Tomato	Early and late blight, vine rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Carrot	Alternaria, cercospora leaf spot, hemiinthosphorium leaf spot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	-		0 Day	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Mango	Anthracnose, diplodia rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Beans	Rust, Anthracnose	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Crucifers	Powdery mildew	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Onion	Purple blotch, bulb rot, neck rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Garlic	Purple blotch, bulb rot, neck rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Ornamentals	Black spot, Black rot, Powdery mildew	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Grapes	Downy mildew, powdery mildew, fruit rot	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Pepper	Anthracnose, cercosporaleaf spot, early blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Cucurbits	Powdery mildew,Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Melon	Powdery mildew,Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Cucumber	Powdery mildew,Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Squash	Powdery mildew,Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Watermelon	Powdery mildew,Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Celery	Early and late blight	-		7-14 days	into traeted areas may be done as soon as spray solution has dried on thefoliage.
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Corn	Cornborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Sorghum	Cornborer,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 Tbsp/16 L sprayer	0.01ppm	3 Days	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET 40 SP	400 g/Kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	AGRON 80 WP	800 g/Kg	WP	HERBICIDE	4	266-021-2963	17-Dec-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	-	7 days	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-		Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-		Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEKTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	04-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water				Re-enter the field as soon as spray dries
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scalie insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	261-104-1283-A	01-Feb-27	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Mango	Anthracnose	0.528-88 L prod/ Ha	-	14 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days		-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-27	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGROCIDE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	31-Jan-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-		-
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Banana	Blossom thrips	4.5 / L water; 0.5/ L water	-	-		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Cabbage	Diamondback moth	1000 mL prod./ ha; 2.0 tbsp/ 16L water	-	7 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 tbsp/16 L water	-	-		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ha; 1500 mL prod./ha	-	3 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	14 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Watermelon	Leafminer, thrips and melonworm	500-1000 mL prod./ ha; 500-1500 mL prod./ ha	-	3 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Papaya	Mites	150-600 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	14 days		Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	7-Jun-27	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days		Is allowed as soon as spray deposits had dried up
UNITED AGRO TRADE CORPORATION	BUTACHLOR+PROPANIL	AGROBONDS 70 EC	350+350 g/L	EC	HERBICIDE	3	264-238-1297-A	26-Jun-27	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
UNITED AGRO TRADE CORPORATION	BUTACHLOR+PROPANIL	AGROBONDS 70 EC	350+350 g/L	EC	HERBICIDE	3	264-238-1297-A	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-		As soon as the spray mist dries up
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days		At least 48 hours after application

TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
AGRO TECHNOPRODUCTS INC.	THIRAM	AGRO TECHNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Banana	Black sigatoka & freckle			0 day	Re-entry to treated areas as soon as the spray deposits has dried
AGRO TECHNOPRODUCTS INC.	THIRAM	AGRO TECHNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Pineapple	Phytophthora heart rot & fruitlet rot			7-30 days	Re-entry to treated areas as soon as the spray deposits has dried
AGRO TECHNOPRODUCTS INC.	THIRAM	AGRO TECHNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Celery	Leafspot & blight			14-21 days	Re-entry to treated areas as soon as the spray deposits has dried
AGRO TECHNOPRODUCTS INC.	THIRAM	AGRO TECHNO THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Mango	Scab & anthracnose			7-10 days	Re-entry to treated areas as soon as the spray deposits has dried
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp 16L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Mango	Anthracnose	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Legumes	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Beans	Powdery mildew, *cercospora* leaf spot, antracnose, botrytis rot, *fusarium* wilt	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cucumber	Powdery mildew, gummy stem bligth, leaf and fruit spots	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Melon	Powdery mildew, gummy stem bligth, leaf and fruit spots	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Orange	Scabs	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Banana	Sigatoka	1.5-2.0 Tbsp/ 16L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE-METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Papaya	Powdery mildew	0.1-1.0 TBsp/ 16L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319-A	31-Jul-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries

UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	22-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRO IRIS PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AGRO IRIS NICLOSAMIDE 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	752-229-6012	21-Feb-25	-	Rice	Golden apple snails	35 gms or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Banana	Thrips	3.5-4.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Corn	Corn borer, earworm	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle , leaffolder	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	METHOMYL	AGRO IRIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIS MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6014	29-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/Ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-182-6016	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds				

AGRO IRIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-182-6016	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds					
AGRO IRIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-182-6016	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds					
AGRO IRIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-182-6016	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds					
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0 tbsp/ 16 water	-	-		A day after application
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0 tbsp/ 16 water	-	-		A day after application
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Cotton	Annual and Perennial broadleaves and grasses	8 tbsp/ 16 water				A day after application
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 tbsp/16 water	-	-		A day after application
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Pineapple	Annual and Perennial broadleaves and grasses	13 tbsp/16 water	-	-		A day after application
AGRO IRIS PHILIPPINES, INC.	DIURON	AGRO IRIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0 tbsp/16 water	-	-		A day after application
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Tomato	Tomato fruit worm, aphids, beetle	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Onion	Thrips, cutworm	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Banana	Thrips, scaring beetle	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIS CYPERMETHRIN 5EC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-27	-	Corn	Corn borer, earworm	1-4.5 Tbsp/16L	-	-		-
AGRO IRIS PHILIPPINES, INC.	2,4-D AMINE	AGRO IRIS 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	752-013-6015	24-Sep-27	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/ 16L	-	-		Entry to fields and crops treated with **AGRO IRIS 2,4-D AMINE 400 SL** can be done one day after spraying
AGRO IRIS PHILIPPINES, INC.	2,4-D AMINE	AGRO IRIS 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	752-013-6015	24-Sep-27	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5-6.5 tbsp/ 16L	-	-		Entry to fields and crops treated with **AGRO IRIS 2,4-D AMINE 400 SL** can be done one day after spraying
AGRO IRIS PHILIPPINES, INC.	2,4-D AMINE	AGRO IRIS 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	752-013-6015	24-Sep-27	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	13-25 tbsp/ 16L	-	-		Entry to fields and crops treated with **AGRO IRIS 2,4-D AMINE 400 SL** can be done one day after spraying
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbs.p/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbs.p/ 16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DEMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray		Enter treated area 24 hours after each spray
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	15-Nov-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Mango	Anthracnose	0.528-88 L prod/ Ha	-	14 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Asparagus	Stem and leaf blight	0.36 L prod/ Ha				
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days		-
ONEGRAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-27	-	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-		-
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying		One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or

AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days		Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha				Within 24 hours after sprying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 mL/16L water	0.1 ppm	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leaffolders	3-5 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Coffee	Berrybores, leaffolder, mealybugs	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cacao	Aphids, caspid bugs	3.2-6.4 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cotton	Aphids, leaffolder, whiteflies, mites	2-3 mL/16L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHION 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/L water. Inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months		Do not enter the fields within 2 days after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-013-2918	29-Sep-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-		1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-013-2918	29-Sep-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-		1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-013-2918	29-Sep-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-		1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Cotton	Boilworm	1.0-1.5Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CYHALOTHRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D IBE	AGRISOLUTIONS MASTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	459-049-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-		Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D IBE	AGRISOLUTIONS MASTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	459-049-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-		Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D IBE	AGRISOLUTIONS MASTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	459-049-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-		Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGARD CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest		Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water				
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water				
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24		Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/16L water				
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water				
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3018	27-Apr-24		Banana	Nematodes, corn weevil and scarring weevil	25-30 kg/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 5G	50 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3018	30-Jul-22		Sugarcane	Borer, leahopper, mealy bug, scale insects, neamatodes white grubs, crikets and roof flies	-	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	33.4-66.8 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE/ NEMATICIDE	2	459-104-3017	21-Nov-27	-	Legumes	Beanfly nematodes	16.7-33.4 kg prod/ha	-	Do not apply within thirty (30) days of harvest		Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-		A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-		A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-		A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-		A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-		A day after application

ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRISOLUTIONS EL NIÑO DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	459-021-2985	25-Jan-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	A day after application
BAYER CROPSCIENCE, INC.	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	AGRISOL A-150K	285+475 mL/L	LC	OTHERS	4	284-348-1142	22-Dec-26	-	-	As surfactant on NOMINEE 100 SC	10 - 30 mL/16 L water; 10 - 20 spray loads	-	-	-	-
TAIPAN BRAND FARM INC.	POLYETHELENE SORBITAN FATTY ACIDS+POLYOXYETHELENE DODECYL ETHER	AGRISOL A-150K	285mL/L+475mL/L	-	OTHERS	4	529-348-6105	22-Dec-26	-	-	As surfactant on NOMINEE 100 SC	-	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC	ALCOHOL C13 iso,-ETHOXYLATED	AGRIPAK	900g/L	-	OTHERS	4	432-460-5427	13-Aug-24	-	-	As surfactant for BISIG 100 SC	25-30 ml/16 L water	-	-	-	As soon as spray have deposits dried up
SYNGENTA PHILIPPINES INC.	ALCOHOL C13 iso,-ETHOXYLATED	AGRIPAK	900g/L	-	OTHERS	4	432-440-5427	13-Aug-24	-	-	As surfactant for BISIG 100 SC	25-30 ml/16 L water	-	-	-	As soon as spray have deposits dried up
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Banana	Blossom thrips	0.5/ L water	-	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEK 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	11-Nov-22	-	Mango	Cecid fly	250-500mL/200L water	0.04 mg/Kg	-	-	Re-enter treated area only after spray deposits have dried
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	04-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	-	Re enter the field as soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC	POLYOXYETHYLENE SORBITAN FATTY ACID+POLYOXYETHYLENE DODECYL ETHER	AGRIKAP A 150 K	285+475 ml/L	LC	OTHERS	4	432-348-3526	03-Sep-24	-	-	Surfactant on Bisig SC 100	sprayloads 10,20-30 ml/16 L water: sprayloads 15,15-20 ml/16 L water:	-	-	-	-
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha	-	7 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruit fly, cutworm	100-400 mL/ha	-	7 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha	-	3 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	-	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	AGRIKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Rice	Stemnborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	-	Do not enter treated fields at least 1 day after application.
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Banana	Blossom thrips	0.5/ L water	-	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417-A	13-Sep-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	-	-
ZAGRO CORPORATION	CYHALOFOP-BUTYL	AGRIFOP 100 EC	100 g/L	EC	HERBICIDE	4	043-257-5593	28-Oct-24	-	Rice (Direct-seeded)	Grasses	12 tankload/ha	-	-	-	-
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Banana	Blossom Thrips	0.5/ L water	-	-	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Cabbage	Diamond back moth	2.0 Tbsp/ 16L water	-	7 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Ornamentals	Mites	0.5/ L water	-	-	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Onion	Leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Potato	Leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Papaya	Mites	2.0-5.0 Tbsp/16 L of water	-	14 days	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	-	Is allowed as soon as spray deposits had dried up
AGWAY CHEMICALS CORPORATION	CYMOXANIL+MANCOZEB	AGRICOTE PRO 505 WP	40+465g/Kg	WP	FUNGICIDE	4	075-163-5270-A	04-Nov-26	CONTACT	Potato	Late Blight	50 (gram product/16 L)	-	-	-	Do not entry fields treated with AGRICOTE PRO 505 WP 24 hours after application
AGWAY CHEMICALS CORPORATION	CYMOXANIL+MANCOZEB	AGRICOTE PRO 505 WP	40+465g/Kg	WP	FUNGICIDE	4	075-163-5270-A	04-Nov-26	CONTACT	Tomato	Late Blight	50 (gram product/16 L)	-	-	-	Do not entry fields treated with AGRICOTE PRO 505 WP 24 hours after application
AGWAY CHEMICALS CORPORATION	CYMOXANIL+MANCOZEB	AGRICOTE PRO 505 WP	40+465g/Kg	WP	FUNGICIDE	4	075-163-5270-A	04-Nov-26	CONTACT	Grapes	Downy mildew	50 (gram product/16 L)	-	-	-	Do not entry fields treated with AGRICOTE PRO 505 WP 24 hours after application
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	-	As soon as spray dries

AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE MZ 80 WP	800 g/Kg	WP	FUNGICIDE	4	075-053-1367	19-Jul-27	-		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	701-101-5584	09-Jun-24	-		Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water		-	-
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	701-101-5584	09-Jun-24	-		Sugarcane	whitegrubs	80-100 ml per 16L water		-	-
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	701-101-5584	09-Jun-24	-		Pineapple	Ants & Mealybugs	1-4 L per hectare; 8L/ha (pre-plant)		-	-
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Mango	Anthracnose, sooty mold	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Banana	Sigatoka	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Pepper	Anthracnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Potato	Early blight, late blight	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Watermelon	Anthracnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/Kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water	-	24 hours after the last spray	24 hours after the last spray
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	31-Dec-26	SELECTIVE (POST-EMERGENT)		Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	31-Dec-26	SELECTIVE (POST-EMERGENT)		Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	31-Dec-26	SELECTIVE (POST-EMERGENT)		Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-151-3311	11-Aug-17	POST-EMERGENT		non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
AGRESOURCE CORPORATION	BENZALKONIUM CHLORIDE	AGRESOURCE BENZALKONIUM CHLORIDE 400 SL	40 g/L By Mass	SL	OTHERS	4	497-097-3679	25-Jan-25	-		Banana	*Ralstonia solanacearum* - as tool disinfectant	10-20ml/L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BACILLUS THURINGIENSIS ss. AIZAWAI	AGREE 50 WP	500.0 g/Kg	WP	INSECTICIDE	-	088-094-4947	29-Nov-25	-		Cabbage	Diamond-back moth &asparagus	0.40- kg prod./ha; 0.75 kg prod./ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BACILLUS THURINGIENSIS ss. AIZAWAI	AGREE 50 WP	500.0 g/Kg	WP	INSECTICIDE	-	088-094-4947	29-Nov-25	-		Asparagus	Corn earworm	1.10 kg prod./ha; 1.60 kg/ha	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Celery	Early and late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Beans	Rust	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Potato	Early and late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Tomato	Early and late blight	50-65 g/ 16L water	-	3 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Tobacco	Brown leaf spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Coffee	Brown eye spot	6 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Citrus	Black spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Melon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-		Watermelon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried

SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Ornamentals	Black spot, rust	35-50 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Mango	Anthracnose	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Rice	Dirty panicle, brown leaf spot	50-100 (500-1000g prod./ ha)	-	18 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Banana	Sigatoka, freckle disease	2.5 kgs./ ha	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROPINEB	AGNI 70 WP	700 g/Kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Asparagus	Stem and leaf blight	2.5 kgs./ ha	-	7 days	Immediately after spray deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	AGNEWTEK NICLOSAMIDE 70WP	700 g/Kg	WP	MOLLUSCICIDE	4	762-229-6121	24-Apr-26	-	Rice	Golden apple snail	35 g (1 pouch) / 16L water	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Potato	Early and late blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cabbage	Downy mildew, *alternaria* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cauliflower	Downy mildew, *alternaria* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Broccoli	Downy mildew, *alternaria* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Celery	Late blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cucumber	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Squash	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cotton	Damping oil	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Lettuce	Downy mildew	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Beans	Anthracnose, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Peas	Anthracnose, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Mungbeans	Anthracnose, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Onion	Purple blotch, downy mildew, *botrytis* leaf blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Garlic	Purple blotch, downy mildew, *botrytis* leaf blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Pepper	Anthracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Chili	Anthracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Eggplant	Blight, Anthracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Banana	Sigatoka, Black leaf streak	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Grapes	Downy mildew, black rot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Mango	Anthracnose and Scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Papaya	Fruit rot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Melon	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Watermelon	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Rice	Blast sheath blight, *cercospora* leaf spot, *helminthosporium* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Peanut	*Cercospora* leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Soybeans	Leaf rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Ornamentals	Black spot, blight, athracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Itch grass, morning glory, day flower, button weed, spindletop, cologeoronium, hairy beggarticks, tropic ageratum	2-3 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Mango	Cogon (Shade condition)	3.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Banana	Cogon (Shade Condition)	3.0 L prod/ on	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Coffee	Cogon (Open Condition)	4.5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Cacao	Cogon (Open Condition)	4.5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Rubber	Mutha	2.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Oil palm	Paragrass	2.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Citrus	Paragrass	2.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Coconut	Talahib	4.5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Sugarcane	Fern (Shade Condition)	2.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Vegetables	Other annual weeds	2.0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Citrus	Annual and perennial grasses and broadleaves	13.0-19.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Coffee	Annual and perennial grasses and broadleaves	13.0-19.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Cotton	Annual and perennial grasses and broadleaves	8.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Pineapple	Annual and perennial grasses and broadleaves	13.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Non-crop land	Annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	24 hours after application
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	-	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	-	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	20 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	30-Jun-25	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	-	Do not enter unless spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPAQUIZAFOP	AGIL 100 EC	100 g/L	EC	HERBICIDE	4	099-377-1641	30-Jul-26	SELECTIVE (POST-EMERGENT)	Onion	Grasses	2-4 Tbsp/16L water (400L/ha)	-	-	-
ZAGRO CORPORATION	FIPRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Rice	Stenborer,BPH,Leaffolder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	-
ZAGRO CORPORATION	FIPRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L			-
ZAGRO CORPORATION	FIPRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L			-
ZAGRO CORPORATION	FIPRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Onion	Cutworm	5.33 tbsp./16L			-
ZAGRO CORPORATION	FIPRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L			-
AGCHEM MANUFACTURING CORPORATION	THIRAM	AGCHEM THIRAM 480 SC	480g/L	SC	FUNGICIDE	3	001-337-4357	25-Oct-27	-	Cavendish banana	Black Sigatoka	2.5 L/Ha	-	Do not apply to fruits or vegetables later 14-21 days before harvest	Re-entry to treated fields is allowed as soon as spray droplets dry up.
AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Mango	Leafhopper	1 Sachet/200L		-	Do not enter the treated fields for atleast 24 hours after application

AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Rice	Brown planthopper, Green leafhopper	25-30 gms/16L	0.02 mg/kg	36 days	Do not enter the treated fields for atleast 24 hours after application
AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/Kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Corn	Leafhoppers, Planthoppers and aphids	7-16 g Product/16L 100-250 g Product/ha	0.02 mg/kg	5 days	Do not enter the treated fields for atleast 24 hours after application
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-27	-	Mango	Plant growth regulator	1-2 tbsp./3-5 L water		-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-27	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water		-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-27	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 L water		-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-27	-	Cacao	Plant growth regulator	¼ tbsp./3-5 L water		-	-
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual and perennial weeds	13.5; 21.5; 27 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual and perennial weeds	13.5; 16 Tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual and perennial weeds	16-21.5 Tbsp/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	15-Nov-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual and perennial weeds	16; 13.5-20 Tbsp/16L water	0.2 mg/kg	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfort grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L		Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Onion	Cutworm	5.33 tbsp./16L		Do not apply 7 days before harvest	One day after application

AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L		Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-27	CONTACT	Corn	Seedling maggots	200 mL-250 mL 18-20 kg	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	001-021-3087	17-Dec-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-27	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL	AGCHEM CYHALOFOP 10 EC	100 g/L	EC	HERBICIDE	4	001-257-4661	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-27	-	Banana	Thrips, scarring beetle & aphids	20-30 ml (2-3 tbsp) per 16L of water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-27	-	Sugarcane	White grubs	80-100 ml (8-10 tbsp) per 15L of water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-27	-	Pineapple	Ants & Mealybugs	1-4 Liter/ha Using boom sprayer	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27	-	Ornamentals	Blackspot, black rot, powdery	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Mango	Anthracnose, diplodia rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp		7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Cucurbits	Powdery mildew, downy mildew, cescospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Crucifers	Powdery m	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Banana	Black sigatoka	1.0-2.0 L/ha	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-27		Asparagus	Stem and leaf blight	1.00 L/Ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Tomato	Fruitworm, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	CARBARYL	AGCHEM CARBARYL 85 WP	850 g/Kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cucurbits	Squesh beetle, leady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried on foliage
AGCHEM MANUFACTURING CORPORATION	BUPROFEZIN	AGCHEM BUPROFEZIN 25 SC	250g/L	SC	INSECTICIDE	3	001-224-4959	27-Nov-25	-	Mango	Leafhopper	60-80 mL/200L water	-	-	Re-entry to treated fields is allowed as soon as spray dries up
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	BENOMYL	AGCHEM BENOMYL 50 WP	500 g/Kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-27	SYSTEMIC	Banana	Black sigatoka	280 g/ha		-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or
AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/ 100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Onion	Basal/ bulb rot	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L water		Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.

AGCHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	AGCHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Rice	Whorl maggot, Stemborer, Rice bug, Green Leafhopper, Brown Planthopper and leaffolder	4-5 mL/16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Corn	Maggots Borers, Earworms	2.3 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Watermelon	Armyworm, Leaffolder, leafroller, aphids, squash beetles	2.3 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Stringbeans	Pod bores, Aphids, Cutworm	2.3 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Eggplant	Leafhoppers, Mites, Borers	2.3 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Tomato	Fruitworm	2.5-3.5 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Tobacco	Budworm, Cutworm, Aphids	2.3 mL/ 16L water	-	Crops trated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ACETAMIPRID	AGCHEM ACETAMIPRID 3EC	30g/L	EC	INSECTICIDE	3	001-329-3987	06-Feb-26	-	Mango	Mango hopper	1.5-2.0 Tbsp/16 L water	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	ACETAMIPRID	AGCHEM ACETAMIPRID 3EC	30g/L	EC	INSECTICIDE	3	001-329-3987	06-Feb-26	-	Eggplant	Leafhopper and fruit/ shoot borer	1.0-2.0 Tbsp/16 L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Rice	Stem borer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Soybeans	Bean fly, grubs, nematodes, other soilinsects	16.7-33.3 kg prod/ha	-		2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-		2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-		2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-		2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Cowpea	Bean fly, grubs, neamatode, other soil insects	16.7-33.3 kg prod/ha	-		2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	266-104-5391	01-Feb-27	-	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-		2 Days
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Mango	Anthracnose, scab, stem-end rot	6-8 / 100 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Onion	Basal/bulb rot	1-2 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Tomato	Late and early blight, powdery mildew	0.5-1 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZOXYSTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	TETRACONAZOLE+CARBENDAZIM	AFFIX	125 g/L+150 g/L	-	FUNGICIDE	4	551-423-4953	27-Sep-22	SYSTEMIC	Mango	Anthracnose,stem-end Rot	65-80 mL per 100 L water		Do not spray 14 days before harvest	As soon as spray solution dries up.
JYNNSONS PHILIPPINES, INC.	TETRACONAZOLE+CARBENDAZIM	AFFIX	125 g/L+150 g/L	-	FUNGICIDE	4	551-423-4953	27-Sep-22	SYSTEMIC	Rice	Sheath Blight	25 mL/16 L		Do not spray 14 days before harvest	As soon as spray solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water		No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Beans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water		No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Beans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water		No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS. ENTERPRISE INC.	LINURON	AFALON 50 WP	500 g/Kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5	-	No-restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application

BAYER CROPSCIENCE, INC.	IMIDACLOPRID+THIODICARB	AERIS WG 69	690 g/Kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19		Eggplant	Aphids, leafhopper, whiteflies, tipborer, fruitborer				
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+THIODICARB	AERIS WG 69	690 g/Kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19		Stringbeans	Aphids, cutworms, beanleaf beetle, podborers, beanfly, armyworm				
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+THIODICARB	AERIS WG 69	690 g/Kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19		Tomato	Leafhoppers, cutworm, whitefly, fruitworm, leafminer				
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	481-013-2901	06-Oct-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm		Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	481-013-2901	06-Oct-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	481-013-2901	06-Oct-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water			Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
MIGHTY AGRICULTURAL TRADING CORPORATION	METALAXYL-M	AEGIS 48 EC	480 g/L	EC	FUNGICIDE	2	733-384-3367	22-Mar-25		Pineapple	Heart rot disease, root rot, and fungal diseases caused by *fusarium* spp., and Phytophthora spp.	1.25-2.5 mL prod / L solution; 1.0-4.0 L prod / hectare	-	-	
MIGHTY AGRICULTURAL TRADING CORPORATION	METALAXYL-M	AEGIS 48 EC	480 g/L	EC	FUNGICIDE	2	733-384-3367	26-Sep-25	-	Pineapple	Fusariosis caused by Fusarium spp., and black rot caused by Chalara paradoxa spp. & Thielaviopsis paradoxa spp. (Through drone spray	1.0-4.0 L prod./ ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+PROPANIL	ADVICE 70 EC	350+350 g/L	EC	HERBICIDE	3	099-238-1326	04-May-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+PROPANIL	ADVICE 70 EC	350+350 g/L	EC	HERBICIDE	3	099-238-1326	04-May-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TOTAL FARM CARE AGRI PRODUCTS INC.	BUTACHLOR+PROPANIL	ADVENT 70 EC	350+350 g/L	EC	HERBICIDE	3	533-238-3488	14-Aug-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TOTAL FARM CARE AGRI PRODUCTS INC.	BUTACHLOR+PROPANIL	ADVENT 70 EC	350+350 g/L	EC	HERBICIDE	3	533-238-3488	14-Aug-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	ADVANTAGE 5 G	50 g/Kg	G	INSECTICIDE	3	598-223-4196	02-Nov-20		Rice	Green leafhopper & whorl maggot	15-20 Kg product/ha	0.2ppm	14 days	0 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	ADVANTAGE 5 G	50 g/Kg	G	INSECTICIDE	3	598-223-4196	02-Nov-20		Corn	Seedling maggots	10-15 kg/ha	-	-	0 day
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-28	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-28	POST-EMERGENT	Corn	Annual broadleaves and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-28	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Corn	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350+350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	-	-	-	-
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Cabbage	Aphids	4-6 gm/16 L water	Imidacloprid - 0.5 ppm Deltamethrin - 0.1 ppm	14 Days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Eggplant	Aphids,whiteflies, hoppers, & tipborers	4-6 gm/16 L water	Imidacloprid = 2.0 µg/g Deltamethrin - 0.5µg/g	7 Days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Bittergourd	Cucurbit beetles, aphids, leaffolders, whiteflies, cutworm	4-6 gm/16 L water	Imidacloprid - 0.005 ppm Deltamethrin - 0.02 ppm	3 Days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Stringbeans	Bean fly, aphids, podborer, cutworm, leaf hopper	4-6 gm/16 L water	Imidacloprid - 0.005 ppm Deltamethrin - 0.02 ppm	3 Days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Tomato	Fruit worm, white flies, leafhoppers	4-6 gm/16 L water	Imidacloprid - 0.005 ppm Deltamethrin - 0.02 ppm	3 Days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	IMIDACLOPRID+DELTAMETHRIN	ADMIRE MAX 75 WG	500g+250g/Kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Mango	Leafhoppers, tipborer, capsid bugs	20-40 g prod./200L water	Imidacloprid - 0.2 ppm Deltamethrin - 0.5 ppm	80 days	As soon as spray deposits have dried
JARDINE DISTRIBUTION, INC.	PYRIPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	367-469-4623	21-Jan-25	-	Papaya	Scale insects and mites	0.5-1 L product per ha (50-100 g A.I per ha)	-	-	-
JARDINE DISTRIBUTION, INC.	PYRIPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	367-469-4623	21-Jan-25	-	Pineapple	Scale insects and Mealy bugs	150-250 grams ai/hectare	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PYRIPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	06-Mar-27	-	Papaya	Scale insects and mites	0.5-1 L product per ha (50-100 g A.I per ha)	0.4 mg/Kg	1 day after application	As soon as as the spray mist dries up
SUMITOMO CHEMICAL PHILIPPINES INC.	PYRIPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	05-Nov-22	-	Pineapple	Scale insects and Mealy bugs	-	-	-	
BERRIS AGRICULTURAL COMPANY, INC.	NICLOSAMIDE	ADIOS 25 EC	250 g/L	EC	MOLLUSCICIDE	4	233-229-1030	16-Jun-26	-	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	48 hours after spraying
INTERSORORA INC.	NICLOSAMIDE	ADETO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	644-229-6378	29-Nov-26	-	Rice	Golden apple snail	350 g prod./ ha	-	-	Do not enter the treated field within 48 hours after application
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-27	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROPSCIENCE, INC.	ISOXAFLUTOLE+THIENCARBAZONE-METHYL	ADENGO XTRA SC 315	225g/L+90 g/L	SC	HERBICIDE	3	284-590-5773	26-Jul-25	PRE-EMERGENCE	Corn	Grasses, sedges, broadleaf weeds	12-16 mL product/ 16 L water at spray volume of 400 L per hectare (300-400)	0.02 mg/kg Isoxafloute 0.03 mg/kg Thiencarbazone-	-	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application)
SULI AGROSCIENCE PHILIPPINES INC.	BOSCALID	ACUBOR 500 SC	500 g/L	SC	FUNGICIDE	4	692-413-5759	24-Jun-25	SYSTEMIC	Banana	black sigatoka	0.5-0.7 L/ha	-	0 day	After drying of spray or 24 hours after spraying
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Pineapple	Mealy bug	100-200 g/ha	-	No PHI as last application will be 436 days before harvest	Do not enter unless spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Mango	Leafhopper	105.6-123.2 g/ha	-	No PHI since applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	-	-	28 days	Do not enter unless spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Stringbeans	Aphids, leafhopper	-	-	7 Days	Do not enter unless spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Eggplant	Aphids, leafhopper	-	-	3 days	Do not enter unless spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Banana	Flower thrips	-	-	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSIPAG AGRI TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CHEMREZ TECHNOLOGIES, INC.	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	ACTIV EM88	900g/L	E	OTHERS	4	529-100-4779	14-May-25	-	Banana	Sigatoka & Freckles	-	-	-	-
CHEMREZ TECHNOLOGIES, INC.	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	ACTIV EM88	900g/L	E	OTHERS	4	529-100-4779	12-Nov-25	-	Pineapple	Scale insects, mealy bugs, aphids	1 % of the total spray oil volume of the final pesticide mixture	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV AI28	861.30 g/L	-	OTHERS	4	529-434-3230	07-Nov-25	-	Cavendish Banana	Black Sigatoka, Leaf freckle disease as spray oil adjuvant	48-96 Tbsp/16L, 160-320 Tbsp/16L	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ AI28. Re entry
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Cavendish Banana	Black Sigatoka, leaf freckle; Scale insects and mealybugs	Ground 5-7L/100L of spray, Aerial 16.67-23.33L/100L of spray; 8-20 mL/L	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Okra	Leafhopper , cotton stainer	6-8Tbsp/16 L	-	-	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Sugarcane	Weeds	6-8Tbsp/16 L			Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Tomato	Cutworms, Leafhopper, whiteflies, fruitworm	6-8Tbsp/16 L	-	-	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Mango	Leafhopper , Scale insects	6-8Tbsp/16 L			Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry

CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-27	-	Pineapple	Scale insects, mealy bugs	6L-22L of Activ 32E + 1L of Diazinon 22L of Activ 32E only	-	-	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with Activ 32E. Re entry
SUMITOMO CHEMICAL PHILIPPINES INC.	CEREVISANE	ACTILEAF 10 SC	100g/L	SC	FUNGICIDE	4	472-587-5742	29-Jun-25	SYSTEMIC	Cavendish Banana	Black sigatoka	500-1000 mL prod./ hectare at volume rate of 50-80L . Hectare	-	-	-
SYNGENTA PHILIPPINES INC.	PIRIMIPHOS METHYL	ACTELLIC 50 EC	500 g/L	EC	INSECTICIDE	2	011-137-1776	02-May-25	-	-	Stored product pests(beetles,weevils and borers)	-	-	-	Do not enter treated areas until all treated areas until all treated surfaces or spray deposits are dry
SYNGENTA PHILIPPINES INC.	PIRIMIPHOS METHYL	ACTELLIC 50 EC	500 g/L	EC	INSECTICIDE	2	011-137-1776	02-May-25	-	Pineapple	Mites	0.47-1.41 kg ai/ ha (0.96-2.88 prod./L/ ha)	-	83 days	Do not enter treated areas until all treated areas until all treated surfaces or spray deposits are dry
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Pineapple	Mealy bug	**100-200 g/ha**	0.01 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Mango	Leafhopper	**105.6-123.2g prod/ha**	0.20 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	**4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water**	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHOXAM	ACTARA 25 WG	250 g/Kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Banana	Flower thrips	**4-6g/L**	0.02 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of ACTAMET 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHOXAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as ACTAMET 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PYRIBENZOXIM+CYHALOFOP-BUTYL	ACROSS 8.5 EC	25+60g/L	EC	HERBICIDE	3	575-453-5737	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10,12 spray loads/Ha	-	-	As soon as spray deposit dry up.
BASF PHILIPPINES, INC.	DIMETHOMORPH+MANCOZEB	ACROBAT MZ	90+600 g/kg	MZ	FUNGICIDE	3	005-281-0713	05-Aug-26	-	White Potato	Late Blight	55-65 g/16L water	-	Do not spray at 7 days before harvest	Entry to crops and fields sprayed with ACROBAT MZ may done 1 day after spraying
BASF PHILIPPINES, INC.	DIMETHOMORPH+MANCOZEB	ACROBAT MZ	90+600 g/kg	MZ	FUNGICIDE	3	005-281-0713	05-Aug-26	-	Tomato	Late Blight	55-65 g/16L water	-	Do not spray at 14 Days before harvest	Entry to crops and fields sprayed with ACROBAT MZ may done 1 day after spraying
TRADETON CORPORATION	DIMETHOMORPH+MANCOZEB	ACROBAT MZ	90+600 g/Kg	MZ	FUNGICIDE	3	439-281-2380	05-Aug-17	-	White Potato	Late Blight	55-65 g/16L water	-	Do not spray at 7 days before harvest	Entry to crops and fields sprayed with ACROBAT MZ may done 1 day after spraying
TRADETON CORPORATION	DIMETHOMORPH+MANCOZEB	ACROBAT MZ	90+600 g/Kg	MZ	FUNGICIDE	3	439-281-2380	05-Aug-17	-	Tomato	Late Blight	55-65 g/16L water	-	Do not spray at 14 Days before harvest	Entry to crops and fields sprayed with ACROBAT MZ may done 1 day after spraying
BASF PHILIPPINES, INC.	DIMETHOMORPH	ACROBAT 50 WP	500 g/Kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Potato	Late blight	5-10 g/L	-	14 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DIMETHOMORPH	ACROBAT 50 WP	500 g/Kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Tomato	Late blight	5-10 g/L	-	7 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DIMETHOMORPH	ACROBAT 50 WP	500 g/Kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Pineapple	Root rot and heart rot	60, 30 g/L	-	14 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DIMETHOMORPH	ACROBAT 50 WP	500 g/Kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Papaya	Phytophora root and basal root	4-8 g/lL	0.01 ppm	3 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Pineapple	Heart rot	56-110, 55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	160 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Rubber	Black strife	225-455 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Cacao	Black pod	55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Orchids	Black rot	55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFIX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACOJIN 80 WP	800 g/Kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Asparagus	Crown & Spear rot	120-140 product (gms/16L	-	90 days	12-24 hours
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of Actara will be 436 days before harvest	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHOXAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4652	07-Feb-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as Achtung 25 WDG will be applied as bud injection	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Tobacco	Budworm, and aphids	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Eggplant	Fruitborer	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Stringbeans	Aphids	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Tomato	Fruitworm	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Banana	Thrips	1.5-2 tbsp/ 16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Watermelon	Aphids, and thrips	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2-3 tbsp /16L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Mango	Leafhopper, and tip borer	1.5-2 tbsp/ 16L	-	-	-
ACE CROP SOLUTIONS INC.	ALUMINUM PHOSPHIDE	ACETOXIN	560 g/Kg	TAB	FUMIGANT	1	530-084-4646	13-Feb-25	CONTACT	-	Rust-red beetle, cadelle, khapra beetle, grain moth, Indian-meal moth, grain and rice weevil saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 TBsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphipds, thrips	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Potato	Thrips, armyworm, cutworm, tubemoth	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Stringbeans	Beanfly, leaffolder, aphids	1.0-3.0 Tbsp/16 L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Mango	Blossom thrips	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field 1 day after application
ARIES RNE CHEMICAL CORPORATION	ATRAZINE	ACENDERO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	478-065-2633	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ARIES RNE CHEMICAL CORPORATION	ATRAZINE	ACENDERO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	478-065-2633	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ARIES RNE CHEMICAL CORPORATION	ATRAZINE	ACENDERO ATRAZINE 80 WP	800 g/Kg	WP	HERBICIDE	4	478-065-2633	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	CHLORFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-283-5523	13-Aug-27	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16L	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying.
ACE CROP SOLUTIONS INC.	CHLORFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-283-5523	13-Aug-27	-	Potato	Thrips	0.5-1.5, 1.5-3.0 Tbsp/16L	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying.
ACE CROP SOLUTIONS INC.	CHLORFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-283-5523	13-Aug-27	-	Banana	Flower thrips	2-3 ml/ 1L water	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying.
ACE CROP SOLUTIONS INC.	PENOXSULAM+CYHALOFOP-BUTYL	ACE P-REX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	530-383-5605	23-Nov-24	-	Rice (Direct-seeded)	Echinocloa crusgalli,E.globrescens,C.difformis,I nagossm,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	8.5Tbsp/tank load	-	-	-
ACE CROP SOLUTIONS INC.	PENOXSULAM+CYHALOFOP-BUTYL	ACE P-REX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	530-383-5605	23-Nov-24	-	Rice (Transplanted)	Echinocloa crusgalli,E.globrescens,C.difformis,I nagossm,L.chinesis,M.vaginalis,F.miliacea,C.iria,S.zylanica and	10Tbsp/tank load	-	-	-
ACE CROP SOLUTIONS INC.	POLYETHYLENE SORBITAN OLEATS+POLYOXYETHYLENE DODECYL ETHER	ACE PLUS	250 mL/L+450 mL/L	-	OTHERS	4	530-348-3243	04-Dec-25	SELECTIVE (POST-EMERGENT)	-	As surfactant on Demolish 100 SC	20-30 mL/16 L water; 10 spray loads/ha	-	-	-
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries

ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Beans	Rust,bacterial blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Carrot	Carrot blight,alternaria	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Celery	Early and late blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Citrus	Melanose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cucumber	Anthracnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Mango	Anthracnose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Pepper	Bacterial spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Potato	Early and late blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Rice	Rice blast,sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Watermelon	Anthracnose, fruit rot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	PENOXSULAM	ACE GENX 25 OD	25 g/L	OD	HERBICIDE	4	530-374-5434	05-May-24	-	Rice (Direct-Seeded)	Echinocloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachoria, Cyperus difformis and C. iria	-	-	-	-
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-182-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	In-field, shaded-condition: Mixed weeds (grasses, sedges and broadleaves); Immture, open field:mixed weeds (grasses sedges and				
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-182-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature, shaded conditions: cogon ; Immature, open conditions: cogon ; Mixed weeds: paragrass and carabao grass				
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-182-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Mature, shaded conditions: mixed weeds (grasses, sedges and broadleaves) ; immature, open conditions: mixed weeds (grasses				
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-182-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas (Agricultural)	Mixed weeds (grasses, sedges and broadleaves)				
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying

ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPMC+CHLORPYRIFOS	ACE CLEAR 31.5 EC	210+105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/Kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BUTACHLOR	ACE BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	530-150-5131	14-Dec-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	-	-	-
ACE CROP SOLUTIONS INC.	BUTACHLOR	ACE BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	530-150-5131	14-Dec-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-			
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	–	Do not apply 7 days before harvest	One day after application
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	–	Do not apply 7 days before harvest	One day after application
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	–	Do not apply 7 days before harvest	One day after application
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	–	Do not apply 7 days before harvest	One day after application
ACE CROP SOLUTIONS INC.	FIPRONIL	ACE ASSAULT 50 SC	50g/L	SC	INSECTICIDE	3	530-244-5004	02-Jan-26	CONTACT	Corn (as seed treatment)	Seedling Maggots	200-250ml/20 kg seed	–	Do not apply 7 days before harvest	One day after application
TEAMAGRO TRADING CORPORATION	BUTACHLOR+PROPANIL	ACE 700 EC	350+350 g/L	EC	HERBICIDE	3	248-238-1207	05-Sep-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
TEAMAGRO TRADING CORPORATION	BUTACHLOR+PROPANIL	ACE 700 EC	350+350 g/L	EC	HERBICIDE	3	248-238-1207	05-Sep-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ACE CROP SOLUTIONS INC.	2,4-D IBE	ACE 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	530-049-3184-A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to field and crops treated with ACE 2,4-D ESTER can be done 1 day
ACE CROP SOLUTIONS INC.	2,4-D IBE	ACE 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	530-049-3184-A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with ACE 2,4-D ESTER can be done 1 day
ACE CROP SOLUTIONS INC.	2,4-D IBE	ACE 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	530-049-3184-A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5OTbsp/16 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with ACE 2,4-D ESTER can be done 1 day
ACE CROP SOLUTIONS INC.	2,4-D AMINE	ACE 2,4-D AMINE 40 SL	400g/L	SL	HERBICIDE	2	530-013-4929	08-Oct-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with ACE 2,4-D AMINE 400 SL can be done one day after spraying
ACE CROP SOLUTIONS INC.	2,4-D AMINE	ACE 2,4-D AMINE 40 SL	400g/L	SL	HERBICIDE	2	530-013-4929	08-Oct-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ACE 2,4-D AMINE 400 SL can be done one day after spraying
ACE CROP SOLUTIONS INC.	2,4-D AMINE	ACE 2,4-D AMINE 40 SL	400g/L	SL	HERBICIDE	2	530-013-4929	08-Oct-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ACE 2,4-D AMINE 400 SL can be done one day after spraying
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/kg	WP	INSECTICIDE	4	615-224-4501	05-Sep-21	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	7 days	Re-entry to field is allowed as soon as spray dries
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/kg	WP	INSECTICIDE	4	615-224-4501	05-Sep-21	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L		15 days	Re-entry to field is allowed as soon as spray dries
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/kg	WP	INSECTICIDE	4	615-224-4501	05-Sep-21	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha		–	Re-entry to field is allowed as soon as spray dries
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/Kg	WP	INSECTICIDE	4	563-224-4500	15-Aug-20	SYSTEMIC	Rice	Brown planthopper & green leafhopper	1-2 Tbsp/16 L water	0.5 ppm	7 days	Re-entry to field is allowed as soon as spray dries.
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/Kg	WP	INSECTICIDE	4	563-224-4500	15-Aug-20	SYSTEMIC	Mango	Leafhoppers	1-2 sachet/drum,1 drum=200 L		15 days	Re-entry to field is allowed as soon as spray dries.
MIO LIFE SCIENCES RESOURCE PHILIPPINES INC.	BUPROFEZIN	ACCURATE 10 WP	100 g/Kg	WP	INSECTICIDE	4	563-224-4500	15-Aug-20	SYSTEMIC	Pineapple	Mealy bugs	4.68 kg/ha		7 days	Re-entry to field is allowed as soon as spray dries.
IAGRI CHEMICAL CORPORATION	BUPROFEZIN	ACCLAIM 10 WP	100 g/Kg	WP	INSECTICIDE	4	534-224-3506	24-Aug-18	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 tbsp/16 L	0.5 ppm	7 days	
IAGRI CHEMICAL CORPORATION	BUPROFEZIN	ACCLAIM 10 WP	100 g/Kg	WP	INSECTICIDE	4	534-224-3506	24-Aug-18	SYSTEMIC	Mango	Hopper	1-2 sachet/drum,1 drum=200 L			
IAGRI CHEMICAL CORPORATION	BUPROFEZIN	ACCLAIM 10 WP	100 g/Kg	WP	INSECTICIDE	4	534-224-3506	24-Aug-18	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha			
CORTEVA AGRISCIENCE PHILIPPINES, INC.	PENOXSULAM+BUTACHLOR	ACCEPT 410 SE	410 g/L	SE	HERBICIDE	4	737-516-4880	20-Mar-27	-	Rice (Transplanted)	*Echinocloa spp., Leptochloa spp., Ischaemum rugosum, Sphenoclea zeylanica, Ludwigia octovalvis, Monochoria vaginalis, Fimbristylis*	1.0 L product/hectare; Spray Volume 192 Li/Ha	Penoxsulam 0.1 ppm	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PENOXSULAM+BUTACHLOR	ACCEPT 410 SE	410 g/L	SE	HERBICIDE	4	014-516-4942	13-Aug-25	-	Rice (Transplanted)	*Echinocloa spp., Leptochloa spp., Ischaemum rugosum, Sphenoclea zeylanica, Ludwigia octovalvis, Monochoria vaginalis, Fimbristylis*	10 Tbsp/Tank Load; 10 Tank load/ha (16L capacity)	Penoxsulam 0.1 ppm	-	-
FKA AGRI CHEMICAL CORPORATION	FIPRONIL	ACCELERATE 50 SC	50 g/L	SC	INSECTICIDE	3	399-244-6399	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	13-20, 20-30, 27-40 mL/ 16L water	-	Do not apply 7 days before harvest	One day after application
FKA AGRI CHEMICAL CORPORATION	FIPRONIL	ACCELERATE 50 SC	50 g/L	SC	INSECTICIDE	3	399-244-6399	15-Feb-25	CONTACT	Cabbage	Diamondback moth	15-25, 25-37.5, 30-50 mL/ 16L water	-	Do not apply 7 days before harvest	One day after application
FKA AGRI CHEMICAL CORPORATION	FIPRONIL	ACCELERATE 50 SC	50 g/L	SC	INSECTICIDE	3	399-244-6399	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	25-30 mL/ 16L water	-	Do not apply 7 days before harvest	One day after application
FKA AGRI CHEMICAL CORPORATION	FIPRONIL	ACCELERATE 50 SC	50 g/L	SC	INSECTICIDE	3	399-244-6399	15-Feb-25	CONTACT	Onion	Cutworm	53.3 mL/ 16L water	-	Do not apply 7 days before harvest	One day after application
FKA AGRI CHEMICAL CORPORATION	FIPRONIL	ACCELERATE 50 SC	50 g/L	SC	INSECTICIDE	3	399-244-6399	15-Feb-25	CONTACT	Eggplant	Shoot borer	30-40 mL/ 16L water	-	Do not apply 7 days before harvest	One day after application
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PICOXYSTROBIN	ACANTO 250 SC	250g/L	SC	FUNGICIDE	3	014-499-4639	31-Jan-25	-	Rice	Dirty panicle, Neck blast	400-600 mL product/ha at spray volume of 160 liters/ha	0.5mg/kg	7 days	Twelve hours after spraying
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	PICOXYSTROBIN	ACANTO 250 SC	250g/L	SC	FUNGICIDE	3	014-499-4639	26-May-25	-	Mango	Anthracnose	30-50 mL/ 100L of water	-	-	Twelve hours after spraying
DU PONT FAR EAST, INC.	PICOXYSTROBIN	ACANTO 250 SC	250g/L	SC	FUNGICIDE	3	014-499-4639	26-May-23		Mango	Anthracnose	40-50 mL product per 100 L at spray volume of 20 L per tree			
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Banana	Blossom Thrips	0.5/ L water			Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Cabbage	Diamond back moth	2.0 Tbsp/ 16L water		7 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Ornamentals	Mites	0.5/ L water			Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Pineapple	Mites	1000-4000mL prod/ha			Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water		3 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Onion	Leafmner, thrips	2.0-3.0 Tbsp/16 L of water		3 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Potato	Leafmner, thrips	2.0-3.0 Tbsp/16 L of water		14 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Tomato	Leafmner, thrips, aphids	2.0-3.0 Tbsp/16 L of water		3 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water		3 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Papaya	Mites	2.0-5.0 Tbsp/16 L of water		14 days	Is allowed as soon as spray deposits had dried up
GENTRADEPHIL INC.	ABAMECTIN	ABISO 1.8 EC	18 g/L	EC	INSECTICIDE	2	660-234-5106	29-Jan-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water		3 days	Is allowed as soon as spray deposits had dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-27	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
JYNNSONS PHILIPPINES, INC.	METRIBUZIN	ABIDE 70 WG	700 g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	METRIBUZIN	ABIDE 70 WG	700 g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Soybean	Annual grasses and broadleaves	15-22.5 g/ 16L water		60 days	Re-entry to treated areas is allowed as soon as spray dried up

JYNNSONS PHILIPPINES, INC.	METRIBUZIN	ABIDE 70 WG	700 g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 g / 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	METRIBUZIN	ABIDE 70 WG	700 g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Crucifers/Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katyidid	3.0-6.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	_	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	2,4-D IBE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-049-4249	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D IBE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-049-4249	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D IBE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-049-4249	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	SC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	SC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	SC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cotton	Leafhopper, bollworm , weevil	0.8-1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cacao	Podborer, aphids	1.0 Tbsp/16L water		-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	0.8-1.0 Tbsp/16L water	1.0ppm	-	24 Hours after each spray
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leaffolder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Corn	Seedling maggots	-	-	Do not apply 7 days before harvest	One day after application
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-25.0 Tbsp/16 L water	-	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-013-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1st OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1st OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1st OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1st OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
DEL MONTE PHILIPPINES, INC.	2-(3-CHLOROPHENOXY) PROPIONIC ACID	-	-	-	FUNGICIDE	4	094-214-1786	13-Jun-23	-	Pineapple	A plant growth regulator	38-76g product in 1871L water made alkaline by the additional of 15.2g	-	21 days	Re-entry into treated areas may be done as soon as spray dries on the foliage
DEL MONTE PHILIPPINES, INC.	PHOSPHOROUS ACID TECHNICAL 98.5%	-	-	-	FUNGICIDE	-	094-421-2827	16-Jun-26	-	Pineapple	Fungal heart and root rot caused by *pythophthora sp* .	-	-	-	-
RBAV HARVEST TRADING CORPORATION	PYMETROZINE	RBTROZINE 50WG	500 g/Kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Mango	Leafhopper	80 g/16L	-	-	Do not enter the treated fields for at least 24 hours after application.
RBAV HARVEST TRADING CORPORATION	PYMETROZINE	RBTROZINE 50WG	500 g/Kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Rice	Green leafhopper and brown planthopper	25-30 g/16L	-	Do not spray 36 days before harvest	Do not enter the treated fields for at least 24 hours after application.
RBAV HARVEST TRADING CORPORATION	PYMETROZINE	RBTROZINE 50WG	500 g/Kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Corn	Leafhopper, planthopper and aphids	7-16 g/16L	-	5 days	Do not enter the treated fields for at least 24 hours after application.
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	RBCURE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	772-325-6493	19-Oct-26	SYSTEMIC	Rice	Sheath blight and corn	25-35 mL/16L water			
RBAV HARVEST TRADING CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	RBCURE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	772-325-6493	19-Oct-26	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight, and rust	20 mL/16L water	-	-	-
RBAV HARVEST TRADING CORPORATION	CLOTHIANIDIN	RBAV ALL-IN 20 SC	200 g/L	SC	INSECTICIDE	4	772-379-6496	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L			

ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Tobacco	Budworm, aphids	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Eggplant	Fruit borer	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Stringbeans	Aphids	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Tomato	Fruitworm	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Watermelon	Aphids and thrips	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown plant hopper, stemborer, leaffolder and rice bug	2-3 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Banana	Thrips	15-2 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Mango	Leafhopper, tip borer	15-2 tbsp/ 16L water	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Banana	Blossom thrips	4.5/ L water; 0.5/ L water	-	-	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Cabbage	Diamondback moth	1000 mL prod/ha; 2.0 tbsp/ L water	-	7 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Ornamentals	Mites	10-15 mL/16L water; 1.0-1.5 tbsp/16L water	-	-	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ha; 2.0-5.0 tbs/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	14 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Watermelon	Leafminer, thrips and melonworm	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Papaya	Mites	150-600 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.8EC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
ARIES RNE CHEMICAL CORPORATION	HEXAZINONE+DIURON	CANESMART 60WG	132 g/kg+468 g/kg	WG	HERBICIDE	4	478-435-6488	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400L/ ha	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Citrus	Grasses, annual and perennial grasses and broadleaves	13-19 tbsp/16L water	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Coffee	Grasses, annual and perennial grasses and broadleaves	13-19 tbsp/16L water	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Cotton	Grasses, annual and perennial grasses and broadleaves	3-5 tbsp/16L water	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Sugarcane	Grasses, annual and perennial grasses and broadleaves	6.5-13 tbsp/16L water	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Pineapple	Grasses, annual and perennial grasses and broadleaves	13 tbsp/16L water	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Non-crop land	Grasses, annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L prod/ on	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	After spray deposits have dried
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray deposits have dried
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray deposits have dried
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	After spray deposits have dried
REINLAB CORPORATION	HYDROGEN PEROXIDE	ENDOSAN 10	100 g/L	-	OTHERS	2	715-585-5714	31-Dec-27	-	-	Disinfection of equipment and facilities in livestock and poultry farms	-	-	-	-
S&P ENTERPRISES INC.	METRIBUZIN	S&P TOPMARK 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
S&P ENTERPRISES INC.	METRIBUZIN	S&P TOPMARK 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
S&P ENTERPRISES INC.	METRIBUZIN	S&P TOPMARK 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 g / 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
S&P ENTERPRISES INC.	METRIBUZIN	S&P TOPMARK 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
EZERTECH CORPORATION	AMETRYN+ATRAZINE	PROCANE 80 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	648-079-6483	24-Mar-26	SELECTIVE (PRE/POST EMERGENT)	Pineapple	Annual broadleaves and grasses	1.5-2.0 kg prod./ ha; 5.0-6.5 tbsp/ 16L water	-	21 days	Immediately after spray deposit has dried up
EZERTECH CORPORATION	AMETRYN+ATRAZINE	PROCANE 80 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	648-079-6483	24-Mar-26	SELECTIVE (PRE/POST EMERGENT)	Sugarcane	Annual broadleaves and grasses	2.0-3.0 kg prod./ ha; 6.5-10.0 tbsp/ 16L water	-	21 days	Immediately after spray deposit has dried up
EZERTECH CORPORATION	BUPROFEZIN	ALFINE 25 SC	250 g/L	SC	INSECTICIDE	3	648-224-6484	23-Nov-27	-	Mango	Leafhopper	60-80 mL/200L water	-	Last application should be 15 days before harvest	Allowed as soon as spray deposits dry up
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Stringbeans	Green leafhopper,aphids, mites	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Bittergourd	Leafhopper, thrips, aphids, fruitfly, cutworm	100-400 mL prod./ ha; 4.0-13.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Mango	Leafhopper, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/ 100L	-	3 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhopper, aphids, earworm	250-400 mL prod./ ha; 10.0-16.0 ml prod./ 16L	-	3 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-27	-	Rice	Stemborer	100-200 mL prod./ ha; 10.0-30.0 mL prod./ 16L	-	14 days	Do not enter treated fields for at least 1 day after application
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	604-489-6490	25-Jul-27	SYSTEMIC	Mango	Mango hoppers, thrips and cecid fly	40-50 mL/ 100L water; 6.5-8.0 mL/ 16L water	-	-	Allowed as soon as spray deposits have dried up
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	604-489-6490	25-Jul-27	SYSTEMIC	Potato	Leafminer	200-300 mL prod./ ha; 6.0-12.0 mL/16L water	-	5 days	Allowed as soon as spray deposits have dried up
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GALIL 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	604-489-6490	25-Jul-27	SYSTEMIC	Rice	Stemborer, whorl maggot, leaffolder and green leafhopper	200-400 mL prod./ ha; 15.0-25.0 mL/ 16L water	-	21 days	Allowed as soon as spray deposits have dried up
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Eggplant	Fruit borer	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Rice	Stemborer, whorl maggot, leafhopper, leaffolder, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.3-66.7 kg prod./ ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	White Potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days

LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/Kg	G	INSECTICIDE	2	679-104-6498	31-Oct-27	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days
LTC MORITA CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FLORHERB ULTRA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	679-504-6499	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 160 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
LICHEMPHIL INTERNATIONAL INC.	FENPROPIMORPH	LICHEM FENPROMEX 88 OL	880 g/L	OL	FUNGICIDE	2	590-511-6446	7-Feb-27	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	-	0 day	As soon as spray droplets dries
INDOFIL PHILIPPINES INC.	AZOXYSTROBIN+PROPICONAZOLE	APROPO 200 SE	75 g/L+125 g/L	SE	FUNGICIDE	4	604-501-6491	22-Feb-25	SYSTEMIC	Rice	Sheath blight	-	-	Do not spray within 21 days before harvest	Allowed as soon as spray deposits dry up
KENSO PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	KENSAMIDE 700 WP	700 g/kg	WP	MOLLUSCICIDE	4	780-229-6485	24-Apr-26	-	Rice	Golden apple snail	35g (1 sachet) g prod./ load	-	-	48 hours after spraying
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Mungbeans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Banana	Sigatoka, black leaf streak	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Soybean	Leaf rust	3-6 Tbsp/16 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	-
RBAV HARVEST TRADING CORPORATION	BPMC	RBCARB 50EC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Rice	Green leafhopper, brown planthopper and leaffolder	3-5 tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAV HARVEST TRADING CORPORATION	BPMC	RBCARB 50EC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Cotton	Leafhopper, thrips and aphids	3-5 tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAV HARVEST TRADING CORPORATION	BPMC	RBCARB 50EC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Citrus	Scale insects, aphids, mealy bugs and cutworm	3-4 Tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAV HARVEST TRADING CORPORATION	BPMC	RBCARB 50EC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Crucifers	Diamond-back moth, cabbage worms aphids and cutworms	3-5 tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAV HARVEST TRADING CORPORATION	BPMC	RBCARB 50EC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Mango	Mango hopper and tipborer	3-3.5 tbsp/16L water	-	Do not spray 14 days before harvest	48 hours after spraying
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Banana	Thrips, scarring beetle	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Beans	Aphids, beanfly, leafminer, pod borer	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Cabbage	Diamondback moth, cabbage moth	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Cotton	Bollworm, leafhopper	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Mango	Fruitfly, leafhopper, tip borer, twig borer	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Onion	Thrips, cutworm	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Rice	Brown planthopper, green leafhopper, leaffolder, rice bug, stem borer, white-backed planthopper	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Tobacco	Aphids, budworm, cutworm, thrips	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Tomato	Aphids, beetles, tomato fruitworm	1.5-4.5 tbsp/16L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Watermelon	Aphids, beetles, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Sugarcane	White grubs	8-10 tbsp/ 16L water (80-100 mL)	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Banana	Thrips, scarring beetle and aphids	2-3 tbsp/ 16L water (20-30 mL)	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Pineapple	Mealy bugs and ants	1-4.0L/ ha	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
NOBEL VETERINARY LABARATORIES, INC.	POTASSIUM MONOPERSULFATE+SODIUM DICHLOROISOCYANURATE	PANKILL	-	-	OTHERS	2	711-576-5680	31-Dec-24	-	-	Disinfection of farm stable, equipment, general vehicles, carcass and transport containers for swine, poultry and livestock farm	-	-	-	-
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leaf folder, whorl maggot	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Pineapple	Mealybugs	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Cotton	Katytids, grasshopper, cutworm, mites	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	White Potato	Aphids, leaffolder, cutworm	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Banana	Thrips, mealy bug, leaffolder	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	DIAZINON	YUUMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 tbsp/ 16L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUUMIE TRADE OPC	CHLORPYRIFOS	YUUMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm, rice bug	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	CHLORPYRIFOS	YUUMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	CHLORPYRIFOS	YUUMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	CHLORPYRIFOS	YUUMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 ml/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 16L water	-	-	-
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Banana	Thrips	1.5-2.0 Tbsp/16 L water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Eggplant	Fruit borer	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Mango	Leafhopper, and tip borer	1.5-2.0 Tbsp/16 L water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Stringbeans	Aphids	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Tobacco	Budworm, and aphids	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Tomato	Fruitworm	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	590-242-6505	4-Apr-27	-	Watermelon	Aphids, and thrips	2.0-3.0 Tbsp/16 L of water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
GREEN ACTION BRIGADE INC.	SPINOSAD	QILUSPIN 25 SC	25 g/L	SC	INSECTICIDE	4	775-306-6525	18-Apr-27	-	Banana	Flower thrips	1.0 mL/ 1L water	-	-	-
GREEN ACTION BRIGADE INC.	SPINOSAD	QILUSPIN 25 SC	25 g/L	SC	INSECTICIDE	4	775-306-6525	18-Apr-27	-	Beans	Pod borer	30-50 mL/ 16L water	-	-	-
GREEN ACTION BRIGADE INC.	SPINOSAD	QILUSPIN 25 SC	25 g/L	SC	INSECTICIDE	4	775-306-6525	18-Apr-27	-	Bulb onion	Cutworm and thrips	40-100 mL/ 16L water	-	-	-
GREEN ACTION BRIGADE INC.	SPINOSAD	QILUSPIN 25 SC	25 g/L	SC	INSECTICIDE	4	775-306-6525	18-Apr-27	-	Cabbage	Diamondback moth	25-50 mL/ 16L water	-	-	-
GREEN ACTION BRIGADE INC.	SPINOSAD	QILUSPIN 25 SC	25 g/L	SC	INSECTICIDE	4	775-306-6525	18-Apr-27	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	METAMIFOP	METAFOP 100 EC	100 g/L	EC	HERBICIDE	4	099-409-6510	29-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (*Echinochloa sp, Lyptochloa chinesis, and Ischaemum rugosum*)	750 mL to 1 L 7.5 tbsp (75 mL to 10 tbsp or 100 mL	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CLETHODIM	DYNAMO 240 EC	240 g/L	EC	HERBICIDE	4	099-334-6509	6-Jun-25	-	Onion	Grasses (E.colona, Eleusine imdica, D. aeggyptium and D. ciliaris)	0.5 L/ ha 50 mL or 5 Tbsp	-	-	-
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Banana	Blossom thrips	4.5 mL prod./ ha	-	-	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Cabage	Diamondback moth	1000 mL prod./ ha; 2.0 tbs/ 16L water	0.01 mg/kg	7 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ ha	0.01 mg/kg	3 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha	0.01 mg/kg	3 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Ornamentals	Mites	10-15 mL prod./ ha	-	-	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Papaya	Mites	150-600 mL prod./ ha	0.01 mg/kg	14 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Pineapple	Mites	1000-4000 mL prod./ ha	0.01 mg/kg	-	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha	0.01 mg/kg	14 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Strawberry	Mites	600-1200 mL prod./ ha	0.01 mg/kg	3 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod./ ha	0.01 mg/kg	3 days	Re-enter treated area only after spray has dried
GREEN ACTION BRIGADE INC.	ABAMECTIN	ABAPEAK 1.8 EC	18 g/L	EC	INSECTICIDE	2	775-234-6512	15-Apr-27	-	Watermelon	Leafminer, thrips melonworm	500-1000 mL prod./ ha 50-1500 mL prod./ ha	0.01 mg/kg	3 days	Re-enter treated area only after spray has dried
SCHIPPERS PHILIPPINES, INC.	HYDROGEN PEROXIDE+PERACETIC ACID	MS OXY-CLEAN PLUS	230 g/L+48 g/L	-	OTHERS	2	784-559-6521	16-Apr-25	-		Cleaning and disinfecting pipe-line systems, pumping systems and process water systems	-	-	-	-
SCHIPPERS PHILIPPINES, INC.	CALCIUM CARBONATE	MS DRY CARE	900g/kg	-	OTHERS	2	784-646-6523	16-Apr-25	-	-	Animal nests and bedding for poultry, cattle and pig husbandry	-	-	-	-
S&P ENTERPRISES INC.	OXADIAZON	CLEANSHOT 25 EC	250 g/L	EC	HERBICIDE	4	566-124-6507	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, sedges and broadleaf weeds	2-3 prod./ ha(Liters)	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
S&P ENTERPRISES INC.	OXADIAZON	CLEANSHOT 25 EC	250 g/L	EC	HERBICIDE	4	566-124-6507	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, sedges and broadleaf weeds	1-1.5 prod./ ha(Liters)	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
S&P ENTERPRISES INC.	OXADIAZON	CLEANSHOT 25 EC	250 g/L	EC	HERBICIDE	4	566-124-6507	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, sedges and broadleaf weeds	2-3 prod./ ha(Liters)	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
S&P ENTERPRISES INC.	OXADIAZON	CLEANSHOT 25 EC	250 g/L	EC	HERBICIDE	4	566-124-6507	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, sedges and broadleaf weeds	1-1.5 prod./ ha(Liters)	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
S&P ENTERPRISES INC.	OXADIAZON	CLEANSHOT 25 EC	250 g/L	EC	HERBICIDE	4	566-124-6507	12-Oct-27	SELECTIVE (PRE-EMERGENCE)	Rice (Upland)	Grasses, sedges and broadleaf weeds	2-3 prod./ ha(Liters)	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from distrubing the soil, even by trodding on the
SCHIPPERS PHILIPPINES, INC.	SODIUM DICHLOROISCYANURATE+PENAPOTASSIUM-BIS (PEROXYMONOSULFATE)-BIS (SULFATE))	MS MEGADES KIEMKILL	-	-	OTHERS	2	784-576-6522	16-Apr-25	-	-	Disinfection of animal housing, tools and footwear	-	-	-	-
SCHIPPERS PHILIPPINES, INC.	SODIUM HYDROXIDE+2(2-BUTOXYETHOXYL) ETHANOL+TETRASODIUM ETHYLENEDIAMINETETRAACETATE+SODIUM LAURETH SULFATE+SODIUM N-	MS TOPFOAM	100g/L+100g/L+100g/L+50g/L+40g/L	-	OTHERS	2	784-648-6517	16-Apr-25	-	-	Cleaning of stables, animal housing, buildings and equipment	-	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	QUIZALOFOP-P-ETHYL	LA QUIZALO 10EC	100 g/L	EC	HERBICIDE	4	735-317-6503	2-Apr-27	-	Pineapple	Grasses	90-180 mL prod./ 16L water	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	NICLOSAMIDE ETHANOLAMINE SALT	MANLUCIDE 70WP	700 g/kg	WP	MOLLUSCICIDE	4	778-229-6501	20-Jul-26	CONTACT	Rice	Golden apple snail	10 tankload/ ha	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	AZAMETHIPHOS	ZAZACRON	100 g/Kg	-	OTHERS	2	043-622-6166	18-May-28	-	-	Flies and cockroaches in swine and poultry farms	-	-	-	-
ZAGRO CORPORATION	CHLORHEXIDINE GLUCONATE	HEXIGUARD	8 g/L	-	OTHERS	2	043-619-6116	26-May-28	-	-	Disinfection of equipment and shearing shed floor in sheep farming	-	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	TOP TIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	623-504-6530-A	25-Apr-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, and broad leaf weeds	500 mL to 1L prod./ hectare	-	-	As soon as spray dries up
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
FARMERSMATE CHEMICAL PRODUCTS TRADING	CYPERMETHRIN	PEST MATE 5 EC	50 g/L	EC	INSECTICIDE	4	785-037-6534	27-Mar-27	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
BIOSOLUTIONS INTERNATIONAL CORP.	CYROMAZINE	MAGGOT BUSTER 98	980 g/kg	-	INSECTICIDE	4	585-331-6089	12-Apr-25	-	-	Poultry houses for the control of fly larvae	-	-	-	-
ZAGRO CORPORATION	TOTAL PHENOL(HBTA)+ACETIC ACID	ZAGRO FARM LIQUID	440 g/L+250 g/L	-	OTHERS	2	043-649-6529	25-Apr-28	-	-	Disinfection in farm animal facilities, wheels and foot baths	-	-	-	-
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Corn	Cornborer, earworm, aphids, silk beetle	15-30 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Cotton	Katydids, grasshopper, cutworm, mites	15-30 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Legumes	Cutworm, aphids, beanflies	15-30 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Ornamentals	Grubs, mites, thrips	12-25 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Rice	Green leafhopper, leaffolder, stemborer, rice bugs, whorl maggot	10-20 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAGRAN 5G	50 g/Kg	G	INSECTICIDE	2	499-034-5311	23-Dec-26	-	Perennial fruits	White grubs and other soil insects	15-30 kg/ha	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application

OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Pineapple	Mealybugs	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Cotton	Katytids, grasshopper, cutworm, mites	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	White Potato	Aphids, leaffolder, cutworm	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Citrus	Mites, aphids, stink bug	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Banana	Thrips, mealy bug, leaffolder	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
OLD TOWN AGRICULTURAL KINDS CORP.	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	499-034-5312	23-Dec-26	-	Mango	Hopper, tip borer	2.5-4.0 tbsp/ 16L water	-	-	Treated area may be entered 1 day after application
GREEN ACTION BRIGADE INC.	MCPA	LAZEROCK 40 SL	400 g/L	SL	HERBICIDE	2	775-130-6526	23-Apr-27	POST-EMERGENT	Corn	Annual grasses, broadlef weeds sedges	50-60 mL prod./ 16L water	-	-	Re-entry to field is allowed as soon as spray dries
GREEN ACTION BRIGADE INC.	MCPA	LAZEROCK 40 SL	400 g/L	SL	HERBICIDE	2	775-130-6526	23-Apr-27	POST-EMERGENT	Rice	Annual grasses, broadlef weeds sedges	30-60 mL prod./ 16L water	-	-	Re-entry to field is allowed as soon as spray dries
GREEN ACTION BRIGADE INC.	MCPA	LAZEROCK 40 SL	400 g/L	SL	HERBICIDE	2	775-130-6526	23-Apr-27	POST-EMERGENT	Sugarcane	Annual grasses, broadlef weeds sedges	50-60 mL prod./ 16L water	-	-	Re-entry to field is allowed as soon as spray dries
GREEN ACTION BRIGADE INC.	MCPA	LAZEROCK 40 SL	400 g/L	SL	HERBICIDE	2	775-130-6526	23-Apr-27	POST-EMERGENT	Agricultural lawn	Annual grasses, broadlef weeds sedges	20 mL prod./ 16L water	-	-	Re-entry to field is allowed as soon as spray dries
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Banana	Thrips	2.5-3.5 Tbsp/16L water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Eggplant	Fruit borer	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Mango	Leafhopper, and tip borer	2.5-3.5 Tbsp/16L water	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaffolder, rice bug	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Stringbeans	Aphids	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Tobacco	Budworm, and aphids	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Tomato	Fruitworm	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
LICHEMPHIL INTERNATIONAL INC.	ACEPHATE	LICHEM ACEPHATE 40 SL	400 g/L	SL	INSECTICIDE	3	590-242-6519	16-Apr-27	-	Watermelon	Aphids, and thrips	8-14 200 L/ha 4-7 400 L/ha	-	Crops sprayed can be harvested two weeks after treatment	Can be done as soon as spray deposits have dried
BYTER PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	VELOX 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	738-229-6536	26-Jan-27	-	Rice	Golden apple snail	35g (1 sachet) g prod./ load	-	-	Do not enter the treated field within 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYMOXANIL+FAMOXADONE	LAKEFEN 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	539-352-6531	25-Apr-27	-	Potato	Late blight	13-16g prod./ 16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYMOXANIL+FAMOXADONE	LAKEFEN 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	539-352-6531	25-Apr-27	-	Tomato	Late blight	13-16g prod./ 16L water	-	-	-
SUNJOY AGRO (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	SULCUTTER 150 SL	150 g/L	SL	HERBICIDE	4	786-182-6537	7-May-27	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	160 mL/ 16L water; 135-200 mL/ 16L water	-	-	After spray deposits have dried
SUNJOY AGRO (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	SULCUTTER 150 SL	150 g/L	SL	HERBICIDE	4	786-182-6537	7-May-27	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	215 mL/ 16L water; 270 mL/ 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried
SUNJOY AGRO (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	SULCUTTER 150 SL	150 g/L	SL	HERBICIDE	4	786-182-6537	7-May-27	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	160 mL/ 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried
SUNJOY AGRO (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	SULCUTTER 150 SL	150 g/L	SL	HERBICIDE	4	786-182-6537	7-May-27	NON-SELECTIVE (POST-EMERGENT)	Non-crop agricultural areas	Weeds	160-215 mL/ 16L water	-	-	After spray deposits have dried
VIGOUR SEEDS DEV. INC.	GLUFOSINATE AMMONIUM	PARALIS 15 SL	150 g/L	SL	HERBICIDE	4	779-182-6459	5-Jul-27	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	After spray deposits have dried
VIGOUR SEEDS DEV. INC.	GLUFOSINATE AMMONIUM	PARALIS 15 SL	150 g/L	SL	HERBICIDE	4	779-182-6459	5-Jul-27	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray deposits have dried
VIGOUR SEEDS DEV. INC.	GLUFOSINATE AMMONIUM	PARALIS 15 SL	150 g/L	SL	HERBICIDE	4	779-182-6459	5-Jul-27	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray deposits have dried
VIGOUR SEEDS DEV. INC.	GLUFOSINATE AMMONIUM	PARALIS 15 SL	150 g/L	SL	HERBICIDE	4	779-182-6459	5-Jul-27	NON-SELECTIVE (POST-EMERGENT)	Non-crop agricultural areas	Weeds	-	-	-	After spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	NICLOSAMIDE-OLAMINE	ESCARGO L 250 SC	-	SC	OTHERS/MOLLUSCICIDE	3	096-641-6511	15-Apr-25	-	Rice	Golden apple snail	800-1000 mL prod./ ha	0.01 mg/kg (based on PNS)	92 days	-
BIOSTADT PHILIPPINES INC.	FLOMETOQUIN	FINESAVE 10 SC	105 g/kg	SC	INSECTICIDE	2	097-644-6489	22-Apr-25	-	Eggplant	Fruit and shoot borer, white flies, leafhoppers, melon thrips, red spider mites	750-1000 mL prod./ ha	0.3 mg/kg (based on local SPRT)	Do not harvest until 3 days after application	The spray should be allowed to dry on the plants before re-entry into the field
BIOSTADT PHILIPPINES INC.	FLOMETOQUIN	FINESAVE 10 SC	105 g/kg	SC	INSECTICIDE	2	097-644-6489	22-Apr-25	-	Cabbage	Flea beetles, diamondback moth	500-100 mL prod./ ha	-	Do not harvest until 3 days after application	The spray should be allowed to dry on the plants before re-entry into the field
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	FLORPYRAUXIFEN BENZYL	LOYANT 25 NeoEC	25.00 g/L	EC	HERBICIDE	4	014-640-6473	27-Feb-27	POST-EMERGENT	Rice (Transplanted)	*Echinochloa spp., Leptochloa chinesis, Cypersus spp., Sphenaclea zeylanica, Ludwigia octovalvis, Monochoria vaginalis*	1.0-1.25 mL prod./ ha; 85-105 mL prod./ 16L tank load; 12 tank loads/	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	FLORPYRAUXIFEN BENZYL	LOYANT 25 NeoEC	25.00 g/L	EC	HERBICIDE	4	014-640-6473	27-Feb-27	POST-EMERGENT	Rice (Direct-seeded)	*Echinochloa spp., Leptochloa chinesis, Cypersus spp., Sphenaclea zeylanica, Ludwigia octovalvis, Monochoria vaginalis*	1.0-1.25 mL prod./ ha; 85-105 mL prod./ 16L tank load; 12 tank loads/	-	-	-
FMC AGRO PHILIPPINES INC.	CHLORANTRANILIPROLE	PRESTICOR 600 SC	600 g/L	SC	INSECTICIDE	4	598-393-6475	30-Nov-24	-	Pineapple	White grubs	0.125-0.250 L/ha	-	150 days	-
STRATWORTH CORPORATION	POTASSIUM MONOPERSULFATE TRIPLE SALT	STRATOGEN	520 g/kg	-	OTHERS	4	756-556-6050	14-Feb-25	-	-	For surface disinfection and water sanitation in animal facilities for poultry, swine, bovine, equine; for terminal biosecurity and	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PHOSPHOROUS ACID	PHITE-P	700 g/L	-	FUNGICIDE	4	099-421-6432	26-Jan-25	-	Pineapple	Phytopthora heart rot	3.0-7.0 L prod./ ha at water volume of 2,300-3,000 L/ ha	-	-	-
AGWAY CHEMICALS CORPORATION	LUFENURON+PROFENOFOS	PROFURON 550 EC	50 g/L+500 g/L	EC	INSECTICIDE	2	075-638-6414	29-Aug-25	CONTACT	Mango	Hoppers, fruitflies, cecid flies, flower thrips	250-300 mL PROD./ 200L water at spray volume of 50 L solution per tree	-	-	-
LICHEMPHIL INTERNATIONAL INC.	CYHALOFOP-BUTYL+PROPANIL	MORCLEAN 450 EC	150 g/L+300 g/L	EC	HERBICIDE	3	590-634-6343	6-Nov-26	-	Rice	Grasses, sedges and broadleaves	1-1.5 L prod./ ha	0.05 mg/kg Cyhalofop-butyl (PNS MRL)	-	As soon as spray deposits had dried
SYNGENTA PHILIPPINES INC.	ISOCYCLOSERAM	SIMODIS 100 DC	-	DC	INSECTICIDE	4	011-625-6446	6-Feb-25	-	Cabbage	Diamondback moth, flea beetle, cabbage butterfly, common cutworm	300 mL prod./ ha	0.2 mg/kg	-	-
SUMOCHEM CORPORATION	BIFENTHRIN	FORZA 2.5 EC	-	EC	INSECTICIDE	-	483-328-6356	24-Jan-27	-	-	Stored product pests in grains (*Sitophilus spp., Tribolium castaneum, & Rhyzopertha dominica*)	-	0.05 mg/kg	-	Do not enter treated area until all treated surfaces are dry. Ventilate rooms which were fogged by opening doors or windows before entry
BERRIS AGRICULTURAL COMPANY, INC.	METAMIFOP+PENOXSULAM	POSTMASTER 120 OD	-	OD	HERBICIDE	3	233-630-6249	6-Oct-25	-	Rice	Grasses, sedges and broadleaves	500-100 mL prod./ ha	-	-	-
BERRIS AGRICULTURAL COMPANY, INC.	METAMIFOP+BISPYRIBAC SODIUM	METAMIBAC 160 OD	-	OD	HERBICIDE	3	233-629-6293	6-Oct-25	-	Rice	Grasses, sedges, and broadleaves	500-1000 mL prod./ ha	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolders, black bug	1-1 ½ tbsp/ 16L wateer	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Mango	Hoppers	¾-1 ½ tbsp/ 16L water	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Tomato	Fruitworm, cutworm, aphids	1-1 ½ tbsp/ 16L wateer	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Onion	Thrips, cutworm	1 tbsp/ 16L water	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Mungbeans	Beanfly, flea bettle, leafhopper, aphids, mites, podborer	1 tbsp/ 16L water	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Corn	Cornborer, aphids, seedling maggots	1-1 ½ tbsp/ 16L wateer	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	1-1 ½ tbsp/ 16L wateer	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Cotton	Bollworm	1-1 ½ tbsp/ 16L wateer	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Cacao	Podborer	1-2 tbsp/ 16L water	-	-	-
BYTER PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	LIBERO 2.5 EC	25 g/L	EC	INSECTICIDE	2	738-204-6535	28-Jun-27	-	Watermelon	Squash beetle, melon worm	1 tbsp/ 16L water	-	-	-
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Cabbage	Diamond-back moth, cabbage moth, worm	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Tomato	Tomato fruitworm, aphids, beetle	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Watermelon	Aphids, thrips, beetle	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Onion	Thrips, cutworm	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Banana	Thrips, scarring beetle	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Tobacco	Budworm, cutworm, aphids, thrips	10-30 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VLMAD OPC	CYPERMETHRIN	VLMAD CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	774-037-6532	24-Mar-27	-	Corn	Corn borer, earworm	10-45 mL 16L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	AZOXYSTROBIN	QUINONESTOP AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	634-309-6538	8-May-27	-	Mango	Anthracnose, scab, stem-end rot	60-80 mL/ 100L 2-4 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	AZOXYSTROBIN	QUINONESTOP AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	634-309-6538	8-May-27	-	Watermelon	Damping-off, leaf spot, anthracnose, downy mildew, powdery mildew	10-20 mL/m 16L 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field as soon as spray dries up

METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	AZOXYSTROBIN	QUINONESTOP AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	634-309-6538	8-May-27	-	Onion	Basal/ bulb rot, purple blotch	10-20 mL/m 16L 0.2-0.4 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	AZOXYSTROBIN	QUINONESTOP AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	634-309-6538	8-May-27	-	Tomato	Late/ early blight, powdery mildew	5-10 mL/ 16L 0.156-0.312 L prod./ ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	AZOXYSTROBIN	QUINONESTOP AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	634-309-6538	8-May-27	-	Asparagus	Stem blight (*Phoma asprogi*), leaf blight (*Cercospora* asparagi), wilt (*Fusarium*)	10-30 mL/ 16L (at spray volume of 400L/ ha)	-	Do not spray 3-7 days before harvest	Re-entry to treated field as soon as spray dries up
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	CLEANZONE GRANULES 74.7	74.7 g/kg	-	HERBICIDE	4	065-473-6506	29-Sep-26	POST-EMERGENT/SYSTEMIC	Glyphosate tolerant corn	Grasses, sedges & broadleaves	1.1-1.7 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	CLEANZONE GRANULES 74.7	74.7 g/kg	-	HERBICIDE	4	065-473-6506	29-Sep-26	POST-EMERGENT/SYSTEMIC	Corn hybrid (preplant)	Grasses, sedges & broadleaves	1.7 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	CLEANZONE GRANULES 74.7	74.7 g/kg	-	HERBICIDE	4	065-473-6506	29-Sep-26	POST-EMERGENT/SYSTEMIC	Non-crop areas	Grasses, sedges & broadleaves	2.6 kg/ha	-	-	As soon as spray deposits on crops and weeds have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CEREVISANE	ACTILEAF 10 SC	100 g/L	SC	FUNGICIDE	4	099-587-6542	29-Jun-25	SYSTEMIC	Cavendish banana	Black sigatoka	500-1000 mL/ha applied with water or in oil-in-water emulsion	-	-	-
OMNIVET CORPORATION	ALKYLDIMETHYLBENZYL AMMONIUMCHLORIDE+GLUTARALDEHYDE+FORMALDEHYDE+GLYOXAL	CID 20	59.80 g/L+57.20g/L+84.6	-	OTHERS	2	758-618-6086	26-May-25	-	-	Disinfection in farm animal facilities, wheel/foot dips, tools and artificial insemination equipment	-	-	-	-
OMNIVET CORPORATION	PERACETIC ACID+HYDROGEN PEROXIDE	CID 2000	55 g/L+253 g/L	-	OTHERS	2	758-559-6085	26-May-25	-	-	Cleaning, decontamination and removal of biofilms from water pipelines and tanks in animal farm facilities	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Cabbage	Leaf spots	300-500 mL prod./ ha	0.01 ppm 0.01 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha 50-75 mL prod./ 16L water	0.01 ppm 0.01 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Mango	Anthracnose scab, stem end rot	150-200 mL prod./ ha 150-200 mL prod./ 200L water	0.2 ppm 0.07 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Onion	Anthracnose	300-500 mL prod./ ha 20-35 mL prod./ 16L water	0.01 ppm 0.01 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Potato	Late blight	400-500 mL prod./ ha 20-25 mL prod./ 16L water	0.05 ppm 0.1 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Rice	rice blast, sheath blight	250-500 mL prod./ ha 20-50 mL prod./ 16L water	0.6 ppm 0.4 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZOXYSTROBIN+DIFENOCONAZOLE	IVA MAVERICK 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	088-486-6556	23-May-27	-	Tomato	Early blight and late blight	400-500 mL prod./ ha	0.3 ppm 0.3 ppm	-	-
GIANSAN TRADING CORPORATION	POTASSIUM SALTS OF FATTY ACID	GS-PROTEXX	400 g/L	-	INSECTICIDE	4	788-476-6565	19-Mar-25	-	Cavendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mat spray	-	-	-	-
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Banana	Blossom thrips	4.5/ L water; 0.5/ L water	-	-	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Cabbage	Diamond back moth	100 mL prod./ ha; 2.0 tbsp/ 16L water	-	7 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 tbsp/16 L water	-	-	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Watermelon	Leafminer, thrips and melonworm	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16l water	-	3 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Papaya	Mites	150-600 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	ABAMECTIN	VENRA 1.8EC	18 g/L	EC	INSECTICIDE	2	471-234-6551	28-Mar-26	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days	Is allowed as soon as spray deposits had dried up
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha; 30-50 mL prod./ 100L	-	14 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Stringbeans	Leaf spots	0.20-0.30 L/ha	-	7 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Tomato	*Alternaria* leaf spot, *cercospora* leaf mold, and powdery mildew	0.20-0.30 L/ha	-	7 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Eggplant	Leaf spots	0.20-0.30 L/ha	-	7 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	7 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha; 0.6/ L	-	-	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
GINTONG ANI TRADING OPC	DIFENOCONAZOLE	CARATUS 250 EC	250 g/L	EC	FUNGICIDE	4	471-272-6552	3-Oct-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L/ha	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Mango	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Banana	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Coffee	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Cacao	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Rubber	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Citrus	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Coconut	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Sugarcane	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
GINTONG ANI TRADING OPC	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	471-151-6550	15-Dec-26	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
VETHEALTH CORPORATION	PARAFORMALDEHYDE PRILLS	ZEROGERM	350 g/Kg	-	OTHERS	2	697-555-6566	3-Jun-27	-	-	Disinfection of poultry, swine facilities, storage silos, trucking and warehouse via fumigation (FOR CERTIFIED PESTICIDE APPLICATOR	-	-	-	-
P&J AGRICULTURAL TRADING INC.	POLY ETHYLENE GLYCOL 400+GLUTARALDEHYDE+BENZALKONIUM CHLORIDE+PARA CHLORO META CRESOL	KILCOX EXTRA	220g/L+150g/L+10 0e/L+100e/L	-	OTHERS	2	736-617-6084	5-Apr-25	-	-	Animal facilities (pig, poultry, sheep, cattle, goat rearing and fattening) as disinfectant for the control of coccidiosis	-	-	-	-
BYTER PHILIPPINES, INC.	BUTACHLOR+PROPANIL	BY-ABEO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	738-238-6549	7-Nov-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
BYTER PHILIPPINES, INC.	BUTACHLOR+PROPANIL	BY-ABEO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	738-238-6549	7-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ha; 4-13 mL/ 16L	-	7 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Mango	Leafhoppers, tip borers	20-30 mL/100L	-	3 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha; 10-16 mL/16L	-	3 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	LAMBD-ACYHALOTHRIN+THIAMETHOXAM	EXIMO 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	738-399-6548	26-Sep-26	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10-30 mL/16L	-	14 days	Do not enter treated fields for at least 1 day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 TBsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Cabbage	Diamond-back moth, cabbage worms, loopers	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Potato	Thrips, armyworm, cutworm, tubemoth	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Stringbeans	Beanfly, leafolder, budworms	1.5-3.0 TBsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
GINTONG ANI TRADING OPC	PROFENOFOS	TOUCH 500EC	500 g/L	EC	INSECTICIDE	2	471-070-6554	8-Jul-27	-	Watermelon	Beanflies, aphids	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application

GIANSAN TRADING CORPORATION	POTASSIUM SILICATE	GS-POTASSIUM SILICATE	300 g/L	-	FUNGICIDE	4	788-492-6564	25-Jan-26	-	Cavendish banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pitmark and black sigatoka	0.5-2L/ ha	-	0 days	After spray deposits have dried
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Corn	Cornborer, earworm	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Sorghum	Cornborer, earworm	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
GINTONG ANI TRADING OPC	METHOMYL	LAMBAST 40SP	400 g/kg	SP	INSECTICIDE	2	471-164-6553	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 16L sprayer	-	**LAMBAST 40SP** may be applied 0-14 days before harvest	48 hours after application
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Bittergourd	Cutworm, leafhopper	20 mL prod./ 16L water	0.60 ppm	3 days	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water	4 ppm	1 day	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water	0.02 ppm	7 days	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water	0.3 ppm	1 day	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Rice	Stemborer, leaffolder	20-25 mL prod./ 16L water	2 ppm	-	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Stringbeans	Leaffolder, pod borer	10-15 mL prod./ 16L water	0.2 ppm	-	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0L prod./ ha)	-	255 days	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Tobacco	vudworm, cutworm	25-30 mL prod./ 16L water	3 ppm	7 days	-
THAIPHIL ADVANCE AGRITECH CORP.	CHLORANTRANILIPROLE	CHLORANTRAMAX 50 SC	50 g/L	SC	INSECTICIDE	4	657-393-6557	23-May-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water	0.60 ppm	3 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SPIROTETRAMAT	MOTIVA 240 SC	240 g/L	SC	INSECTICIDE/NEMATICIDE	4	088-419-6555	23-May-27	-	Banana	Flower thrips	3.3-4.17 mL prod./ L water	-	84 days	Treated areas may be re-entered immediately after bud injection
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	SPIROTETRAMAT	MOTIVA 240 SC	240 g/L	SC	INSECTICIDE/NEMATICIDE	4	088-419-6555	23-May-27	-	Pineapple	Mealy bugs, mites, scake insects, and white grubs. Nematodes	0.45-1.20 L prod./ ha 4.17 L prod./ ha	-	120 days	Treated areas may be re-entered immediately after bud injection
MGB TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	BISOTOX 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	777-229-6571	20-Jul-26	CONTACT	Rice	Golden apple snail	10 tankload/ ha	-	-	-
NEXCHEM CORPORATION	OXYFLOURFEN	NEXCHEM OXYNEX 24 EC	240 g/L	EC	HERBICIDE	4	702-123-6570	4-Aug-26	SELECTIVE (PRE/POST-EMERGENCE)	Onion	Broadleaves, sedges and grasses	2-4 tbs/ 16L water	-	-	-
NEXCHEM CORPORATION	ETHEPHON	NEXTHREL 480 SL	480 g/L	SL	OTHERS	4	702-061-6569	21-Jan-28	-	Pineapple	As plant growth for regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
NEXCHEM CORPORATION	ETHEPHON	NEXTHREL 480 SL	480 g/L	SL	OTHERS	4	702-061-6569	21-Jan-28	-	Banana	As plant growth for regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
NEXCHEM CORPORATION	ETHEPHON	NEXTHREL 480 SL	480 g/L	SL	OTHERS	4	702-061-6569	21-Jan-28	-	Mango	As plant growth for regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
NEXCHEM CORPORATION	ETHEPHON	NEXTHREL 480 SL	480 g/L	SL	OTHERS	4	702-061-6569	21-Jan-28	-	Coffee	As plant growth for regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water	-	1 day	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water	-	7 days	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water	-	1 day	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Rice	Stemborer, leaffolder	20-25 mL prod./ 16L water	-	3 days	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Stringbeans	Leaffolder, pod borer	10-15 mL prod./ 16L water	-	1 day	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0L prod./ ha)	-	240-300 days	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water	-	7 days	12 hours after spraying
PILARQUIM PHILIPPINES CORP.	CHLORANTRANILIPROLE	PILARKANG 50 SC	50 g/L	SC	INSECTICIDE	4	694-393-6546	21-May-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water	-	3 days	12 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Lettuce	Early blight and neck rot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Onion	Downy mildew, anthracnose, and purple blotch	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Cucurbits	Downy mildew and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Celery	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Beans	Rust	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Potato	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Tomato	Early and late blight	50-65 g prod./ 16L water	-	3 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Tobacco	Brown leaf spot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Coffee	Brown eye pot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Citrus	Black spot	65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Melon	Downy mildew	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Watermelon	Downy mildew	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Ornamentals	Black spot and rust	35-50 g / 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Mango	Anthracnose	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Rice	Dirty panicle and brown leaf spot	50-100 g prod./ 16L water (500-1,000 g prod./ ha)	-	18 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Banana	Sigatoka and freckle disease	2.5 kg/ ha	-	7 days	Immediately after spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PROPINEB	RAC PROPINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	234-001-6558	24-May-27	-	Asparagus	Stem and leaf blight	2.5 kg/ ha	-	7 days	Immediately after spray deposits have dried
PILARQUIM PHILIPPINES CORP.	SPINOSAD	PILARCESS 25 SC	25 g/L	SC	INSECTICIDE	4	694-306-6545	21-May-27	-	Banana	Flower thrips	1.0 mL/ 1L water	-	-	-
PILARQUIM PHILIPPINES CORP.	SPINOSAD	PILARCESS 25 SC	25 g/L	SC	INSECTICIDE	4	694-306-6545	21-May-27	-	Beans	Pod borers	30-50 mL/ 16L water	-	-	-
PILARQUIM PHILIPPINES CORP.	SPINOSAD	PILARCESS 25 SC	25 g/L	SC	INSECTICIDE	4	694-306-6545	21-May-27	-	Bulb onion	Cutworm and thrips	40-100 mL/ 16L water	-	-	-
PILARQUIM PHILIPPINES CORP.	SPINOSAD	PILARCESS 25 SC	25 g/L	SC	INSECTICIDE	4	694-306-6545	21-May-27	-	Cabbage	Diamondback moth	25-50 mL/ 16L water	-	-	-
PILARQUIM PHILIPPINES CORP.	SPINOSAD	PILARCESS 25 SC	25 g/L	SC	INSECTICIDE	4	694-306-6545	21-May-27	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	15-Jul-25	-	Ampalaya	Leaffolder and fruit fly	3-10 mL prod./ 16L water at spray volume of 600 L/ ha.	-	-	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	13-May-25	-	Potato	Whitefly, green peach aphids, cutworm, 28-spotted lady beetle	3-10 mL prod./ 16L	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	13-May-25	-	Rice	Whorl maggot, white backe planthopper, brown plant hopper, green leafhopper, yellow stemborer, leaffolder	6-10 mL prod./ 16L	-	14 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	13-May-25	-	Stringbeans	Whitefly, pod borer, bean fly, leafhopper	3-10 mL prod./ 16L	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	13-May-25	-	Tomato	whitefly, cutworm	6-10 mL prod./ 16L	-	3 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	15-Jul-25	-	Corn	Seedling maggot, fall armyworm, semi looper	6-10 mL prod./ 16L (mL prod./ 100L)	-	3 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	15-Jul-25	-	Eggplant	Fruit and shoot borer, white fly, leafhopper	3-10 mL prod./ 16L (mL prod./ 100L)	-	7 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	15-Jul-25	-	Mango	Mango leafhoppers, thrips	18.75-62.5 mL prod./ 16L (mL prod./ 100L)	-	3 days	-
AGCHEM MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALTOZ 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	001-395-5774	15-Jul-25	-	Stringbeans	Aphids, cutworms	3-10 mL prod./ 16L (mL prod./ 100L)	-	7 days	-

KEMISTAR CORPORATION	CLOTHIANIDIN	KEMISTAR ORO 20 SC	200 g/L	SC	INSECTICIDE	4	239-379-6441	25-Jan-27	-	Rice	Rice black bug	40-50 mL prod./ 16L water 400-500 mL prod./ ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm, armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Onion	Thrips cutworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	BPMC+CHLORPYRIFOS	CHLOSURE 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	640-174-4322	27-Dec-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ ha; 4-13 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Mango	Leafhoppers, tiploreres	20-30 mL/ 100L	-	3 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ ha; 10-16 mL/ 16L water	-	3 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	IMMENSE 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	540-395-6424	29-Dec-27	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha; 10-30 mL/16L	-	14 days	Do not enter treated field for at least 1 day after application
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Bittergourd	Cutworm, leafhopper	20 mL/ 16L water; 500 L/ha	-	3 days	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL/ 16L water; 600 L/ha	-	1 day	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 mL/ 16L water; 240 L/ha	-	7 days	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Eggplant	Fruit and shoot borer, cutworm	10 mL/ 16L water; 800 L/ha	-	1 day	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Rice	Stem borer, leaf folder	20-25 mL 16L water; 160-200 L/ha	-	45-60 days	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Stringbeans	Cutworm, pod borer	10 mL 16L water; 800 L/ha	-	1 day	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Sugarcane	Sugarcane borer	1.5-2.0L prod./ ha; 600-800 L/ha	-	240-300 days	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL/16L water; 240 L/ha	-	7 days	-
AKTIV MULTI TRADING CO. PHILS, INC.	CHLORANTRANILIPROLE	PENETRON 5 SC	50 g/L	SC	INSECTICIDE	4	540-393-6425	31-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL / 16L water; 500L/ ha	-	3 days	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	BAPS-GLUFO 15 SL	150 g/L	SL	HERBICIDE	4	595-182-6419	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	After spray deposits have dried
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	BAPS-GLUFO 15 SL	150 g/L	SL	HERBICIDE	4	595-182-6419	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray deposits have dried
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	BAPS-GLUFO 15 SL	150 g/L	SL	HERBICIDE	4	595-182-6419	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray deposits have dried
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	BAPS-GLUFO 15 SL	150 g/L	SL	HERBICIDE	4	595-182-6419	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop agricultural areas	Weeds	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	BROMACIL	K-CORRECTOR 80 WP	800 g/kg	WP	HERBICIDE	4	659-169-6547	21-May-27	-	Pineapple	Annual grasses and broadleaf weeds	2.2-4.5 kg prod./ ha	-	-	-
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	PRETILACHLOR	NACL PRETILACHLOR 300 EC	300 g/L	EC	HERBICIDE	4	634-063-6559	24-May-27	PRE-EMERGENCE	Rice (Direct-seeded)	Grasses sedges broadleaf weeds	1.0-1.5 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	CARBENDAZIM	BSA CARBENDAZIM 500SC	500 g/L	SC	FUNGICIDE	4	769-267-6560	24-May-27	SYSTEMIC	Banana	Diamond fruit spot and anthracnose	0.5- mL prod./ 1L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
BETTERSCIENTIFIC AGRIVENTURES OPC	CARBENDAZIM	BSA CARBENDAZIM 500SC	500 g/L	SC	FUNGICIDE	4	769-267-6560	24-May-27	SYSTEMIC	Cucurbits	Downy mildew	10- mL to 20 mL prod./ 16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
BETTERSCIENTIFIC AGRIVENTURES OPC	CARBENDAZIM	BSA CARBENDAZIM 500SC	500 g/L	SC	FUNGICIDE	4	769-267-6560	24-May-27	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	10- mL to 20 mL prod./ 16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
BETTERSCIENTIFIC AGRIVENTURES OPC	CARBENDAZIM	BSA CARBENDAZIM 500SC	500 g/L	SC	FUNGICIDE	4	769-267-6560	24-May-27	SYSTEMIC	Mango	Anthracnose	10- mL to 20 mL prod./ 16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
BETTERSCIENTIFIC AGRIVENTURES OPC	CARBENDAZIM	BSA CARBENDAZIM 500SC	500 g/L	SC	FUNGICIDE	4	769-267-6560	24-May-27	SYSTEMIC	Sugarcane	Pineapple disease	50- mL to -mL/ 200 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INDOFIL PHILIPPINES INC.	BENZALKONIUM CHLORIDE	BENZALYNX 500	-	-	OTHERS	2	604-394-6563	31-May-27	-	Banana	As tool disinfectant of foot bath and wheel bath for the control of moko disease or bacterial wilt (*Ralstonia solanacearum*) and	2.0-2.5 kg/ ha	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Beans	Anthracnose, downy mildew	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Cabbage	Alternaria leaf spot, downy mildew	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Cauliflower	Alternaria leaf spot, downy mildew	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Citrus	Black spot, greasy spot and rusetting	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Mango	Anthracnose scab	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Onion	Downy mildew, purple blotch, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Garlic	Downy mildew, purple blotch, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Tobacco	Anthracnose, blue mold	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Tomato	Anthracnose, early and late blight, septoria leaf spot	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Corn	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGROTECHNO MANCOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	370-151-5361	22-Jan-26	-	Ornamentals	Black spot	3-6 Tbsp/16 L water	-	-	-
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Cabbage	Downy mildew, *alternaria* leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Cauliflower	Downy mildew, *alternaria* leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Broccoli	Downy mildew, *alternaria* leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Cotton	Damping oil	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Mungbeans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Banana	Sigatoka, black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ULTRA BRIGHT INC.	MANCOZEB	ULTRA B.C. ZEB 80WP	800 g/kg	WP	FUNGICIDE	4	773-053-6575	31-Jul-27	-	Ornamentals	Black spot, blight anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SUCSYS BUILDING SOLUTIONS INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUCSYS NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	789-229-6584	24-Apr-26	-	Rice	Golden apple snail	35g (1 sachet) g prod./ load	-	-	48 hours after spraying
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Citrus	Annual and perennial	13-19 tbsp/16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Coffee	Annual and perennial grasses and broadleaves	13-19 tbsp/16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Cotton	Annual and perennial grasses and broadleaves	3-5 tbsp/16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13 tbsp/16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Pineapple	Annual and perennial grasses and broadleaves	13 tbsp/16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	DIURON	SUCSYS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	789-021-6582	9-Jun-26	SELECTIVE/NON-SELECTIVE	Non-crop land	Annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Mango	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Banana	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Coffee	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Cacao	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Rubber	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Citrus	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Coconut	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Sugarcane	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
SUCSYS BUILDING SOLUTIONS INC.	GLYPHOSATE IPA	SUCSYS GLYPHOSATE 480 SL	480 g/kg	SL	HERBICIDE	4	789-151-6583	24-Apr-26	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ULTRA BRIGHT INC.	CHLORPYRIFOS+CYPERMETHRIN	ULTRA B.C. BRAND 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	773-239-6578	12-Oct-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL (2-3 tbsp)	-	25 days	-
ULTRA BRIGHT INC.	CHLORPYRIFOS+CYPERMETHRIN	ULTRA B.C. BRAND 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	773-239-6578	12-Oct-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)	-	50 days	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Beans	Anthracnose, powdery mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Cabbage	Alternaria leaf spot, downy mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Cauliflower	Alternaria leaf spot, downy mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Citrus	Black and greasy spot, russeting	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Corn	Helminthosporium leaf spot	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Cucumber	Downy mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Melon	Downy mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Watermelon	Downy mildew	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Mango	Anthracnose, scab	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Ornamentals	Black spot	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Onion	Downy mildew, purple blotch	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Garlic	Downy mildew, purple blotch	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Peanut	Cercospora leaf spot	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Potato	Early and late blight	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Rice	Anthracnose, blast, sheath blight	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Tobacco	Anthracnose, blue mold	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-27	-	Tomato	Anthracnose, early and late blight	-	-	-	-
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Grapes	Downy and powdery mildew, fruit rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Potato	Early and late blight, vine rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Banana	Sigatoka, rust freckles	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Beans	Rust, anthracnose	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Peas	Rust, anthracnose	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Citrus	Scab, melanose	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Corn	Helminthosporium leaf spot, rust, downy mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Celery	Late blight	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Melon	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried

ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Mango	Anthracnose, diplodia rot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Ornamentals	Black spot, Black rot, Powdery mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Peanut	Cercospora leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Lettuce	Downy mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Cabbage	Powdery mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Cauliflower	Powdery mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Broccoli	Powdery mildew	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR.NEIL 75 WP	750 g/kg	WP	INSECTICIDE	4	719-118-6574	13-Mar-25	-	Squash	Anthracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 tbsp/ 16L water	-	7-14 days from last spray till harvest	Do not enter treated area until spray deposits have dried
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Mango	Mango hopper, tip borers, twig borers	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Rice	Brown planthoppers, cutworms, green leafhopper, stemborer, whorl maggots	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Tobacco	Aphids, armyworms, budworms, cutworms, leafworms, thrips	20-50 mL/ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Soybean and other beans	Aphids, leaffolder, podborers, semi-loopers	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Cabbage and other crucifers	Aphids, cabbage worms, cutworms, diamond-backed moth	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Eggplant	Flea beetles, mealybugs	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Tomato	Fruitworms, lady beetles	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Onion	Thrips	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	White Potato	Aphids, cutworms	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Cotton	Bollworms, leafhoppers, flower weevil, boll weevils, cotton, stainer, leafworm, aphids	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Sorghum	Armyworms, webworms	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Citrus	Aphids, mealy bug, scale insect, whiteflies	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
S&P ENTERPRISES INC.	PHENTHOATE	TOPDEX 50 EC	500 g/L	EC	INSECTICIDE	2	566-059-6587	9-Oct-26	-	Corn	Corn borers, cutworm, earworm	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
DEEH ENTERPRISES, INC.	CARBENDAZIM+TEBUCONAZOLE	DEEH POINTS 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	793-405-6602	26-Jul-27	-	Mango	Anthracnose	200 mL-300 mL; 16-24 mL	-	55 days after last application	When spray deposits have dried
DEEH ENTERPRISES, INC.	CARBENDAZIM+TEBUCONAZOLE	DEEH POINTS 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	793-405-6602	26-Jul-27	-	Rice	Sheath blight	16-25 mL	-	55 days after last application	When spray deposits have dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Banana	Banana flower thrips	4.5/ L water; 0.5/ L water	-	-	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Cabbage	Diamond-back moth	1000 mL prod./ ha	-	7 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Ornamentals	Mites	10-15 mL/ 16L; 1.0-1.5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Eggplant	Thrips, leafhopper, fruit borer, shoot borer	500-1500 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	14 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Tomato	leafminer, thrips, aphids	500-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Watermelon	Leafminer, thrips, melon worm	500-1000 mL prod./ ha; 50-1500 mL prod./ L water	-	3 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Papaya	Mites	150-600 mL prod./ ha; 0.5-1.0 tbsp/ 16L water	-	14 days	Re-enter treated area only after spray has dried
DEEH ENTERPRISES, INC.	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	793-234-6601	24-Jul-27	-	Strawberry	Mites	600-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
AGWAY CHEMICALS CORPORATION	PYRACLOSTROBIN	AGWAY CONVERT 25 EC	250 g/L	EC	FUNGICIDE	2	075-396-6577	29-Oct-26	-	Banana	Sigatoka and freckles	0.40 L/ ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
AGWAY CHEMICALS CORPORATION	PYRACLOSTROBIN	AGWAY CONVERT 25 EC	250 g/L	EC	FUNGICIDE	2	075-396-6577	29-Oct-26	-	Corn	Leaf spots	0.40 L/ ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0 tbsp/ 16L water	-	-	One day after application
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 tbsp/ 16L water	-	-	One day after application
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 tbsp/ 16L water	-	-	One day after application
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 tbsp/ 16L water	-	-	One day after application
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/ 16L water	-	-	One day after application
PIONEER TRADING & SUPPLY CO., INC.	DIURON	PITRADE PIURON 80SC	800 g/L	SC	HERBICIDE	4	617-021-6528	14-Feb-27	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 tbsp/ 16L water	-	-	One day after application
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	MALDITA 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	723-395-6585	15-Jul-25	-	Bittergourd	Leaffolder, fruitfly	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	MALDITA 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	723-395-6585	15-Jul-25	-	Corn	Fall armyworm, seedling maggot, semi-looper	6-10 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	MALDITA 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	723-395-6585	15-Jul-25	-	Eggplant	Whitefly leafhopper, eggplant fruit and shoot borer	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	MALDITA 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	723-395-6585	15-Jul-25	-	Stringbeans	Aphids, cutworm	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	MALDITA 220.5SE	79.5 g/L+141 g/L	SE	INSECTICIDE	3	723-395-6585	15-Jul-25	-	Mango	Mango leafhopper, thrips	18.75-62.5 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
NAC UNITED CROP SOLUTIONS CORPORATION	PROPAMOCARB HYDROCHLORIDE	NAPROCARB 722 SL	722 g/l	SL	FUNGICIDE	4	687-119-6598	1-Jul-27	SYSTEMIC	Cabbage	Late blight	2-4 mL/ kg seed	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	PROPAMOCARB HYDROCHLORIDE	NAPROCARB 722 SL	722 g/l	SL	FUNGICIDE	4	687-119-6598	1-Jul-27	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/ kg seed	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	PROPAMOCARB HYDROCHLORIDE	NAPROCARB 722 SL	722 g/l	SL	FUNGICIDE	4	687-119-6598	1-Jul-27	SYSTEMIC	Tobacco	Late blight	10 mL/ kg seed	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	PROPAMOCARB HYDROCHLORIDE	NAPROCARB 722 SL	722 g/l	SL	FUNGICIDE	4	687-119-6598	1-Jul-27	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/ kg seed	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	PROPAMOCARB HYDROCHLORIDE	NAPROCARB 722 SL	722 g/l	SL	FUNGICIDE	4	687-119-6598	1-Jul-27	SYSTEMIC	Potato	Late blight	20-40 mL/ 16L	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Cavendish banana	Weeds	2 L/ha; 160 mL/ 16L water	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Cacao	Weeds	2 L/ha; 160 mL/ 16L water	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Citrus	Weeds	2 L/ha; 160 mL/ 16L water	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Coffee	Weeds	6-7 L/ha; 135 mL/ 16L water	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Oil palm	Weeds	6-7 L/ha; 135 mL/ 16L water	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Rubber	Weeds	10.7L/ha.;13.3L/ha.;6.7L/ha. 215mL/16L water; 270ml/16L water;	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	GLUFOSINATE AMMONIUM	NADALUS 150 SL	150 g/L	SL	HERBICIDE	4	792-182-6595	28-Jun-27	NON-SELECTIVE/SYSTEMIC	Non-crop agricultural areas	Weeds	2-2.67 L/ha; 160-215 mL/ 16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	ZINC PHOSPHIDE	DRAGON ZINC PHOSPHIDE	800 g/kg		OTHERS	2	S17-173-6581	27-Jun-25	-	Field crops	Rats and mice	-	-	-	-
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggots	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Sorghum	Webworm	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Tobacco	Budworm, cutworm	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Crucifers	Diamond backed-moth, cabbage worm, aphids	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
S&P ENTERPRISES INC.	PHENTHOATE+BPMC	TOPDEX ULTRA 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	566-193-6586	5-Sep-25	-	Citrus	Scale insect, mealy bugs, aphids, white flies	24-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before priming on tobacco and 14	Re-entry to treated areas maybe done 2 days after treatment
MONARCH AGRICULTURAL PRODUCTS, INC.	PYRACLOSTROBIN	CIMOBINBRIO 25 SC	250 g/L	SC	FUNGICIDE	2	096-396-6592	28-Jun-27	-	Banana	Sigatoka freckles	0.4-L prod./ ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PYRACLOSTROBIN	CIMOBINBRIO 25 SC	250 g/L	SC	FUNGICIDE	2	096-396-6592	28-Jun-27	-	Corn	Leaf spots	0.4-L prod./ ha	-	-	-

NEXCHEM CORPORATION	PENOXSULAM+CYHALOFOP-BUTYL	PENOX-C 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	702-383-6351	6-Jun-24	POST-EMERGENCE	Rice (Transplanted)	*Crus-galli, E. glabrescens, C. difformis, I. rugosom, L. chineses, M. vaginalis, E. miliacea, C. iria S. zylanica and L. octavalvis*	-			-	After spray deposits has dried up
NEXCHEM CORPORATION	PENOXSULAM+CYHALOFOP-BUTYL	PENOX-C 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	702-383-6351	6-Jun-24	POST-EMERGENCE	Rice (Direct-seeded)	*Crus-galli, E. glabrescens, C. difformis, I. rugosom, L. chineses, M. vaginalis, E. miliacea, C. iria S. zylanica and L. octavalvis*	-			-	After spray deposits has dried up
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Cotton	Damping oil	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Mungbeans	Anthracnose, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Banana	Sigatoka, black leaf streak	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Mango	Anthracnose and scab	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Corn (Sweet and Popcorn)	*Helminthosporium* leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Rice	Blast, Sheath blight, *cercospora* leaf spot, *helminthosporium* leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Peanut	*Cercospora* leaf spot	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Soybean	Leaf rust	3-6 Tbsp/16 L water	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	ZENCOR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-6600	23-Aug-26	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	BISPYDEX PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	595-504-6608	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochlora sp, Lyptochloa chinesis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L prod./ha; 160-192 L water/ ha; 10-12 tankloads/ ha	-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	PRETILACHLOR	PRETINICE 300EC	150 g/L	EC	HERBICIDE	4	595-063-6607	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges and broadleaves weeds	10;12;14 tankloads/ ha	-	-	-	-
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Asparagus	Stem and leaf blight	1.8 L/ ha	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Banana	Black sigatoka	1-2 L/ ha	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Beans	Rust, anthracnose	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Carrot	Alternaria, Cercospora, helminthosporium	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Celery	Early and late blight	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Crucifers	Powdery mildew	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Potato	Early and late blight, vine rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
S&P ENTERPRISES INC.	CHLOROTHALONIL	S&P TOPNIL 720 SC	720 g/L	SC	FUNGICIDE	4	566-118-6611	26-Jun-25	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp/ 16L	-	For banana , harvesting may be done on the day of application. For other crops, do not apply within 7-14		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARYSTA LIFESCIENCE PHILIPPINES, INC.	DIFENOCONAZOLE	DIFECOR 250 EC	250 g/L	EC	FUNGICIDE	4	083-272-6590	15-Jun-27	SYSTEMIC	Banana	Black sigatoka	0.3-3.0 L prod./ ha	-	-	-	-
S&P ENTERPRISES INC.	THIAMETHOXAM	SEEDCOAT 350 FS	350 g/L	FS	INSECTICIDE	4	566-312-6610	2-May-25	-	Corn (as seed treatment)	Seedling maggot	32-120 mL/ 16-20 kgs. Seeds	-	-	-	-
S&P ENTERPRISES INC.	THIAMETHOXAM	SEEDCOAT 350 FS	350 g/L	FS	INSECTICIDE	4	566-312-6610	2-May-25	-	Rice	Green leafhopper, brown planthopper and white backed planthopper	25-50 mL/ 40 kgs seeds	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Corn	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
DCDM MARKETING INCORPORATED	GLUFOSINATE AMMONIUM	DCDM SHINEGOLD 150 SL	150 g/L	SL	HERBICIDE	4	467-182-6444	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	-
AGRI-SPROUT PHILS., INC.	NICLOSAMIDE ETHANOLAMINE SALT	SHATTER PLUS 250SC	250 g/L	SC	MOLLUSCICIDE	4	668-229-6631	17-Jul-26	-	Rice	Golden apple snail	100 mL/ 16L water; 1.0 L/ ha.	-	-	-	At least 40 hours after application
AGRI-SPROUT PHILS., INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	LOCK-OUT PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	668-504-6604	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa spp., Leptochloa chinesis, Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	50-100 mL/ 16L	-	-	-	-
CROP PROTECTION AGRIVENTURES INC.	BPMC	CPAI PARAHOPPERS 50EC	500 g/L	EC	INSECTICIDE	2	616-002-6589	27-Dec-25	-	Rice	Green leafhopper, brown planthopper and leaffolder	3-5 tbsp/16L water	-	Do not apply spray 14 days before harvest		48 hours after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC	CPAI PARAHOPPERS 50EC	500 g/L	EC	INSECTICIDE	2	616-002-6589	27-Dec-25	-	Cotton	Leafhopper, thrips and aphids	3-5 tbsp/16L water	-	Do not apply spray 14 days before harvest		48 hours after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC	CPAI PARAHOPPERS 50EC	500 g/L	EC	INSECTICIDE	2	616-002-6589	27-Dec-25	-	Citrus	Scale insects, aphids, mealy bugs and cutworm	3-4 Tbsp/16L water	-	Do not apply spray 14 days before harvest		48 hours after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC	CPAI PARAHOPPERS 50EC	500 g/L	EC	INSECTICIDE	2	616-002-6589	27-Dec-25	-	Crucifers	Diamond-back moth, cabbage worm aphids and cutworms	3-5 tbsp/16L water	-	Do not apply spray 14 days before harvest		48 hours after spraying
CROP PROTECTION AGRIVENTURES INC.	BPMC	CPAI PARAHOPPERS 50EC	500 g/L	EC	INSECTICIDE	2	616-002-6589	27-Dec-25	-	Mango	Mango hopper and tipborer	2-3.5 tbsp/16L water	-	Do not apply spray 14 days before harvest		48 hours after spraying
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Banana	Blossom thrips	4.5 mL prod./ ha	-	-		Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Cabbage	Diamondback moth	1000 mL prod. Ha	-	7 days		Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Eggplant	Thrips leafhopper, fruit and shoot borer	500-1500 mL prod./ ha 1500 mL prod./ ha	-	3 days		Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Mango	Cecid fly	250-500 mL prod./ 200 mL	-	-		Re-enter treated area only after spray deposits have dried

BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Onion	Leafminer and thrips	500-1000 mL prod./ ha	-	3 days	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Ornamentals	Mites	10-15 mL prod./ ha	-	-	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Papaya	Mites	150-600 mL prod./ ha	-	14 days	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Potato	Leafminer and thrips	500-1000 mL prod./ ha	-	14 days	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Strawberry	Mites	600-1200 mL prod./ ha	-	3 days	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod./ ha	-	3 days	Re-enter treated area only after spray deposits have dried
BYTER PHILIPPINES, INC.	ABAMECTIN	BYTER FLOMECT 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	738-234-6617	22-Jul-27	-	Watermelon	Leafminer, thrips melonworm	500-1000 mL prod./ ha 50-1500 mL prod./ ha	-	3 days	Re-enter treated area only after spray deposits have dried
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Mango	Anthracnose, scab, stem-end rot	6-8 / 100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 tbsp/ 16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Onion	Basal/ bulb rot	1-2 tbsp/ 16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Tomato	Late early blight, powdery mildew	0.5-1 tbsp/ 16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 tbsp/ 16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
NEXCHEM CORPORATION	AZOXYSTROBIN	AZONEX 25 SC	250 g/L	SC	FUNGICIDE	4	702-309-6568	14-Jun-25	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-4 tbsp/ 16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ORACLE CHEM CORP.	CLOTHIANIDIN	OCC MIRIKAL 20SC	200 g/L	SC	INSECTICIDE	4	417-379-6615 (SN)	18-Jul-27	-	Rice	Rice black bug	40-50 mL prod./ 16L water 400-500 mL prod./ ha	-	-	Allowed as soon as spray deposits dry up
ZENITH AGRIMAX VENTURES, INC.	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	PATHOFYT	200 g/L+100 g/L		OTHERS	2	794-508-6618	14-May-25	-	Banana	As tool disinfectant of foot bath and wheel bath for the control of moko disease or bacterial wilt (Ralstonia solanacearum) and	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	099-015-6613	1-Dec-27	-	Mango	Hoppers, fruitflies	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	099-015-6613	1-Dec-27	-	Rice	Bugs	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	099-015-6613	1-Dec-27	-	Banana	Mealy bugs	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	099-015-6613	1-Dec-27	-	Tobacco	Aphids, thrips	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	099-015-6613	1-Dec-27	-	Potato (Sweet and White)	Leafolder, leafminer weevil, aphids	50-65 mL/ 16L water	-	14 days for fruits, 10 days for field crops	Soon as spray have dried
PRIMESTOCKS CHEMICAL CORPORATION	METAMIFOP	METAFORM 100 EC	100 g/L	EC	HERBICIDE	4	623-409-6597	1-Jul-27	POST-EMERGENT	Rice (Diret-Seeded)	Grasses (*Echinochloa sp., Leptochloa chinensis, and Ishaemum rugosum*)	750 mL to 1-L prod./ ha	-	-	Do not enter treated field within 24 hours after application
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Bittergourd	Cutworm, leafhopper	20 mL prod./ 16L water	0.60 ppm	3 days	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water	4 ppm	1 day	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water	0.02 ppm	7 days	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water	0.3 ppm	1 day	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Rice	Stemborer, leaffolder	20-25 mL prod./ 16L water	2 ppm	-	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Stringbeans	Leaffolder, pod borer	10-15 mL prod./ 16L water	0.2 ppm	-	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0L prod./ ha)	-	255 days	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water	3 ppm	7 days	Twelve hours after spraying
UPL PHILIPPINES, INC.	CHLORANTRANILIPROLE	ARATKA 25 SC	50 g/L	SC	INSECTICIDE	4	562-393-6622 (S98M)	29-Jul-27	CONTACT	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water	0.60 ppm	3 days	Twelve hours after spraying
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Cotton	Annual and perennial broadleaf weeds and grasses	80 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Sugarcane	Annual and perennial broadleaf weeds and grasses	65-130 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Pineapple	Annual and perennial broadleaf weeds and grasses	130 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
INTERSORORA INC.	DIURON	INTERSORORA DIURON 80 SC	800 g/L	SC	HERBICIDE	4	664-021-6620	29-Jul-27	SELECTIVE	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod./ 16L water	-	-	A day after the application or after the spray has dried; do not enter the treated fields without protective clothing
THAIPHIL ADVANCE AGRITECH CORP.	SPIROTETRAMAT	EXTINCTMAX 240 SC	240 g/L	SC	INSECTICIDE	4	657-419-6616	22-Jul-27	-	Banana	Flower thrips	3.3-4.17 mL prod./ L water	-	84 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon spray deposits have dried completely (in
THAIPHIL ADVANCE AGRITECH CORP.	SPIROTETRAMAT	EXTINCTMAX 240 SC	240 g/L	SC	INSECTICIDE	4	657-419-6616	22-Jul-27	-	Pineapple	Mealy bugs, mites, scake insects, and white grubs. Nematodes	0.45-1.20L prod./ ha; 4.17 prod./ ha	-	120 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon spray deposits have dried completely (in
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Lettuce	Early blight and neck rot	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Onion	Downy mildew, anthracnose, and purple blotch	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Cucurbits	Downy mildew and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Celery	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Beans	Rust	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Potato	Early and late blight	50-65 g prod./ 16L water	-	7 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Tomato	Early and late blight	50-65 g prod./ 16L water	-	3 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Tobacco	Brown leaf spot	50-65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Coffee	Brown eye pot	50-65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Citrus	Black spot	65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Melon	Downy mildew	50-65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Watermelon	Downy mildew	50-65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Ornamentals	Black spot and rust	35-50 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Mango	Anthracnose	50-65 g prod./ 16L water	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Rice	Dirty panicle and brown leaf spot	50-100 g prod./ 16L water (500-1,000 g prod./ ha)	-	18 days	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Banana	Sigatoka and freckle disease	2.5 kg/ ha	-	-	Immediately after spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	PROPINEB	HAIPROB 70 WP	700 g/kg	WP	FUNGICIDE	4	672-001-6621	29-Jul-27	-	Asparagus	Stem and leaf blight	2.5 kg/ ha	-	7 days	Immediately after spray deposits have dried
SHARPHIL, INC.	PYRIMETHANIL	SHARPHIL PRIM 40 SC	400 g/L	SC	FUNGICIDE	4	402-345-6596	28-Jun-27	-	Cavendish banana	Black sigatoka	0.5 L prod./ ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried . When prior entry is necessary, wear cotton coveralls and PVC gloves.
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Asparagus	Stem and late blight	1.8 L prod./ ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Banana	Black sigatoka	1.38 L prod./ ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Beans	Anthracnose and rust	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Carrot	*Alternaria* leaf spot, *cercospora* leaf spot, helminthosporium leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Celery	Early and late blight	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Broccoli	Powdery mildew	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Cabbage	Powdery mildew	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Cauliflower	Powdery mildew	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Cucumber	Anthracnose, early and late blight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Melon	Anthracnose, early and late blight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Squash	Anthracnose, early and late blight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Watermelon	Anthracnose, early and late blight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Eggplant	Anthracnose, early and late blight, and *cercospora* leaf spot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Mango	Anthracnose and *diplodia* rot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Onion	Bulb rot, neck rot, and purple blotch	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Ornamentals	Black rot, black spot, and powdery mildew	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Pepper	Early and late blight	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Potato	Early and late blight, and vine rot	45-55 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
HAILIR PHILIPPINES AGROSERVICE INC.	CHLOROTHALONIL	BAONIL 720SC	720 g/L	SC	FUNGICIDE	4	672-118-6623	29-Jul-27	-	Tomato	Early and late blight, and vine rot	45-60 mL prod./ 16L water	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPROUT PHILS., INC.	CLOTHIANIDIN	CLODIX 20SC	200 g/L	SC	INSECTICIDE	4	668-379-6634	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L water	-	-	-
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Banana	Black sigatoka, *helminthosporium* leaf spot, leaf freckles, and rust	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Beans	Anthracnose and rust	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, and helminthosporium leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Celery	Early and late blight	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Broccoli	Powdery mildew	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Cabbage	Powdery mildew	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Cauliflower	Powdery mildew	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Cucumber	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Melon	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Squash	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Watermelon	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Eggplant	Anthracnose, early and late blight, cercospora leaf spot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Garlic	Bulb rot, neck rot, and purple blotch	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Grapes	Downy mildew, fruit rot, and powdery mildew	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Mango	Anthracnose and diplodia rot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Onion	Bulb rot, neck rot, and purple blotch	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Ornamentals	Black rot, black spot, and powdery mildew	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Pepper	Anthracnose, early and late blight, and neck rot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Potato	Early and late blight, and vine rot	60-80 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
ORACLE CHEM CORP.	CHLOROTHALONIL	ORANIL 500SC	500 g/L	SC	FUNGICIDE	4	417-118-2706 (295)	2-Aug-27	-	Tomato	Early and late blight, and vine rot	60-85 mL prod./ 16L water	-	Do not apply 7 days before harvest	Do not enter sprayed field within 48 hours after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 TBsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 TBsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Cabbage	Diamond-back moth, cabbage worms, aphipds, thrips	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Potato	Thrips, armyworm, cutworm, tubemoth	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Soybeans	Corn earworm, leafminer	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Mungbeans	Corn earworm, leafminer	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Cotton	Thrips, bollworm, bud worm	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Stringbeans	Beanflies, aphids, leaffolder	1.5-3.0 TBsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Watermelon	Thrips	3-5 tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
WEALTHY GROWER AGRI CORPORATION	PROFENOFOS	PAPAP 50 EC	500 g/L	EC	INSECTICIDE	2	782-070-6629	9-Oct-26	-	Mango	Blossom thrips	1.0-2.0 tbsp/ 16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields at least 1 day after application
BASF PHILIPPINES, INC.	ATRAZINE+TOPRAMEZONE	CONVEY COMPLETE 310 SC	300 g/L+10 g/L	SC	HERBICIDE	3	005-626-6275	26-Sep-25	POST-EMERGENT	Corn	Grasses, sedges, broadleaves	2.5 L prod./ ha	-	20 days	As soon as as spray droplets dries or 24 hours after spraying
WEALTHY GROWER AGRI CORPORATION	BUPROFEZIN	EMERGENZIN 25 SC	250 g/L	EC	INSECTICIDE	3	782-224-6628	20-Jan-26	-	Mango	Leafhopper	60-80 mL/200 L water	-	Do not spray 15 days before harvest	Re entry to treated fields is allowed as soon as spray dries
WEALTHY GROWER AGRI CORPORATION	BUPROFEZIN	EMERGENZIN 25 SC	250 g/L	EC	INSECTICIDE	3	782-224-6628	20-Jan-26	-	Cavendish banana	Scale insects, mealy bugs and aphids	1.5-2.5 mL prod./L water (stem and mat spray)	-	Do not spray 15 days before harvest	Re entry to treated fields is allowed as soon as spray dries
PRIMESTOCKS CHEMICAL CORPORATION	PRETILACHLOR	PRECEPT 300 EC	300 g/L	EC	HERBICIDE	4	623-063-6630	25-Jun-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	1.0-1.5 L/ ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PYRACLOSTROBIN	BESTOW 250 EC	250 g/L	EC	FUNGICIDE	2	099-396-6636	4-Jan-26	-	Corn	Leaf spots	400 mL FP/ ha	-	4 days	After drying of spray or 24 hours after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	PYRACLOSTROBIN	BESTOW 250 EC	250 g/L	EC	FUNGICIDE	2	099-396-6636	4-Jan-26	-	Cavendish banana	Black sigatoka and freckles	400 mL FP/ ha	-	4 days	After drying of spray or 24 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Rice	Green leafhoppers, brown planthoppers, stemborers, whorl maggot, cutworm	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Corn	Corn borer, earworm, cutworm	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Sorghum	Webworm, armyworm	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Soybeans and other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Cabbage and other crucifers	Diamondback moth, cabbage worm, aphids	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Cucumbers and other cucurbits	Aphids	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Eggplant	Flea beetle, mealy bug	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Tomato	Fruitworm, lady beetle	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 mL/ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	White Potato	Aphids, cutworm	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Cotton	Leafhopper, bollworm, flower weevil, cotton stainer, leafworm, aphids	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Onion	Thrips	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Citrus	Scale insect, aphids, mealy bug, whiteflies	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
RADISSON AGROCHEMICAL CORPORATION	PHENTHOATE	RAC PHENTHOATE 500 EC	500 g/L	EC	INSECTICIDE	2	234-059-6624	29-Jul-27	-	Mango	Mango hopper, tip borer, twig borer	125-312.5 mL/ 100L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 170 SL	170 g/L	SL	HERBICIDE	4	669-151-2322	11-Jul-27	-	Non-crop agricultural areas	Common grassy field	200 L/ha; 400 L/ ha	-	-	-
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Onion	Thrips	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Corn	Corn borer, earworm, cutworm	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Cabbage and other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Eggplant	Flea beetles, mealybugs	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Tomato	Fruitworm, lady beetle	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Soybeans and other beans	Pod borer, aphids, semi-looper, leaffolder	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 mL/ 16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	White Potato	Aphids, cutworm	20-50 mL/ 16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 mL/ 16L water	-	-	Re-entry into treated areas may be done at least 2 days after application

WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Sorghum	Web worm, armyworm	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
WEALTHY GROWER AGRI CORPORATION	PHENTHOATE	PASTOR H 50 EC	500 g/L	EC	INSECTICIDE	2	782-059-6627	9-Oct-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 mL/ 16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application
EZERTECH CORPORATION	THIOPHANATE METHYL	TIEMPO 50 SC	500 g/L	SC	FUNGICIDE	4	648-107-6641	8-Aug-27	SYSTEMIC	Cavendish banana	Diamond fruit spot caused by *Cercospora hayi, Fusarium pallidoroseum,* and *Fusarium solani*	0.5-1.5 mL prod./ L water at 200-300 mL spray volume	-	Do not spray 14 days before harvest	Re-entry is allowed as soon as spray deposits dry up
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	DEFENSSO 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	667-504-6626	29-Jul-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges broadleaf weeds	500-750 mL prod./ ha (at spray volume of 160-192L water/ ha)	-	-	As soon as spray dries up
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
GALDIV AGRI TRADING CORPORATION	CYPERMETHRIN	VERMIN 5 EC	50 g/L	EC	INSECTICIDE	4	641-037-6635	6-Dec-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
ELITE AGROCHEMICALS INC.	CHLORFENAPYR	DIADEM 10 SC	100 g/L	SC	INSECTICIDE	3	719-283-6633	13-Aug-27	-	Cabbage	Diamond back moth,aphids and cabbage moth	1.5-3.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORFENAPYR	DIADEM 10 SC	100 g/L	SC	INSECTICIDE	3	719-283-6633	13-Aug-27	-	Potato	Thrips	0.5-1.5 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORFENAPYR	DIADEM 10 SC	100 g/L	SC	INSECTICIDE	3	719-283-6633	13-Aug-27	-	Banana	Flower thrips	2-3 ml/ 1L water	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
E.S.I. AGRICULTURAL SUPPLY	NICLOSAMIDE ETHANOLAMINE SALT	NICLOPRIM 70 WP	700 g/L	WP	MOLLUSCICIDE	4	787-229-6562	16-Jun-27	-	Rice	Golden apple snail	10 tank load/ ha	-	-	At least 40 hourrs after application
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2.0-3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves	2.0-3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves	2.0-3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves	2.0-3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves	2.0-3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves	3.5 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves	2.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0 L/ ha	-	-	-
E.S.I. AGRICULTURAL SUPPLY	GLYPHOSATE IPA	BRIMOX 480 SL	480 g/L	SL	HERBICIDE	4	787-151-6561	7-Jun-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Glyphosate tolerant corn	Itch grass, morning glory, day flower, button weed, spindletop, cologoporium, hairy bregarticks, tropic ageratum	2-3 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Mango	Cogon (Shade Condition)	3.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Banana	Cogon (Shade Condition)	3.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Coffee	Cogon (Open Condition)	4.5 prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Cacao	Cogon (Open Condition)	4.5 prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Rubber	Mutha	2.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Oil palm	Paragrass	2.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Citrus	Talahib	4.5 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Coconut	Fern (Shade condition)	2.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Sugarcane	Other annual weeds	2.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	GLYPHOSATE IPA	BSA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	769-151-6651	13-Aug-27	POST-EMERGENT	Vegetables	Other annual weeds	2.0 L prod./ ha	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./ 16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	80 mL prod./ 16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	65-130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	130 mL prod./ 16L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	BSA DIURON-L 800SC	800 g/L	SC	HERBICIDE	4	769-021-6648	12-Aug-27	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod./ 16L water	-	-	Twenty four (24) hours after application
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	FENBUCONAZOLE	INDAR 2F	235 g/L	-	FUNGICIDE	4	014-262-0641	15-Aug-27	-	Banana	Black sigatoka and black leaf streak	-	-	-	Do not enter treated fields without protective clothing until spray have dried. Do not apply this product in such a manner as to directly or to
AGSMART CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	ENGKANTUM 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	680-438-6625	29-Jul-27	SYSTEMIC	Mango	Anthracnose	40-80 g/ 100 L water	0.01ppm 0.07 ppm	30 days	As soon as spray deposits have dried
AGSMART CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	ENGKANTUM 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	680-438-6625	29-Jul-27	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	120-160 g/ prod./ ha	0.01 ppm 2.0 ppm	35 days	As soon as spray deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Cabbage/wongbok	Aphids, cabbage moth, cabbage worm, and diamondback moth	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Cucurbits	Aphids, flea beetle, leafworm, squash beetles, and thrips	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Garlic	Cutworm and thrips	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Mango	Leafhoppers	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Onion	Cutworm and thrips	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Pechay	Aphids, cutworm, and looper	15-30 g prod./ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Potato	Aphids, cutworm, leafhoppers, leaf miner, thrips, and tuber moth	15-20 g prod/ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
AGNEWTEK PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGNEWTEK CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	762-106-6649 (088)	12-Aug-27	SYSTEMIC	Rice	Brown planthoppers, green leafhoppers, stem borers, and whorl maggots	30-50 g prod./ 16L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIOMETPLUS 220.SSE	141.0 g/L+79.5 g/L	SE	INSECTICIDE	3	616-399-6653	15-Jul-25	-	Ampalaya	Leaffolder and fruit fly	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIOMETPLUS 220.SSE	141.0 g/L+79.5 g/L	SE	INSECTICIDE	3	616-399-6653	15-Jul-25	-	Corn	Seedling maggot, fall armyworm, semi-looper	6-10 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIOMETPLUS 220.SSE	141.0 g/L+79.5 g/L	SE	INSECTICIDE	3	616-399-6653	15-Jul-25	-	Eggplant	Fruit and shoot borer, white fly, leafhopper	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIOMETPLUS 220.SSE	141.0 g/L+79.5 g/L	SE	INSECTICIDE	3	616-399-6653	15-Jul-25	-	Mango	Mango leafhopper, thrips	18.75-62.5 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
CROP PROTECTION AGRIVENTURES INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	THIOMETPLUS 220.SSE	141.0 g/L+79.5 g/L	SE	INSECTICIDE	3	616-399-6653	15-Jul-25	-	Stringbeans	Aphids, cutworm	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
118 AGRICULTURAL CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	SONET 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	506-504-6654	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	50-100 mL/ 16L	-	-	As soon as spray dries up
118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO SSC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	-	Do not aaply 7 days before harvest	One day after application
118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO SSC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbs.p./16L	-	Do not aaply 7 days before harvest	One day after application
118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO SSC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Watermelon	Thrips, leaf beetles	2.5-3.0 tbs.p./16L	-	Do not aaply 7 days before harvest	One day after application
118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO SSC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Onion	Cutworm	5.33 tbsp./16L	-	Do not aaply 7 days before harvest	One day after application

118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO 5SC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not aaply 7 days before harvest	One day after application
118 AGRICULTURAL CORPORATION	FIPRONIL	SOLUTO 5SC	50 g/L	SC	INSECTICIDE	3	506-244-6652	21-May-27	-	Corn	Seedling maggots	200 mL-250 mL 18-20 kg	-	Do not aaply 7 days before harvest	One day after application
ZAGRO CORPORATION	BACILLUS SP.+LACTOBACILLUS SP.	LITTERPRO	10 g/kg+10 g/kg	-	OTHERS	2	043-659-6645	15-Aug-27	-	-	Disinfection in farm premises for the reduction of pH on the litter, ammonia level and other toxic gases	-	-	-	-
ZAGRO CORPORATION	AZAMETHIPHOS	ZAZAFLY	10 g/kg	-	OTHERS	2	043-622-6642	15-Aug-27	-	-	Swine and poultry farms for the control of flies	-	-	-	-
OPTICHEM SOLUTIONS OPC	ALKYL MODIFIED HEPTAMETHYLTRISILOXANE	SILWET 560	835 g/L	-	OTHERS	4	790-362-2361	12-Aug-27	-	Banana	Sigatoka (As adjuvant in tank combination with Mancozeb 448 F	1-10 tbsp/L oil; 10-100 mL/ L	-	No PHI needed when Silwet 560 is used alone. The PHI required depends on the agrochemical where Silwet 560	Do not enter treated field without protective clothing (long sleeve shirt and long pants) until sprays have dried. Consult and follow pesticides
ASIA GOLD TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	PRONTO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	266-504-6661	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	50-100 mL/ 16L	-	-	As soon as spray dries up
S&P ENTERPRISES INC.	SPINOSAD	APPROVE 25 SC	25 g/L	SC	INSECTICIDE	4	566-306-5531	10-May-27	-	Cabbage	Diamond back moth	25-50 mL (2.5-5.0 tbsp/ 16L water)	-	-	Immidiately after spray deposits has dried up
S&P ENTERPRISES INC.	SPINOSAD	APPROVE 25 SC	25 g/L	SC	INSECTICIDE	4	566-306-5531	10-May-27	-	Banana	Flower thrips	1.0-1.25 mL / L water	-	-	Immidiately after spray deposits has dried up
S&P ENTERPRISES INC.	SPINOSAD	APPROVE 25 SC	25 g/L	SC	INSECTICIDE	4	566-306-5531	10-May-27	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	Immidiately after spray deposits has dried up
S&P ENTERPRISES INC.	SPINOSAD	APPROVE 25 SC	25 g/L	SC	INSECTICIDE	4	566-306-5531	10-May-27	-	Beans	Podborer	30-50 mL/ 16L water	-	-	Immidiately after spray deposits has dried up
S&P ENTERPRISES INC.	SPINOSAD	APPROVE 25 SC	25 g/L	SC	INSECTICIDE	4	566-306-5531	10-May-27	-	Bulb onion	Thrips and cutworm	40-100 mL/ 16L water	-	-	Immidiately after spray deposits has dried up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Cocoa	Pod borer	10-20 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Corn	Borer, aphids, seedling maggot	10-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Cotton	Boilworm	10-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Mango	Hoppers	9.0-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Mungbeans	Beanfly, flea beetles, leafhoppers, aphids, mites, pod borer	10 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Onion	Cutworms, thrips	10 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	10-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Tobacco	Budworm, Cutworm, aphids, katydids	10-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Tomato	Fruitworm, cutworm, aphids	10-15 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	LAMBDA-CYHALOTHRIN	NACL LAMBDA 25 EC	25 g/L	EC	INSECTICIDE	2	634-204-6646	12-Aug-27	-	Watermelon	Squash beetle, melon worm	10 mL prod./ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRANSWORLD TRADING COMPANY, INCORPORATED	CLOTHIANIDIN	ALGOR 20 SC	200 mL/ L	SC	INSECTICIDE	4	038-379-6647	12-Aug-27	-	Rice	Rice black bug	0.08-0.1 kg A.I. ha; 40-50 mL prod./ 16L water; 400-500 mL prod./ ha	-	-	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Bittergourd	Cutworm, leafhopper	20 mL prod./ 16L water	0.60 ppm	3 days	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water	4 ppm	1 day	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water	0.02 ppm	7 days	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water	0.3 ppm	1 day	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Rice	Stem borer, leaf folder	20-25 mL prod./ 16L water	2 ppm	-	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Stringbeans	Leaffolder, pod borer	10-15 mL prod./ 16L water	0.2 ppm	-	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0L prod./ ha)	-	255 days	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water	3 ppm	7 days	-
INTERSORORA INC.	CHLORANTRANILIPROLE	COMBATO 5SC	50 g/L	SC	INSECTICIDE	4	664-393-6673	5-Sep-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water	0.60 ppm	3 days	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Citrus	Annual and perennial grasses and broadleaves	13.0-19.0 tbsp/ 16L water	-	-	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Coffee	Annual and perennial grasses and broadleaves	13.0-19.0 tbsp/ 16L water	-	-	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Cotton	Annual and perennial grasses and broadleaves	8.0 tbsp/ 16L water	-	-	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13.0 tbsp/ 16L water	-	-	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Pineapple	Annual and perennial grasses and broadleaves	13.0 tbsp/ 16L water	-	-	-
YUUMIE TRADE OPC	DIURON	YUUMIE DIURON 800 SC	800 g/L	SC	HERBICIDE	4	691-021-6544	2-Oct-25	-	Non-crop agricultural land	Annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	-
NEZUS PHILS. CORPORATION	TOSYLCHLORAMIDE SODIUM (CHLORAMINE-T)	HALAMID	1000g/kg	-	OTHERS	2	729-595-5833	31-Dec-27	-	-	Disinfection of animal houses and premises	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	CLOTHIANIDIN	GARNET 20SC	200 g/L	SC	INSECTICIDE	4	597-379-6663	18-Jul-27	SYSTEMIC	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	RICESAFE PLUS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	539-504-6672 (099F)	4-Sep-27	POST-EMERGENT	Rice (Direct-seeded)	Greasses, sedges, and broadleaf weeds	500 mL to 1L FP / ha (using spray volume of 160-192 L water/ ha)	-	-	As soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	BUTACHLOR+PROPANIL	MAGNIFICO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	096-238-6691	3-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	BUTACHLOR+PROPANIL	MAGNIFICO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	096-238-6691	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	-
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Banana	Black sigatoka, helminthosporium leaf spot, leaf freckles, and rust	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Beans	Anthracnose and rust	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Carrot	*Alternaria* leaf spot, Cercospora leaf spot and *helminthosporium* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Celery	Early and late blight	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Broccoli	Powdery mildew	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Cabbage	Powdery mildew	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Cauliflower	Powdery mildew	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Cucumber	Anthracnose, early and late bglight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Melon	Anthracnose, early and late bglight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Squash	Anthracnose, early and late bglight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Watermelon	Anthracnose, early and late bglight, *cercospora* leaf spot, downy mildew, fruit rot, powdery mildew, and *septoria* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Eggplant	Anthracnose, early and late blight, *cercospora* leaf spot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Garlic	Bulb rot, neck rot, and purple blotch	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Grapes	Downy mildew, fruit rot, and powdery mildew	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Mango	Anthracnose and diplodia rot	6.0-8.5 tbsp/ 16L; 5.40-8.10 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Onion	Bulb rot, neck rot, and purple blotch	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Ornamentals	Black rot, black spot, and powdery mildew	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Pepper	Anthracnose, early and late blight, and neck rot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Potato	Early and late blight, and vine rot	6.0-8.0 tbsp/ 16L; 1.50-2.55 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTRA B.C. NIL 500 SC	500 g/L	SC	FUNGICIDE	4	773-118-6694	2-Aug-27	-	Tomato	Early and late blight, and vine rot	6.0-8.5 tbsp/ 16L; 1.80-2.70 L/ha	-	Do not apply within 7 days of harvest	Do not enter sprayed field within 48 hours after application
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KAIPAX 70WP	700 g/kg	WP	MOLLUSCICIDE	4	766-229-6693	20-Jul-26	CONTACT	Rice	Golden apple snail	10 tank load/ ha	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	CYROMAZINE	GRUBADEX 1%	10 g/kg	-	IGR	2	043-331-6657	15-Aug-27	-	-	Animal farm facilities for the control of immature house files and stable flies	-	-	-	-
AGWAY CHEMICALS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	RESIST 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	075-486-5242 (539)	12-Aug-27	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha; 50-75 mL prod./ 16L water; 160-192 L/ha	0.01 ppm 0.01 ppm	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGWAY CHEMICALS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	RESIST 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	075-486-5242 (539)	12-Aug-27	-	Mango	Anthracnose scab, stem end rot	150-200 mL prod./ ha; 150-200 mL prod./ 200L water; 2,040-3,3,472 L/ ha	0.02 ppm 0.07 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGWAY CHEMICALS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	RESIST 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	075-486-5242 (539)	12-Aug-27	-	Onion	Anthracnose	300-500 mL prod./ ha; 20-35 mL prod./ 16L water; 200-500 L/ha	0.01 ppm 0.01 ppm	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGWAY CHEMICALS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	RESIST 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	075-486-5242 (539)	12-Aug-27	-	Potato	Late blight	400-500 mL prod./ ha; 20-25 mL prod./ 16L water; 300-500 L/ha	0.05 ppm 0.1 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGWAY CHEMICALS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	RESIST 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	075-486-5242 (539)	12-Aug-27	-	Rice	Rice blast, sheath blight	250-500 mL prod./ ha; 20-50 mL prod./ 16L water; 160-200 L/ha	0.6 ppm 0.4 ppm	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-9.0 tbsp/ 16L	-	-	One day after application

ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-9.0 tbsp/ 16L	-	-	One day after application
ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 tbsp/ 16L	-	-	One day after application
ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 tbsp/ 16L	-	-	One day after application
ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0 tbsp/ 16L	-	-	One day after application
ZAGRO CORPORATION	DIURON	ZAGRO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	043-021-6638	14-Feb-27	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 tbsp/ 16L	-	-	One day after application
RBAV HARVEST TRADING CORPORATION	BENZALKONIUM CHLORIDE	RBBAC 40 SL	400 g/L	SL	OTHERS	4	772-394-6524	14-Feb-25	-	Banana	Moko disease (*Raistonia solanacearum*) and Panama disease (*Fusarium oxysporum f.s.p. cubense*) as tool disinfectant	20 mL/ L of solution	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Banana	Black sigatoka, *helminthosporium leaf spo* t, and leaf freckles	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Beans	Anthracnose and rust	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, and *helminthosporium* leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Celery	Early and late blight	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Corn	*Helminthosporium* leaf spot and *cercospora* leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Broccoli	Powdery mildew	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Cabbage	Powdery mildew	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Cauliflower	Powdery mildew	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Cucumber	Anthracnose, early and late blight, *cercopora* leaf spot, downy mildew, fruit rot, and *septori* a leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Melon	Anthracnose, early and late blight, *cercopora* leaf spot, downy mildew, fruit rot, and *septori* a leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Squash	Anthracnose, early and late blight, *cercopora* leaf spot, downy mildew, fruit rot, and *septori* a leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Watermelon	Anthracnose, early and late blight, *cercopora* leaf spot, downy mildew, fruit rot, and *septori* a leaf spot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Eggplant	Athracnose, early and late blight, and *cercospora* leafspot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Garlic	Bulb rot, neck rot, and purple blotch	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Grapes	Downy mildew, fruit rot, and powdery mildew	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Mango	Anthracnose and *diplodia* rot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Onion	Bulb rot, neck rot, and purple blotch	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Ornamentals	Black rot, black spot, and powdery mildew	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Pepper	Athracnose, early and late blight	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Potato	Early and late blight, and vine rot	60-80 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 500 SC	500 g/L	SC	FUNGICIDE	4	771-118-6680	9-Sep-27	-	Tomato	Early and late blight, and vine rot	60-85 mL prod./ 16L water	-	Harvesting may be done on the day of application	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	DIURON+HEXAZINONE	VELPAR K4	132 g/Kg+468 g/Kg	-	HERBICIDE	4	751-435-4020	12-Aug-27	-	Sugarcane	Grasses, sedges & broadleaves	400 L/ha	-	118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	DIURON+HEXAZINONE	VELPAR K4	132 g/Kg+468 g/Kg	-	HERBICIDE	4	751-435-4020	12-Aug-27	-	Pineapple	Grasses (E. indica, D. setigera, P. conjugatum) and broadleaves (C. nidiosperma, A. paniculata, E. sonchifolia, H. corymbosa, C.	3,742 L/ha	-	-	Do not enter treated fields within 12 hours after spraying or until the spray has dried
ZENITH AGRIMAX VENTURES, INC.	DIURON+HEXAZINONE	ZENITH ZIRON 600 WG	468 g/L+132 g/L	WG	HERBICIDE	4	794-435-6667	7-Aug-27	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds sedges	400 L prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	DIURON+HEXAZINONE	ZENITH ZIRON 600 WG	468 g/L+132 g/L	WG	HERBICIDE	4	794-435-6667	29-Oct-25	POST-EMERGENT	Pineapple	Grasses, sedges and broadleaves	2.5-5.0 kg/ ha	-	-	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	HYDRAMETHYLNON	MIGHTY HYDRANT 0.73 G	7.3 g/kg	G	INSECTICIDE	4	733-292-6666	27-Aug-25	-	Pineapple	Ants	1.7 kg prod./ ha	-	15 days	12 hours after application
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	FLUAZIFOP-P-BUTYL	ZENITH SWEEPER 15 EC	150 g/L	EC	HERBICIDE	4	794-212-6664 (733)	27-Aug-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Bermuda grass, crabgrasses, goosegrass, itchgrass	500-1000 mL prod./ ha	-	-	After spray deposits have dried
NUTRA TECH BIOPHARMA, INC.	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	GLUTASEP	160 g/L+110 g/L	-	OTHERS	2	707-508-5661	29-Jul-27	-	-	Disinfection in farm animal facilities and equipment	-	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	OXYFLOURFEN	LICHEM OXYFLUORFEN 240 EC	240 g/L	EC	HERBICIDE	4	590-123-6675	9-Sep-27	SELECTIVE	Onion	Grasses, sedges and broadleaf weeds	40-80 mL prod./ 16L water	-	-	Enter treated fields after spray deposits have dried
S&P ENTERPRISES INC.	BORDEAUX MIXTURE	S&P TOPFIX WG	200 g/kg	WG	FUNGICIDE	4	566-440-6612	6-Sep-27	-	Rice	Bacterial leaf blight and sheath blight	0.5-1.0 kg/ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to field is allowed as soon as spray dried up
S&P ENTERPRISES INC.	BORDEAUX MIXTURE	S&P TOPFIX WG	200 g/kg	WG	FUNGICIDE	4	566-440-6612	6-Sep-27	-	Pineapple	Bacterial heart rot	1.8 kg/ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to field is allowed as soon as spray dried up
AGCHEM MANUFACTURING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	TARGET 25 SC	250 g/L	SC	MOLLUSCICIDE		001-229-4733	17-Jul-26	-	Rice	Golden apple snail	35 g or 1 sachet	-	-	-
UPL PHILIPPINES, INC.	DIFLUBENZURON+DELTAMETHRIN	BILARV PLUS 220 SC	200g/L+20g/L	SC	INSECTICIDE	2	562-570-5662	31-Dec-27	-	-	Flies in poultry houses	2 mL/ L water	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	OXYFLOURFEN	FLORY 240 EC	240 g/L	EC	HERBICIDE	4	575-123-6725	9-Sep-27	-	Onion	Grasses, sedges and broadleaf weeds	4-8 tbsp/ 16L water; 2-4 tbsp/ 16L water	-	-	Enter treated fields after spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CLETHODIM	CODEN 24 EC	240 g/L	EC	HERBICIDE	4	575-334-6722	17-Sep-27	-	Onion	*Echinochloa colona, Eleusine indica, Dactyloctenium aegytium and Digitaria ciliaris*	0.5 L/ ha; 50 mL or 5 tbsp/ 16L water	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with **CODEN 24 EC** may be done 1 day after spraying
EZERTECH CORPORATION	CHLORFENAPYR	CADENA PRO 24 SC	240 g/L	SC	INSECTICIDE	3	648-283-6674	6-Sep-27	CONTACT	Banana	Flower thrips	8.30-12.50 mL prod./ 1L water	-	Last application should be 14 days before harvest	Do not enter treated field 2 days after spraying
EZERTECH CORPORATION	CHLORFENAPYR	CADENA PRO 24 SC	240 g/L	SC	INSECTICIDE	3	648-283-6674	6-Sep-27	CONTACT	Cabbage	Diamondback moth, aphids, cabbage moth	6.30-12.50 mL prod./ 16L water 6.30-12.50 mL prod./ 16L water	-	Last application should be 14 days before harvest	Do not enter treated field 2 days after spraying
EZERTECH CORPORATION	CHLORFENAPYR	CADENA PRO 24 SC	240 g/L	SC	INSECTICIDE	3	648-283-6674	6-Sep-27	CONTACT	Potato	Thrips	2.10-6.30 mL prod./ 16L water	-	Last application should be 14 days before harvest	Do not enter treated field 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	CLETHODIM	LICHEM CLETHODIM 24 EC	240 g/L	EC	HERBICIDE	4	590-334-6681	9-Sep-27	-	Onion	*Echinochloa colona, Eleusine indica, Dactyloctenium aegytium and Digitaria ciliaris*	500 mL prod./ ha (50 mL prod./ 16L water)	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with LICHEM CLETHODIM 24 EC may be done 1 day after spraying
PLANTCARE TRADING CORPORATION	2,4-D IBE	PLANTCARE 2,4-D ESTER	491 g/L	-	HERBICIDE	2	495-049-6703	31-Dec-26	-	Rice	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with PLANTCARE 2,4-D ESTER can be done one day after spraying.
PLANTCARE TRADING CORPORATION	2,4-D IBE	PLANTCARE 2,4-D ESTER	491 g/L	-	HERBICIDE	2	495-049-6703	31-Dec-26	-	Corn	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with PLANTCARE 2,4-D ESTER can be done one day after spraying.
PLANTCARE TRADING CORPORATION	2,4-D IBE	PLANTCARE 2,4-D ESTER	491 g/L	-	HERBICIDE	2	495-049-6703	31-Dec-26	-	Sugarcane	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with PLANTCARE 2,4-D ESTER can be done one day after spraying.
ASIA GOLD TRADING CORPORATION	CLOTHIANIDIN	GLIDE 20SC	200 g/L	SC	INSECTICIDE	4	266-379-6708	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L water	-	-	-
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GRANDER 220.5SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	551-399-6704	15-Jul-25	-	Ampalaya	Leaffolder and fruit fly	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GRANDER 220.5SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	551-399-6704	15-Jul-25	-	Corn	Seedling maggot, fall armyworm, semi-looper	6-10 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GRANDER 220.5SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	551-399-6704	15-Jul-25	-	Eggplant	Fruit and shoot borer, white fly, leafhopper	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GRANDER 220.5SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	551-399-6704	15-Jul-25	-	Mango	Mango leafhopper, thrips	18.75-62.5 mL/ 16L water (mL prod./ 100L)	-	7 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GRANDER 220.5SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	551-399-6704	15-Jul-25	-	Stringbeans	Aphids, cutworm	3-10 mL/ 16L water (mL prod./ 100L)	-	3 days	Do not enter unless spray deposits have dried
INTEGRATED CROP TRADING CORPORATION	CHLORPYRIFOS	PYRIFOS GOLD 300EC	300 g/L	EC	INSECTICIDE	2	274-101-6702	27-Dec-27	-	Rice	Stemborer, armyworm, leafhopper,caseworm, planthopper, cutworm	2.5-3.5 tbsp/ 16L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CHLORPYRIFOS	PYRIFOS GOLD 300EC	300 g/L	EC	INSECTICIDE	2	274-101-6702	27-Dec-27	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/ 16L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CHLORPYRIFOS	PYRIFOS GOLD 300EC	300 g/L	EC	INSECTICIDE	2	274-101-6702	27-Dec-27	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/ 16L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CHLORPYRIFOS	PYRIFOS GOLD 300EC	300 g/L	EC	INSECTICIDE	2	274-101-6702	27-Dec-27	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/ 16L water	-	-	-
TAIPAN BRAND FARM INC.	GLUFOSINATE AMMONIUM	LIMPIO 150 SL	150 g/L	SL	HERBICIDE	4	529-182-6695	22-Sep-25	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Weeds	160 mL/ 16L water; 135-200 mL/ 16L water	-	-	-
TAIPAN BRAND FARM INC.	GLUFOSINATE AMMONIUM	LIMPIO 150 SL	150 g/L	SL	HERBICIDE	4	529-182-6695	22-Sep-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	215 mL/ 16L water; 270 mL/ 16L water; 135 mL/ 16L water	-	-	-
TAIPAN BRAND FARM INC.	GLUFOSINATE AMMONIUM	LIMPIO 150 SL	150 g/L	SL	HERBICIDE	4	529-182-6695	22-Sep-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	160 mL/ 16L water; 135 mL/ 16L water	-	-	-
TAIPAN BRAND FARM INC.	GLUFOSINATE AMMONIUM	LIMPIO 150 SL	150 g/L	SL	HERBICIDE	4	529-182-6695	22-Sep-25	NON-SELECTIVE/POST-EMERGENT	Non-agricultural areas	Weeds	160-215 mL/ 16L water	-	-	-

MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Mango	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Banana	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Coffee	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Cacao	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Rubber	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Citrus	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Coconut	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Sugarcne	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
MARPAD RHIKEIMHER ENTERPRISES CORPORATION	GLYPHOSATE IPA	WEEDZIZ 480 SL	480 g/L	SL	HERBICIDE	4	766-151-6705	15-Dec-26	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	PRADO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	456-504-6700	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L prod./ ha using a spray volume of 160 to 192 L water/ ha (10-	-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
ALBERT JOSEPH AGRO TRADING CORPORATION	ATRAZINE	MAS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	456-065-6686	3-Oct-25	SELECTIVE/PRE-EMERGENT	Corn	Broadleaf weeds & annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter treated fields within 5 days after application
ALBERT JOSEPH AGRO TRADING CORPORATION	ATRAZINE	MAS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	456-065-6686	3-Oct-25	SELECTIVE/PRE-EMERGENT	Sorghum	Broadleaf weeds & annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter treated fields within 5 days after application
ALBERT JOSEPH AGRO TRADING CORPORATION	ATRAZINE	MAS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	456-065-6686	3-Oct-25	SELECTIVE/PRE-EMERGENT	Sugarcane	Broadleaf weeds & annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter treated fields within 5 days after application
ABG TRADING CORPORATION	CLOTHIANIDIN	ABG COMBAT 200 SC	200 g/L	SC	INSECTICIDE	4	673-379-6688	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	-	Allowed as soon as spray deposits dry up
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ABG TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFONIUM 15 SL	150 g/L	SL	HERBICIDE	4	673-182-6687	27-May-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-	After spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	FENOBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	575-486-6724	8-Jun-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	5.0-7.5 tbsp/ 16L water	-	-	-	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	FENOBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	575-486-6724	8-Jun-26	-	Onion	Anthracnose	2.0-3.5 tbsp/ 16L water	-	-	-	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	FENOBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	575-486-6724	8-Jun-26	-	Potato	Late blight	2.0-2.5 tbsp/ 16L water	-	-	-	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	FENOBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	575-486-6724	8-Jun-26	-	Rice	Rice blast, sheath blight	2.0-5.0 tbsp/ 16L water	-	-	-	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	FENOBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	575-486-6724	8-Jun-26	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL/ 200L	-	-	-	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BANKER PLUS 220.5 SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	668-399-6732	15-Jul-25	-	Ampalaya	Leaffolder and fruit fly	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	-	Do not enter unless spray deposits have dried
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BANKER PLUS 220.5 SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	668-399-6732	15-Jul-25	-	Corn	Seedling maggot, fall armyworm, semi-looper	6-10 mL/ 16L water (mL prod./ 100L)	-	3 days	-	Do not enter unless spray deposits have dried
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BANKER PLUS 220.5 SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	668-399-6732	15-Jul-25	-	Eggplant	Fruit and shoot borer, white fly, leafhopper	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	-	Do not enter unless spray deposits have dried
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BANKER PLUS 220.5 SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	668-399-6732	15-Jul-25	-	Mango	Mango leafhopper, thrips	18.75-62.5 mL/ 16L water (mL prod./ 100L)	-	3 days	-	Do not enter unless spray deposits have dried
AGRI-SPROUT PHILS., INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	BANKER PLUS 220.5 SE	79.5 g/L+141.0 g/L	SE	INSECTICIDE	3	668-399-6732	15-Jul-25	-	Stringbeans	Aphids , cutworm	3-10 mL/ 16L water (mL prod./ 100L)	-	7 days	-	Do not enter unless spray deposits have dried
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Citrus	Grasses, annual and perennial and broadleaves	13-19 tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Coffee	Grasses, annual and perennial and broadleaves	13-19 tbsp/16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Cotton	Grasses, annual and perennial and broadleaves	8 tbsp/ 16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Sugarcane	Grasses, annual and perennial and broadleaves	-	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Pineapple	Grasses, annual and perennial and broadleaves	13 tbsp if rates I 4 kg/ha; 7 tbsp if rate is 2 kg/ha	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
AGRI-SPROUT PHILS., INC.	DIURON	AGRI-SPROUT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	668-021-6714	17-Dec-27	-	Non-crop areas	Grasses, annual and perennial and broadleaves	20-28 tbsp/ 16L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
ULTRA BRIGHT INC.	CYMOXANIL+MANCOZEB	ULTRA B.C. ZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	773-163-6746	4-Nov-26	-	Potato	Late blight	5 tbsp/ 16L sprayer	-	-	-	Do not enter fields treated with ULTRA B.C ZATE 505 WP within 24 hours after application
ULTRA BRIGHT INC.	CYMOXANIL+MANCOZEB	ULTRA B.C. ZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	773-163-6746	4-Nov-26	-	Tomato	Late blight	5 tbsp/ 16L sprayer	-	-	-	Do not enter fields treated with ULTRA B.C ZATE 505 WP within 24 hours after application
ULTRA BRIGHT INC.	CYMOXANIL+MANCOZEB	ULTRA B.C. ZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	773-163-6746	4-Nov-26	-	Grapes	Downy mildew	5 tbsp/ 16L sprayer	-	-	-	Do not enter fields treated with ULTRA B.C ZATE 505 WP within 24 hours after application
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLUFOSINATE AMMONIUM	ZENFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	575-182-6706	9-Jun-26	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Weeds	-	-	-	-	After spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLUFOSINATE AMMONIUM	ZENFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	575-182-6706	9-Jun-26	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	-	-	-	-	After spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLUFOSINATE AMMONIUM	ZENFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	575-182-6706	9-Jun-26	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	-	-	-	-	After spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	GLUFOSINATE AMMONIUM	ZENFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	575-182-6706	9-Jun-26	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	-	-	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	ATRAZINE	AG ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	266-065-6689	3-Oct-25	SELECTIVE/PRE-EMERGENCE	Corn	Broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter the field within 5 days after application.
ASIA GOLD TRADING CORPORATION	ATRAZINE	AG ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	266-065-6689	3-Oct-25	SELECTIVE/PRE-EMERGENCE	Sorghum	Broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter the field within 5 days after application.
ASIA GOLD TRADING CORPORATION	ATRAZINE	AG ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	266-065-6689	3-Oct-25	SELECTIVE/PRE-EMERGENCE	Sugarcane	Broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	-	Do not enter the field within 5 days after application.
PILARQUIM PHILIPPINES CORP.	FLUAZINAM	PILARMEGA 500 SC	500 g/L	SC	FUNGICIDE	4	694-301-6676	9-Sep-27	-	Potato	Late blight	15 mL-20 mL / 16L water	-	-	-	-
PILARQUIM PHILIPPINES CORP.	FLUAZINAM	PILARMEGA 500 SC	500 g/L	SC	FUNGICIDE	4	694-301-6676	9-Sep-27	-	Onion	Purple blotch	15 mL-20 mL / 16L water	-	-	-	
HAILIR PHILIPPINES AGROSERVICE INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HAICYRIBIC 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	672-504-6533	26-Apr-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, and broadleaf weeds	500-mL-1-L prod./ ha	-	-	-	As soon as spray dries up
VAST AGRO SOLUTIONS, INC.	PYMETROZINE+DINOTEFURAN	WARIX 600 WG	400 g/kg+200 g/kg	WG	INSECTICIDE	4	385-645-6637	10-May-27	-	Rice	Green leafhopper and brown planthopper	200 to 400 g prod.	-	14 days	-	As soon as as the spray deposits has dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Potato	Early blight, late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Crucifers	Powdery mildew	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Cucurbits	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Celery	Early blight, late blight	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Mango	Anthracnose, diplodia rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 tbsp	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ ha	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
ULTRA BRIGHT INC.	CHLOROTHALONIL	ULTREX 720 SC	720 g/L	SC	FUNGICIDE	4	773-118-6726	7-Mar-26	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	0 day	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CYMOXANIL+FAMOXADONE	EQUIVAL PRO 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	075-352-6696	25-Apr-27	-	Tomato	Late blight	1.5-2.0 tbsp/ 16L (13-16 g/16L water)	-	3 days	-	

AGWAY CHEMICALS CORPORATION	CYMOXANIL+FAMOXADONE	EQUIVAL PRO 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	075-352-6696	25-Apr-27	-	Potato	Late blight	1.5-2.0 tbsp/ 16L (13-16 g/16L water)	-	3 days		
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Asparagus	Stem and late blight	2.5 kg prod./ ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Banana	Sigatoka and freckle disease	2.5 kg prod./ ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Beans	Rust	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Celery	Early and late blight	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Citrus	Black spot	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Coffee	Brown eye pot	2.0 kg prod./ ja	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Cucurbits	Downy mildew and late blight	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Melon	Downy mildew	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Lettuce	Early blight and neck rot	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Mango	Anthracnose	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Onion	Downy mildew, anthracnose, and purple blotch	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Ornamentals	Black spot and rust	1.0-1.5 kg prod./ ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Potato	Early and late blight	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Rice	Dirty panicle and brown leaf spot	50-100 g prod./ 16L water (500-1,000 g prod./ ha)	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Tobacco	Brown leaf spot	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Tomato	Brown leaf spot	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	PROPINEB	IVAPRO 700 WP	700 g/kg	WP	FUNGICIDE	4	088-001-6715	29-Jul-27	-	Watermelon	Downy mildew	1.5-2.0 kg prod./ Ha	-	-		Immediately after spray deposits have dried
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Rice	Armyworm, caseworm, leafhopper, bugs	80 tbs/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Corn	Earworm, silkworm, aphids, grasshopper	2-5 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Crucifers	Cabbage worm, loopers, diamond-back moth	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Cabbage	Cabbage worm, loopers, diamond-back moth	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Legumes	Cabbage worm, loopers, diamond-back moth	2-5 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Pineapple	Mealy bug	3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Pepper	Aphids, cutworm, fruitworm	3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Garlic	Cutworm	3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Onion	Cutworm	3 tbsp/ 16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Tobacco	Aphids, katytid	3-6 Tbsp/16 L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Tomato	Lady beetle	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Eggplant	Aphids, fruitworm	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MALATHION	LEADS EH M57 EC	570 g/L	EC	INSECTICIDE	4	645-038-6699	6-Jun-27	-	Sorghum	Web worm	3-5 tbsp/16L water	-	One (1) day after each spraying		One (1) day after each spraying
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Mango	Hopper, twig borer, tip borer, fruitfly	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Rice	Planthopper, green leafhopper, leaffolder, stemborer, rice bug, armyworm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Beans	Aphids, podborer, beanfly, leafminer, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Tomato	Fruitworm, cutworm, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Cotton	Leafhoppers, bollworm, cutworm, leafworm, aphids, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
ASIA GOLD TRADING CORPORATION	CYPERMETHRIN	AG WIPER 5 EC	50 g/L	EC	INSECTICIDE	4	266-037-6690	29-Nov-27	-	Corn	Borers, earworms	1.0-4.5 Tbsp/16 L water	-	Do not spray seven days before harvest		As soon as spray deposits have dried
S&P ENTERPRISES INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	566-259-6662	23-Jan-27	SYSTEMIC	Banana	Black sigatoka	0.23 L prod./ ha	-	0 day		Until the spray deposit has dried
S&P ENTERPRISES INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	566-259-6662	23-Jan-27	SYSTEMIC	Corn	Rust	25-30 mL/ 16L water	-	-		Until the spray deposit has dried
S&P ENTERPRISES INC.	TEBUCONAZOLE	TEBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	566-259-6662	23-Jan-27	SYSTEMIC	Mango	Anthracnose	35-45 mL/ 100L water	-	22 days		Until the spray deposit has dried
S&P ENTERPRISES INC.	CARBENDAZIM+TEBUCONAZOLE	TANTOR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	566-405-6698	18-Jan-27	-	Mango	Anthracnose	200 mL-300 mL; 16-24 mL	-	55 days after last application		When spray deposits have dried
S&P ENTERPRISES INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640 g/kg+80 g/kg	WP	FUNGICIDE	4	566-035-6697	12-Mar-25	SYSTEMIC	Potato	Late blight	8-10 tbsp (80-100g) per 16L water	-	14 days		Do not enter treated field until spray deposits have dried up
S&P ENTERPRISES INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640 g/kg+80 g/kg	WP	FUNGICIDE	4	566-035-6697	12-Mar-25	SYSTEMIC	Tomato	Late blight	6-10 tbsp (60-100g) per 16L water	-	3 days		Do not enter treated field until spray deposits have dried up
S&P ENTERPRISES INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640 g/kg+80 g/kg	WP	FUNGICIDE	4	566-035-6697	12-Mar-25	SYSTEMIC	Pineapple	Heart rot	10-14 kg / ha	-	21 days		Do not enter treated field until spray deposits have dried up
S&P ENTERPRISES INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640 g/kg+80 g/kg	WP	FUNGICIDE	4	566-035-6697	12-Mar-25	SYSTEMIC	Asparagus	Spear rot	Spear rot	-	-		Do not enter treated field until spray deposits have dried up
S&P ENTERPRISES INC.	MANCOZEB+METALAXYL	DILIGENT 720 WP	640 g/kg+80 g/kg	WP	FUNGICIDE	4	566-035-6697	12-Mar-25	SYSTEMIC	Orchids	Black rot	Black rot	-	-		Do not enter treated field until spray deposits have dried up
AGSMART CORPORATION	METALDEHYDE	PALAKOL 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	680-075-6684	9-Sep-27	-	Rice (Transplanted)	Golden apple snail (Kuhol)	2.0-4.0 kg prod./ ha	-	-		Do not enter treated field within 48 hours afte rapplication
AGSMART CORPORATION	METALDEHYDE	PALAKOL 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	680-075-6684	9-Sep-27	-	Rice (Direct-seeded)	Golden apple snail (Kuhol)	4.0-8.0 kg prod./ ha	-	-		Do not enter treated field within 48 hours afte rapplication
AGSMART CORPORATION	METALDEHYDE	PALAKOL 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	680-075-6684	9-Sep-27	-	Potted and Driftwood)	Bush snails, giant african snails, and slugs	1.0-2.0 kg prod./ ha	-	-		Do not enter treated field within 48 hours afte rapplication
AGSMART CORPORATION	METALDEHYDE	PALAKOL 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	680-075-6684	9-Sep-27	-	Crucifers (Chinese Cabbage)	Snails and slugs	6.0-8.0 kg prod./ ha	-	-		Do not enter treated field within 48 hours afte rapplication
AGSMART CORPORATION	METALDEHYDE	PALAKOL 6% PELLETS	60 g/kg	p	MOLLUSCICIDE	4	680-075-6684	9-Sep-27	-	Strawberry	Snails and slugs	6.0-8.0 kg prod./ ha	-	-		Do not enter treated field within 48 hours afte rapplication
EZERTECH CORPORATION	PYRACLOSTROBIN	EL BARRERA 25 EC	250 g/L	EC	FUNGICIDE	2	648-396-6713	19-Sep-27	-	Banana	Sigatoka freckles	0.4-L prod./ ha	-	Harvest can be done on the application day		As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	PYRACLOSTROBIN	EL BARRERA 25 EC	250 g/L	EC	FUNGICIDE	2	648-396-6713	19-Sep-27	-	Corn	Laef spot	0.4-L prod./ ha	-	Harvest can be done on the application day		As soon as sprayed leaves/plant parts dries up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Corn	*Helminthosporium* leaf spot, *Cercospora* leaf spot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Eggplant	Anthracnose, *cercospora* leaf spot, early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Peanut	*Cercospora* leaf spot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Potato	Early and late blight, vine rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Potato	Early and late blight, vine rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Mango	Anthracnose, *diplodia* rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Beans	Rust, anthracnose	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application		Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Crucifers	Powdery mildew	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Pepper	Anthracnose, cercospora leaf spot, early blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DACONIL 500 SC	500 g/L	SC	FUNGICIDE	4	088-118-2389	4-Nov-27	-	Celery	Early and late blight	6.0-8.5 tbsp/ 16L	-	Do not harvest until after 5-7 days after last spray application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Bittergourd	Cutworm, leafhopper	20 mL prod./ 16L water	0.60 ppm	3 days	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water	4 ppm	1 day	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water	0.02 ppm	7 days	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Eggplant	Fruit and shoot borer, cutworm	10-15 mL prod./ 16L water	0.3 ppm	1 day	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Rice	Stem borer, leaf folder	20-25 mL prod./ 16L water	2 ppm	-	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Stringbeans	Pod borer	10-15 mL prod./ 16L water	0.2 ppm	-	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Sugarcane	Sugarcane borer	800 L/ ha (1.5-2.0L prod./ ha)	-	255 days	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water	3 ppm	7 days	-
AGSMART CORPORATION	CHLORANTRANILIPROLE	EMANAL 50 SC	50 g/L	SC	INSECTICIDE	4	680-393-6685	9-Sep-27	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water	0.60 ppm	3 days	-
AGPLANTA MARKETING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SAVOLGE 25SC	250 g/L	SC	MOLLUSCICIDE	4	720-229-6757	17-Jul-26	-	Rice	Golden apple snail	100 mL/ 16L water; 1.0 L/ ha.	-	-	At least 48 hours after application
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	BUPROFEZIN	BUPROFAST 25 SC	250 g/L	SC	INSECTICIDE	3	645-224-6763	14-Feb-26	-	Mango	Leafhopper	60-80 mL/ 200 L water	-	Do not spray 15 days before harvest	Re-entry to treated field is allowed as sson as solution dries up
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	MANCOZEB	CAREZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	645-053-6762	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
ENFARM CROP SCIENCE INC.	ATRAZINE	ENFARM ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	711-065-6718	26-Sep-27	-	Corn	Broadleaf weeds and graases	8-12 L prod./ ha (Based on 1 tbsp=10g	-	-	Do not enter the field within 5 days after application.
ENFARM CROP SCIENCE INC.	ATRAZINE	ENFARM ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	711-065-6718	26-Sep-27	-	Sorghum	Broadleaf weeds and graases	8-12 L prod./ ha (Based on 1 tbsp=10g	-	-	Do not enter the field within 5 days after application.
ENFARM CROP SCIENCE INC.	ATRAZINE	ENFARM ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	711-065-6718	26-Sep-27	-	Sugarcane	Broadleaf weeds and graases	8-12 L prod./ ha (Based on 1 tbsp=10g	-	-	Do not enter the field within 5 days after application.
ENFARM CROP SCIENCE INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	CYFOBAC 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	711-504-6682	9-Sep-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses,sedges and broeadleaf weeds	500 mL to 1L prod./ ha	-	-	As soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Banana	Thrips	35-45 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Corn	Corn borer, earworm	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Melon	Aphids, Squash beetle , leaffolder	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Rice	Green leafhopper, armyworm, caseworm, leaffolder	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Sorghum	Corn borer, earworm	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Stringbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Tobacco	Budworm, cutworm, aphids, hornworm	20-35 mL prod./ 16L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	METHOMYL	MONARCH METHOMYL 40 SP	400 g/L	SP	INSECTICIDE	2	096-164-6710 (670)	18-Sep-27	-	Tomato	Tomato fruitworm, aphids	20-35 mL prod./ 16L water	-	-	-
BYTER PHILIPPINES, INC.	TEBUCONAZOLE	BYTER PATON 430 SC	430 g/L	SC	FUNGICIDE	4	738-259-6683	9-Sep-27	SYSTEMIC	Banana	Black sigatoka	230 mL prod./ ha	-	0 day	After spray deposits have dried
BYTER PHILIPPINES, INC.	TEBUCONAZOLE	BYTER PATON 430 SC	430 g/L	SC	FUNGICIDE	4	738-259-6683	9-Sep-27	SYSTEMIC	Corn	Rust	25-30 mL prod./ 16L water	-	-	After spray deposits have dried
BYTER PHILIPPINES, INC.	TEBUCONAZOLE	BYTER PATON 430 SC	430 g/L	SC	FUNGICIDE	4	738-259-6683	9-Sep-27	SYSTEMIC	Mango	Anthracnose	35-45 mL prod./ 16L water	-	22 days	After spray deposits have dried

BYTER PHILIPPINES, INC.	CHLORFENAPYR	BYTER MANDUN 100 SC	100 g/L	SC	INSECTICIDE	3	738-283-6743	11-Oct-27	-	Banana	Flower thrips	2.0-3.0 mL/ 1L water	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
BYTER PHILIPPINES, INC.	CHLORFENAPYR	BYTER MANDUN 100 SC	100 g/L	SC	INSECTICIDE	3	738-283-6743	11-Oct-27	-	Potato	Thrips	5-15 mL/ 16L water	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
BYTER PHILIPPINES, INC.	CHLORFENAPYR	BYTER MANDUN 100 SC	100 g/L	SC	INSECTICIDE	3	738-283-6743	11-Oct-27	-	Cabbage	Diamondback moth, aphids, cabbage moth	15-30 mL/ 16L water	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
BYTER PHILIPPINES, INC.	PROPICONAZOLE	BYTER HEARTALE 250 EC	250 g/L	EC	FUNGICIDE	3	738-178-6742	11-Oct-27	SYSTEMIC	Banana	Black sigatoka	-			-
BYTER PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BYTER AFAN 325 SC	200 g/L	SC	FUNGICIDE	3	738-486-6744	11-Oct-27	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha	-	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
BYTER PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BYTER AFAN 325 SC	200 g/L	SC	FUNGICIDE	3	738-486-6744	11-Oct-27	-	Onion	Anthracnose	300-500 mL prod./ ha	-	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
BYTER PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BYTER AFAN 325 SC	200 g/L	SC	FUNGICIDE	3	738-486-6744	11-Oct-27	-	Potato	Late blight	400-500 mL prod./ ha	-	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
BYTER PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BYTER AFAN 325 SC	200 g/L	SC	FUNGICIDE	3	738-486-6744	11-Oct-27	-	Rice	Rice blast, sheath blight	250-500 mL prod./ ha	-	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
BYTER PHILIPPINES, INC.	AZOXYSTROBIN+DIFENOCONAZOLE	BYTER AFAN 325 SC	200 g/L	SC	FUNGICIDE	3	738-486-6744	11-Oct-27	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod./ 200L water	-	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGNEWTEK PHILIPPINES CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	AGNEWTEK JAVELIN 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	762-504-6741	14-Oct-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	750mL / ha. (75mL/ 16L spray load. 10 spray load/ ha)	-	-	Re-entry to treated field is allowed as soon as spray dries up
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Weeds	16-24 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Cacao	Weeds	16.0 tbsp/ 16L; 13.5 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Citrus	Weeds	16.0 tbsp/ 16L; 13.5 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Coffee	Weeds	16.0 tbsp/ 16L; 13.5 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	16.0 tbsp/ 16L; 13.5 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	21.5 tbsp/16L;27.0 tbsp/ 16L; 13.5 tbsp/ 16L	-	-	After spray deposits have dried
PHILAGROW INC.	GLUFOSINATE AMMONIUM	WEEDCHAMP 150 SL	150 g/L	SL	HERBICIDE	4	372-182-6750	28-Jun-27	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Weeds	16-24 tbsp/ 16L	-	-	After spray deposits have dried
S&P ENTERPRISES INC.	NICLOSAMIDE ETHANOLAMINE SALT	SURESHOT 25 SC	250 g/L	SC	MOLLUSCICIDE	4	566-229-6748	17-Jul-26	-	Rice	Golden apple snail	100 mL/ 16L water; 1.0 L/ ha.	-	-	At least 48 hours after application
S&P ENTERPRISES INC.	CYMOXANIL+FAMOXADONE	TOTAL PRO 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	566-352-6593	25-Apr-27	-	Tomato	Late blight	1.5-2.0 tbsp/ 16L (13-16 g/16L water)	-	-	-
S&P ENTERPRISES INC.	CYMOXANIL+FAMOXADONE	TOTAL PRO 52.5 DF	300 g/kg+225 g/kg	DF	FUNGICIDE	4	566-352-6593	25-Apr-27	-	Potato	Late blight	1.5-2.0 tbsp/ 16L (13-16 g/16L water)	-	-	-
INDOFIL PHILIPPINES INC.	METALAXYL-m	METALYX 480 SL	480 g/L	SL	FUNGICIDE	2	604-384-6729	15-Nov-26	SYSTEMIC	Pineapple	Heart rot and root rot	14-20 mL/16 L water	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Mango	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Banana	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Coconut	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Sugarcane	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Vegetables	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	GLYPHOSATE IPA	ENFARM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	771-151-6738	24-Oct-27	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
ENFARM CROP SCIENCE INC.	DINOTEFURAN	FENCER 20 SG	200 g/kg	SG	INSECTICIDE	4	771-373-6739	4-Oct-27	SYSTEMIC	Mango	Mango leafhopper	1.0-2.0 g/16L water	-	7 days	As soon as the spray deposits dry
ENFARM CROP SCIENCE INC.	DINOTEFURAN	FENCER 20 SG	200 g/kg	SG	INSECTICIDE	4	771-373-6739	4-Oct-27	SYSTEMIC	Watermelon	Whiteflies, aphids	2.5-5.0 g/16L water	-	16 days	As soon as the spray deposits dry
ENFARM CROP SCIENCE INC.	DINOTEFURAN	FENCER 20 SG	200 g/kg	SG	INSECTICIDE	4	771-373-6739	4-Oct-27	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g/16L water	-	24 days	As soon as the spray deposits dry
ENFARM CROP SCIENCE INC.	DINOTEFURAN	FENCER 20 SG	200 g/kg	SG	INSECTICIDE	4	771-373-6739	4-Oct-27	SYSTEMIC	Eggplant	Hopper, whiteflies, fruitborer	2.5-5.0 g/16L water	-	7 days	As soon as the spray deposits dry
ENFARM CROP SCIENCE INC.	DINOTEFURAN	FENCER 20 SG	200 g/kg	SG	INSECTICIDE	4	771-373-6739	4-Oct-27	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g/16L water	-	7 days	As soon as the spray deposits dry
ENFARM CROP SCIENCE INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRICON 750 WG	500 g/kg	WG	FUNGICIDE	4	771-438-6740	4-Oct-27	SYSTEMIC	Mango	Anthracnose	40-80 g prod./ 100L water	-	30 days	As soon as spray deposits have dried
ENFARM CROP SCIENCE INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRICON 750 WG	500 g/kg	WG	FUNGICIDE	4	771-438-6740	4-Oct-27	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	12-16 g prod./ 16L water	-	35 days	As soon as spray deposits have dried
ENFARM CROP SCIENCE INC.	GLUFOSINATE AMMONIUM	ENSTA 150 SL	150 g/L	SL	HERBICIDE	4	711-182-6737	4-Oct-27	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	160 mL/ 16L water; 135-200 mL/ 16L water	-	-	After spray deposits have dried
ENFARM CROP SCIENCE INC.	GLUFOSINATE AMMONIUM	ENSTA 150 SL	150 g/L	SL	HERBICIDE	4	711-182-6737	4-Oct-27	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	215 mL/ 16L water; 270 mL/ 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried
ENFARM CROP SCIENCE INC.	GLUFOSINATE AMMONIUM	ENSTA 150 SL	150 g/L	SL	HERBICIDE	4	711-182-6737	4-Oct-27	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	160 mL/ 16L water; 135 mL/ 16L water	-	-	After spray deposits have dried
ENFARM CROP SCIENCE INC.	GLUFOSINATE AMMONIUM	ENSTA 150 SL	150 g/L	SL	HERBICIDE	4	711-182-6737	4-Oct-27	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, sedges and broadleaf weeds	160-215 mL/ 16L water	-	-	After spray deposits have dried
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Citrus	Annual and Perennial broadleaves and grasses	130-190g prod./ 16L water	-	-	-
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Coffee	Annual and Perennial broadleaves and grasses	130-190g prod./ 16L water	-	-	-
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Cotton	Annual and Perennial broadleaves and grasses	80g prod./ 16L water	-	-	-
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Sugarcane	Annual and Perennial broadleaves and grasses	65-130g prod./ 16L water	-	-	-
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Pineapple	Annual and Perennial broadleaves and grasses	130g prod./ 16L water	-	-	-
ENFARM CROP SCIENCE INC.	DIURON	ENFARM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	711-021-6719	26-Sep-27	-	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	200-280g prod./ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	ALKYL MODIFIED HEPTAMETHYLTRISILOXANE	SILWET 560	835 g/L		OTHERS	4	097-362-6502	12-Aug-27	-	Banana	Sigatoka (As adjuvant in tank combination with Mancozeb 448 F	1-10 tbsp/L oil; 10-100 mL/ L	-	No PHI needed when Silwet 560 is used alone. The PHI required depends on the agrochemical where Silwet 560	Do not enter treated field without protective clothing (long sleeve shirt and long pants) until sprays have dried. Consult and follow pesticides
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Potato	Early blight, late blight, vine rot	1.0-1.8 L/ ha; 4.5-5.5 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Beans	Rust, anthracnose	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Banana	Black sigatoka	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Crucifers	Powdery mildew	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Celery	Early blight, late blight	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Mango	Anthracnose, diplodia rot	3.75-5.6 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Pepper	Early blight, late blight, bulb rot, neck rot	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Asparagus	Stem and leaf blight	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
BYTER PHILIPPINES, INC.	CHLOROTHALONIL	BYTER SUNRISE-READY 720 SC	720 g/L	SC	FUNGICIDE	4	738-118-6745	11-Oct-27	-	Ornamentals	Black spot, Black rot, Powdery mildew	1.25-1.9 L/ha; 4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
TRADETON CORPORATION	CARBENDAZIM	RODAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	439-267-6720	22-Jul-25	SYSTEMIC	Mango	Anthracnose	1-2 tbsp/ 16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
TRADETON CORPORATION	CARBENDAZIM	RODAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	439-267-6720	22-Jul-25	SYSTEMIC	Cucurbits	Downy mildew	1-2 tbsp/ 16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
TRADETON CORPORATION	CARBENDAZIM	RODAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	439-267-6720	22-Jul-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2 tbsp/ 16L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
TRADETON CORPORATION	CARBENDAZIM	RODAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	439-267-6720	22-Jul-25	SYSTEMIC	Banana	Diamond fruit spot and anthracnose	0.5-1.0 mL/ L water (80-100 mL spray volume)	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.

TRADETON CORPORATION	CARBENDAZIM	RODAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	439-267-6720	22-Jul-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/ 200L water cane dipping	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
TRADETON CORPORATION	TEBUCONAZOLE	TOLEDO 430 SC	430 g/L	SC	FUNGICIDE	4	439-259-6721	22-Jul-25	SYSTEMIC	Banana	Black sigatoka	0.23L prod./ ha	-	0 day	Until the spray deposit has dried
TRADETON CORPORATION	TEBUCONAZOLE	TOLEDO 430 SC	430 g/L	SC	FUNGICIDE	4	439-259-6721	22-Jul-25	SYSTEMIC	Corn	Rust	25-30ml/16 L water	-	-	Until the spray deposit has dried
TRADETON CORPORATION	TEBUCONAZOLE	TOLEDO 430 SC	430 g/L	SC	FUNGICIDE	4	439-259-6721	22-Jul-25	SYSTEMIC	Mango	Anthracnose	35-45mL/ 100L water	-	22 days	Until the spray deposit has dried
TRADETON CORPORATION	CARBENDAZIM+TEBUCONAZOLE	TEBUZIM PLUS 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	439-405-6752	22-Jul-25	-	Mango	Anthracnose	200mL-300mL 200L drum	-	55 days after last application	When spray deposits have dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Banana	Blossom thrips	4.5/ L water; 0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Cabbage	Diamond back moth	1000 mL prod./ ha; 2 tbsp/ 16L water	-	7 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Ornamentals	Mites	10-15 mL/ 16L; 1.0-1.5 tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ha;15002 mL prod./ha; 2.0-5.0 tbsp/16L water; 5.0	-	3 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Onion	Leafminer, thrips	500-1000 mL prod./ha; 2.0-3.0 tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Potato	Leafminer, thrips	500-1000 mL prod./ha; 2.0-3.0 tbsp/16L water	-	14 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Tomato	Leafminer, trips, aphids	500-1000 mL prod./ha; 2.0-3.0 tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Watermelon	Leafminer, thrips, melonworm	500-100 mL prod./ha;50-1500 mL prod./ ha; 2.0-3.0 mL prod./ ha; 2.0-	-	3 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Papaya	Mites	150-600 mL prod./ha; 0.5-1.0 tbsp/ 16L water	-	14 days	Re-enter treated area only after spray has dried
TRADETON CORPORATION	ABAMECTIN	ABACUZ 1.8 EC	18 g/L	EC	INSECTICIDE	2	439-234-6723	22-Jul-25	-	Strawberry	Mites	600-1200 mL prod./ha; 2.0-4.0 tbsp/ 16L water	-	3 days	Re-enter treated area only after spray has dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	GOLDEN GIK 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	603-325-6780	19-Oct-26	SYSTEMIC	Rice	Sheath blight	25-35 mL/16 L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	GOLDEN GIK 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	603-325-6780	19-Oct-26	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight, and rust	10-20 mL/ 16L water	-	-	-
RBAV HARVEST TRADING CORPORATION	BUTACHLOR+PROPANIL	EAGLE ULTRA 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	772-238-6779	26-Jun-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
RBAV HARVEST TRADING CORPORATION	BUTACHLOR+PROPANIL	EAGLE ULTRA 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	772-238-6779	26-Jun-27	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm, armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Onion	Thrips, cutworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
THE LICHEMPHIL INTERNATIONAL INC.	FENOBUCARB (BPMC)+CHLORPYRIFOS	LANRO 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	590-174-6766	31-Oct-27	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
KOKO CROP CARE SUPPLIES, INC.	ERYTHROSINE B	Q-TRACER	800 g/Kg	-	FUNGICIDE	4	765-606-6754	30-Oct-27	-	Banana	Colorant for use as tracer for monitoring pesticide application	-	-	-	-
AGSMART CORPORATION	BITERTANOL	BARBANOL 300 EC	300 g/L	EC	FUNGICIDE	4	680-003-6768	31-Oct-27	SYSTEMIC	Banana	Sigatoka, freckles disease, black spot	0.50-0.65 L prod./ ha	-	-	0 day or as soon as excess solution dries up
AGSMART CORPORATION	BITERTANOL	BARBANOL 300 EC	300 g/L	EC	FUNGICIDE	4	680-003-6768	31-Oct-27	SYSTEMIC	Asparagus	Phoma blight, stem and leaf blight	0.3-0.5 L prod./ ha	-	-	0 day or as soon as excess solution dries up
ARIELA MARKETING COMPANY INCORPORATED	PARAFORMALDEHYDE PRILLS	FORMAXINE	900 g/kg	-	OTHERS	2	734-555-6736	7-Oct-27	-	-	Fumigation of livestock houses, incubator, egg stock room and hatcheries (FOR CERTIFIED PESTICIDE APPLICATION (CPA) USE	-	-	-	-
AGRITECH CROP PROTECTION TECHNOLOGY CORPORATION	PYMETROZINE	AGRITECH-PYMET 25 EC	250 g/L	EC	INSECTICIDE	4	796-307-6716	7-Nov-25	-	Banana	Aphids, mealy bug, scale insect	0.5-2.5 mL / L water	-	0 day	After spray deposits have dried
INTERSORORA INC.	2,4-D AMINE	INTERSORORA 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	664-013-6776	6-Nov-27	POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water	-	-	Entry to fields and crops treated with **INTERSORORA 2,4-D AMINE 400 SL** can be done one day after spraying
INTERSORORA INC.	2,4-D AMINE	INTERSORORA 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	664-013-6776	6-Nov-27	POST-EMERGENT	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/ 16L water	-	-	Entry to fields and crops treated with **INTERSORORA 2,4-D AMINE 400 SL** can be done one day after spraying
INTERSORORA INC.	2,4-D AMINE	INTERSORORA 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	664-013-6776	6-Nov-27	POST-EMERGENT	Sugarcane	Sedges and broadleaf weeds	-	-	-	Entry to fields and crops treated with **INTERSORORA 2,4-D AMINE 400 SL** can be done one day after spraying
CHEMREZ TECHNOLOGIES, INC.	POTASSIUM SALTS OF FATTY ACID	ENDZEKTO	400 g/L		INSECTICIDE	4	529-476-6767	31-Oct-27	-	Cavendish banana	Scale insects, mealy bugs and aphids	20-30 mL/ L water; 30-40 mL/ L water	-	0 day	As soon as dropleats have dried
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 TBsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Cabbage	Diamond-back moth, cabbage worm, aphids	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Watermelon	Thrips	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Potato	Thrips, armyworm, cutworm, tubemoth	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Cotton	Thrips, bollworm, bud worm	3.0-5.0 Tbsp/ 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	PROFENOFOS	PROTOP 500EC	500 g/L	EC	INSECTICIDE	2	777-070-6572	8-Jul-27	-	Sitao	Beanfly, leaffolder, aphids	1.5-3.0 tbsp. 16L water	-	14 days	Do not enter treated field one (1) day after application
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaffolder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MGB TRADING CORPORATION	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	777-037-6573	06-Jul-27	-	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2-4 L/ ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Mango	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Banana	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Coffee	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Cacao	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Rubber	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Citrus	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Coconut	Annual and perennial grasses, sedges and broadleaves	4.5 L/ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0 L/ ha	-	-	-

ULTRA BRIGHT INC.	GLYPHOSATE IPA	BRUSH FIRE 480 SL	480 g/L	SL	HERBICIDE	4	773-151-6749	8-Dec-26	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-		-	
ULTRA BRIGHT INC.	METALDEHYDE	BASTIONET 6% PELLET	60 g/kg	p	MOLLUSCICIDE	4	773-075-6765	20-Sep-27	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ ha	-	-	Do not enter treated field within 48 hours afte rapplication
ULTRA BRIGHT INC.	METALDEHYDE	BASTIONET 6% PELLET	60 g/kg	p	MOLLUSCICIDE	4	773-075-6765	20-Sep-27	-	Rice (Direct-seeded)	Golden apple snail	4.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours afte rapplication
ULTRA BRIGHT INC.	METALDEHYDE	BASTIONET 6% PELLET	60 g/kg	p	MOLLUSCICIDE	4	773-075-6765	20-Sep-27	-	Potted and driftwood-attached plants such as	Bush snails, giant african snails, and slugs	1.0-2.0 kg/ ha	-	-	Do not enter treated field within 48 hours afte rapplication
ULTRA BRIGHT INC.	METALDEHYDE	BASTIONET 6% PELLET	60 g/kg	p	MOLLUSCICIDE	4	773-075-6765	20-Sep-27	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours afte rapplication
ULTRA BRIGHT INC.	METALDEHYDE	BASTIONET 6% PELLET	60 g/kg	p	MOLLUSCICIDE	4	773-075-6765	20-Sep-27	-	Strawberry	Slug, snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours afte rapplication
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Banana	Flower thrips	1-3 mL	-	90 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Bittergourd	Aphids, cutworm, fruitfly, leafhoppers, thrips	100-400 mL/ ha; 4-13 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Corn	Aphids, asiatic corn borer, cutworm, earworm, leafhopper	250-400 mL/ ha; 10-16 mL/ 16L water	-	3 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Mango	Capsid bug, cecid fly, fruitfly, leafhoppers, tip borer	20-30 mL/ 100L	-	3 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Potato	Aphids, thrips, whiteflies	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Stringbeans	Aphids, green leafhoppers, mites	100-200 mL/ ha; 4-6 mL/ 16L water	-	7 days	Do not enter treated field for at least 1 day after application
YUUMIE TRADE OPC	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAYA 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	691-395-6785	29-Dec-27	-	Rice	Stemborer	100-200 mL/ ha; 10-30 mL/ 16L water	-	14 days	Do not enter treated field for at least 1 day after application
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Tobacco	Budworm, cutworm, aphids	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Sorghum	Webworm, armyworm, cutworm, headworm	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Coffee	Berry borer	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Cacao	Podborer, aphids, capsid bug	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Citrus	Rind borer	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Soybeans	Podborer, beanfly, leafminer, aphids	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Rice	Green leafhopper, caseworm, aphids	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Cotton	Bollworm, cutworm	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Corn	Corn borer, corn earworm, army worm	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Tomato	Fruitworm, lady beetle	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
EVERLAND AGRI CORPORATION	CARBARYL	911 85 WP	850 g/kg	WP	INSECTICIDE	2	261-035-6783	12-Oct-27	-	Cucurbits	Squash beetle, lady beetle	40-60 g/ 16L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as as spray deposits have dried
BERRIS AGRICULTURAL COMPANY, INC.	CLETHODIM	CLETHOPRIME 240 EC	240 g/L	EC	HERBICIDE	4	233-334-6761	30-Oct-27	SYSTEMIC	Onion	Grasses *E. colona, E. indica, D. aegyptium and D. ciliaris*	500 mL prod./ ha		Do not spray 14 days before harvest	Entry to fields may be done 1 day after spraying
THE LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR	ECHO 600 EC	600 g/L	EC	FUNGICIDE	4	590-150-6790	15-Nov-27	PRE-EMERGENT	Rice (Direct seeded)	Grasses and sedges	-	-	-	-
THE LICHEMPHIL INTERNATIONAL INC.	BUTACHLOR	ECHO 600 EC	600 g/L	EC	FUNGICIDE	4	590-150-6790	15-Nov-27	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	HEXAZINONE+DIURON	AGNEWTEK HEXA-DIURON 600 WG	132 g/Kg+468 g/Kg	WG	HERBICIDE	4	680-435-6792	15-Nov-27	PRE-EMERGENT	Sugarcane	Grasses, sedges and broadleaves	400 L/ ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Banana	Black sigatoka, *Helminthosporium* leaf spot, and leaf freckles	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Beans	Anthracnose and rust	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Carrot	*Alternaria* leaf spot, *cercospora* leaf spot, and *helminthosporium* leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Celery	Early and late blight	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Corn	*Helminthosporium* leaf spot and *cercospora* leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Broccoli	Powdery mildew	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Cabbage	Powdery mildew	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Cauliflower	Powdery mildew	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Cucumber	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, and septoria leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Melon	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, and septoria leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Squash	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, and septoria leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Watermelon	Anthracnose, early and late blight, cercospora leaf spot, downy mildew, fruit rot, and septoria leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Eggplant	Anthrcnose, early and late blight, and cercospora leaf spot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Garlic	Bulb rot, neck rot, and purple blotch	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Grapes	Downy mildew, fruit rot, and powdery mildew	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Mango	Anthracnose and diplodia rot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Onion	Bulb rot, neck rot, and purple blotch	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Ornamentals	Black rot, black spot, and powdery mildew	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Pepper	Anthracnose, early and late blight	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Potato	Early and late blight, and vine rot	19.2-28.8 g/ 16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLOROTHALONIL	DACONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	535-118-0214	22-Nov-27	-	Tomato	Early and late blight, and vine rot	19.2-28.8 g/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Potato	Early and late blight	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Celery	Late blight	3-6 tbsp/ 16L water	-	14 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Cotton	Damping off	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Lettuce	Downy mildew	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Beans	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Peas	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Mungo	Anthracnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Pepper	Anthracnose	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Chili	Anthracnose	3-6 tbsp/ 16L water	-	7 Days	-

ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Eggplant	Blight, anthracnose	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Grape	Downy mildew, black rot	3-6 tbsp/ 16L water	-	60 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Mango	Anthracnose and scab	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Papaya	Fruit rot	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Corn (Sweet and popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 16L water	-	7 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Peanut	Cercospora leaf spot	3-6 tbsp/ 16L water	-	14 Days	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Soybean	Leaf rust	3-6 tbsp/ 16L water	-	-	-
ARYSTA LIFESCIENCE PHILIPPINES, INC.	MANCOZEB	DITHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	083-053-0488	30-Sep-27	-	Ornamentals	black spot , blight, anthracnose	3-6 tbsp/ 16L water	-	-	-
HAILIR PHILIPPINES AGROSERVICE INC.	TEBUCONAZOLE	HAITOLE 430 SC	430 g/L	SC	FUNGICIDE	4	672-259-6796	15-Nov-27	SYSTEMIC	Banana	Sigatoka	0.23 L prod./ ha	-	0 day	After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	TEBUCONAZOLE	HAITOLE 430 SC	430 g/L	SC	FUNGICIDE	4	672-259-6796	15-Nov-27	SYSTEMIC	Corn	Rust	25-30 mL/ 16L water	-	-	After spray deposits have dried
HAILIR PHILIPPINES AGROSERVICE INC.	TEBUCONAZOLE	HAITOLE 430 SC	430 g/L	SC	FUNGICIDE	4	672-259-6796	15-Nov-27	SYSTEMIC	Mango	Anthracnose	35-45 mL/ 100L water	-	22 days	After spray deposits have dried
ENGFARM CROP SCIENCE INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AZOXDIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	771-486-6799	20-Nov-27	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod./ ha	-	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ENGFARM CROP SCIENCE INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AZOXDIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	771-486-6799	20-Nov-27	-	Onion	Anthracnose	300-500 mL prod./ ha	-	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ENGFARM CROP SCIENCE INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AZOXDIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	771-486-6799	20-Nov-27	-	Potato	Late blight	400-500 mL prod./ ha	-	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ENGFARM CROP SCIENCE INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AZOXDIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	771-486-6799	20-Nov-27	-	Rice	Rice blast, sheath blight	250-500 mL prod./ ha	-	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ENGFARM CROP SCIENCE INC.	AZOXYSTROBIN+DIFENOCONAZOLE	AZOXDIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	771-486-6799	20-Nov-27	-	Mango	Anthracnose, scab, stem-end rot	150-200 mL prod./ 200L water	-	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Chrysanthemum	Leafminer	4.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Garden peas	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Onion	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Potato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Stringbeans	Leafminer	5.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Tomato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
ARIES RNE CHEMICAL CORPORATION	CYROMAZINE	NOMOULT 75 WP	750 g/kg	WP	INSECTICIDE	4	478-331-6632	21-Dec-26	-	Watermelon	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days for all crops	Do not enter unless spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggots	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Sorghum	Webworm	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Tobacco	Budworm, cutworm	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Crucifers	Diamond backed-moth, cabbage worm, aphids	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE+BPMC	K-TANUS 35 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	659-193-6413	5-Sep-25	-	Citrus	Scale insect, mealy bugs, aphids, white flies	20-40 mL/ 16L	-	Do not spray 7 days before harvest on rice and crucifers. 10 days before priming on tobacco and 14 days before	Re-entry to treated areas may be done 2 days after treatment
JCS CHEMICAL INDUSTRIES, INC.	BENZALKONIUM CHLORIDE	ALGO-ZIDE	300 g/L	-	OTHERS	2	801-097-6808	20-Nov-27	-	-	Disinfection in animal farm facilities, vehicles and farm equipment	-	-	-	-
JCS CHEMICAL INDUSTRIES, INC.	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	APTO-ZIDE	150 g+100 g	-	OTHERS	2	801-508-6805	20-Nov-27	-	-	Disinfection in animal farm facilities, vehicles and farm equipment	-	-	-	-
JCS CHEMICAL INDUSTRIES, INC.	POVIDONE IODINE	ALTO-ZIDE	100 g/L	-	OTHERS	2	801-449-6807	20-Nov-27	-	-	Disinfection in animal farm facilities, vehicles and farm equipment	-	-	-	-
JCS CHEMICAL INDUSTRIES, INC.	O-PHENYLPHENOL	LASTO-ZIDE	400 g/L	-	OTHERS	2	801-668-6806	20-Nov-27	-	-	Disinfection in animal farm facilities, vehicles and farm equipment	-	-	-	-
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Cavendish Banana	Black Sigatoka, leaf freckle; Scale insects and mealybugs	16.67-23-33L/ 100L of spray 8-20 mL/ L water	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Okra	Leafhopper , cotton stainer	64-96 mL/ 16L water	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Sugarcane	Weeds	2L/ ha	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Tomato	Cutworms, Leafhopper, whiteflies, fruitworm	1.5L/ ha	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Mango	Leafhopper , Scale insects	400-600 mL/ 100L water	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
RBAV HARVEST TRADING CORPORATION	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	Activo	826.6 g/L	-	OTHERS	4	772-434-6727	14-Sep-27	-	Pineapple	Scale insects, mealy bugs	6-22L/ ha	-	0 day	Re-entry to treated fields is dependent on the pesticide product that was used. When crops were solely treated with ACTIVO, Re entry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FLONICAMID	SAKING 50 WG	500 g/kg	WG	INSECTICIDE	4	459-442-6728	29-Apr-25	SYSTEMIC	Eggplant	Aphids and leafhopper	5.6-7.2 g/ 16L water (based on spray volume of 400 L/ha)	-	-	-
YUUMIE TRADE OPC	CLOTHIANIDIN	RAMBOL 20 SC	200 g/L	SC	INSECTICIDE	4	691-379-6778	12-May-26	-	Rice	Rice black bug	4.0-5.0 tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	METRIBUZIN	NACL METRIBUZIN 700 WP	700 g/kg	WP	HERBICIDE	4	634-022-6791	15-Nov-27	SELECTIVE	Potato	Annual grasses and broadleaf weeds	15-22.5 g/ 16L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	METRIBUZIN	NACL METRIBUZIN 700 WP	700 g/kg	WP	HERBICIDE	4	634-022-6791	15-Nov-27	SELECTIVE	Soybeans	Annual grasses and broadleaf weeds	15-22.5 g/ 16L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	METRIBUZIN	NACL METRIBUZIN 700 WP	700 g/kg	WP	HERBICIDE	4	634-022-6791	15-Nov-27	SELECTIVE	Tomato	Annual grasses and broadleaf weeds	15-22.5 g/ 16L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
METRO AGRI TRADING AND GENERAL MERCHANDISE INCORPORATED	METRIBUZIN	NACL METRIBUZIN 700 WP	700 g/kg	WP	HERBICIDE	4	634-022-6791	15-Nov-27	SELECTIVE	Sugarcane	Annual grasses and broadleaf weeds	35-50 g/ 16L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
4E CHEMICAL AGRI TRADING OPC	GLUFOSINATE AMMONIUM	4E SERUS 15 SL	150 g/L	SL	HERBICIDE	4	795-182-5711	27-May-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	After spray deposits have dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Mango	Anthracnose	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Rice	Rice blast, sheath blight, bacterial leaf streak	2.0-5.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Cacao	Black pod	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Citrus	Melanose, scab, scanker, fruit rot, brown and black spot	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Onion	Purple blotch, downy mildew	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Cabbage	Black rot, black leaf streak	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Carrot	Carrot blight, *alternaria*	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Beans	Rust, bacterial blight	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	COPPER HYDROXIDE	ADACOP 770 WP	770 g/kg	WP	FUNGICIDE	3	799-006-6774	19-Feb-27	-	Banana	Sigatoka	2.0-6.0 tbsp/ 16L	-	7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2-3 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Mango	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Banana	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-

ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Coffee	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Cacao	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Rubber	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Citrus	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Coconut	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
ADA MANUFACTURING CORPORATION	GLYPHOSATE IPA	ADABLAST GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	799-151-6772	21-Oct-25	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2-3 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves	3.0 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves	4.5 L/ ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0 L/ha	-	-	-
4E CHEMICAL AGRI TRADING OPC	GLYPHOSATE IPA	4E GLYCON 480 SL	480 g/L	SL	HERBICIDE	4	795-151-6701	1-Aug-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
4E CHEMICAL AGRI TRADING OPC	2,4-D AMINE	4E 2,4-D AMINE	400 g/L	-	HERBICIDE	2	795-013-6712	10-May-27	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 16L water	-	-	One day after spraying
4E CHEMICAL AGRI TRADING OPC	2,4-D AMINE	4E 2,4-D AMINE	400 g/L	-	HERBICIDE	2	795-013-6712	10-May-27	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/ 16L water	-	-	One day after spraying
4E CHEMICAL AGRI TRADING OPC	2,4-D AMINE	4E 2,4-D AMINE	400 g/L	-	HERBICIDE	2	795-013-6712	10-May-27	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	13.0-26.0 tbsp/ 16L water	-	-	One day after spraying
ELANCO PHILIPPINES, INC.	THIAMETHOXAM	AGITA 10 WG	100 g/kg	WG	INSECTICIDE	3	678-312-6731	13-Nov-27	-	-	Animal facilities for the control of houseflies	-	-	-	-
UNAHCO, INC.	BENZALKONIUM CHLORIDE	MAJOR D	25,000 g/L	-	OTHERS	2	612-097-6339	20-Nov-27	-	-	Animal facilities for routine disinfection (ie., livestocks/poultry homes/buildings and equipment)	-	-	-	-
UNAHCO, INC.	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE+DIDECYL DIMETHYL AMMONIUM CHLORIDE	MICROBAN GT	150,000g/L+80,00 0g/L+20,000g/L	-	OTHERS	2	612-633-6341	20-Nov-27	-	-	Surface disinfectant and disinfectant solution in animal breeding farms	-	-	-	-
UNAHCO, INC.	ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE+ISOTHIAZOLINONE CHLOROMETHYL	MICROBAN AVI	100 g/L+1.5 g/L	-	OTHERS	2	612-632-6340	20-Nov-27	-	-	Animal facilities for disinfection (i.e., surface disinfectant, disinfectant solution for foot and wheel bath	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	SYNERGO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	459-486-6755	22-May-26	-	Rice	Rice blast, sheath blight, sheath rot	4.0-5.0 tbsp/ 16L water 2.5-5.0 tbsp/ 16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	SYNERGO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	459-486-6755	22-May-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	5.0-7.5 tbsp/ 16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	SYNERGO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	459-486-6755	22-May-26	-	Mango	Anthracnose scab stem and rot	150-200 mL/ 200L drum	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	SYNERGO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	459-486-6755	22-May-26	-	Onion	Anthracnose	2.0-3.5 tbsp/ 16L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	SYNERGO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	459-486-6755	22-May-26	-	Potato	Late blight	2.0-2.5 tbsp/ 16L water	-	-	-
SYNGENTA PHILIPPINES INC.	FENPROPIDIN	BUSCADOR 750 EC	750 g/L	EC	FUNGICIDE	2	011-656-6609	17-Jul-25	-	Banana	Black sigatoka	0.50-0.60 L prod./ ha	10 mg/kg	0 day	-
PHILAGROW INC.	ETHYL & METHYL ESTERS OF CANOLA OIL FATTY ACIDS	HASTEN+Spray Adjuvant	685.0 g/L	-	OTHERS	4	372-643-6481	13-May-27	-	Chili (as adjuvant)	Anthracnose	0.5-1.0 L prod./ ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID+DIMETHOMORPH	DOWNMID 400 SC	100 g/L+300 g/L	SC	FUNGICIDE	3	539-650-6539	16-May-25	-	Potato	Late blight	750 mL prod./ ha (2.0 tbsp prod./ 16L)	-	14 days	Enter the field as soon as the spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	METAMIFOP+PENOXSULAM	HUGRICE PLUS 120 OD	100 g/L+20 g/L	OD	HERBICIDE	3	539-630-6541	16-May-25	POST-EMERGENT	Rice	Annual weeds (grasses, broadleaves, sedges	1.0 L prod./ ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID+FLUAZINAM	VINTAGA 400 SC	100 g/L+300 g/L	SC	FUNGICIDE	3	539-651-6540	16-May-25	-	Potato	Late blight	600-800 mL prod./ha (1.5-2.0 tbsp/ 16L	-	14 days	Enter the field as soon as the spray dries up
BAYER CROPSCIENCE, INC.	TETRANILIPROLE+THIACLOPRID	YEOVAL QUANTUM SC 480	120 g/L+360 g/L	SC	INSECTICIDE	2	284-647-6524	10-May-27	-	Rice	Stemborer and leaffolder	400-500mL prod./ ha	0.01 mg/kg Tetraniliprole 0.02 mg/kg Thiacloprid	45 days	Do not enter treated area before the spray deposit has dried completely for at least 12 hours after the application
LICHEMPHIL INTERNATIONAL INC.	PYMETROZINE+DINOTEFURAN	EXPLORER GOLD 600 WG	400 g/kg+200 g/kg	WG	INSECTICIDE	4	590-645-6513	10-May-27	-	Rice	Green leafhopper and brown planthopper	200-400 g prod./ ha	0.10 mg/kg Dinotefuran 0.02 mg/kg Pymetrozine	14 days	As soon as the spray deposits has dried
C.B. ANDREW ASIA, INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICECARE 240 OD	40 g/L+200 g/L	OD	HERBICIDE	4	460-383-6476	5-Apr-27	-	Rice (Direct-seeded)	Weeds *(Echinochloa crusgalli, Leptochloa chinesis, Cyperus difformis, Cyperus iria, Fimbristylis milliacea, Monochoria vaginalis*	255-262.5 mL prod./ ha	-	60 days	The sprayed field can be re-entered after the spray has dried
C.B. ANDREW ASIA, INC.	PENOXSULAM+CYHALOFOP-BUTYL	RICECARE 240 OD	40 g/L+200 g/L	OD	HERBICIDE	4	460-383-6476	5-Apr-27	-	Rice (Transplanted)	Weeds *(Echinochloa crusgalli, Leptochloa chinesis, Cyperus difformis, Cyperus iria, Fimbristylis milliacea, Monochoria vaginalis*	300-318.75 mL prod./ ha	-	60 days	The sprayed field can be re-entered after the spray has dried
THOMAS COWAN & COMPANY INC.	DIPHACINONE	DITRAC ALL WEATHER BLOX	0.05g/kg	-	INSECTICIDE	4	791-654-6594	28-Jun-25	-	-	To control rats and mice in agricultural warehouse and facilities	-	-	-	-
FMC AGRO PHILIPPINES INC.	BACILLUS PARALICHENIFORMIS+BACILLUS SUBTILIS	CATULIA	50.4 g/L+75.5 g/L	-	OTHERS	4	598-655-6603	16-Jul-25	-	Banana	Nematodes	1.5-2.0L prod./ ha 31-50 mL prod./ sucker plant	-	-	-
POLARA CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	VESQUAT	92 g/L	-	OTHERS	2	654-394-6640	8-Aug-25	-	-	For use as disinfectant in animal facilities	-	-	-	-
POLARA CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	SANEX 50 SL	500 g/L	SL	OTHERS	2	654-394-6639	8-Aug-25	-	-	For use as disinfectant in animal facilities	-	-	-	-
BASF PHILIPPINES, INC.	MEFENTRIFLUCONAZOLE	CEVYA 400 SC	400 g/L	SC	FUNGICIDE	3	005-658-6644	9-Aug-25	SYSTEMIC	Rice	Sheath blight	250 mL prod./ ha	*1.5 mg/kg	21 days	As soon as spray droplets dry up
BASF PHILIPPINES, INC.	MEFENTRIFLUCONAZOLE	CEVYA 400 SC	400 g/L	SC	FUNGICIDE	3	005-658-6644	9-Aug-25	SYSTEMIC	Banana	Black sigatoka	150-200 mL prod./ ha	*1.5 mg/kg	0 day	As soon as spray droplets dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOLPET	RAINFOLP 500 SC	500 g/L	SC	FUNGICIDE	4	539-653-6567	3-Jun-25	-	Banana	Black sigatoka	1.0-1.5 L prod./ ha	-	Do not spray within 14 days before harvest	Re-entry into treated areas may be done at least 2 days after application
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM+ISOTIANIL	TIVIANT WG 77	700 g/kg+70 g/kg	WG	FUNGICIDE	4	284-642-6480	13-May-27	-	Banana	Fusarium wilt and black sigatoka	400-800 g prod./ ha	3.8 mg/kg (based on local SPRT)	0 day	After spray deposits have dried
VANNHAWK AGROCHEMICAL, INC.	OXYFLOURFEN+FLUAZIFOP-P-BUTYL	DAGUL ULTRA 195 EC	120 g/L+75 g/L	EC	HERBICIDE	3	295-652-6543	20-May-25	-	Onion	*Eleusine indica* (Goose grass), *Echinochloa crus-galli* (Barnyard grass), *Echinochloa colona* (Jungle rice), *Dactyloctenium*	5-15 tbsp prod./ 16L	-	-	As soon as spray dries up
ZENITH AGRIMAX VENTURES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	TOPBRASS 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	794-399-6659	15-Aug-25	-	Banana	Thrips, mealy bugs, scale insects, aphids, scarrig beetle	2 mL prod./L solution 500-600L solution/ ha	-	7 days	After spray deposits have dried
ZENITH AGRIMAX VENTURES, INC.	CLOTHIANIDIN+LAMBDA-CYHALOTHRIN	DELUGE 250 ZC	130 g/L+120 g/L	ZC	INSECTICIDE	2	794-623-6658	15-Aug-25	-	Banana	Thrips, mealy bugs, scale insects, aphids, scarrig beetle	2 mL prod./L solution 500-600L solution/ ha	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	THIAMETHOXAM+PYMETROZINE	BLAST 500 WDG	250 g/kg+250 g/kg	WDG	INSECTICIDE	4	788-661-6656	15-Aug-25	-	Banana	Thrips, mealy bugs, scale insects, aphids, scarrig beetle	2 mL prod./L solution 500-600L solution/ ha	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Banana	Thrips, scarring beetle, mealy bugs, scale insects, aphids	2 mL prod./ L solution at 500-600 L solution/ ha	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Beans	Aphids, bean fly, leafminer, pod borer	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Cabbage	Diamondback moth, cabbage moth, worm	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Corn	Corn borer, earworm	1.4.5 ml prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Cotton	Aphids, boll weevil, bollworm, cutworm, leafhopper, leafworm, thrips	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Mango	Fruitfly, leafhopper, tip borer, twig borer	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Onion	Thrips, cutworm	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Rice	Armyworm, brown planthopper, green leafhopper, leaffolder, rice bug, stem borer, white-backed planthopper	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Tobacco	Aphids, budworms, cutworms, thrips	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Tomato	Aphids, beetles, tomato fruitworm	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	CYPERMETHRIN	RAIDER 5 EC	5 g/L	EC	INSECTICIDE	2	788-037-6660	15-Aug-25	-	Watermelon	Aphids, beetles, thrips	1-3 mL prod./ 16L solution	-	7 days	After spray deposits have dried
GIANSAN TRADING CORPORATION	ACETAMIPRID+BIFENTHRIN	PALLADIUM 150 EC	100 g/L+50 g/L	EC	INSECTICIDE	2	788-660-6655	15-Aug-25	-	Banana	Thrips, mealy bugs, scale insects, aphids, scarrig beetle	2 mL prod./L solution 500-600L solution/ ha	-	7 days	After spray deposits have dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Mango	Anthracnose	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Rice	Rice blast, sheath blight, bacterial leaf streak	2.0-5.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Cacao	Black pod	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried

YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Citrus	Melanose, scab, scanker, fruit rot, brown and black spot	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Onion	Purple blotch, downy mildew	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Cabbage	Black rot, black leaf streak	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Carrot	Carrot blight, alternaria	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Beans	Rust, bacterial blight	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
YUUMIE TRADE OPC	COPPER HYDROXIDE	COPPER DOME 770 WP	770 g/kg	WP	FUNGICIDE	3	691-006-6717	19-Feb-27	-	Banana	Sigatoka	2.0-6.0 tbsp/ 16L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
ADA MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	ADABLAST CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	779-106-6820	16-Feb-27	-	Pechay	Looper, cutworm, aphids	1.5-3.0 TBsp/ 16L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CHEMREZ TECHNOLOGIES, INC.	ALKYLDIMETHYLBENZYL AMMONIUM CHLORIDE	SANIPLUS ADBAC 50	500 g/L	-	OTHERS	2	529-568-6837	3-Dec-27	-	Banana	Moko disease caused by Ralstonia solanacearum and Panama disease caused by Fusarium oxysporum f.sp. Cubense	-	-	-	-
C.B. ANDREW ASIA, INC.	SIROTETRAMAT	SMIGHT 240 SC	240 g/L	SC	INSECTICIDE	4	460-419-6793	15-Nov-27	-	Banana	Flower thrips	3.3-4.17 mL prod./ L water	-	-	Treated areas may be re-entered immediately after bud injection (in banana) or as soon spray deposits have dried completely (in
C.B. ANDREW ASIA, INC.	SIROTETRAMAT	SMIGHT 240 SC	240 g/L	SC	INSECTICIDE	4	460-419-6793	15-Nov-27	-	Pineapple	Mealy bugs, mites, nematodes, scale insects, and white grubs	0.45-1.20 L prod./ ha 4.17 L prod./ ha	-	77 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon spray deposits have dried completely (in
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Pechay	Lopper, cutworm, aphids	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and apgids	1.5-2.0 tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
GREEN ACTION BRIGADE INC.	CARTAP HYDROCHLORIDE	HUATAP 50 SC	500 g/kg	SC	INSECTICIDE	3	775-106-6769	11-Dec-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/ 16L water	-	Do not spray within 2 days before harvest	Enter treated field within 2 days after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Rice	Stemborer, leaffolder	60 mL prod./ 16L water	-	45-60 days	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Cabbage	Diamondback moth, cutworm, cabbage worm	15 mL prod./ 16L water	-	1 day	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Eggplant	Shoot borer, fruit borer, cutworm	10 mL prod./ 16L water	-	1 day	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Stringbeans	Podborer	10 mL prod./ 16L water	-	1 day	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Tomato	Cutworm, fruitworm	40 mL prod./ 16L water	-	3 days	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Bittergourd	Cutworm, leaffolder	20 mL prod./ 16L water	-	3 days	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Corn	Cornborer, earworm	30 mL prod./ 16L water	-	7 days	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Tobacco	Budworm, cutworm	30 mL prod./ 16L water	-	7 days	12 hours after spraying
HAILIR PHILIPPINES AGROSERVICE INC.	CHLORANTRANILIPROLE	CHREAL 50 SC	50 g/L	SC	INSECTICIDE	4	672-393-6853	18-Dec-27	-	Sugarcane	Sugarcane borer	40 mL prod./ 16L water	-	240-300 days	12 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3-5 tbsp/16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Mango	Leafhoppers	1.5-2 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
ARIES RNE CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KATAPAT 50 SP	500 g/kg	SP	INSECTICIDE	3	478-106-2634	9-Apr-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated-field 48 hours after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Tobacco	Budworm, grasshopper, aphid, cutworm, armyworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Onion	Thrips, cutworm	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUUMIE TRADE OPC	FENOBUCARB (BPMC)+CHLORPYRIFOS	YUUMIE BPMC 31.5 EC	105 g/L+210 g/L	EC	INSECTICIDE	2	691-174-6786	31-Oct-27	-	Beans	Bean podborer, aphid, beanfly, armyworm, leafminer, leaffolder	2.5-3.5 tbsp/ 16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	HALOSPYR PLUS 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	001-504-6841	6-Dec-27	POST-EMERGENT	Rice (Direct seeded)	Grasses (*E. chinochloa spp., L chinensis, I. rugosum*) Broadleaves (*M. vaginalis, S. zeylanica, L. octavalvis*) Sedges (*C. iria, C.*	500-750 mL prod./ ha	-	-	As soon as spray dries up
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Glyphosate tolerant corn	Perennial grasses, broadleaf weeds, and sedges	2-4 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Mango	Perennial grasses, broadleaf weeds, and sedges	3.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Banana	Perennial grasses, broadleaf weeds, and sedges	3.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Coffee	Perennial grasses, broadleaf weeds, and sedges	4.5 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Cacao	Perennial grasses, broadleaf weeds, and sedges	4.5 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Rubber	Perennial grasses, broadleaf weeds, and sedges	2.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Oil palm	Perennial grasses, broadleaf weeds, and sedges	2.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Citrus	Perennial grasses, broadleaf weeds, and sedges	2.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Coconut	Perennial grasses, broadleaf weeds, and sedges	4.5 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Sugarcane	Perennial grasses, broadleaf weeds, and sedges	2.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	GLYPHOSATE IPA	GLYPOWIN 480 SL	480 g/L	SL	HERBICIDE	4	792-151-6771	16-Dec-27	NON-SELECTIVE/SYSTEMIC	Vegetables	Perennial grasses, broadleaf weeds, and sedges	2.0 L/ ha	-	7 days	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze the sprayed field for at least 2 months
E-TONG CHEMICAL (PHILIPPINES) INC.	BISPYRIBAC-SODIUM	ORYZABAC 400 EC	400 g/L	EC	HERBICIDE	4	792-106-6845	16-Dec-27	POST-EMERGENCE	Rice (Direct-seeded) lowland	Grasses, sedges and broaldeaf weeds	-	-	-	After spray deposits have dried
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L tankload	-	-	-

E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0 tbsp/ 16L tankload	-	-	-
E-TONG CHEMICAL (PHILIPPINES) INC.	CARTAP HYDROCHLORIDE	BADAN 500 SP	500 g/kg	SP	INSECTICIDE	3	792-106-6770	16-Dec-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/ 16L tankload	-	-	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ ha 4.0-6.0 mL prod./ 16L	-	7 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ ha 4.0-6.0 mL prod./ 16L	-	90 days after flower induction	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Eggplant	Green leafhopper, whiteflies, aphids	100-200 mL prod./ ha 4.0-6.0 mL prod./ 16L	-	7 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Bittergourd	Leafhopper, aphids, thrips, fruitfly cutworm	100-400 mL prod./ ha 4.0-13.0 mL prod./ 16L	-	3 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Corn	Cutworm	250-400 mL prod./ ha 10.0-16. mL prod./ 16L	-	3 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Mango	Mango leafhopper	20-30 mL/100	-	3 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Banana	Flower thrips	1-3 mL/ L	-	90 days	-
ADA MANUFACTURING CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ADABLAST LAMBDA+TMX 247 ZC	106 g/L+141g/L	ZC	INSECTICIDE	2	799-399-6819	27-Apr-25	-	Rice	Stemborer, leafhoppers	100-200 mL prod./ ha 10.0-30.0 mL prod./ 16L	-	14 days	-
ADA MANUFACTURING CORPORATION	BETA-CYFLUTHRIN	ADABLAST BETA 25 EC	25 g/L	EC	INSECTICIDE	2	799-356-6821	25-Jan-27	-	Tobacco	Budworm	10 mL-20 mL/ 16L water (one tank load)	-	7 days	After spray deposits have dried
ADA MANUFACTURING CORPORATION	BETA-CYFLUTHRIN	ADABLAST BETA 25 EC	25 g/L	EC	INSECTICIDE	2	799-356-6821	25-Jan-27	-	Corn	Seedling maggot, corn borer	25mL-50mL / 16L water (one tank load)	-	13 days	After spray deposits have dried
ADA MANUFACTURING CORPORATION	BETA-CYFLUTHRIN	ADABLAST BETA 25 EC	25 g/L	EC	INSECTICIDE	2	799-356-6821	25-Jan-27	-	Rice	Leafhopper, stemborer, black bug, whorl maggot	25mL-40 mL/ 16L water (one tank load)	-	18 days	After spray deposits have dried
ADA MANUFACTURING CORPORATION	BETA-CYFLUTHRIN	ADABLAST BETA 25 EC	25 g/L	EC	INSECTICIDE	2	799-356-6821	25-Jan-27	-	Mango	Mango hopper	30mL-65mL/ 16L water (one tank load)	-	28 days	After spray deposits have dried
ADA MANUFACTURING CORPORATION	BETA-CYFLUTHRIN	ADABLAST BETA 25 EC	25 g/L	EC	INSECTICIDE	2	799-356-6821	25-Jan-27	-	Eggplant	Fruit borer, tip borer	15mL-20mL/ 16L water (one tank load)	-	3 days	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PYRIBENZOXIM+CYHALOFOP-BUTYL	IDANA 8.5 EC	25 g/L+60 g/L	EC	HERBICIDE	3	459-453-6756	27-Jan-26	-	Rice (direct-seeded)	Grasses, sedges and broadleaves	8.5-10 tbsp/ 16L	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Banana	Blossom thrips	4.5/ L water	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Cabbage	Diamond back moth	1000 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Ornamentals	Mites	10-15 mL/ 16L	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1500 mL prod./ ha 1500 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Onion	Leafminer, thrips	500-1000 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Potato	Leafminer, thrips	500-1000 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Tomato	leafminer, thrips, aphids	500-1000 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Watermelon	Leafminer, thrips, melonworm	500-1000 mL prod./ ha 50-1500 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Papaya	Mites	150-600 mL prod./ ha	-	-	-
ULTRA BRIGHT INC.	ABAMECTIN	ULTRA B.C. MECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	773-234-6835	13-Sep-27	-	Strawberry	Mites	600-1200 mL prod./ ha	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Mango	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Banana	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Coffee	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Cacao	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Rubber	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Oil palm	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Citrus	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Coconut	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Sugarcane	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
ENASIA AGRO VENTURES, INC.	GLYPHOSATE IPA	GLYPHOCUT 480 GL SL	480 g/L	SL	HERBICIDE	4	770-151-6827	21-Jul-27	-	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
LEADS ENVIROMENTAL HEALTH PRODUCTS CORP.	GLYPHOSATE IPA	GLYCLEAN 480 SL	480 g/L	SL	HERBICIDE	4	645-151-6826	7-Jun-27	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	BUPROFEZIN	MOLT X 25SC	250 g/L	SC	INSECTICIDE	3	540-224-6679	29-Nov-26	-	Mango	Hopper	60-80 mL/ 200 L water	-	Do not spray 15 days before harvest	Re-entry to field is allowed as soon as spray dries up
AKTIV MULTI TRADING CO. PHILS, INC.	BUPROFEZIN	MOLT X 25SC	250 g/L	SC	INSECTICIDE	3	540-224-6679	29-Nov-26	-	Cavendish Banana	Scale insect, mealy bugs and aphids	1.5-2.5 mL/ L water	-	Do not spray 15 days before harvest	Re-entry to field is allowed as soon as spray dries up
ADA MANUFACTURING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	ADACLEAR 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	799-229-6775	29-Apr-27	-	Rice	Golden apple snail	35 grams or 1 sachet g prod./ load	-	-	48 hours after spraying
ADA MANUFACTURING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	ADABLAST CYBIS 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	799-504-6773	16-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses (*E. chinochloa spp., L chinensis, I. rugosum*) Broadleaves (*M. vaginalis,, S. zeylanica, L. octavalvis*) Sedges (*C. iria, C.*	500 mL to 1-L prod./ ha 160-192 L/ha	-	-	As soon as spray dries up
RBAV HARVEST TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	BRAVADO 230 SE	180 g/L+50 g/L	SE	HERBICIDE	4	772-504-6789	7-Nov-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tbsp/ tank load 8.0 tbsp/ tank load	-	-	-
ONEGRAIN MARKETING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	GUERERO 230 SE	180 g/L+50 g/L	SE	HERBICIDE	4	723-504-6788	7-Nov-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tbsp/ tank load 8.0 tbsp/ tank load	-	-	-
JYNNSONS PHILIPPINES, INC.	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	COVERT PLUS 230 SE	180 g/L+50 g/L	SE	HERBICIDE	4	551-504-6787	7-Nov-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tbsp/ tank load 8.0 tbsp/ tank load	-	-	-
PLANTCARE TRADING CORPORATION	CYHALOFOP-BUTYL+BISPYRIBAC SODIUM	FRONTAGE ULTRA 230 SE	180 g/L+50 g/L	SE	HERBICIDE	4	495-504-6817	7-Nov-27	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	10.0 tbsp/ tank load 8.0 tbsp/ tank load	-	-	-
ENVIRO SCOPE SYNERGY, INC.	METHYL EUGENOL	ENVIRO VIPO	2.5 g	-	INSECTICIDE	4	649-358-6733	21-Oct-25	-	Mango	Fruitfly	10-20 Lures/ ha	-	-	-
UPL PHILIPPINES, INC.	HEXACONAZOLE+MANCOZEB	NOURICH 55 WG	24 g/kg+526 g/kg	WG	FUNGICIDE	4	562-674-6855	26-Dec-25	-	Rice	Sheath blight	1.75-2.25 kg prod./ ha	0.02 mg/kg 0.10 mg/kg	44 days	Re-entry to fields is allowed as soon as spray dries up
UPL PHILIPPINES, INC.	AZOXYSTROBIN+MANCOZEB	GLORY 75 WG	50 g/kg+700 g/kg	WG	FUNGICIDE	4	562-673-6854	26-Dec-25	-	Rice	Sheath blight	1.5-2.0 kg prod./ Ha	0.6 mg/kg 0.1 mg/kg	30 days	Re-entry to fields is allowed as soon as spray dries up
UPL PHILIPPINES, INC.	AZOXYSTROBIN+MANCOZEB	GLORY 75 WG	50 g/kg+700 g/kg	WG	FUNGICIDE	4	562-673-6854	26-Dec-25	-	Tomato	Fusarium wilt, early blight	0.125-0.625 kg prod./ ha	0.2 mg/kg 2.0 mg/kg	10 days	Re-entry to fields is allowed as soon as spray dries up
UPL PHILIPPINES, INC.	CYMOXANIL+MANCOZEB	NAUTILE 73 WG	50 g/kg+680 g/kg	WG	FUNGICIDE	4	562-163-6857	26-Dec-25	-	Potato	Late blight	1-2 kg prod./ ha	0.01 mg/kg 0.20 mg/kg	7 days	Re-entry to field is allowed as soon as spray dried up

RAINBOW AGROSCIENCES PHILIPPINES INC.	PYMETROZINE+DINOTEFURAN	DIPIRAN 60 WG	300 g/kg+300 g/kg	WG	INSECTICIDE	4	539-645-6758	28-Oct-25	-	Rice	Green leafhopper, brown planthopper, leaffolder, stemborer	1.5-3.0 g/ 16L sprayer 20-40 g/ ha	0.02 mg/kg 0.10 mg/kg	14 days before harvesting	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYMETROZINE+DINOTEFURAN	DIPIRAN 60 WG	300 g/kg+300 g/kg	WG	INSECTICIDE	4	539-645-6758	28-Oct-25	-	Mango	Leafhopper	150 g/ 200 L water	1.00 mg/kg 1.00 mg/kg	0 day before harvesting	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	OXATHIAPIPROLIN+MANCOZEB	ZORVEC ENIBEL 606 WG	6 g/kg+600 g/kg	WG	FUNGICIDE	4	014-657-6643	16-Sep-25	-	Tomato	Late blight	2.0-2.5 kg/ prod./ ha	-	-	-
CORTEVA ASIA PACIFIC INC.- PHILIPPINE BRANCH	OXATHIAPIPROLIN+MANCOZEB	ZORVEC ENIBEL 606 WG	6 g/kg+600 g/kg	WG	FUNGICIDE	4	014-657-6643	16-Sep-25	-	Potato	Late blight	2.0-2.5 kg/ prod./ ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM+OXYFLOURFEN	GLUDON 320 SC	240 g/L+80 g/L	SC	HERBICIDE	3	539-662-6692	17-Sep-25	-	Banana	Grasses, sedges and broadleaves	1.0-1.3 L prod./ ha	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	POTASSIUM PHOSPHONATE+COPPER SULFATE PENTAHYDRATE	MUSACURE 62 SP	519 g/kg+102 g/kg	SP	FUNGICIDE	3	535-664-6730	26-Sep-25	-	Banana	Black sigatoka	1.0 kg prod./ ha	-	0 day	-
THE LICHEMPHIL INTERNATIONAL INC.	CHLORFENAPYR+SPINOSAD	AKASA EXTRA 140 SC	115 g/L+25 g/L	SC	INSECTICIDE	3	590-631-6313	21-Nov-27	-	Cabbage	Diamond moth, cabbage worm, aphids and flea beetle	500-600 mL/ ha	Chlorfenapyr 1 mg/kg Spinosad 2 mg/kg	1 day	Immediately after spray deposits has dried up
AGSMART CORPORATION	DIMEHYPO	CHANCELLOR 500 SL	500 g/L	SL	INSECTICIDE	2	680-663-6707	12-Nov-27	-	Chinese cabbage (Pechay)	Cutworm and diamond back moth	500 mL prod./ ha	1.00 mg/kg	14 days	-
AGSMART CORPORATION	DIMEHYPO	CHANCELLOR 500 SL	500 g/L	SL	INSECTICIDE	2	680-663-6707	12-Nov-27	-	Broccoli	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
AGSMART CORPORATION	DIMEHYPO	CHANCELLOR 500 SL	500 g/L	SL	INSECTICIDE	2	680-663-6707	12-Nov-27	-	Cauliflower	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
AGSMART CORPORATION	DIMEHYPO	CHANCELLOR 500 SL	500 g/L	SL	INSECTICIDE	2	680-663-6707	12-Nov-27	-	Mustard	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BIFENTHRIN+CLOTHIANIDIN	COBIRIN 200 SC	100 g/L+100 g/L	SC	INSECTICIDE	2	539-667-6798	19-Nov-25	-	Rice	Green leafhopper, brown planthopper and leaffolder	300-500 mL prod./ ha	Clothianidin: 0.5 mg/kg Bifenthrin 0.7 mg/kg	14 days	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PRETILACHLOR+PYRIBENZOXIM	POPRAIN 320 EC	300 g/L+20 g/L	EC	HERBICIDE	4	539-666-6797	19-Nov-25	-	Rice	Grasses, sedges and broadleaves	1000 mL prod./ ha	Pretilachlor: 0.05 mg/kg Pyribenzoxim: 0.05 mg/kg	14 days	-
MIGHTY AGRICULTURAL TRADING CORPORATION	DIAZINON	FERVIDUS 600 EC	600 g/L	EC	INSECTICIDE	2	733-034-6240	26-Sep-25	-	Pineapple	Mealy bugs (through drone spray application)	1.0-4.0 L prod./ ha	-	14 days	After spray deposits have dried
AHCIL LABORATORIES, INC.	LACTIC ACID	ANTICA	100 g/KG	-	FUNGICIDE	4	464-412-2511	27-Sep-25	-	Rice	Bacterial leaf blight, tungro virus	100 mL prod./ 16L water 1-1.5 L/ha	-	1 day	Immediately after spray deposit have dried
AHCIL LABORATORIES, INC.	LACTIC ACID	ANTICA	100 g/KG	-	FUNGICIDE	4	464-412-2511	27-Sep-25	-	Sugarcane	Sugarcane smut	2.16 L prod. In 65 L water/ ha	-	1 day	Immediately after spray deposit have dried
AHCIL LABORATORIES, INC.	LACTIC ACID	ANTICA	100 g/KG	-	FUNGICIDE	4	464-412-2511	27-Sep-25	-	Potato	Anthracnose	60-80 mL/ 16L water	-	1 day	Immediately after spray deposit have dried
AHCIL LABORATORIES, INC.	LACTIC ACID	ANTICA	100 g/KG	-	FUNGICIDE	4	464-412-2511	27-Sep-25	-	Mango	Anthracnose, scabs	80 mL/ 16L water	-	1 day	Immediately after spray deposit have dried
ENVIRO SCOPE SYNERGY, INC.	(€-11-HEXADECENYL ACETATE+€-11-HEXADECEN-1-OL)	STELURE	2mg/ Lure	-	INSECTICIDE	4	649-669-6809	29-Nov-25	-	Eggplant	Fruit and shoot borer	12-15 pcs lures/ ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CRY1F, CRY1A.105, CRY2AB2, VIP3A20	POWERCOREULTRA (MON89034xTC1507xMIR162xNK603)	-	-	INSECTICIDE	-	PIP-04-09-15	6-Jun-25	-	Corn	Fall armyworm (as plant-incorporated Protectant (PIP)	-	-	-	-
ZAGRO CORPORATION	GLUTARALDEHYDE+BENZALKONIUM CHLORIDE+DIDECYL DIMETHYL AMMONIUM CHLORIDE+DIOCTYL DIMETHYL AMMONIUM	ULTRAXIDE PLUS	750g/L+55g/L+15g/L+15e/L+35e/L	-	OTHERS	2	043-604-5900	12-Dec-27	-	-	Disinfection in farm animal facilities, equipment and vehicle	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIMEHYPO	SUPERSTRONG 500 SL	500 g/L	SL	INSECTICIDE	2	088-663-6844	12-Nov-27	-	Chinese cabbage (Pechay)	Cutworm and diamond back moth	500 mL/ prod./ ha	-	14 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIMEHYPO	SUPERSTRONG 500 SL	500 g/L	SL	INSECTICIDE	2	088-663-6844	12-Nov-27	-	Broccoli	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIMEHYPO	SUPERSTRONG 500 SL	500 g/L	SL	INSECTICIDE	2	088-663-6844	12-Nov-27	-	Cauliflower	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIMEHYPO	SUPERSTRONG 500 SL	500 g/L	SL	INSECTICIDE	2	088-663-6844	12-Nov-27	-	Cabbage	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIMEHYPO	SUPERSTRONG 500 SL	500 g/L	SL	INSECTICIDE	2	088-663-6844	12-Nov-27	-	Mustard	Cutworm and diamond back moth	750 mL prod./ ha	-	14 days	-
AVC CHEMICAL CORPORATION	FLAZASULFURON	CHIKARA 25 WG	250 g/kg	WG	HERBICIDE	4	060-524-6796	10-Dec-27	SELECTIVE/SYSTEMIC/PRE-EMERGENT/POST-	Sugarcane	Grasses, sedges and broadleaves	150 g prod./ ha; 200 g prod./ ha	0.01 mg/kg	249 days	Enter the field as soon as the spray dries up
AGRIWORLD AGRI-PRODUCTS, INC.	DIDECYL DIMETHYL AMMONIUM BROMIDE	BESTAQUAM	500 g/L	-	OTHERS	2	768-624-6206	10-Jul-27	-	-	Disinfection in pig farms, poultry houses, hatcheries and dairies	-	-	-	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Corn	Cornborer, aphids, seedling maggots	1-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Mango	Hopper	0.90-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Onion	Cutworms, thrips	1 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Tomato	Fruitworm, cutworm, aphids	1-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Rice	Green leafhopper, armyworm rice bug, leaffolder, black bug	1-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Cotton	Bollworm	1-1.5 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Mungbeans	Beanfly, flea beetles, leafhoppers	1 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Cacao	Aphids, mites, pod borer	1-2 tbsp/ 16L	-	Do not spray within three days before harvest	-
WEALTHY GROWER AGRI CORPORATION	LAMBDA-CYHALOTHRIN	PHYTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	782-204-6865	29-Jul-25	-	Watermelon	Squash beetle, melon worm	1 tbsp/ 16L	-	Do not spray within three days before harvest	-
JYNNSONS PHILIPPINES, INC.	ZINC PHOSPHIDE	JPI ZINC PHOSPHIDE	800 g/kg		OTHERS	2	551-173-6588	17-Jun-25	-	Field crops	Rats and mice	-	-	-	-
TEAMAGRO TRADING CORPORATION	BUTACHLOR	TEAMAGRO BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	248-150-6843	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	-	-	-	-
TEAMAGRO TRADING CORPORATION	BUTACHLOR	TEAMAGRO BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	248-150-6843	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Annual grasses and sedges	-	-	-	-
KPP POWERS COMMODITIES, INC.	GLUTARALDEHYDE+ORTHOPHENYLPHENOL	SANIVIR FUMIGENO	35 g/kg+70 g/kg	-	OTHERS	2	800-665-6781	15-Jan-28	-	-	Broad spectrum disinfectant for livestock and poultry facilities; and trucks that transport and carry animal	-	-	-	-
FMC AGRO PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	BRIGADIER 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	598-489-6846	25-Jul-27	SYSTEMIC/CONTACT	Rice	Stemborer, whorl maggot, leaffolder and green leafhopper	15.0-25.0 mL/ 16L water	-	-	As soon as spray deposits have dried up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	BRIGADIER 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	598-489-6846	25-Jul-27	SYSTEMIC/CONTACT	Potato	Leafminer	12.0 mL/ 16L water	-	-	As soon as spray deposits have dried up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	BRIGADIER 300 SC	50 g/L+250 g/L	SC	INSECTICIDE	2	598-489-6846	25-Jul-27	SYSTEMIC/CONTACT	Mango	Mango leafhopper, thrips cecid fly	6.5-8.0 mL/ 16L water	-	-	As soon as spray deposits have dried up
FMC AGRO PHILIPPINES INC.	NOVALURON+BIFENTHRIN	DIAMOND FAST 100 SC	50 g/L+50 g/L	SC	INSECTICIDE	2	598-484-6847	25-Jul-27	-	Cabbage	Diamond-back moth	500-750 / ha	-	-	As soon as spray deposits had dried up